

25 . MONKEY BANANA PROBLEM

AIM

To write a Prolog program to implement the Monkey and Banana problem using facts and rules.


OBJECTIVE

- To represent the monkey, chair, and banana as facts.
- To use Prolog rules to solve the problem.
- To determine whether the monkey can obtain the banana.
- To understand knowledge representation and logical reasoning.

ALGORITHM

1. Start.
2. Define the positions of the monkey, chair, and banana.
3. Create a rule `can_get_banana`.
4. Check whether the required objects are present.
5. If the conditions are satisfied, perform the actions: move chair, climb, and get banana.
6. Display that the banana is obtained.
7. Stop.

FLOWCHART



CODE

monkey(at_door).

chair(at_window).

banana(on_ceiling).

can_get_banana :-

 monkey(at_door),

 chair(at_window),

 banana(on_ceiling),

 write('Monkey moves chair, climbs and gets banana.').

OUTPUT

 SWI-Prolog (AMD64, Multi-threaded, version 9.2.9)
File Edit Settings Run Debug Help
Welcome to SWI-Prolog (threaded, 64 bits, version 9.2.9)
SWI-Prolog comes with ABSOLUTELY NO WARRANTY. This is free software.
Please run ?- license. for legal details.

For online help and background, visit <https://www.swi-prolog.org>
For built-in help, use ?- help(Topic). or ?- apropos(Word).

?-
% c:/Users/New/Documents/Prolog/monkey_banana.pl compiled 0.00 sec, 4 clauses
?- can_get_banana.
Monkey moves chair, climbs and gets banana.
true.

?-

RESULT

Thus, the Monkey and Banana problem was successfully implemented in Prolog, and the monkey successfully obtains the banana when the required conditions are satisfied.