SOFTWARE REQUIREMENTS SPECIFICATION (SRS)

Church Management System (ChMS)

Document Version: 1.0
Status: Draft / Development Specification
Document Type: Software Requirements Specification
System: Church Management System
Prepared For: Church / Organization
Prepared By: Development Team
Date: October 2026

1. INTRODUCTION

1.1 Purpose

The purpose of this document is to define the requirements for a comprehensive **Church Management System (ChMS)** that will enable churches to manage members, families, branches, departments, ministries, groups, attendance, finances, events, communications, pastoral care, and organizational reporting from a centralized platform.

The system will provide church administrators, pastors, leaders, workers, finance personnel, and authorized users with role-based access to information and workflows relevant to their responsibilities.

The system is intended to support:

- Single-campus churches
- Multi-campus churches
- Churches with multiple branches
- Departments and ministries
- Small groups/cells
- Church workers and leaders
- Large membership databases
- Centralized and branch-level administration

2. SYSTEM OBJECTIVES

The primary objectives are to:

1. Maintain a centralized and accurate database of church members and visitors.
2. Manage families and household relationships.
3. Manage branches, departments, ministries, groups, and organizational structures.
4. Record and analyze church attendance.
5. Manage tithes, offerings, donations, pledges, expenses, and financial records.
6. Manage church programs and events.
7. Facilitate communication between church leadership and members.
8. Support pastoral care, visitation, counselling, prayer requests, and follow-up.
9. Provide dashboards and reports for informed decision-making.
10. Enforce secure, role-based access to sensitive information.
11. Maintain a complete audit trail of important system activities.
12. Support future integrations such as payment gateways, SMS providers, email services, and mobile applications.

3. SCOPE

The system shall consist of the following major modules:

Core Modules

1. Members & People
2. Church Structure
3. Attendance
4. Giving & Finance
5. Events
6. Communication
7. Pastoral Care
8. Reports & Dashboard
9. Authentication & Authorization
10. System Administration
11. Audit & Activity Logging

4. DEFINITIONS

Term	Definition
Member	A person officially associated with the church
Visitor	A person attending or interacting with the church who is not yet a member
Newcomer	A recent visitor/member undergoing integration or follow-up
Household	A family or group of people sharing a household
Branch	A physical or organizational church location
Campus	A church location operating under the wider church organization
Department	An organizational unit responsible for a specific function
Ministry	A ministry serving a specific spiritual, demographic, or operational purpose
Group/Cell	A small group of members meeting regularly
Worker	A person serving in an assigned church capacity
Leader	A person responsible for leading a department, ministry, group, or branch
Service	A church worship/service meeting
Giving	Money received by the church
Pledge	A financial commitment made by a member or donor
Pastoral Care	Activities related to member welfare and spiritual care

5. SYSTEM USERS

The system shall support multiple user roles.

5.1 Super Administrator

Full access to the entire system.

Permissions may include:

- Manage system configuration
- Create/edit/delete users
- Manage roles and permissions
- Manage branches
- Access all reports
- Access audit logs
- Configure integrations
- Manage security settings

5.2 Church Administrator

Responsible for general church administration.

Permissions:

- Manage members
- Manage visitors
- Manage departments
- Manage groups
- Manage events
- View attendance
- Generate reports
- Manage communications

5.3 Pastor / Senior Leadership

Permissions may include:

- View membership
- View attendance
- View pastoral records
- View selected financial reports
- View church dashboards
- Manage pastoral follow-ups
- View member history

Access to highly sensitive information shall be configurable.

5.4 Branch Administrator

Access limited to an assigned branch.

Can:

- Manage branch members
- Record attendance
- Manage branch events
- Manage branch departments
- View branch reports

5.5 Department Leader

Can manage:

- Department members
- Department attendance
- Department events
- Department communications
- Department workers
- Department reports

5.6 Group/Cell Leader

Can:

- View assigned group members
- Record group attendance
- Add visitors
- Submit follow-up information
- Send authorized group communications

5.7 Finance Officer

Can:

- Record giving
- Record expenses
- Manage pledges
- Generate financial reports
- Generate giving statements
- Manage financial categories

Financial permissions shall be isolated from general administrative permissions.

5.8 Communication Officer

Can:

- Send SMS
- Send email
- Create announcements
- Manage communication templates
- View communication history

5.9 Pastoral Care Officer

Can:

- Manage visitation
- Manage counselling records
- Manage prayer requests
- Manage follow-ups
- View relevant member information

5.10 Worker

Limited access based on assigned responsibilities.

6. AUTHENTICATION AND AUTHORIZATION

6.1 Authentication

The system shall support:

- Email/username login
- Password authentication
- Password reset
- Account activation/deactivation
- Session management
- Optional two-factor authentication

6.2 Authorization

The system shall implement **Role-Based Access Control (RBAC)**.

Permissions shall be granular.

Example:

```
members.view
members.create
members.update
members.delete

attendance.view
attendance.create
attendance.update

finance.giving.view
finance.giving.create
finance.expense.create
finance.reports.view

pastoral.view
pastoral.create
pastoral.update

reports.view
reports.export
```

Users may have multiple roles.

Permissions may also be restricted by:

- Organization
- Branch
- Department
- Ministry
- Group

7. MODULE 1 — MEMBERS & PEOPLE

7.1 Member Profiles

The system shall maintain detailed profiles.

Basic Information

- Member ID
- First name
- Middle name
- Last name
- Preferred name
- Gender
- Date of birth
- Profile photograph
- Phone number
- Alternative phone number
- Email
- Address
- Country
- Region/state
- City
- Occupation
- Marital status

Church Information

- Membership status
- Date joined
- Membership type
- Baptism status
- Baptism date
- Branch
- Department
- Ministry
- Group/cell
- Worker status
- Leadership position
- Date of conversion, where applicable
- Previous church
- Member notes

7.2 Membership Status

Examples:

- Visitor
- Newcomer
- Regular Attendee
- Member
- Worker

- Leader
- Inactive
- Transferred
- Former Member

Administrators shall be able to configure statuses.

7.3 Families / Households

The system shall support household management.

A household may contain:

- Parent/guardian
- Spouse
- Children
- Dependants
- Other household members

The system shall support relationships such as:

```
John Doe
 ├── Spouse: Jane Doe
 ├── Child: Michael Doe
 └── Child: Sarah Doe
```

The system shall allow household-level communication and reporting.

7.4 Visitors

The system shall record visitors.

Visitor information may include:

- Name
- Phone
- Email
- Address
- Date of visit
- Service attended
- Invited by
- How they heard about the church

- Branch
- Group
- Visit notes
- Follow-up status

7.5 Visitor Follow-Up

Visitor follow-up shall support stages such as:

```
First Visit
     ↓
Contacted
     ↓
Second Visit
     ↓
Newcomer
     ↓
Membership Class
     ↓
Member
```

The stages shall be configurable.

7.6 Member History

The system shall maintain a historical record of important changes.


Examples:

- Membership status changes
- Branch transfers
- Department transfers
- Group changes
- Leadership appointments
- Baptism
- Worker assignments
- Membership inactivity

8. MODULE 2 — CHURCH STRUCTURE

8.1 Organization

The system shall support a hierarchy:



8.2 Branches

Each branch shall have:

- Branch ID
- Name
- Code
- Address
- Contact information
- Branch pastor
- Status
- Opening date

8.3 Departments

Departments shall support:

- Name
- Description
- Branch
- Leader
- Assistant leader
- Members
- Workers
- Status

8.4 Ministries

The system shall support ministry creation and management.

Examples:

- Youth Ministry
- Children's Ministry
- Men's Ministry
- Women's Ministry
- Music Ministry
- Media Ministry
- Evangelism Ministry

8.5 Groups / Cells

Each group shall support:

- Group name
- Group code
- Branch
- Leader
- Assistant leader
- Meeting location
- Meeting day
- Meeting time
- Members
- Status

8.6 Workers

Worker records shall include:

- Member
- Position
- Department
- Ministry
- Branch
- Start date
- End date
- Status

9. MODULE 3 — ATTENDANCE

9.1 Service Attendance

The system shall allow authorized users to record attendance for:

- Sunday services
- Midweek services
- Prayer meetings
- Special services
- Conferences
- Other church meetings

9.2 Attendance Categories

Attendance may distinguish:

- Members
- Visitors
- Children
- Workers
- Leaders
- Guests

9.3 Attendance Recording

Methods may include:

- Manual entry
- Member search
- QR code
- Barcode
- Import
- Digital check-in
- Mobile application

9.4 Attendance Data

Each attendance record shall contain:

- Person
- Event/service
- Branch
- Date
- Check-in time
- Check-out time, if applicable
- Attendance type
- Recorded by

9.5 Attendance Reports

Reports shall include:

- Daily attendance
- Weekly attendance
- Monthly attendance
- Attendance by branch
- Attendance by department
- Attendance by group
- Member attendance frequency
- Visitor attendance
- First-time visitors
- Attendance trends

10. MODULE 4 — GIVING & FINANCE

10.1 Financial Categories

The system shall support configurable categories including:

- Tithe
- Offering
- Donation
- Missions
- Building Fund
- Welfare
- Special Offering
- Pledge

- Other

10.2 Giving Records

Each giving record shall contain:

- Transaction ID
- Member/donor
- Amount
- Currency
- Giving category
- Payment method
- Date
- Branch
- Reference
- Notes
- Recorded by

10.3 Payment Methods

Examples:

- Cash
- Bank transfer
- Mobile money
- Card
- Cheque
- Online payment
- Other

Payment methods shall be configurable.

10.4 Pledges

The system shall support:

- Pledge amount
- Pledge category
- Pledge date

- Expected completion date
- Amount paid
- Outstanding balance
- Status

Example:

```
Pledge: GHS 10,000
Paid:   GHS 6,000
Balance: GHS 4,000
```

10.5 Expenses

Expense records shall contain:

- Expense ID
- Category
- Amount
- Date
- Branch
- Description
- Vendor/payee
- Payment method
- Receipt
- Approval status
- Approved by

10.6 Financial Reports

Reports shall include:

- Total giving
- Giving by category
- Giving by branch
- Giving by period
- Giving by payment method
- Expense reports
- Income vs expenses
- Outstanding pledges
- Member giving statements

10.7 Financial Controls

The system should support:

- Expense approval
- Transaction verification
- Financial period locking
- Audit trail
- Restricted financial access
- Transaction reversal with authorization
- Receipt attachment

Financial records should never be silently deleted.

11. MODULE 5 — EVENTS

11.1 Event Management

Events shall support:

- Event name
- Description
- Event type
- Branch
- Venue
- Start date/time
- End date/time
- Organizer
- Capacity
- Registration requirement
- Status

11.2 Event Registration

Users shall be able to register participants.

Registration data may include:

- Name
- Phone

- Email
- Member ID
- Number of attendees
- Special requirements
- Payment status, where applicable

11.3 Event Attendance

The system shall track registered versus actual attendees.

11.4 Event Reminders

The system may automatically send:

- Registration confirmation
- Reminder before event
- Event-day notification
- Post-event communication

12. MODULE 6 — COMMUNICATION

12.1 Communication Channels

The system shall support:

- SMS
- Email
- In-app notifications
- Push notifications, when mobile applications are available

12.2 Targeting

Users shall be able to target:

- Entire church

- Branch
- Department
- Ministry
- Group
- Members
- Visitors
- Leaders
- Workers
- Custom member segments

12.3 Message Templates

Templates shall support variables such as:

```
{{first_name}}
{{last_name}}
{{church_name}}
{{event_name}}
{{event_date}}
```

12.4 Automated Communications

Possible automation:

- Birthday messages
- Anniversary messages
- Visitor follow-up
- Event reminders
- Membership reminders
- Payment/pledge reminders
- Absence follow-up
- New-member welcome messages

12.5 Communication History

The system shall maintain:

- Recipient
- Message
- Channel
- Sender

- Date/time
- Delivery status
- Failure reason

13. MODULE 7 — PASTORAL CARE

This module shall contain sensitive information and require additional authorization.

13.1 Counselling

Counselling records may include:

- Member
- Counsellor
- Date
- Category
- Session notes
- Follow-up date
- Status

Access shall be restricted.

13.2 Visitation

The system shall record:

- Member
- Visitor/household
- Visit type
- Date
- Person(s) visited
- Purpose
- Notes
- Follow-up required
- Assigned person

13.3 Prayer Requests

Prayer requests shall support:

- Requester
- Request
- Date
- Category
- Privacy level
- Assigned prayer team
- Status
- Answered status

13.4 Follow-Up

Follow-up records shall include:

- Person
- Assigned user
- Follow-up type
- Due date
- Notes
- Status
- Completion date

Statuses:

```
Pending
In Progress
Completed
Cancelled
```

14. MODULE 8 — REPORTS & DASHBOARD

14.1 Executive Dashboard

The dashboard shall display configurable KPIs.

Example:

```
Total Members          4,850
Active Members         4,120
Visitors This Month      182
```

```
New Members                67
Average Attendance       2,950
Monthly Giving       GHS 245,000
Outstanding Follow-ups     34
Upcoming Events             8
```

14.2 Membership Reports

- Total members
- Active members
- New members
- Inactive members
- Members by branch
- Members by department
- Members by age group
- Members by gender
- Membership growth
- Transfers

14.3 Attendance Reports

- Attendance by service
- Attendance by branch
- Attendance by group
- Attendance trends
- Visitor trends
- Member attendance frequency

14.4 Giving Reports

- Giving by month
- Giving by category
- Giving by branch
- Giving trends
- Pledge progress
- Income versus expenses

Sensitive reports shall be permission-controlled.

15. SEARCH AND FILTERING

The system shall provide global search.

Users with appropriate permissions shall be able to search for:

- Members
- Visitors
- Families
- Groups
- Departments
- Events
- Transactions
- Follow-ups

Filters shall include:

- Branch
- Department
- Status
- Date range
- Gender
- Age range
- Group
- Membership type

16. IMPORT AND EXPORT

The system shall support:

Import

- CSV
- Excel

Import functionality shall validate data before committing records.

Export

Reports shall support:

- CSV

- Excel
- PDF

Users shall only export information they are authorized to access.

17. AUDIT LOGGING

The system shall maintain an audit trail for sensitive actions.

Examples:

```
User created member
User changed member status
User recorded transaction
User edited transaction
User approved expense
User exported report
User changed permissions
User accessed sensitive pastoral record
```

Audit records shall contain:

- User
- Action
- Entity
- Entity ID
- Timestamp
- IP address where appropriate
- Previous value
- New value

Audit logs should be immutable to ordinary users.

18. NOTIFICATION SYSTEM

The system shall support:

- In-app notifications
- Email notifications
- SMS notifications
- Push notifications

Notifications shall support:

- Immediate sending
- Scheduled sending
- Automated triggers

19. FILE AND DOCUMENT MANAGEMENT

The system should support attachments for relevant records.

Examples:

- Member profile photo
- Identification documents where legitimately required
- Expense receipts
- Event documents
- Membership documents
- Other authorized files

Files shall have access controls based on the associated record.

20. SECURITY REQUIREMENTS

20.1 Password Security

Passwords must:

- Be securely hashed
- Never be stored in plain text
- Support password reset
- Support account lockout/rate limiting

20.2 Data Encryption

Sensitive information should be encrypted:

- During transmission using HTTPS/TLS
- At rest where appropriate

20.3 Access Control

Every protected API endpoint must verify:

1. Authentication
2. User permissions
3. Organizational scope
4. Branch/department scope where applicable

20.4 Sensitive Data

Particularly sensitive information includes:

- Counselling records
- Pastoral notes
- Prayer requests marked private
- Financial information
- Personal contact information

These records require restricted access.

21. DATA PRIVACY

The system shall follow applicable privacy and data-protection requirements.

The implementation should provide mechanisms for:

- Consent where required
- Data access
- Data correction
- Data retention
- Controlled deletion/anonymization
- Privacy-aware exports
- Access logging

For deployment in Ghana, the implementation should be reviewed against applicable Ghanaian data-protection requirements before production launch.

22. NON-FUNCTIONAL REQUIREMENTS

22.1 Performance

Normal application requests should ideally respond within approximately:

< 2 seconds

under normal expected system load.

Reports involving large datasets may take longer and should provide appropriate loading/progress feedback.

22.2 Scalability

The architecture should support growth from:

```
1 Branch
    ↓
10 Branches
    ↓
100+ Branches
```

and from hundreds to potentially hundreds of thousands of people without requiring a fundamental rewrite.

22.3 Availability

The production system should target high availability and include:

- Automated backups
- Database redundancy where appropriate
- Monitoring
- Error logging
- Recovery procedures

22.4 Responsive Design

The web application shall support:

- Desktop
- Laptop
- Tablet
- Mobile browser

22.5 Accessibility


The system should follow recognized accessibility practices, including:

- Keyboard navigation
- Readable contrast
- Proper form labels
- Screen-reader-friendly structures
- Accessible error messages

23. DATABASE REQUIREMENTS

The system should use a relational database.

A high-level entity model may include:



```
├── Group
├── Event
├── FinancialTransaction
├── Expense
├── Pledge
└── Communication
```

24. CORE DATABASE ENTITIES

The initial database design should include, at minimum:

```
organizations
branches
users
roles
permissions
role_permissions
user_roles

members
households
household_members
member_relationships
member_status_history

departments
ministries
groups
group_members
worker_assignments
leadership_assignments

services
attendance
attendance_sessions

events
event_registrations
event_attendance

giving_transactions
giving_categories
pledges
expenses
expense_categories
financial_periods

communication_campaigns
communication_messages
communication_templates

pastoral_records
counselling_sessions
```

```
visits
prayer_requests
follow_ups

notifications

audit_logs
files
```

25. MULTI-BRANCH ARCHITECTURE

The system shall be designed with multi-tenancy/organizational scope in mind.

A recommended hierarchy is:

```
Organization
     │
     ├── Branch A
     │       ├── Departments
     │       ├── Ministries
     │       └── Groups
     │
     ├── Branch B
     │       ├── Departments
     │       ├── Ministries
     │       └── Groups
     │
     └── Branch C
             ├── Departments
             ├── Ministries
             └── Groups
```

Central administrators may have access to all branches.

Branch administrators should only access authorized branch data.

26. API REQUIREMENTS

The backend shall expose secure APIs for:

```
Authentication
Members
Households
Branches
Departments
Ministries
Groups
```

```
Attendance
Events
Giving
Expenses
Pledges
Communication
Pastoral Care
Reports
Notifications
Users
Roles
Audit Logs
```

API endpoints should follow consistent REST or equivalent API conventions.

Example:

```
GET    /api/v1/members
POST   /api/v1/members
GET    /api/v1/members/{id}
PATCH  /api/v1/members/{id}
DELETE /api/v1/members/{id}
```

27. API SECURITY

The API shall implement:

- Authentication tokens/session security
- Authorization middleware
- Input validation
- Rate limiting
- Request logging
- Error handling
- Pagination
- Filtering
- Sorting
- Secure file uploads

API errors should not expose sensitive implementation details.

28. REPORTING ENGINE

Reports should be designed as reusable queries rather than hard-coded pages wherever practical.

The reporting engine should support:

- Date ranges
- Branch filters
- Department filters
- Group filters
- Member filters
- Categories
- Aggregation
- Sorting
- Exporting

29. DASHBOARD CUSTOMIZATION

Dashboard widgets should be configurable based on user role.

For example:

Senior Pastor

- Membership
- Attendance
- Visitors
- Giving summary
- Growth
- Upcoming events

Finance Officer

- Giving
- Expenses
- Pledges
- Financial trends

Department Leader

- Department members
- Attendance
- Upcoming events
- Follow-ups

30. WORKFLOW EXAMPLES

30.1 New Visitor Workflow

```
Visitor attends service
        ↓
Visitor recorded
        ↓
Welcome message sent
        ↓
Follow-up task created
        ↓
Leader contacts visitor
        ↓
Second visit
        ↓
Newcomer status
        ↓
Membership process
        ↓
Member
```

30.2 New Member Workflow

```
Member registration
        ↓
Member profile created
        ↓
Household linked
        ↓
Branch assigned
        ↓
Department assigned
        ↓
Group assigned
        ↓
Welcome communication
        ↓
Follow-up
```

30.3 Giving Workflow

```
Giving received
        ↓
Transaction recorded
        ↓
Transaction verified
        ↓
Receipt generated
        ↓
Financial reports updated
        ↓
Member giving history updated
```

30.4 Event Workflow

```
Create event
      ↓
Publish event
      ↓
Registration opens
      ↓
Members register
      ↓
Reminder sent
      ↓
Event attendance recorded
      ↓
Event completed
      ↓
Post-event report
```

31. BACKUP AND RECOVERY

The production environment shall implement:

- Automated database backups
- Backup retention policies
- Off-site backup where appropriate
- Recovery testing
- Disaster recovery procedures

The exact Recovery Point Objective (RPO) and Recovery Time Objective (RTO) shall be established before production deployment.

32. LOGGING AND MONITORING

The system shall monitor:

- Application errors
- API errors
- Database errors
- Failed authentication
- Background jobs
- Notification failures
- Payment integration failures

- System performance

Administrators should have access to operational logs without exposing sensitive user data unnecessarily.

33. INTEGRATIONS

The architecture should allow integrations with external services.

Potential integrations include:

Communication

- SMS provider
- Email provider
- Push notification service

Payments

- Mobile money
- Card payments
- Bank/payment gateway

Identity

- Google/Microsoft login where required

Storage

- Cloud file storage

Future

- Accounting software
- Church mobile application
- Website
- Online giving platform

Integrations should be implemented through abstraction layers so that changing providers does not require rewriting the core business logic.

34. MOBILE APPLICATION

The system architecture should allow a future mobile application.

Potential mobile features:

- Member profile
- Church announcements
- Events
- Giving
- Prayer requests
- Group information
- Attendance
- Push notifications

The mobile application should consume the same secure backend APIs.

35. ADMINISTRATION

The administration module shall allow authorized administrators to configure:

- Church information
- Branches
- Departments
- Ministries
- Groups
- Membership statuses
- Giving categories
- Expense categories
- Event categories
- User roles
- Permissions
- Communication templates
- Notification settings
- System preferences

36. DATA VALIDATION

The system shall validate:

- Required fields
- Email formats
- Phone numbers
- Dates
- Amounts
- Duplicate members
- Duplicate transactions
- Invalid relationships
- Unauthorized branch assignments

The system should detect possible duplicate people using combinations such as:

```
Name + Phone
Name + Email
Name + Date of Birth
```

Duplicate detection should warn administrators rather than automatically deleting or merging records.

37. SOFT DELETE AND RECORD RETENTION

Important records should generally not be physically deleted immediately.

For example:

```
Member → Archived
Transaction → Reversed/Void
User → Deactivated
Event → Cancelled
```

This preserves historical integrity.

Permanent deletion should require elevated authorization and should follow the organization's retention policy.

38. GENERAL UI REQUIREMENTS

The application shall provide:

- Dashboard

- Sidebar navigation
- Global search
- Notifications
- User profile
- Breadcrumb navigation
- Tables
- Pagination
- Filtering
- Sorting
- Forms
- Confirmation dialogs
- Empty states
- Loading states
- Error states

The UI should maintain consistent terminology and interaction patterns across all modules.

39. GENERAL DESIGN PRINCIPLES

The application should prioritize:

1. Simplicity
2. Speed
3. Security
4. Data accuracy
5. Mobile responsiveness
6. Accessibility
7. Maintainability
8. Scalability
9. Clear workflows
10. Minimal duplication of data

40. DEVELOPMENT PHASES

Although all modules are part of the final system, development should occur in controlled phases.

Phase 1 — Foundation

- Project setup

- Database
- Authentication
- Users
- Roles
- Permissions
- Organization
- Branches
- Audit logging

Phase 2 — People

- Members
- Households
- Visitors
- Membership statuses
- Member history
- Departments
- Ministries
- Groups
- Workers

Phase 3 — Attendance

- Services
- Attendance
- Visitor tracking
- Attendance reports

Phase 4 — Finance

- Giving
- Categories
- Pledges
- Expenses
- Financial reports
- Giving statements

Phase 5 — Events

- Event management
- Registration
- Attendance
- Reminders

Phase 6 — Communication

- SMS
- Email
- Templates
- Campaigns
- Automated notifications

Phase 7 — Pastoral Care

- Counselling
- Visits
- Prayer requests
- Follow-ups

Phase 8 — Analytics

- Dashboards
- Reports
- Charts
- KPIs
- Exports

Phase 9 — Optimization

- Performance
- Security audit
- Backup/recovery
- Monitoring
- Accessibility
- Mobile readiness

41. ACCEPTANCE CRITERIA

The system shall be considered ready for production when:

- Authentication works securely.
- Role and permission restrictions are enforced.
- Members can be created and managed.
- Households can be created.
- Visitors can be tracked.

- Branches, departments, ministries, and groups can be managed.
- Attendance can be recorded and reported.
- Giving and expenses can be recorded securely.
- Financial reports reconcile with transaction records.
- Events can be created and managed.
- Communications can be sent through configured providers.
- Pastoral records have restricted access.
- Dashboards accurately reflect underlying data.
- Audit logs capture critical activities.
- Data backups are operational.
- Security testing has been completed.
- Performance is acceptable under expected load.
- Authorized users cannot access unauthorized branch or sensitive data.

42. FUTURE ENHANCEMENTS

Potential future features include:

- Dedicated Android/iOS application
- Member self-service portal
- Online membership registration
- Digital membership cards
- QR attendance
- Biometric integration where legally and ethically appropriate
- Online giving
- Automated accounting
- AI-assisted reporting
- Advanced analytics
- Sermon management
- Media library
- Volunteer scheduling
- Resource/asset management
- Room/facility booking
- Transportation management
- Children's check-in
- Certificate generation
- Discipleship tracking
- Bible study management
- Member engagement scoring

43. SUCCESS METRICS

The success of the system can be measured using:

Adoption

- Percentage of staff using the system
- Number of active users
- Member records digitized

Operational Efficiency

- Reduction in manual data entry
- Reduction in duplicated records
- Faster report generation
- Faster visitor follow-up

Engagement

- Visitor retention
- Follow-up completion
- Group participation
- Event participation

Financial

- Giving recording accuracy
- Expense tracking accuracy
- Pledge completion
- Reduction in unreconciled transactions

Data Quality

- Duplicate member rate
- Missing profile information
- Incorrect records
- Data update frequency


44. FINAL ARCHITECTURAL PRINCIPLE

The Church Management System should be designed as a **modular, API-driven, role-based, multi-branch platform**.

The most important architectural rule is:

Church data should be centralized, but access should be controlled according to organizational responsibility.

For example:



The system should maintain a **single source of truth** for people and organizational data while allowing each authorized user to see and manage only the information appropriate to their role.

45. CONCLUSION

This SRS defines the foundation for a comprehensive Church Management System covering:

- People
- Families
- Visitors
- Membership
- Branches
- Departments
- Ministries
- Groups
- Workers
- Attendance
- Giving
- Expenses
- Pledges
- Events

- Communication
- Pastoral care
- Follow-up
- Reporting
- Dashboards
- Security
- Audit
- Multi-branch administration