Product Features:

1. Constructed from premium materials for exceptional durability

2. Compact and aesthetically refined design

3. User-friendly operation

4. Consistent and stable performance

5. Versatile application scope

Product Specifications:

Name: DC-DC Adjustable Step-Down Module

Input: 12-75V

Output: 2.5-50V adjustable

Current: 25A (MAX)

Efficiency: Up to 95% (higher efficiency at lower voltage drops)

Wiring: Use thicker cables for high-power applications.

Voltage Conversion Overview:

12-75V to 5V

12-75V to 9V

14-75V to 12V

17-75V to 14.8V

19-75V to 16.8V

22-75V to 19V

24-75V to 21V

28-75V to 24V

35-75V to 30V

41-75V to 36V

48-75V to 42V

55-75V to 48V

IN+: Input positive terminal

VADJ: Output voltage adjustment

OUT+: Output positive terminal

IN-: Input negative terminal (clockwise for high, anticlockwise for low)

OUT-: Output negative terminal


Note: When charging batteries, please add a diode to the output to prevent reverse current flow!

Package contents:


Adjustable step-down module ×1


High-power adjustable step-down module

With cooling fan
600W/25A




Input: 12-75V
Output: 2.5-50V adjustable


+N
-N
OUT-
OUT+
C11
R21
LED1
R0.10
R0.10
VAD




IN+
IN-
OUT-
OUT+
330uF
R010
R010
VADJ




IN+: input positive

IN -: input negative

OUT+: output positive

OUT -: output negative


60mm/2.36in
100mm/3.94in


OUT−
OUT+