

```
C:\Users\home>ping 8.8.8.8

Approximate round trip times in milli-seconds:
    Minimum = 163ms, Maximum = 181ms, Average = 170ms

C:\Users\home>ping 8.8.8.8

Pinging 8.8.8.8 with 32 bytes of data:
Reply from 8.8.8.8: bytes=32 time=541ms TTL=105
Reply from 8.8.8.8: bytes=32 time=539ms TTL=105
Request timed out.
Reply from 8.8.8.8: bytes=32 time=115ms TTL=105

Ping statistics for 8.8.8.8:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 115ms, Maximum = 541ms, Average = 398ms

C:\Users\home>ping 8.8.8.8

Pinging 8.8.8.8 with 32 bytes of data:
Reply from 8.8.8.8: bytes=32 time=206ms TTL=105
Request timed out.
Reply from 8.8.8.8: bytes=32 time=615ms TTL=105
Reply from 8.8.8.8: bytes=32 time=612ms TTL=105

Ping statistics for 8.8.8.8:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 206ms, Maximum = 615ms, Average = 477ms

C:\Users\home>
```

Internet Protocol Version 4 (TCP/IPv4) Properties

General

You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.

☐ Obtain an IP address automatically

☒ Use the following IP address:

IP address:	192 . 168 . 59 . 121
Subnet mask:	255 . 255 . 255 . 0
Default gateway:	192 . 168 . 59 . 120

☐ Obtain DNS server address automatically


☒ Use the following DNS server addresses:

Preferred DNS server:	192 . 168 . 59 . 120
Alternate DNS server:	8 . 8 . 8 . 8

☐ Validate settings upon exit

Advanced...

OK Cancel



```
C:\Users\home>ping 8.8.8.8

Approximate round trip times in milli-seconds:
    Minimum = 115ms, Maximum = 541ms, Average = 398ms

C:\Users\home>ping 8.8.8.8

Pinging 8.8.8.8 with 32 bytes of data:
Reply from 8.8.8.8: bytes=32 time=206ms TTL=105
Request timed out.
Reply from 8.8.8.8: bytes=32 time=615ms TTL=105
Reply from 8.8.8.8: bytes=32 time=612ms TTL=105

Ping statistics for 8.8.8.8:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 206ms, Maximum = 615ms, Average = 477ms

C:\Users\home>ping 8.8.8.8

Pinging 8.8.8.8 with 32 bytes of data:
Reply from 8.8.8.8: bytes=32 time=478ms TTL=105
Reply from 8.8.8.8: bytes=32 time=484ms TTL=105
Reply from 8.8.8.8: bytes=32 time=483ms TTL=105
Reply from 8.8.8.8: bytes=32 time=490ms TTL=105

Ping statistics for 8.8.8.8:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 478ms, Maximum = 490ms, Average = 483ms

C:\Users\home>
```

```
Command Prompt

DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes

Wireless LAN adapter Local Area Connection* 2:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :
Description . . . . . : Microsoft Wi-Fi Direct Virtual Adapter #2
Physical Address. . . . . : 2A-E3-47-A1-10-6F
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes

Wireless LAN adapter Wi-Fi:

Connection-specific DNS Suffix . :
Description . . . . . : Broadcom 802.11n Network Adapter
Physical Address. . . . . : 28-E3-47-A1-18-6F
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . . : Yes
Link-local IPv6 Address . . . . . : fe80::35d9:c89f:8ff3:679f%11(Preferred)
IPv4 Address. . . . . : 192.168.59.121(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : 192.168.59.120
DHCPv6 IAID . . . . . : 187228999
DHCPv6 Client DUID. . . . . : 00-01-00-01-28-C4-D4-A1-40-16-7E-89-13-C0
DNS Servers . . . . . : 192.168.59.120
                        8.8.8.8
NetBIOS over Tcpi. . . . . : Enabled

C:\Users\home>
```