

| Label             | URL                                                                                                                                   | Tipo de fuente | Relevancia de rol                | Tecnologías principales                      | Estru REAL                                            |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------------------------|----------------------------------------------|-------------------------------------------------------|
| RAZLUTA-Profile   | <a href="https://github.com/razluta">https://github.com/razluta</a>                                                                   | Perfil GitHub  | Unity tools/<br>Technical Artist | Unity, C#                                    | Perf<br>lista<br>dest<br>(Uni<br>Text<br>Ligh<br>Icon |
| VFXGRAPH-TESTBED  | <a href="https://github.com/keijiro/VfxGraphTestbed">https://github.com/keijiro/VfxGraphTestbed</a>                                   | Repo           | VFX/Technical Artist             | Unity<br>VFX Graph                           | REAL<br>desc<br>test<br>requ                          |
| SPLATVFX          | <a href="https://github.com/keijiro/SplatVFX">https://github.com/keijiro/SplatVFX</a>                                                 | Repo           | VFX/Technical Artist             | Unity<br>VFX Graph,<br>Gaussian<br>Splatting | REAL<br>desc<br>pasc<br>2                             |
| UNITY-BUILDER     | <a href="https://github.com/game-ci/unity-builder">https://github.com/game-ci/unity-builder</a>                                       | Repo           | Tools/Pipeline Developer         | GitHub Actions,<br>Docker, Unity             | REAL<br>con<br>bad<br>uso                             |
| REACT-UNITY-WEBGL | <a href="https://github.com/jeffreylanters/react-unity-webgl">https://github.com/jeffreylanters/react-unity-webgl</a>                 | Repo           | Unity WebGL Developer            | React, Unity<br>WebGL                        | REAL<br>con<br>mód<br>insta                           |
| REACHY2-DT        | <a href="https://github.com/pollen-robotics/Reachy2-UnityDigitalTwin">https://github.com/pollen-robotics/Reachy2-UnityDigitalTwin</a> | Repo           | XR Developer/<br>Simulation      | Unity, C#, XR                                | REAL<br>desc<br>gem<br>pasc<br>5                      |
| PDT-UNITY         | <a href="https://github.com/labbenchstudios/PDT-Unity">https://github.com/labbenchstudios/PDT-Unity</a>                               | Repo           | Simulation/<br>Tools             | Unity, C#,<br>Digital Twin                   | REAL<br>obje<br>digit<br>de in<br>8                   |

| Label                | URL                                                                                                                                               | Tipo de fuente | Relevancia de rol           | Tecnologías principales   | Estru<br>REAL                                                        |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------------|---------------------------|----------------------------------------------------------------------|
| RUNTIME-UNITY-EDITOR | <a href="https://github.com/ManlyMarco/RuntimeUnityEditor">https://github.com/ManlyMarco/RuntimeUnityEditor</a>                                   | Repo           | Tools/<br>Runtime Dev       | Unity, C#                 | REAL<br>func<br>(insp<br>nave<br>obje<br>REPL<br>insta               |
| UNITY-EDITOR-TOOLBOX | <a href="https://github.com/arimger/Unity-Editor-Toolbox">https://github.com/arimger/Unity-Editor-Toolbox</a>                                     | Repo           | Tools<br>Developer          | Unity Editor<br>scripting | REAL<br>requ<br>insta<br>ejem<br>atrib                               |
| UNITY-MCP            | <a href="https://github.com/CoplayDev/unity-mcp">https://github.com/CoplayDev/unity-mcp</a>                                                       | Repo           | AI Tools<br>Developer       | Unity, Python,<br>LLMs    | REAL<br>es u<br>LLM<br>mue<br>y car<br>15                            |
| PY-BUILD-AUTOMATION  | <a href="https://github.com/angrysharkstudio/Unity-Python-Build-Automation">https://github.com/angrysharkstudio/Unity-Python-Build-Automation</a> | Repo           | Tools/Pipeline<br>Developer | Python, Unity,<br>CLI     | REAL<br>cara<br>mult<br>cer<br>y rec                                 |
| UNITY-DATA-TOOLS     | <a href="https://github.com/Unity-Technologies/UnityDataTools">https://github.com/Unity-Technologies/UnityDataTools</a>                           | Repo           | Tools/Pipeline<br>Developer | Unity, SQLite,<br>C#      | REAL<br>herr<br>anal<br>de b<br>gene<br>SQL<br>Addr<br>19            |
| ROS-TCP-CONNECTOR    | <a href="https://github.com/Unity-Technologies/ROS-TCP-Connector">https://github.com/Unity-Technologies/ROS-TCP-Connector</a>                     | Repo           | Simulation/<br>Robotics     | Unity, ROS, C#            | REAL<br>paq<br>cone<br>ROS<br>insta<br>cara<br>(ROS<br>visua<br>geon |

| Label                   | URL                                                                                                                                                       | Tipo de fuente | Relevancia de rol        | Tecnologías principales | Estru<br>REAL                                               |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------|-------------------------|-------------------------------------------------------------|
| XR-INTERACTION-EXAMPLES | <a href="https://github.com/Unity-Technologies/XR-Interaction-Toolkit-Examples">https://github.com/Unity-Technologies/XR-Interaction-Toolkit-Examples</a> | Repo           | XR Developer             | Unity XR Toolkit        | REAL<br>introc<br>requ<br>desc<br>esce<br>de e<br>25        |
| VR-PROJECT-TEMPLATE     | <a href="https://github.com/SamuelAsherRivello/unity-project-template-vr">https://github.com/SamuelAsherRivello/unity-project-template-vr</a>             | Repo           | VR Developer             | Unity, XR               | REAL<br>plan<br>buen<br>esce<br>recu<br>26                  |
| VR-GAME-JAM-TEMPLATE    | <a href="https://github.com/ValemVR/VR-Game-Jam-Template">https://github.com/ValemVR/VR-Game-Jam-Template</a>                                             | Repo           | VR Developer             | Unity XR Toolkit        | REAL<br>sirve<br>inici<br>VR 2                              |
| TEXTURE-PACKER          | <a href="https://github.com/razluta/UnityTextureRgbPacker">https://github.com/razluta/UnityTextureRgbPacker</a>                                           | Repo           | Tools/<br>Graphics       | Unity, C#               | REAL<br>emp<br>textu<br>instr<br>insta<br>uso               |
| PACKAGE-MAKER           | <a href="https://github.com/razluta/UnityPackageManager">https://github.com/razluta/UnityPackageManager</a>                                               | Repo           | Tools/Pipeline Developer | Unity, C#               | REAL<br>crea<br>paqu<br>de in<br>pasc<br>actu<br>33         |
| LIGHTS-LOD              | <a href="https://github.com/razluta/UnityLightsLodSystem">https://github.com/razluta/UnityLightsLodSystem</a>                                             | Repo           | Technical Artist/Tools   | Unity, C#               | REAL<br>siste<br>calid<br>segú<br>ram<br>cara<br>pasc<br>36 |

| Label          | URL                                                                                                                             | Tipo de fuente | Relevancia de rol      | Tecnologías principales | Estru<br>REAL                                                 |
|----------------|---------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------|-------------------------|---------------------------------------------------------------|
| LIGHTS-AUDIT   | <a href="https://github.com/razluta/UnityLightsAuditTool">https://github.com/razluta/UnityLightsAuditTool</a>                   | Repo           | Technical Artist/Tools | Unity, C#               | REAL<br>herr<br>audi<br>con<br>uso                            |
| ICON-GENERATOR | <a href="https://github.com/razluta/UnityIconGenerationFromModels">https://github.com/razluta/UnityIconGenerationFromModels</a> | Repo           | Tools/<br>Graphics     | Unity, C#               | REAL<br>con<br>lista<br>cara<br>(exp<br>pres<br>ilum<br>real) |

42

**Tabla 2 – Elementos adaptables y no replicables**

| Label             | Qué puede adaptar Alexander                                                                                          | Qué no debe copiar                                                 |
|-------------------|----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| RAZLUTA-Profile   | Usar pinned repos para resaltar herramientas creadas (packs, LOD, icon generator).                                   | No replicar la lista completa sin relevancia al portafolio propio. |
| VFXGRAPH-TESTBED  | Mostrar proyectos experimentales de VFX y usar GIF en README para demostrar efecto. <sup>1</sup>                     | Evitar README escueto sin explicación del propósito.               |
| SPLATVFX          | Incluir sección FAQ y enlaces a muestras; documentar limitaciones y requisitos. <sup>2</sup>                         | No copiar texto de advertencia ni instrucciones exactas.           |
| UNITY-BUILDER     | Emplear badges de CI/licencia y estructura clara de uso. <sup>3</sup>                                                | No replicar ejemplos de proyecto ajenos.                           |
| REACT-UNITY-WEBGL | Usar badges de npm y secciones de instalación; explicar compatibilidad de versiones. <sup>4</sup>                    | No incluir dependencias innecesarias ni logos de terceros.         |
| REACHY2-DT        | Estructurar README con descripción, requisitos y pasos de instalación; usar imágenes XR <sup>5</sup><br><sup>6</sup> | No copiar instrucciones específicas del robot Reachy.              |
| PDT-UNITY         | Indicar objetivos del proyecto y enlaces a documentación; ofrecer visión de integración con LLM <sup>7</sup>         | No usar textos de la misión ni logo del laboratorio.               |

| Label                   | Qué puede adaptar Alexander                                                                                                 | Qué no debe copiar                                                  |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| RUNTIME-UNITY-EDITOR    | Enumerar funcionalidades en bullets y explicar instalación según mod loader. <sup>9</sup>                                   | No mencionar herramientas no usadas ni mod loaders específicos.     |
| UNITY-EDITOR-TOOLBOX    | Agregar tabla de contenidos y ejemplos de uso con código. <sup>12</sup> <sup>13</sup>                                       | No replicar demasiadas líneas de ejemplo que no apliquen.           |
| UNITY-MCP               | Explicar claramente cómo se integra la IA y proporcionar GIF de ejemplo. <sup>14</sup>                                      | No copiar enlaces a comunidades propietarias.                       |
| PY-BUILD-AUTOMATION     | Listar características y usar sección de requisitos y “quick start” para scripts. <sup>16</sup> <sup>17</sup>               | No copiar comandos específicos o branding.                          |
| UNITY-DATA-TOOLS        | Destacar capacidad de análisis de builds y notas sobre soporte <sup>18</sup> <sup>20</sup>                                  | No replicar los avisos de no soporte ni secciones de FAQ de Unity.  |
| ROS-TCP-CONNECTOR       | Usar tablas para explicar características (ROSConnection, message generation) y enlaces a tutoriales <sup>21</sup>          | No copiar el texto exacto de instalación.                           |
| XR-INTERACTION-EXAMPLES | Proporcionar lista de ejemplos y estaciones, y citar requisitos <sup>24</sup>                                               | No incluir referencias a dispositivos VR específicos si no los usa. |
| VR-PROJECT-TEMPLATE     | Incluir lista de recursos y mejores prácticas; usar imágenes de escenas <sup>28</sup>                                       | No copiar el extenso manual de implementación.                      |
| VR-GAME-JAM-TEMPLATE    | Mantener README breve cuando se trata de un template inicial.                                                               | Evitar README sin detalles; añadir contexto cuando sea necesario.   |
| TEXTURE-PACKER          | Describir claramente la función y ofrecer API de uso y pasos manuales <sup>31</sup> <sup>32</sup>                           | No saturar de configuraciones opcionales.                           |
| PACKAGE-MAKER           | Incluir guía paso a paso para crear paquetes, con opciones A/B/C <sup>46</sup><br><sup>34</sup>                             | No copiar la interfaz textual de la herramienta.                    |
| LIGHTS-LOD              | Explicar características y opciones de instalación; usar GIFs para mostrar efecto <sup>35</sup> <sup>36</sup> <sup>47</sup> | No replicar instrucciones de distancias y parámetros específicos.   |
| LIGHTS-AUDIT            | Presentar funcionalidades y cómo iniciar la auditoría; usar bullets <sup>39</sup><br><sup>41</sup>                          | No incluir detalles de interfaz no aplicables.                      |

| Label          | Qué puede adaptar Alexander                                                                                                       | Qué no debe copiar                                   |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| ICON-GENERATOR | Listar características (exporte de múltiples formatos, presets de iluminación) y explicar workflow <sup>43</sup><br><sup>44</sup> | No copiar las descripciones de presets literalmente. |

- <sup>1</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/keijiro/VfxGraphTestbed/master/README.md)  
<https://raw.githubusercontent.com/keijiro/VfxGraphTestbed/master/README.md>
- <sup>2</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/keijiro/SplatVFX/master/README.md)  
<https://raw.githubusercontent.com/keijiro/SplatVFX/master/README.md>
- <sup>3</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/game-ci/unity-builder/main/README.md)  
<https://raw.githubusercontent.com/game-ci/unity-builder/main/README.md>
- <sup>4</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/jeffreylanters/react-unity-webgl/master/README.md)  
<https://raw.githubusercontent.com/jeffreylanters/react-unity-webgl/master/README.md>
- <sup>5</sup> <sup>6</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/pollen-robotics/Reachy2-UnityDigitalTwin/master/README.md)  
<https://raw.githubusercontent.com/pollen-robotics/Reachy2-UnityDigitalTwin/master/README.md>
- <sup>7</sup> <sup>8</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/programming-digital-twins/LabBenchStudios-PDT-Unity/master/README.md)  
<https://raw.githubusercontent.com/programming-digital-twins/LabBenchStudios-PDT-Unity/master/README.md>
- <sup>9</sup> <sup>10</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/ManlyMarco/RuntimeUnityEditor/master/README.md)  
<https://raw.githubusercontent.com/ManlyMarco/RuntimeUnityEditor/master/README.md>
- <sup>11</sup> <sup>12</sup> <sup>13</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/arimger/Unity-Editor-Toolbox/master/README.md)  
<https://raw.githubusercontent.com/arimger/Unity-Editor-Toolbox/master/README.md>
- <sup>14</sup> <sup>15</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/CoplayDev/unity-mcp/main/README.md)  
<https://raw.githubusercontent.com/CoplayDev/unity-mcp/main/README.md>
- <sup>16</sup> <sup>17</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/angrysharkstudio/Unity-Python-Build-Automation/main/README.md)  
<https://raw.githubusercontent.com/angrysharkstudio/Unity-Python-Build-Automation/main/README.md>
- <sup>18</sup> <sup>19</sup> <sup>20</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/Unity-Technologies/UnityDataTools/master/README.md)  
<https://raw.githubusercontent.com/Unity-Technologies/UnityDataTools/master/README.md>
- <sup>21</sup> <sup>22</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/Unity-Technologies/ROS-TCP-Connector/master/README.md)  
<https://raw.githubusercontent.com/Unity-Technologies/ROS-TCP-Connector/master/README.md>
- <sup>23</sup> <sup>24</sup> <sup>25</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/Unity-Technologies/XR-Interaction-Toolkit-Examples/master/README.md)  
<https://raw.githubusercontent.com/Unity-Technologies/XR-Interaction-Toolkit-Examples/master/README.md>
- <sup>26</sup> <sup>27</sup> <sup>28</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/SamuelAsherRivello/unity-project-template-vr/master/README.md)  
<https://raw.githubusercontent.com/SamuelAsherRivello/unity-project-template-vr/master/README.md>
- <sup>29</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/ValemVR/VR-Game-Jam-Template/main/README.md)  
<https://raw.githubusercontent.com/ValemVR/VR-Game-Jam-Template/main/README.md>
- <sup>30</sup> <sup>31</sup> <sup>32</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/razluta/UnityTextureRgbPacker/master/README.md)  
<https://raw.githubusercontent.com/razluta/UnityTextureRgbPacker/master/README.md>
- <sup>33</sup> <sup>34</sup> <sup>46</sup> [raw.githubusercontent.com](https://raw.githubusercontent.com/razluta/UnityPackageManager/master/README.md)  
<https://raw.githubusercontent.com/razluta/UnityPackageManager/master/README.md>

35 36 37 38 47 raw.githubusercontent.com

<https://raw.githubusercontent.com/razluta/UnityLightsLodSystem/master/README.md>

39 40 41 raw.githubusercontent.com

<https://raw.githubusercontent.com/razluta/UnityLightsAuditTool/master/README.md>

42 43 44 45 raw.githubusercontent.com

<https://raw.githubusercontent.com/razluta/UnityIconGenerationFromModels/main/README.md>