Personal Finance & Budget API 1.0.0

OAS 3.0

/api/schema/

A REST API for personal finance management, supporting transaction tracking, budget management, and spending analytics.

Authorize

accounts

GET /api/accounts/

Manage bank accounts. Supports checking, savings, and cash account types. All accounts are scoped to the authenticated user.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. **Example Value** Schema	*No links*

```
[
  {
    "id": 0,
    "name": "string",
```

Code	Description	Links


```
    "type": "credit",
    "balance": 0,
    "currency": "string",
    "created_at": "2026-03-13T20:48:37.423Z"
  }
]
```


POST `/api/accounts/`

Manage bank accounts. Supports checking, savings, and cash account types. All accounts are scoped to the authenticated user.

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema


```
{
  "name": "string",
  "type": "credit",
  "balance": 0,
  "currency": "string"
}
```


Responses

Code	Description	Links
201	Media type application/json Controls Accept header. **Example Value** Schema	*No links*


```
{
  "id": 0,
  "name": "string",
  "type": "credit",
  "balance": 0,
```

Code	Description	Links

```
  "currency": "string",
  "created_at": "2026-03-13T20:48:37.426Z"
}
```

GET /api/accounts/{id}/

Manage bank accounts. Supports checking, savings, and cash account types. All accounts are scoped to the authenticated user.

Parameters Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this account. id

Responses

Code	Description	Links
200	Media type **application/json** Controls Accept header. **Example Value** Schema	*No links*

```
{
  "id": 0,
  "name": "string",
  "type": "credit",
  "balance": 0,
  "currency": "string",
  "created_at": "2026-03-13T20:48:37.427Z"
}
```

PUT /api/accounts/{id}/

Manage bank accounts. Supports checking, savings, and cash account types. All accounts

are scoped to the authenticated user.

Parameters Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this account. id

Request body required application/json

Example Value Schema

```
{
  "name": "string",
  "type": "credit",
  "balance": 0,
  "currency": "string"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. **Example Value** Schema	*No links*

```
{
  "id": 0,
  "name": "string",
  "type": "credit",
  "balance": 0,
  "currency": "string",
  "created_at": "2026-03-13T20:48:37.430Z"
}
```

PATCH /api/accounts/{id}/

Manage bank accounts. Supports checking, savings, and cash account types. All accounts are scoped to the authenticated user.

Parameters Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this account. id

Request body **application/json**

Example Value Schema

```
{
  "name": "string",
  "type": "credit",
  "balance": 0,
  "currency": "string"
}
```

Responses

Code	Description	Links
200	Media type **application/json** Controls Accept header. **Example Value** Schema	*No links*

```
{
  "id": 0,
  "name": "string",
  "type": "credit",
  "balance": 0,
  "currency": "string",
  "created_at": "2026-03-13T20:48:37.433Z"
}
```

DELETE `/api/accounts/{id}/`

Manage bank accounts. Supports checking, savings, and cash account types. All accounts are scoped to the authenticated user.

Parameters Try it out

Name	Description
id * required `integer` *(path)*	A unique integer value identifying this account. id

Responses

Code	Description	Links
204	No response body	*No links*

analytics

GET `/api/analytics/budget-status/`

Returns spending status for each active budget including amount spent, remaining, and percentage used.

Parameters Try it out

No parameters

Responses

Code	Description	Links

Code	Description	Links
200	No response body	*No links*

GET `/api/analytics/currency-summary/`

Converts all account balances to a base currency using live exchange rates from open.er-api.com.

Parameters Try it out

Name	Description
base `string` *(query)*	Base currency code (default GBP) base

Responses

Code	Description	Links
200	No response body	*No links*

GET `/api/analytics/spending-by-category/`

Returns spending broken down by category. Optionally filter by month.

Parameters Try it out

Name	Description
month `string` *(query)*	Optional month in YYYY-MM format month

Responses

Code	Description	Links
200	No response body	*No links*

GET `/api/analytics/summary/`

Returns total income, expenses and net savings for a given month.

Parameters

Try it out

Name	Description
month * required `string` *(query)*	Month in YYYY-MM format month

Responses

Code	Description	Links
200	No response body	*No links*

GET `/api/analytics/trends/`

Returns month-over-month income vs expense trends.

Parameters

Try it out

Name	Description

Name	Description
months integer *(query)*	Number of months to look back (default 6) months

Responses

Code	Description	Links
200	No response body	*No links*

auth

POST `/api/auth/login/`

Login with existing credentials and receive an authentication token.

Parameters Try it out

No parameters

Request body application/json

Example Value Schema

```
{
  "username": "testuser",
  "password": "testpass123"
}
```

Responses

Code	Description	Links

Code	Description	Links
200	Media type application/json Controls `Accept` header. **Example Value** Schema `{ "token": "abc123..." }`	*No links*

POST `/api/auth/logout/`

Logout: remove authentic session

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	No response body	*No links*

POST `/api/auth/register/`

Register a new user and receive an authentication token.

Parameters Try it out

No parameters

Request body application/json

Example Value Schema

```
{
  "username": "testuser",
  "password": "testpass123",
  "email": "test@test.com"
}
```

Responses

Code	Description	Links
201	Media type application/json Controls `Accept` header. **Example Value** Schema `{ "token": "abc123..." }`	*No links*

budgets

GET `/api/budgets/`

Manage spending budgets per category on a monthly or weekly basis.

Parameters Try it out

No parameters

Responses

Code	Description	Links

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema	No links

```
[
  {
    "id": 0,
    "category": 0,
    "amount_limit": 0,
    "period": "monthly",
    "start_date": "2026-03-13T20:48:37.448Z"
  }
]
```

POST /api/budgets/

Manage spending budgets per category on a monthly or weekly basis.

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema

```
{
  "category": 0,
  "amount_limit": 0,
  "period": "monthly",
  "start_date": "2026-03-13T20:48:37.450Z"
}
```

Responses

Code	Description	Links
201	Media type	No links

Code	Description	Links

application/json

Controls Accept header.

Example Value Schema


```
{
  "id": 0,
  "category": 0,
  "amount_limit": 0,
  "period": "monthly",
  "start_date": "2026-03-13T20:48:37.451Z"
}
```


GET /api/budgets/{id}/

Manage spending budgets per category on a monthly or weekly basis.

Parameters Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this budget. id

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema	*No links*


```
{
  "id": 0,
  "category": 0,
  "amount_limit": 0,
  "period": "monthly",
```

Code	Description	Links


```
  "start_date": "2026-03-13T20:48:37.452Z"
}
```


PUT /api/budgets/{id}/

Manage spending budgets per category on a monthly or weekly basis.

Parameters Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this budget. id

Request body required application/json

Example Value Schema


```
{
  "category": 0,
  "amount_limit": 0,
  "period": "monthly",
  "start_date": "2026-03-13T20:48:37.453Z"
}
```


Responses

Code	Description	Links
200	Media type application/json Controls Accept header. **Example Value** Schema	*No links*


```
{
  "id": 0,
  "category": 0,
```

Code	Description	Links


```
  "amount_limit": 0,
  "period": "monthly",
  "start_date": "2026-03-13T20:48:37.454Z"
}
```


PATCH `/api/budgets/{id}/`

Manage spending budgets per category on a monthly or weekly basis.

Parameters Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this budget. id

Request body **application/json**

Example Value Schema


```
{
  "category": 0,
  "amount_limit": 0,
  "period": "monthly",
  "start_date": "2026-03-13T20:48:37.455Z"
}
```


Responses

Code	Description	Links
200	Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*


```
{
```

Code	Description	Links


```
  "id": 0,
  "category": 0,
  "amount_limit": 0,
  "period": "monthly",
  "start_date": "2026-03-13T20:48:37.457Z"
}
```


DELETE `/api/budgets/{id}/`

Manage spending budgets per category on a monthly or weekly basis.

Parameters Try it out

Name	Description
id * required `integer` *(path)*	A unique integer value identifying this budget. id

Responses

Code	Description	Links
204	No response body	*No links*

categories

GET `/api/categories/`

Manage income and expense transactions against accounts. All transactions are scoped to the authenticated user's accounts.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema	*No links*

```
[
  {
    "id": 0,
    "name": "string",
    "type": "income",
    "colour": "string",
    "is_default": true
  }
]
```

POST /api/categories/

Manage income and expense transactions against accounts. All transactions are scoped to the authenticated user's accounts.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "name": "string",
  "type": "income",
  "colour": "string",
  "is_default": true
}
```

Responses

Code	Description	Links
201	Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "id": 0,
  "name": "string",
  "type": "income",
  "colour": "string",
  "is_default": true
}
```

GET `/api/categories/{id}/`

Manage income and expense transactions against accounts. All transactions are scoped to the authenticated user's accounts.

Parameters

Try it out

Name	Description
id * required `integer` *(path)*	A unique integer value identifying this category. id

Responses

Code	Description	Links
200	Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*

Code	Description	Links

	{
	"id": 0,
	"name": "string",
	"type": "income",
	"colour": "string",
	"is_default": true
	}	

PUT /api/categories/{id}/

Manage income and expense transactions against accounts. All transactions are scoped to the authenticated user's accounts.

Parameters Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this category. id

Request body required application/json

Example Value Schema

{
"name": "string",
"type": "income",
"colour": "string",
"is_default": true
}

Responses

Code	Description	Links
200	Media type application/json Controls Accept header.	*No links*

Code	Description	Links

Example Value Schema

```
{
  "id": 0,
  "name": "string",
  "type": "income",
  "colour": "string",
  "is_default": true
}
```

PATCH `/api/categories/{id}/`

Manage income and expense transactions against accounts. All transactions are scoped to the authenticated user's accounts.

Parameters Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this category. id

Request body **application/json**

Example Value Schema

```
{
  "name": "string",
  "type": "income",
  "colour": "string",
  "is_default": true
}
```

Responses

Code	Description	Links
200	Media type	*No links*

Code	Description	Links

application/json

Controls `Accept` header.

Example Value Schema

```
{
  "id": 0,
  "name": "string",
  "type": "income",
  "colour": "string",
  "is_default": true
}
```

DELETE `/api/categories/{id}/`

Manage income and expense transactions against accounts. All transactions are scoped to the authenticated user's accounts.

Parameters **Try it out**

Name	Description
id * required `integer` *(path)*	A unique integer value identifying this category. id

Responses

Code	Description	Links
204	No response body	*No links*

schema

GET `/api/schema/`

OpenApi3 schema for this API. Format can be selected via content negotiation.

- YAML: application/vnd.oai.openapi
- JSON: application/vnd.oai.openapi+json

Parameters Try it out

Name	Description
format `string` *(query)*	*Available values* : json, yaml --
lang `string` *(query)*	*Available values* : af, ar, ar-dz, ast, az, be, bg, bn, br, bs, ca, ckb, cs, cy, da, de, dsb, el, en, en-au, en-gb, eo, es, es-ar, es-co, es-mx, es-ni, es-ve, et, eu, fa, fi, fr, fy, ga, gd, gl, he, hi, hr, hsb, ht, hu, hy, ia, id, ig, io, is, it, ja, ka, kab, kk, km, kn, ko, ky, lb, lt, lv, mk, ml, mn, mr, ms, my, nb, ne, nl, nn, os, pa, pl, pt, pt-br, ro, ru, sk, sl, sq, sr, sr-latn, sv, sw, ta, te, tg, th, tk, tr, tt, udm, ug, uk, ur, uz, vi, zh-hans, zh-hant --

Responses

Code	Description	Links
200	Media type **application/vnd.oai.openapi** Controls `Accept` header. **Example Value** Schema `{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }`	*No links*

transactions

GET `/api/transactions/`

Manage transaction categories for organising income and expenses.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Media type application/json Controls `Accept` header. **Example Value** Schema	*No links*

```
[
  {
    "id": 0,
    "account": 0,
    "category": 0,
    "amount": 0,
    "type": "income",
    "description": "string",
    "date": "2026-03-13T20:48:37.468Z",
    "created_at": "2026-03-13T20:48:37.468Z"
  }
]
```

POST /api/transactions/

Manage transaction categories for organising income and expenses.

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema

```
{
  "account": 0,
  "category": 0,
  "amount": 0,
```

```
  "type": "income",
  "description": "string",
  "date": "2026-03-13T20:48:37.469Z"
}
```

Responses

Code	Description	Links
201	Media type **application/json** Controls Accept header. **Example Value** Schema	*No links*

```
{
  "id": 0,
  "account": 0,
  "category": 0,
  "amount": 0,
  "type": "income",
  "description": "string",
  "date": "2026-03-13T20:48:37.471Z",
  "created_at": "2026-03-13T20:48:37.471Z"
}
```

GET /api/transactions/{id}/

Manage transaction categories for organising income and expenses.

Parameters

Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this transaction. id

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema	*No links*


```
{
  "id": 0,
  "account": 0,
  "category": 0,
  "amount": 0,
  "type": "income",
  "description": "string",
  "date": "2026-03-13T20:48:37.472Z",
  "created_at": "2026-03-13T20:48:37.472Z"
}
```


PUT /api/transactions/{id}/

Manage transaction categories for organising income and expenses.

Parameters Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this transaction. id

Request body required application/json

Example Value Schema


```
{
  "account": 0,
  "category": 0,
  "amount": 0,
  "type": "income",
  "description": "string",
  "date": "2026-03-13T20:48:37.473Z"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema	*No links*


```
{
  "id": 0,
  "account": 0,
  "category": 0,
  "amount": 0,
  "type": "income",
  "description": "string",
  "date": "2026-03-13T20:48:37.475Z",
  "created_at": "2026-03-13T20:48:37.475Z"
}
```


PATCH /api/transactions/{id}/

Manage transaction categories for organising income and expenses.

Parameters

Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this transaction. id

Request body application/json

Example Value Schema

```
{
  "account": 0,
  "category": 0,
  "amount": 0,
  "type": "income",
  "description": "string",
  "date": "2026-03-13T20:48:37.476Z"
}
```

Responses

Code	Description	Links
200	Media type **application/json** Controls `Accept` header. **Example Value** Schema `{ "id": 0, "account": 0, "category": 0, "amount": 0, "type": "income", "description": "string", "date": "2026-03-13T20:48:37.478Z", "created_at": "2026-03-13T20:48:37.478Z" }`	*No links*

DELETE `/api/transactions/{id}/`

Manage transaction categories for organising income and expenses.

Parameters

Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this transaction. id

Responses

Code	Description	Links
204	No response body	*No links*

Schemas

Account {

- **description:** Serializer for Account model
- **id*** [...]
- **name*** [...]
- **type*** **AccountTypeEnum** [...]
- **balance** [...]
- **currency** [...]
- **created_at*** [...]

}

AccountTypeEnum string

- credit - Credit
- debit - Debit

Enum:

Array [2]

Budget {

description:	Serializer for Budget model
id*	[...]
category*	[...]
amount_limit*	[...]
period*	**PeriodEnum** [...]
start_date*	[...]

}

Category {

description:	Serializer for Category model
id*	[...]
name*	[...]
type*	**Type005Enum** [...]
colour	[...]
is_default	[...]

}

PatchedAccount {

description:	Serializer for Account model
id	[...]
name	[...]
type	**AccountTypeEnum** [...]
balance	[...]
currency	[...]
created_at	[...]

}

PatchedBudget

PatchedCategory {

description: Serializer for Category model

id [...]

name [...]

type **Type005Enum** [...]

colour [...]

is_default [...]

}

PatchedTransaction {

description: Serializer for Transaction model

id [...]

account [...]

category [...]

amount [...]

type **Type005Enum** [...]

description [...]

date [...]

created_at [...]

}

PeriodEnum string

- monthlv - Monthly
- weekly - Weekly

Enum:

Array [2]

Transaction {

description:	Serializer for Transaction model
id*	[...]
account*	[...]
category	[...]
amount*	[...]
type*	**Type005Enum** [...]
description	[...]
date*	[...]
created_at*	[...]

}

Type005Enum string

- income - Income
- expense - Expense

Enum:

Array [2]