


Creator:			Project:		Customer:	
Checked:			Installation:		Diagram No.:	
Date:	11/22/23 10:20 AM/11/24 11:18 PM		File:	Semafor_simplifcat5.ild	Page:	2 / 8


1.1


1.1



Q2

Creator:	Deleanu	Project:		Customer:	
Checked:		Installation:		Diagram No.:	
Date:	11/22/23 10:20 AM/11/7/24 11:18 PM	File:	Semafor_simplificat5.ild	Page:	3 / 8






Creator:	Deleanu	Project:	Customer:
Checked:		Installation:	Diagram No.:
Date:	11/22/23 10:20 AM/11/24 11:18 PM	File:	Page:
		Semafor_simplifica5.ild	5 / 8

[illegible]

Block Number (Type)	Parameter
T001(Wiping relay (pulse output)) :	Rem = off 01:00s+
T002(On-Delay) :	Rem = off 15:00s+
T003(On-Delay) :	Rem = off 10:00s+
T004(On-Delay) :	Rem = off 05:00s+
T005(On-Delay) :	Rem = off 10:00s+



Connection		Label					
I1							
M1							
M2							
M3							
M4							
M5							
M6							
M7							
M8		Initialization Flag					
M9							
M10							
M11							
M12							
M13							
M14							
M15							
M16							
M17							
M18							
M19							
M20							
M21							
M22							
M23							
M24							
M32							
M33							
Q1							
Q2							
Q3							
Q4							
Q5							
Q6							
Creator:	Deleanu		Project:		Customer:		
Checked:			Installation:		Diagram No.:		
Date:	11/22/23 10:20 AM/11/17/24 11:18 PM		File:	Semafor_simplificat5.Ild	Page:	8 / 8	