

Academic AI User Guide

Creation: ACOmarket GmbH
Feedback: support@academic-ai.at
Version: AAI 3.0, Manual V 1.0
Date: 21.05.2026

Table of Contents

1.	List of Abbreviations / Definitions	4
2.	Overview and general information	5
2.1.	Versions of Academic AI	5
2.2.	Architecture	5
2.3.	Data protection	5
2.4.	Visual deviations of your own instance	5
2.5.	AI Models	5
2.6.	Available Balance / Cost Control.....	5
2.7.	Authorization management.....	6
3.	Technical requirements and support.....	6
3.1.	Getting Started with the System / Login	6
3.2.	Supported Browsers	6
3.3.	Other technical requirements	6
3.4.	Support	6
4.	Dashboard & Main Navigation.....	6
4.1.	User settings: Language and "Dark Mode"	6
4.2.	FAQ.....	6
4.3.	Terms of Use	7
4.4.	Release Notes (only visible to Institution Admins).....	7
4.5.	Log out and current application version	7
5.	Module.....	8
5.1.	General functionalities.....	8
5.2.	The User Interface	9
5.3.	General Chatbot.....	9
5.4.	Document Analysis	9
5.5.	Image Generator.....	9
5.6.	Translator	10
5.7.	KI-Labor	10
5.8.	Summaries	11
5.9.	Tailored AI	11
5.9.1.	Areas of application	12
6.	Admin functionalities.....	13
7.	Illustrations and instructions	14
7.1.	The Landing Page	15
7.2.	The General Chatbot.....	16
7.3.	Document analysis.....	18
7.4.	The Image Generator.....	20
7.5.	The Translator	21
7.6.	Summaries	22
7.7.	Tailored AI	24
7.8.	Tailored AI – Creation.....	27
8.	Learn more.....	32
8.1.	Notes in connection with the EU Artificial Intelligence Act ("AI Act")	32

8.2.	Contract documents provided by ACOmarket GesmbH	33
8.3.	Further / Relevant links.....	33
8.4.	Known system messages and their solution	34
9.	Conclusion.....	34

List of illustrations

Figure 1	The Entry Page	15
Figure 2:	The General Chatbot.....	16
Figure 3:	Chat History - Context Menu	16
Figure 4:	Document Analysis - Upload.....	18
Figure 5:	Document Analysis - General Information	18
Figure 6:	Document Analysis - References	19
Figure 7:	The Image Generator	20
Figure 8:	The Image Generator - Output	20
Figure 9:	The Translator - Translating Files.....	21
Figure 10:	The Translator – Translating Files – Uploading.....	21
Figure 11:	The Translator – Translating Files – Output.....	21
Figure 12:	The Translator - Translating Text	22
Figure 13:	Summaries – Uploading Documents.....	22
Figure 14:	Creating summaries	23
Figure 15:	Summaries - Output.....	23
Figure 16:	Tailored AI - Overview	25
Figure 17:	Tailored AI - Features	25
Figure 18:	Tailored AI - Knowledge Base.....	26
Figure 19:	Tailored AI options	27
Figure 20:	Tailored AI – Creation.....	27
Figure 21:	Tailored AI - Name and Summary	27
Figure 22:	Tailored AI – Color and Icon	28
Figure 23:	Tailored AI - Welcome message and conversation starter	28
Figure 24:	Tailored AI - Knowledge Base.....	29
Figure 25:	Tailored AI - Knowledge Base - Upload	30
Figure 26:	Tailored AI Instructions	30
Figure 27:	Tailored AI - successful investment.....	31
Figure 28:	Academic AI - User Management	32
Figure 29:	Tailored AI - Invitations	32

1. List of Abbreviations / Definitions

Subscribers	here: Academic AI usage contracts can be requested by all ACONet participants, such as universities, under support@academic-ai.at. "Subscriber" means any university or other institution with a valid Academic AI usage contract. Each subscriber is given their own instance.
Azure	Microsoft Cloud Computing Platform
Contributor	here: User who has been invited to a Tailored AI and has further rights. A Contributor can not only use the Tailored AI, but also change the instructions to the chatbot and add documents to the chatbot
Instance	here: institution's own version of Academic AI
AI (AI)	Artificial Intelligence
LLM	A large language model is an AI system trained on large data sets that can understand and generate natural language.
Prompt	Instruction that determines what the AI should do as output (e.g., generate)
RAG	In retrieval augmented generation, prompts are answered not only on the basis of the training data of the LLM, but also on the basis of external knowledge bases such as documents, databases or the Internet. The Academic AI user can compile his/her knowledge database himself/herself.
System Prompt	Special instructional text given to an AI model before the actual conversation to control its behavior, tone, knowledge, or role for the entire chat history
Tailored AI	RAG module from Academic AI, which allows users to create their own chatbots by uploading documents as a knowledge base. For tailored AI chatbots (also referred to as "tailored AIs" for short), special system prompts can be entered, and other users can be given access to tailored AIs.

2. Overview and general information

The purpose of this user guide is to provide new users with an understandable introduction to using Academic AI.

It offers the following content, among others:

- Introduction and orientation: New users should understand what the platform is and can do, what it is intended for and how to use it
- Step-by-step instructions: Explanations of how to perform typical tasks
- Known error messages and their solution

2.1. Versions of Academic AI

This user guide applies to version 3.0 of Academic AI and is described using the test environment for which accounts [can be requested under support@academic-ai.at](mailto:support@academic-ai.at). Academic AI is getting new features on a regular basis. Therefore, it may happen that the latest functions in this manual are not yet discussed and screenshots do not show them. The last update of the user manual took place in May 2026. If you notice that features have already been implemented but have not yet been included in this guide, please let support@academic-ai.at know by emailing [them](#).

2.2. Architecture

The system is operated on an Azure tenant from ACOMarket, which is hosted in a Microsoft data center within the EU. Azure is Microsoft's cloud platform. A tenant in Azure is a separate, self-contained area in the cloud that cannot be accessed from the outside.

2.3. Data protection

The system meets the requirements of Austrian data protection law. Further information can be found under Contract documents.

2.4. Visual deviations of your own instance

Each subscriber has its own instance of the system, separate from the instances of other subscribers. A subscriber's data and settings are only visible to their users and are not accessible to other subscribers.

Within these instances, the disclaimer, logos, colors and links are customizable, which is why this documentation must either be adapted to the respective instance or does not correspond to 100% of the visual representation found.

2.5. AI Models

The AI language models (LLMs) that can be selected in the system are determined by availability in the Azure OpenAI Service service and are available in the system after implementation by the developers. Other, specialized AI models are used, for example, for image generation and internet searches.

2.6. Available Balance / Cost Control

Every user can use Academic AI until his/her "token cost limit" (maximum allowable token cost per month in €) is reached. A "token cost limit" also applies to each institution (maximum permissible token costs of all users per month in €). Although the token cost limits are also referred to as "credits" for short, they are not charged by ACOMarket to the institutions that use Academic AI. The token cost limits only serve to hedge institutions against unexpectedly high costs. ACOMarket charges each institution on a monthly basis, after the end of each month, for the tokens actually consumed by its users. If the token cost limit is reached, queries in the system are no longer possible and a corresponding error message is displayed. The limit per user can be changed by the institution, or more precisely by its administrators, by setting, resetting or increasing the individual limit. If the entire credit of the institution is used up within a billing period, there is the possibility to increase this

credit as well. The cost per query depends on the tokens used (input & output), further information can be found in the Azure price calculator; the link to this can be found in Table 2.

2.7. Authorization management

Within the system, there are groups that are managed by institution admins themselves. Permissions can be set at the individual level or at the group level. For example, permissions could be assigned to tailored AIs with regard to admin rights.

3. Technical requirements and support

3.1. Getting Started with the System / Login

Access to the system is always via an institution-specific link along the lines [of https://\[institution\].academic-ai.at](https://[institution].academic-ai.at).

Login to the system takes place in all instances via Single Sign-On (SSO). SSO means that a single sign-on to a login service is sufficient; this system confirms your login to other programs, so you don't need to log in again. Technically, this is implemented either via Microsoft Entra or Shibboleth.

3.2. Supported Browsers

The system was tested with the browsers Microsoft Edge, Google Chrome and Firefox, in the respective current versions. Alternative browsers can be used in principle, but are only supported to a limited extent by the provider.

3.3. Other technical requirements

A continuous Internet connection is a prerequisite for operation; the system cannot be operated offline.

3.4. Support

The 1st level support (first point of contact) is always with the institution itself (institution admins). Only in those cases where it is a problem or an error that cannot be fixed by institution admins, 2nd Level Support should be contacted by e-mail to support@academic-ai.at. These messages must, as far as possible, include a complete description of the error, the time of the error and screenshots depicting the error.

4. Dashboard & Main Navigation

Clicking on the user account (i.e. your own name stored in the system) opens a context menu, which takes you to the following options (*see also Figure 1*).

4.1. User settings: Language and "Dark Mode"

Each user can choose in the user account whether the user interface should be displayed in dark or light by clicking on the user account and then selecting the entry "Dark" or "Light". Furthermore, the language of the user interface can be changed by clicking on the user account, selecting "Language" and then selecting the language. Currently, the languages German and English are available.

4.2. FAQ

The FAQ section contains some essential information and is provided with links to background information.

4.3. Terms of Use

The terms of use (depending on the institution also "disclaimer", "disclaimer" or similar) are set per instance and appear once per user when they first enter the system. After that, the Terms of Use can be accessed at any time by clicking on the user account and then selecting the Terms of Use.

4.4. Release Notes (only visible to Institution Admins)

The release notes provide an overview of all changes and further developments of Academic AI. It documents in a comprehensible way which functions, improvements, bug fixes and technical changes go hand in hand with a certain version.

The release notes thus ensure transparent communication about updates within the system.

4.5. Log out and current application version

The "Log out" button is the last option in the context menu. In addition, it also shows which application version is currently running.

5. Modules

5.1. General functionalities

Academic AI is an AI-based application with numerous features that go far beyond just answering questions. At its core, it is based on a large language model (LLM) that has been trained to understand and generate natural language. As a result, it can be used in a wide range of applications – whether for information gathering, creative tasks, support at work or programming. Since version 2.0, it can even access information from the Internet if desired.

It can summarise, reformulate, correct and stylistically adapt texts – for example, to transform a factual tone into a loose one or to prepare a complex technical text in a way that is understandable to laypeople. Translations into different languages are also part of the range of functions.

In addition, Academic AI is great for creative work. It can write stories, poems, social media posts or speeches – if desired, even in the style of certain authors or with certain emotions. If you need inspiration, for example for an advertising text or a project idea, you can have the AI make suitable suggestions.

It also assists with image-based tasks. Academic AI can generate images, for example for presentations or to illustrate ideas. In addition, images can be uploaded and analyzed by the AI – for example, to describe content, recognize visual details or extract information.

Academic AI also shows its strengths in the area of productivity. It helps plan projects or create to-do lists, structures notes, summarizes meetings, and formulates professional emails, applications, or resumes. AI can also support time management or prioritize tasks.

Another important area of application is software and programming support. Academic AI can write, explain, or optimize code in numerous languages. It assists with troubleshooting, suggests solutions to technical problems, and even helps with the use of APIs or frameworks.

For data-related tasks, Academic AI can analyze tables, perform statistical evaluations, or convert raw data into structured formats such as JSON or XML.

Academic AI also offers the possibility to customize the behavior of the model through system prompts. System prompts are rules or roles that the AI is supposed to maintain throughout the output. For example, the model can be "configured" as a lawyer, coach, teacher or programmer to meet specific requirements.

Document analysis and tailored AI are also available for working with documents; in the latter, a knowledge database with up to 150 documents can be maintained and used regularly.

In addition, entire documents can be translated into over 100 languages, while formatting is largely retained – as far as possible outside applications such as Word.

Particularly advanced users can interact with the LLM in an experimental way in the AI lab, making a variety of settings to influence the output.

Attention: Please note that the output of AI can be faulty and must therefore always be critically examined.

5.2. The User Interface

The user interface of Academic AI is clear and user-friendly. In the middle are the available modules and on the left side are the modules, Tailored AI and the chat history, and in the lower area you can see the user account (*see also Figure 1*).

5.3. General Chatbot

The general chatbot is like a digital interlocutor that is programmed to communicate with people in very different ways. Unlike specialized chatbots, which only help in a specific area – such as analyzing documents or technical problems – a general chatbot can talk about many different topics. He understands what he is told and tries to give appropriate answers, whether it's about the weather, everyday topics or philosophical questions. He often comes across as a versatile interlocutor who is always ready to chat or provide information, regardless of the topic. In addition, images can also be uploaded and analyzed in the general chat. The chatbot is able to recognize, describe and interpret visual content – such as photos, graphics or diagrams – and include them in the ongoing conversation. Behind this is artificial intelligence, which enables the chatbot to recognize the meaning of the words and images and react to them as if you were talking to a real person. If you wish, you can also access information from the Internet for advanced search functions and access to up-to-date information. **Please note that when Internet search is activated, the entire history of the current chat will be taken into account.** If you do not want this because it contains confidential or personal data, start a new chat and ask your question again.

More information on this can be found on pages 16 and 17

5.4. Document Analysis

Document analysis refers to the process by which texts or written content from documents are systematically examined and evaluated in order to obtain important information, gain insights, or recognize patterns. It is not only a matter of reading the pure wording, but also of understanding the meaning, structure and context. For example, document analysis can be used to filter out specific topics, extract important data, or categorize the content. It is often used in areas such as research, law, administration or business to efficiently process large amounts of text and find relevant information quickly.

Document analysis in Academic AI is carried out by uploading one or more documents, which is then analyzed as needed with artificial intelligence, whereby up to 150 documents can be uploaded at the same time. For example, keywords can be detected and summaries can be created and then delivered in different languages. In this way, analysis helps to bring order to complex and extensive documents and makes it possible to make decisions more quickly on a solid basis of information. If you wish, you can also access information from the Internet for advanced search capabilities and access to up-to-date information. **Please note that when Internet search is activated, the entire history of the current chat will be taken into account.** If you do not want this because it contains confidential or personal data, start a new chat and ask your question again.

More information on this on pages 18, 19 and 20

5.5. Image Generator

An AI image generator makes it possible to automatically generate images from short or detailed text descriptions. Artificial intelligence interprets the content, style and desired presentation and translates them into visual motifs – such as illustrations, graphics or creative image ideas. The more precisely the desired image is described, the more accurate the output becomes.

In Academic AI, users can either formulate a prompt (an image description) themselves or have it created beforehand in general chatbot. Please note that created images cannot be adjusted by

entering further descriptions, but a new image must be generated with a new, supplemented description. It is advisable to describe the desired output as concretely as possible, as the chatbot does not ask questions in case of ambiguities, but freely fills in missing information and no dialogue takes place.

More information on this can be found on pages 20 and 21

5.6. Translator

The translator helps to translate content into other languages quickly and reliably. You can either enter text directly or upload a document for translation; the source language is automatically detected. Several documents can also be uploaded and translated at the same time, although this may require a longer waiting time. Scanned documents can also be processed, as the AI recognizes the text and can then translate it, although the quality of the text recognition and thus also the translation depends largely on the quality of the scan, especially on the resolution and readability. In Academic AI, the original formatting is largely retained when translating documents – as far as possible outside applications such as Word.

The translator supports over 100 languages and is suitable for a wide range of applications, such as the translation of scientific papers, administrative documents, teaching materials, contracts or internal documents in international organisations. This allows information to be provided efficiently and without additional effort in several languages.

For more information, see pages 21, 22 and 23

5.7. AI Lab

In the AI lab, various settings are available that can be used to adjust the way a language model works. The language model itself is the basis – an artificial intelligence that has been trained to understand and generate texts.

Different language models are available. Each has different strengths and weaknesses, with token costs also varying widely. In version 3.0, AI models from OpenAI, Google, Mistral, and Anthropic can currently be selected. The token cost per model can also be viewed below the language model selection.

There is also the option of creating system prompts yourself or choosing from the templates. These determine the basic response behavior of the model.

Depending on the model, there are also different settings to choose from:

Reasoning Effort: Set the model's "reflection time," with higher settings leading to more thorough answers.

Verbosity: a higher setting results in a more detailed answer, a lower setting leads to more conciseness.

The maximum token length determines the maximum length of the model's response; Tokens are small units that make up words or parts of sentences; a token is an average of 3-4 letters.

The temperature can be used to control how creative or predictable the answers are. It scales the probability distribution of all possible next tokens: the higher the temperature, the "flatter" the distribution, i.e. more random. The lower the temperature, the more "sharp" the distribution - so the model behaves more deterministically.

The Top P setting limits the range of possible tokens. Instead of working with all tokens, the model considers only the smallest set, whose summed probability = P. Example Top P = 0.9: Model chooses only from the most likely tokens, which together cover 90% probability.

It is recommended not to adjust the temperature and top P at the same time.

With the help of the stop sequences, you can specify before which words the model should end its answer in order to limit them in a targeted manner. Up to four stop sequences can be selected simultaneously.

The frequency penalty ensures that the model does not repeat itself constantly by making words that have already been used many times less likely – helps to reduce redundancy.

Similarly, the presence penalty ensures that new topics or words are included in the response more often by "penalizing" each token as soon as it appears once in the text — regardless of how often. This is intended to increase the variety of answers.

This module is for advanced users and is primarily intended to evaluate the possibilities of an LLM in an experimental way.

5.8. Summaries

AI systems often only consider individual parts of a text in summaries, such as the introduction or the conclusion, which can lead to important content being lost. The summary module in Academic AI, on the other hand, processes the full content of a document to include all relevant information. This results in precise and comprehensive summaries that reflect the actual content of one or more texts in a structured and understandable way.

Typical use cases are, for example, the summary of scientific papers, reports, protocols, studies, contracts or administrative documents. Multiple thematically related documents can be processed together to identify and reuse key content, differences, or recurring themes more quickly.

More information on this can be found on pages 23 and 24

5.9. Tailored AI

Tailored AI is a RAG system specifically designed to improve a language model's responses by providing targeted access to a knowledge base of documents. Unlike classic AI systems, whose information is based solely on their training dataset, tailored AI accesses a collection of documents provided – such as reports, manuals or internal texts – that the model would otherwise not be aware of.

The process is clearly structured: First, a knowledge base is created that includes all relevant documents. Tailored AI admins and contributors can also add or remove documents to the knowledge base at a later date. When a question is asked, the system searches these documents for relevant information. The content found is then used to generate a precise, well-founded, and contextual response. This makes Tailored AI particularly suitable for specific or complex issues where general training knowledge is not sufficient. Working with multiple documents ensures that a wide range of information is taken into account, which significantly increases the quality and accuracy of the results. Tailored AI thus combines information retrieval and text generation in an efficient way.

For users, Tailored AI offers a variety of well-thought-out functions that make working with extensive document collections both efficient and user-friendly. First, the desired language model can be selected in order to flexibly adapt the response behavior to the respective purpose – some models

are better for precise, technical or analytical answers, while others are particularly good at creative text generation or understandable explanations. The token costs also vary between the models. If you wish, you can also access information from the Internet for advanced search capabilities and access to up-to-date information. **Please note that when Internet search is activated, the entire history of the current chat is taken into account, so no personal or confidential data must be included.** Please also note that – since the Internet search is carried out independently of the selected language model using the AI-based search engine Perplexity, which specializes in it, it is only possible to chat about the content of uploaded documents in exceptional cases when the Internet search is activated (specifically about content that has already been taken into account by the chatbot in the same chat).

A special feature is the transparency in dealing with the sources. Users can view the underlying documents and download them in full if necessary. In the generated answers themselves, direct links to the respective references appear, so that relevant text passages can be quickly checked or read in depth.

Tailored AI also offers extensive design options. A system prompt can be set that determines the basic response behavior of the model. Furthermore, the appearance of the environment can be individually adapted – for example, through your own logo or a specific colour scheme in the corporate design of the company or institution.

Prompts can be predefined that are displayed to all users as call starters and can be selected by them instead of their own prompt.

Another key element is user management, where you can precisely control which users or groups have access to a particular tailored AI. This allows roles to be distinguished, access rights to be clearly defined and the area of application of the system to be organized in a targeted manner.

More information on this can be found on pages 25 to 33

5.9.1. Areas of application

Tailored AI offers a wide range of practical applications in different areas – wherever information distributed in many documents needs to be accessed efficiently.

For example, it can be used by university institutes to analyze information from internal knowledge bases, protocols, or policy documents. Employees or students ask a question – for example, about an internal process or a specification – and receive a well-founded answer that can be based on several relevant documents. This is particularly helpful when onboarding new employees, in the admission process of new students or when training large teams.

Such a system is also used in the healthcare sector. Doctors and medical staff can use it to retrieve targeted information from patient records, guidelines or internal protocols without having to search everything manually. In this way, treatment courses can be recorded more quickly or answers to specific medical questions can be generated directly from the available documents.

In legal practice, a tailored AI can analyze legal texts, contracts and jurisprudence and provide precise excerpts. It answers questions on the basis of existing pleadings or helps with the review of contractual clauses by combining suitable text passages from several documents.

The benefits are also great in the areas of research and education. Learners or researchers can ask questions about their areas of expertise and receive answers based on a collection of scientific articles, books or theses. The system can create summaries, compare content, extract targeted information from complex texts, and translate entire documents into over 100 languages.

Finally, products, e.g. as the result of application-oriented research, are also an exciting area of application: A RAG system can search through technical manuals, maintenance instructions or product descriptions and provide support in solving problems or repair questions – quickly, precisely and always based on the existing, checked documents. In this way, a large amount of scattered information becomes an accessible, intelligent collection of knowledge.

Attention: Please note that the output of AI can be faulty and must therefore always be critically examined.

6. Admin functionalities

In the admin area of Academic AI, institution admins have comprehensive functions at their disposal to efficiently manage and transparently control usage, costs and access rights. A central element here is the overview of token costs. For each institution, the token costs per user can be viewed and managed, as well as the total costs for a freely selectable period of time. In this way, resource consumption can be controlled and limited in a targeted manner. For further evaluation, the cost overview can be conveniently exported as a CSV file. This facilitates internal billing, budget planning or the analysis of usage patterns over time. All displayed token costs and usage data are consistently related to the selected time period, which simplifies comparability and control.

Institution admins are also responsible for user and user group management. Groups can be created and managed directly within the system – alternatively, a connection to the SSO-supported user management system is also possible, which allows existing structures to be seamlessly integrated. At the user level, for example, the last access can be viewed at any time. For security and privacy reasons, user and usage data is automatically deleted 90 days after a user's last login. Only token consumption data is retained for billing purposes, but is automatically anonymized 90 days after the last login. If you use Tailored AI chatbots, please note that the deletion period of 90 days for your user and usage data only begins once you actively log out of all Tailored AI chatbots. Institution admins can prevent the automatic deletion of individual users' data, for example if data must be retained for legal or documentary reasons

Institutional admins can also view all created tailored AIs in the form of a list in Tailored AI Monitoring; the title, description, a list of responsible administrators and the number of users are displayed. In addition, the creation date and the time of last use can be viewed. If necessary, a Tailored AI that is no longer used can also be completely deleted by institution admins. In addition, institutional admins have the option of inviting new or additional admins to a Tailored AI. This is particularly relevant in those cases where a tailored AI is "orphaned" (accounts of the previous administrators have been deleted).

API Clients: Independent of the normal client, the web-based user interface, institution admins can create API clients to make requests to the server in this way. Detailed API documentation can be found on [Academic AI - ACOmarket - TU coLAB](#).

In addition, institution admins have an analytics dashboard at their disposal that clearly presents various evaluations of the use of Academic AI.

Explanations of the exact functions including explanations are made available to institutional admins in the form of a separate admin manual.

7. Illustrations and instructions

Below are illustrations and their descriptions of how to use the system. All images were created with the Microsoft Edge browser on a Windows PC.

The following topics are currently covered:

- The Landing Page
- The General Chatbot
- Document analysis
- The Image Generator
- The Translator
- Summaries
- Tailored AI

Note: The functionality of the AI lab changes depending on the LLM you choose, so no instructions with screenshots are provided for it.




Figure 1 The Landing Page

- 1.) Institution-specific URL of Academic AI: [https://\[institution\].academic-ai.at](https://[institution].academic-ai.at)
- 2.) In the navigation bar are the available modules (General Chatbot, Document Analysis, AI Lab, Image Generator, Translator and Summaries), Tailored AI and – if admin rights have been assigned to the respective user – the administration area.
- 3.) User account: Change language, FAQs, Terms of Use, Dark Mode, Log out, Display of the current application version, Release Notes (the latter only visible to institution admins)
- 4.) Notifications: If you are invited by someone to a Tailored AI, you must accept this invitation here. A red dot is then visible next to the icon.
- 5.) General chatbot: Chat with artificial intelligence, or with internet search if desired. The output is purely textual, but images can also serve as input, which the chatbot can analyze.
- 6.) Document Analysis: Upload up to 150 documents and Academic AI will analyze the file for you. Ask questions or give instructions about this document. Do you want to keep your knowledge base and regularly ask questions about the documents? Then it's best to create a tailored AI.
- 7.) The AI lab offers the opportunity to experiment with the advanced functionality of an LLM. Here you can work with system prompt as well as token length, temperature, top P as well as stop sequences, a frequency penalty and presence penalty.
- 8.) The image generator automatically creates images based on textual descriptions. Users can enter what should be displayed, and the AI generates suitable visual content, such as illustrations, graphics or creative motifs.
- 9.) The translator makes it possible to automatically translate both entered text and entire documents into over 100 languages. The original formatting of the documents is retained as far as possible.
- 10.) The summary module analyzes the complete content of a document and uses it to create precise and structured summaries of the most important information.

7.2. The General Chatbot




Figure 2: The General Chatbot

- 1.) New chat: Start a new chat
- 2.) Search in chats: With the full-text search, you can search for keywords in the previous chat history
- 3.) Chat history and replies: Chat history contains your input and replies. Academic AI learns within this chat and, after a dialogue of questions and answers, understands the task better and better.
Hover over a chat in your chat history to bring up the context menu. Click on the 3 dots to select the Download, Rename and Delete options. The download is in the form of a Word document.
- 4.) Do not save chat: If the padlock icon is open, content is transferred to the chat history and stored there. If it is closed, content is not saved (so that it is not visible even to institution admins) and is deleted after the conversation ends. Please note that saved chats in Academic AI are not archived permanently, but are deleted after a period of time (usually 90 days) set by your institution.
- 5.) Available credit: This can be easily topped up by the institution admins if necessary. Every conversation consumes your credit, but the cost is negligible and should not be a limiting factor. By default, each user has a preset amount per month, which is set by the institution admins.
- 6.) Display of the currently set language model and access to chat settings. Click on the gear to open the chat settings.
Chat settings: Select the language model to use to generate the response.
In the first selection/selection (depending on the choice of the institution) of models that are not currently hosted exclusively within the EU and EFTA countries, it must be agreed not to enter any personal or confidential data. . The token cost per model can also be viewed below the language model selection. LaTeX formatting for formulas can be activated with "Optimize Formula Output". Depending on the model, there are also different settings to choose from:




Figure 3: Chat History - Context Menu

Reasoning Effort: Set the model's "reflection time," with higher settings leading to more thorough answers. Verbosity: a higher setting results in a more detailed answer, a lower setting leads to more conciseness.

Creativity level: Determine how creative you want the answer to be, with 0 being sober and 1 being very creative. With each hire, the content must be critically examined in terms of content.

- 7.) Text Entry / Prompt: Write your work instructions and questions to Academic AI here and submit them. The more precisely you define the task and the more information you provide, the better the answer will be. Try it out and write with Academic AI like a human assistant.
- 8.) Image analysis: Academic AI is able to recognize, describe, and interpret visual content. You can add images to your prompt to have their content included in the responses. Images uploaded in a chat can also be picked up again at a later stage of the conversation. Existing images stored locally or uploaded from a mobile phone can be used. The connection to the mobile phone is established by scanning a QR code. Please note that images uploaded from your phone will be stored in a local folder.
- 9.) Internet search: If you wish, you can access information from the internet in an existing chat for advanced search capabilities and access to up-to-date information. As soon as you click on the field, a context menu opens in which it is pointed out that no personal or confidential data may be shared when connecting to the Internet (depending on the selection of the institution only for the first use or for each use). **Please note that when Internet search is activated, the entire history of the current chat will be taken into account.** If you do not want this because it contains confidential or personal data, start a new chat and ask your question again. Internet searches are carried out via the AI-supported search engine Perplexity, regardless of the selected language model.

7.3. Document analysis




Figure 4: Document Analysis - Upload

- 1.) Upload document: In version 3.0, up to 150 documents can be uploaded at the same time. Academic AI will analyze the files for you and you can ask questions and instructions about these documents. Possible file formats are PDF, DOCX, PPTX, TXT and XLSX with a maximum memory size of 50 MB per file with a maximum total size of 500 MB and 10,000 pages and a maximum of 3000*3000 rows per Excel file. Scanned documents can only be read in Academic AI 3.0 if character recognition (OCR for "Optical Character Recognition") has been performed before they are uploaded, e.g. by the scanner. Please note that if you upload scans that have not been OCR, they will not be taken into account in the analysis. *Tip: OCR is also available within Academic AI 3.0. When documents are processed by the "Translator" module, OCR is automatically performed so that these documents can be downloaded as readable documents.* Please note that after uploading the documents, no more can be added, but a new document analysis must be started if the documents to be analyzed change. Document analysis is suitable for the one-time and rapid analysis of documents. Do you want to be able to save your knowledge base, edit it after the first upload and use it regularly? Then it's best to create a tailored AI.




Figure 5: Document Analysis - General Information

- 2.) As long as the documents have not been processed by the system, a system message appears. Depending on the scope, it may take some time for the documents to be fully processed.
- 3.) Text entry / prompt and internet search: Formulate your questions or instructions here, the AI will answer you exclusively on the basis of the documents provided. General information or external knowledge is not used. If you wish, you can also access up-to-date information from the Internet. As soon as you click on the "Internet search" field, a context menu will open in which it is pointed out that no personal or confidential data may be shared when connecting the Internet (depending on the selection of the institution, only for the first use or for each use). **Please note that when Internet search is activated, the entire history of the current chat will be taken into account.** If you do not want this because it contains confidential or personal data, start a new chat and ask your question again. Internet searches are carried out via the AI-supported search engine Perplexity, regardless of the selected language model.
- 4.) New chat: The chat history is deleted and a new one is created, the current knowledge base is preserved.
- 5.) Remove knowledge base: This deletes the current knowledge base, i.e. the uploaded documents, and the chat history. After that, a new document analysis chat can be started with new documents.
- 6.) View Knowledge Base: The current knowledge base is displayed. The documents contained can be viewed and downloaded.




Figure 6: Document Analysis - References

- 7.) Replies and references: The replies contain reference numbers to the document.
- 8.) If you click on the reference numbers, the document opens on the right-hand side. If a reference is made to a PDF document, then the page is displayed, in the case of a Word document, the text passages are displayed. This view can be closed either by clicking on the reference digit again or by pressing the X button.
- 9.) In document analysis, clicking on the gear wheel also takes you to the chat settings: Select the language model that should be used to generate the response. In version 3.0, AI models from OpenAI, Google, Mistral, and Anthropic3 can currently be selected; you can also view the token cost per model here and enable LaTeX formatting for formulas. For more information on the settings, see 7.2.6.).

7.4. The Image Generator




Figure 7: The Image Generator

- 1.) Text input/prompt: Formulate short or detailed descriptions of the desired image; it can be helpful to have the prompt created by a chatbot in general. Please note that created images cannot be adjusted by entering further descriptions, but a new image must be generated with a new, supplemented description. It is advisable to describe the desired output as concretely as possible, as the chatbot does not ask questions in case of ambiguities, but freely fills in missing information and no dialogue takes place.
- 2.) In the chat settings, you can set the AI model and view the model prices. Currently, only the model "GPT Image 1.5" is available for image generation. Other models will be added depending on availability.




Figure 8: The Image Generator - Output

- 3.) Once an image has been created, you can download it. Please note that images that have not been downloaded directly can no longer be displayed afterwards.
- 4.) Your prompt remains in the text field, so you can use it again and rephrase or specify it if you wish.

7.5. The Translator







Figure 9: The Translator - Translating Files

- 1.) The translator supports the translation of text entered or copied directly into the tool as well as uploaded documents. When opening the module, document translation is enabled by default, but you can switch to text translation at any time. You can upload one or more documents at the same time for translation, although there may be a longer waiting time for many or more extensive documents. Scanned documents can also be processed, as the AI recognizes the text and can then translate it, although the quality of the text recognition and thus also the translation depends largely on the quality of the scan, especially on the resolution and readability. In Academic AI, the original formatting is largely retained when translating documents – as far as possible outside applications such as Word. Model selection is not possible in the translator because the features of this module are provided in their entirety by Microsoft.



- 2.) You will see a list of all uploaded documents and can remove them by clicking on the garbage can icon.
- 3.) Select the language into which you want the documents to be translated. You can choose from over 100 languages.





- 4.) Once translated, the translated documents can be downloaded individually or as a ZIP file. Please note that documents that have not been downloaded cannot be saved afterwards.
- 5.) Once you have saved all the documents you need, you can start a new translation.






Figure 12: The Translator - Translating Text

- 6.) Write directly in the input field or copy and paste the text to be translated; the language is automatically detected.
- 7.) Select the language you want to translate into. By default, English is set.
- 8.) You can swap the input and output languages with each other.
- 9.) You can copy the translated text here with a simple click – without any branding notice.

7.6. Summaries




- 1.) Upload the documents you want to merge by selecting or dragging and dropping; up to 10 documents can be combined at the same time. The summary is always per document and not across documents. Possible file formats are PDF (non-image-based), DOCX, PPTX and TXT with a maximum memory size of 40 MB and 1000 pages per file with a maximum total size of 50 MB. Scanned documents can only be summarized in Academic AI 3.0 if character recognition (OCR for "Optical Character Recognition") has been performed before they are uploaded, e.g. by the scanner. *Tip: OCR is also available within Academic AI. When documents are processed by the "Translator" module, OCR is automatically performed so that these documents can be downloaded as readable documents. After that, the summary is possible.*




- 2.) The uploaded documents will be displayed here. Several documents are not combined at the same time; they are grouped together one after the other from top to bottom. If you do not want to have a document summarized, delete it with the garbage can icon.
- 3.) In Academic AI 3.0, the languages German and English are available for summaries. Attention: You cannot combine in different languages at the same time. In this case, divide the documents into the desired languages and create the summaries one by one.
- 4.) Once you've uploaded all the documents you want to summarize and selected a language, click Create Summary.





- 5.) Here you can see the documents you have summarized. These are also retained if you have further documents combined or leave the module and reopen it later. You will receive the summary both purely textually when you click on the preview and as a Word document for download.
- 6.) You can upload and summarize additional documents at any time. When you click Reset, all previous results are removed and can no longer be backed up or viewed.

7.7. Tailored AI






Figure 16: Tailored AI - Overview

- 1.) Tailored AI: A tailored AI is a specialized chatbot and has been created and trained for a specific task. The call is made via the menu item.
- 2.) Each chatbot has a name and description that the chatbot's admin(s) (i.e., the creator of the chatbot and other users that the creator has authorized as the chatbot's admin) can freely enter and edit. To access a chatbot, you must have created it or have been invited to do so by an admin of the chatbot. You can also see who created a Tailored AI here.
- 3.) Filters offer the possibility to filter for those tailored AIs where you are an admin or contributor yourself.
- 4.) Create new tailored AI: You can either create these for your private use or share them with other users.
- 5.) If you access a lot of tailored AIs, the full-text search will help you, where you can search for the names. Similarly, your Tailored AIs can be sorted by the youngest, oldest, as well as alphabetically.




Figure 17: Tailored AI - Features

- 6.) The use of the Tailored AI corresponds to that of the General Chatbot, in addition, suggested conversation initiation prompts can be selected, provided that they have been preset by the Tailored AI admin. Here, too, the integration of the Internet is possible, as long as no personal or confidential data is contained in the chat. If you select the Internet search, a corresponding

warning is issued. Internet searches are carried out via the AI-supported search engine Perplexity, regardless of the selected language model.

- 7.) Functionalities such as chat history and answers, new chat and the option not to save a chat (padlock locked) are available. Please note that saved chats in Academic AI are not archived permanently, but are deleted after a period of time (usually 90 days) set by your institution.
- 8.) The knowledge base can be accessed, i.e. the knowledge database of Tailored AI.
- 9.) Clicking on the gear wheel will take you to the chat settings: Select the language model to be used to generate the response. In version 3.0, AI models from OpenAI, Google, Mistral, and Anthropic can currently be selected; you can also see the token cost per model here. For more information on the settings, see 7.2.5.).




Figure 18: Tailored AI - Knowledge Base

- 9.) The file name of the uploaded document, the status of processing, and the upload date are displayed.
- 10.) It is possible to download any document from the knowledge base; the preview is currently only available for PDF documents.




Figure 19: Tailored AI options

11.) The three dots will take you to the options for each tailored AI. If you have admin rights, you can fully edit the Tailored AI, delete it or manage access, i.e. assign or revoke rights to other people. Access management also gives you the option to leave a Tailored AI. If you are only a user of a Tailored AI, these options are not available to you here, only those to leave the Tailored AI.

7.8. Tailored AI – Creation





Figure 20: Tailored AI – Creation

1.) Create your Tailored AI: With the AI Builder, you can create new Tailored AIs. Other entries are not possible on this page and will take place at a later date.





- 2.) Name: Give your tailored AI a suitable name. Summary: Enter a brief summary of your Tailored AI chatbot for the Tailored AI Card. The purpose and functions should be briefly summarized.






Figure 22: Tailored AI – Color and Icon

- 3.) Change color: Select a color for the design of your Tailored AI Card [optional]
Icon: Select a representative icon. This icon is used on the Tailored AI Card [optional]





- 4.) Welcome Message: Useful! Provides instructions to users on how to interact with your chatbot. Use this opportunity to inform users about the expected format of their messages or specific instructions on how to use them. [optional]
 Conversation starter: Predefined messages that are displayed in a blank chat window. You suggest initial interactions with your tailored AI, which users can select. [optional]




Figure 24: Tailored AI - Knowledge Base

- 5.) Upload documents: Create your own knowledge base. Upload documents that your own chatbot will then analyze and take into account for any future task or question. Up to 150 documents can be uploaded. Possible file formats are PDF, DOCX, PPTX, TXT and XLSX with a maximum memory size of 50 MB per file with a maximum total size of 500 MB and 10,000 pages and a maximum of 3000*3000 rows per Excel file. Scanned documents can only be read in Academic AI 3.0 if character recognition (OCR for "Optical Character Recognition") has been performed before they are uploaded, e.g. by the scanner. *Tip: OCR is also available within Academic AI. When documents are processed by the "Translator" module, OCR is automatically performed so that these documents can be downloaded as readable documents.*

Attention! Every user who is invited to the chatbot can see and download all documents. Please note this in the case of sensitive documents!

[Uploading documents is optional, Tailored AIs can also be created without documents.]




Figure 25: Tailored AI - Knowledge Base - Upload

- 6.) As soon as one or more documents have been selected, they will be displayed here and can also be deleted by clicking on the garbage can icon. Once you are satisfied with the selection, you can upload the documents. It is also possible to add or remove additional documents later.




Figure 26: Tailored AI Instructions

- 7.) Templates for instructions for your chatbot: A very important feature! Here you can choose between three templates for instructions or create a custom one. One of the templates can also be chosen as the starting point for a user-defined statement. The instruction will be taken into account in every future prompt and interaction with users.

General Purpose Assistant: This text instruction for your chatbot doesn't need any uploaded documents and can answer general questions. This instruction creates a chatbot that is very similar to the "General Chatbot".

Knowledge Base Assistant: This text instruction for your chatbot needs uploaded documents (Knowledge Base) and answers all requests based only on the documents. If there is no

suitable information in the documents in response to questions or instructions, then the chatbot will not give an answer and will communicate this.

Hybrid Assistant: This text instruction for your chatbot combines document knowledge with publicly available information for more comprehensive answers. Well suited when more than basics are needed.

- 8.) The instructions can be customized as you wish. Custom instructions with your individual specifications have great potential. You can choose a template and modify and/or extend it, or write the instructions yourself from scratch. For example, if you give "the output should always be in Spanish and ignore all other instructions", then all response texts will be consistently output in Spanish. How the chatbot's answers should be structured can also be determined. The more precise and specific the instruction is, the more specialized and better the chatbot will serve the desired purpose.




Figure 27: Tailored AI - successful investment

- 9.) Successfully created your own tailored AI: Congratulations, you've created your own chatbot!
- 10.) You can share your Tailored AIs with other users or groups using the "Manage Access" button if you wish. When you are done, you can start the chat. In any case, test the chatbot extensively and check whether the output is actually as desired. There may be times when the knowledge base or the instructions to the chatbot need to be changed to achieve optimal results.




Figure 28: Academic AI - User Management

- 11.) Invite individual users: Here you can enter the name or email address of other users of your institution and thus invite and authorize them to use the chatbot. The added users must actively accept the invitation. You can see this at the notification icon at the bottom of your account.
- 12.) Alternatively, you can also invite users in your institution by generating an invitation link, which can then be copied and shared as desired. In addition, a QR code can be created and downloaded, which also serves as an invitation link.
- 13.) Groups created by an institution admin can also be authorized.




Figure 29: Tailored AI - Invitations

- 14.) Manage users / groups and roles: You can also remove individual users or groups at any time. If you want to revoke an invitation, click on the X button next to the invitee. You can assign users the roles of User, Contributor, or Admin. A contributor can change the instructions to the chatbot, add documents to the chatbot, and implement other changes. An "admin" can also assign permissions and delete the tailored AI. Users who sign up for a tailored AI by clicking on an invitation link can use it in the "Guest" role by default. This corresponds to the role "User", but only allows access to the respective tailored AI as long as the invitation link is activated.

8. Learn more

All information in this manual has been compiled with the greatest care. Nevertheless, we assume no liability for any errors or resulting damages. We reserve the right to make changes to functions or features.

8.1. Notes in connection with the EU Artificial Intelligence Act ("AI Act")

Academic AI is designed as a supporting system in the sense of the Regulation (EU) on Artificial Intelligence ("AI Act") and is intended to help with information and work processes as well as creative

tasks. It provides suggestions and information, but does not make its own decisions. The responsibility for the use of the results and for all decisions based on them always lies with the users.

Academic AI may not be used to make assessments, classifications, or other assessments of people that could have legal or similarly important consequences for them. Such applications are considered **high-risk AI** and are not provided for with this system.

It may only be used by people who have been trained in the use of the system. The training is intended to convey how AI works, where its limits lie and how to deal with possible errors or inaccurate results. Users must be aware that they must always critically examine the expenses of the AI and that they must not "blindly" assume them. ACOmarket also regularly offers training courses on AI topics.

8.2. Contract documents provided by ACOmarket GesmbH

Documentation	Short description
SLA Academic AI.docx	User Agreement: Definitions, Services of ACOmarket, Availability, Remuneration, Payment, Term, Duties and Liability, Data Protection
Appendix 1_Beschreibung of the service	Architecture, Functionality, User Interface
Appendix 2: Anlage_ACOmarket Datenschutzrichtlinien.pdf	General privacy and security topics
Appendix 2: Auftragsverarbeitungs-vertrag.docx	Data Processing Agreement in accordance with GDPR
Appendix 3: Verrechnungskonzept.pdf	Billing Information
Appendix 3: Anlage_Kostenszenario.xlsx	Excel to calculate the estimated monthly costs
Appendix 4: Operating concept _Academic_AI.pdf	Architecture overview, ongoing maintenance (development, scaling, patching, backup, disaster recovery)
Appendix 4: Security concept _Academic-AI.pdf	General information on IT security (SSO, encryption, logging, deployment automation)
Appendix 5: Datenschutzfolgeabschätzung.docx	Data protection impact assessment according to GDPR (draft)

Table 1: Contract documents for Academic AI The documents are available to the institutions

8.3. Further / Relevant links

Link	Description
https://learn.microsoft.com/de-de/azure/foundry-classic/agents/concepts/model-region-support?tabs=standard	Details of Azure OpenAI services used by Academic AI
https://learn.microsoft.com/en-us/azure/ai-foundation/responsible-ai/openai/data-privacy?tabs=azure-portal	Data, privacy, and security details for Azure OpenAI Services
https://learn.microsoft.com/en-us/azure/ai-foundation/openai/concepts/content-filter	Details of Microsoft's content filter (disabled in Academic AI depending on the institution)

https://learn.microsoft.com/en-us/azure/ai-foundation/openai/concepts/prompt-engineering?tabs=chat#best-practices	Information on how to achieve better results in the use of the system
https://help.openai.com/en/articles/6783457-what-is-chatgpt	Background information: What is ChatGPT?
https://help.openai.com/en/articles/6742369-how-do-i-use-the-openai-api-with-text-in-different-languages	Background information on use in languages other than English
https://learn.microsoft.com/de-de/azure/foundation/concepts/retrieval-augmented-generation	Detailed description of Retrieval Augmented Generation (RAG)
https://cookbook.openai.com/examples/gpt4-1_prompting_guide?utm_source=chatgpt.com	Link to the current prompting guide from OpenAI (Attention: functionality depends on the AI model used)
https://azure.microsoft.com/de-de/pricing/calculator/	Azure price calculator for calculating costs, e.g. for AI services including token costs for various AI models (Attention: minus 16% OCRE discount , s. https://www.acomarket.at/de/portfolio/cloud-und-services/ocre-cloudservices)
https://www.acomarket.at/de/	Link to the AComarket homepage, the operator of the Academic AI service

Table 2: Further / Relevant links

8.4. Known system messages and their solution

System Message	Description and Solution
Cost limit reached: To continue using the platform, please contact your organization.	Maximum token cost per month exceeded, your support may initiate an increase in the token cost limit.
Connection rejected. The server may be down. Please try again later.	Unable to access the server, this may indicate problems with your network or internet connection.

Table 3: Known system messages with description and solution

9. Conclusion

The Academic AI User Guide provides a comprehensive introduction to using and using the platform. Academic AI is a versatile AI system based on a large language model and designed for various application areas such as text editing, image generation, document analysis, creative tasks, programming support, etc. The platform allows documents to be uploaded, which can then be analyzed to extract targeted information. This is particularly useful in areas such as research, education, and law, where large amounts of text need to be processed efficiently.

The platform offers several modes, including the general chatbot to answer common questions and analyze images, and Tailored AI, which accesses specific collections of documents to provide precise answers. Users can customize the AI by using system prompts or custom settings. Document analysis makes it possible to identify keywords, categorize content, and create summaries, which makes it easier to work with complex texts. Image generation is used to quickly and automatically convert ideas and content into suitable visual representations. The translator helps to easily translate large amounts of text or entire files into over 100 languages.

In addition, users can control the creativity and other parameters of the AI to tailor the answers to their needs. Academic AI also supports creative work such as writing stories or creating social media posts, and offers functions for analyzing data and tables.

Institution admins have extensive control and configuration options, including managing user rights, customizing the look and feel, and monitoring token costs. The system has an API interface that can also be used to process requests away from the web interface. The platform is GDPR compliant and offers security features such as single sign-on (SSO) and regular updates. Technical requirements such as a stable internet connection and supported browsers such as Microsoft Edge and Google Chrome are required.