

Parameterized Penguins Report

David Elias Panigo

Table of contents

1 R Code and Outputs	2
2 Report	3
2.1 User inputs	3
2.2 Summary Anova test	3
2.3 Automated Statistical Assistant	3
3 Tukey Test	4
4 Original R Outputs	5

```
library("webshot2")
```

1 R Code and Outputs

2 Report

2.1 User inputs

- **Dataset file name:** jaja
- **Response Variable:** mpg
- **Factor:** cyl
- **Alpha value:** 0.05

2.2 Summary Anova test

test	aim	variable	p_value	alpha_value	Decision
Shapiro-Wilk test	Normality	residuals	0.5177	0.05	Ho no rejected
Bartlett test	Homogeneity	residuals	0.0150	0.05	Ho Rejected
Anova 1 way	Mean	mpg	0.0000	0.05	Ho Rejected

Table 1: Resumen ANOVA

2.3 Automated Statistical Assistant

The null hypothesis of normal distribution of residuals is not rejected.

The hypothesis of homogeneity of variances (homoscedasticity) is rejected.


Not all model assumptions are met, so it is NOT valid to draw conclusions from the ANOVA test.

Regardless of the p-value obtained in ANOVA, it is not valid to draw conclusions.

3 Tukey Test

	level	mean	group
1	4	26.66364	a
2	6	19.74286	b
3	8	15.10000	c

Plot 007 - Mean y model standard error



4 Original R Outputs

Detallamos las variables seleccionadas.

```
  order var_name var_number var_letter var_role doble_reference
1     1      mpg          1          A      RV      RV(mpg)
2     2       cyl          2          B  FACTOR  FACTOR(cyl)
```

Determinamos el n de la experiencia a partir de todas las filas que poseen datos en ambas variables.

```
  object n_col n_row
1 my_dataset   11   32
2  minibase    2   32
```

Generamos el test de Anova

```
      Df  Sum Sq  Mean Sq  F value    Pr(>F)
cyl      2 824.7846 412.39230 39.69752 4.978919e-09
Residuals 29 301.2626  10.38837      NA      NA
```

Verificamos el supuesto de homogeneidad de los residuos

```
Bartlett test of homogeneity of variances

data:  residuals by cyl
Bartlett's K-squared = 8.3934, df = 2, p-value = 0.01505
```

Verificamos el requisito de normalidad de los residuos

```
Shapiro-Wilk normality test

data:  minibase_mod$residuals
W = 0.97065, p-value = 0.5177
```

Estimamos el Error

```
  order level      n model_error_var_MSE model_error_sd model_error_se
raw_error_se
1     1    6  7      10.38837      3.223099      1.2182168      1.2182168
2     2    4 11      10.38837      3.223099      0.9718008      0.9718008
3     3    8 14      10.38837      3.223099      0.8614094      0.8614094
```