

Unwired / broken features audit

Date: 2026-09-19 · Scope: every user-selectable control and promised action on the site, traced **control → stored column → consumer**, across 12 audit slices (A1-D3). Read-only audit; nothing was changed.

Method: each slice enumerated the controls in its views, resolved storage through the save path, and searched `app/ + resources/views/` for real consumers. Verdicts use the controlled vocabulary (wired, not-consumed, not-saved, ui-only, broken, gated, needs-decision). Evidence is always a `file:line`; generated `app/Domain/*Row.php` classes and `app/Session/Prefs.php` are excluded as non-consumers, and `.slop-scan.cache.json` is never cited.

Overall verdict: **the port is largely wired**. The overwhelming majority of controls have a live consumer (Appendix A). The defects cluster in four places: (1) **report/export options chosen by query string that the receiving controller never reads**, producing a silently different document; (2) a handful of **preference columns saved but read by nothing**; (3) several **server-side enforcement gaps** where the UI or a preference promises a refusal the POST path does not make; and (4) **data-loss-on-save** paths where hiding a field writes `NULL` over a stored value.

1. Summary

Verdict	Count
broken	39
wired	9
not-consumed	8
not-saved	3
ui-only	6
gated	1
retired	3
needs-decision	4
Total rows	73 (76 slice rows – 3 merges)

Impact	Count
high	8
medium	33
low	32

Area group	Rows
Preferences — General & localization	6
Preferences — Entries tab	5
Preferences — Email & Contact tab	7
Preferences — Best Brewer / scoring	1
Payments	9
Judging	11
Competition Info & misc admin screens	4

Area group	Rows
Styles / Entries / Participants	8
Outputs / Reports	6
Public / Entrant	6
Auth / Eval / Wizard	10

Highest-impact items

High: - **B1-01** — `prefsCurrency` (a display token like '\$', 'euro') is used as the gateway **ISO currency code**; Stripe has no guard (checkout errors), PayPal fails closed. - **C2-02** — `prefsStripe.currency` is read but **never written**; no screen offers an ISO-currency control, so the fallback can never yield a valid code. - **C2-01** — Stripe goes live at checkout on `account_id` alone; with no/wrong webhook secret the webhook verify fails and **the entrant is charged while the entries stay unpaid**. - **B2-01** — the six **Tie Break Rule** selects post codes (`TBFirstPlaces`) but the save validates `integer`, so any non-"Unused" rule **422s the whole Best Brewer tab** and can never be stored. - **D2-01** — hiding the MHP field (`prefsMHPDisplay=0`) makes it absent from the POST, and the save writes `brewerMHP = NULL` — **hiding a field destroys the stored value**. - **D1-01** — the Results/BOS-Results matrix: only `go` is read, so "All with Scores", "Winners Only with Scores", "All without Scores" and "HTML" all return the same winners-only PDF. - **D1-04** — ~18 Data Exports links each promise a distinct dataset; **go/filter are unread** and only the filename changes — every link streams the full all-entries CSV. - **C3-04** — the participants **Assignment(s) modal** echoes a `Collection → Collection could not be converted to string` → **HTTP 500 on the whole participants page** (on legacy data that carries the role CSV).

Notable medium: - **A1-03** language fallback codes are malformed (`CS-Cs`), so the runtime toggle silently degrades to English-only when `prefsLanguageOptions` is `NULL`. - **A2-01 / A2-02** competition-wide Total/Paid entry limits are a **render gate only** — a direct POST exceeds the cap. - **B3-01/02/03** three judging-preference columns (`jPrefsRounds`, `jPrefsMinWords`, `jPrefsScoreDispMax`) are saved and read by nothing. - **B3-04** a built URL missing its `?` → 404 on the tables-list pullsheets icons; **B3-05** a "which judges were un-assigned" caution modal that never fires; **B3-06** `prefsEval=off` leaves every `/eval/*` route reachable; **B3-07** the scoresheet identifier preference is honoured by neither option. - **C3-03** delete-account icon is a GET to a DELETE route (405); **C3-05** "Assigned As" prints a JSON blob; **C3-08** the purge dashboard renders every card three times; **C3-10** the inline judging-number save does no validation. - **D1-02 (also C3-07)** `ParticipantSummaryController` reads no query params — every print variant is the same list; **D1-03** Table Cards ignores `location`. - **D2-02** the contact-form gate is view-only (a crafted POST still emails); **D2-04** required entry fields are enforced on edit but not on add. - **D3-01** the judge/steward waiver checkbox is client-side only and the server **substitutes 'Y'**; **D3-02** the security-question reset path has no throttle and enumerates addresses; **D3-06/D3-07** a structured evaluation's ticks never render on read-back and the import confirmation page is orphaned. - **C1-01/C1-02/C1-03** the Banner Images rotation UI, the mods "Extends Admin Function", and four Competition Info text areas are saved but consumed by nothing.

2. Main table — every item needing a decision

Decision is intentionally blank (–) for the owner to fill in. Origin `legacy` marked (inferred) where `legacy/` lacks the file and the behaviour was reasoned from labels/columns rather than verified against upstream.

Preferences — General & localization

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
A1-01	Records Displayed	<code>resources/views/judging/partials/pool_table.blade.php:13</code>	<code>prefsRecordPaging</code>	Page size applies to the lists that use <code>DataTables</code>	Honoured on entries + participants; ignored on the pool-assign table, hard-coded <code>data-dt-page="25"</code>	wired at <code>admin/entries.blade.php:291</code> , <code>admin/participants.blade.php:251</code> → <code>resources/js/app.js:376</code> ; not read at <code>pool_table.blade.php:13</code> ; <code>docs/site-preferences-wiring.md:21</code> claims pool-assign is driven (already-tracked, corrected here)	legacy	not-consumed	low
A1-02	Localization	<code>app/Http/Controllers/Output/StaffPointsController.php:838</code>	Date/time prefs (<code>prefsDateFormat/</code> <code>prefsTimeFormat/</code> <code>prefsTimeZone</code>)	Every rendered date honours the configured format/zone	<code>BJCP XML OrgReport <SubmissionDate></code> is hard-coded <code>now()->format('l j F Y h:i A')</code> — ignores all three (server zone, always 12-hour, US order)	bypasses <code>DateFmt</code> (<code>app/Support/Tenant/DateFmt.php:49-88</code>); the only displayed date in <code>app/+resources/views/</code> that bypasses it	legacy	broken	low

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
A1-03	Localization	app/Support/Tenant/Language.php:38	prefsLanguageToggle + prefsLanguageOptions	Visitors may switch display language per the "Available Languages" group	When prefsLanguageOptions is NULL, the fallback list is built as CS-Cs, FR-Fr, HU-Hu, PT-Pt, ES-Es, which never match the canonical codes (cs-CZ...); only en-US survives, so the nav toggle is not rendered	fallback SetLocale.php:77; UI fallback public-layout.blade.php:411-413; gate :421-427; canonical offers SitePreferencesController.php:67-75; Language::folder() maps every offered code correctly, so only the fallback spelling is wrong	legacy	broken	medium
A1-04	Competition Type	app/Http/Controllers/Admin/SitePreferencesController.php:333 (form site-preferences.blade.php:72-81)	prefsMHPDisplay Enable/Disable	Radio lets the admin enable/disable MHP fields	Silently forced to '0' whenever prefsProEdition == 1; the radio still renders and the value is discarded on every save	legacy quirk, pinned by AdminScreensSettingsTest.php:370	legacy	gated	low
A1-05	General Settings	resources/views/admin/site-preferences.blade.php:125-128	prefsSEF / "Search Engine Friendly URLs"	(was) rewrite-mode toggle	Control removed; column kept; still nullable in validation (SitePreferencesController.php:278) but never written	docs/site-preferences-wiring.md:18 (already-tracked)	retired	retired	low
A1-06	Performance / Data Clean-Up	resources/views/admin/site-preferences.blade.php:195-210	prefsAutoPurge / "Automatically Purge..."	(was) scheduled purge toggle	Replaced by the on-demand Purge stale entries now action; still nullable in validation (:295) but never written	docs/site-preferences-wiring.md:20 (already-tracked)	retired	retired	low

Preferences — Entries tab

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
A2-01	Limits	resources/views/admin/site-preferences.blade.php:514-518	Total Entry Limit – Paid/Unpaid (prefsEntryLimit)	"Limit of total entries you will accept in the competition."	Saved and read, but never refuses an entry : the read only hides the form, forces the window to After and shows counts/alerts. The POST path is not gated — EntryLimits::check()'s final gate allows ownsEntry, always true on create/edit	Windows.php:127,130,133-135; PublicController.php:138,731-742; DashboardController.php:156; EntryLimits.php:112-117; BrewController.php:132-153,354-374; /brew POST middleware only auth,verified (routes/web.php:164)	legacy	wired	medium
A2-02	Limits	resources/views/admin/site-preferences.blade.php:520-529	Total Entry Limit – Paid (prefsEntryLimitPaid)	"Limit of paid entries you will accept."	Same shape as A2-01: saved and read (Windows.php:128,131; DashboardController.php:157; PublicController.php:733,748-749); POST not refused (same always-true ownsEntry gate)	as A2-01	legacy	wired	medium
A2-03	Records threshold	admin/entries.blade.php:8,99; admin/participants.blade.php:12-13,28-31	prefsRecordLimit (read; no control anywhere)	Gates the entries "Print All..." affordance and the participants over-limit notice	Read but never written — no field on any tab, no controller writer. The notice tells the admin to change the "DataTables Record Threshold", which is a different column (prefsRecordPaging), so following the advice cannot clear it	readers participants.blade.php:12, entries.blade.php:8; no writer (grep; only dead app/Domain/PreferencesRow.php:45, app/Session/Prefs.php:769); page size really comes from prefsRecordPaging (participants.blade.php:251, entries.blade.php:291). Merged: C3-02 (same defect)	legacy	not-saved	low
A2-04	Accepted styles	admin/site-preferences.blade.php:573-575; SitePreferencesController.php:481-483; Admin/StylesAdminController.php:75; control admin/styles.blade.php:59	styles.brewStyleAtLimit ("Restrict Entries" checkbox + the method-change copy "re-enables every style they had disabled")	Marks a style at its entry limit; changing the limit method re-enables the disabled styles	Written (and cleared) but read by nothing at entry/list/pull time; caps are enforced via EntryLimits/prefsStyleLimits instead. Addendum (C3): written only for styles still checked, so unchecking "Accept" leaves a stale 1	writers only StylesAdminController.php:75, SitePreferencesController.php:482; no reader in app//resources// routes//config; cross-ref docs/site-preferences-wiring.md:64-68. Merged: C3-01 (which rated this medium; A2 rated low — see §6)	legacy	not-consumed	medium
A2-05	Fees	admin/site-preferences.blade.php:431-435 VS SitePreferencesController.php:403; FeeCalculator.php:92	Fee Cap (contestEntryCap, type="number" step="01")	"Enter the maximum amount for each entrant."	Input and calculator treat the cap as currency (float, 2dp) but the save rule is nullable,integer,min:1 → a fractional cap (25.50) is rejected and cannot be saved; integer caps work	as cited	legacy	broken	low

Preferences — Email & Contact tab

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
A3-01	Mail test action	site-preferences.blade.php:1013	"Test Current Email Sending Settings" button	Opens the test screen in a modal iframe (legacy fancybox)	Fancybox attributes are inert (no bundle); the anchor still works as a plain link, navigating the whole page to a screen that renders in the public layout (admin chrome lost)	no fancybox in package.json/public/build; app.js:336-338 only handles .hide-loader; modal-window-link has no handler; destination routes/admin.php:193 → SendTestEmailController.php:88 → send-test-email.blade.php:1 (<x-public-layout>). Repo-wide dead pattern also listed in B3	legacy (markup carried)	broken	low
A3-02	Transport select	site-preferences.blade.php:883 + MailSettings.php:95-101	"Application default (from .env)" option	Go back to the mailer configured in .env	With a Host saved, transport() falls back to 'smtp' regardless, so the option has no effect — and the blank option is never selected, so the select displays "Application default" while SMTP runs	MailSettings.php:95-101; save nulls the blank (SitePreferencesController.php:627); display check transport(\$ctx) === null at blade :883	port-addition	broken	low
A3-03	Secrets at rest	site-preferences.blade.php:938,945-946; SitePreferencesController.php:41-43	SMTP Password / Provider API Key	Credentials stored and reusable; blank keeps the stored secret	Stored in cleartext (legacy simpleEncrypt not ported — documented divergence); never echoed into HTML (placeholder only)	consumers MailSettings.php:206 (smtp), :228 → config/services.php:17,21; not echoed — blade :938/:946 test !== '' only; divergence documented SitePreferencesController.php:41-43	legacy control, port divergence	wired	medium
A3-04	Change Password?	site-preferences.blade.php:924-939	"Keep stored password" / "Set new password below"	Change the stored SMTP password	Setting works; clearing does not — both branches keep the stored password when the field is blank, so a saved password can never be removed through the UI	SitePreferencesController.php:587-598, blankToNull at :623 (keep-blank comment at :589-591; no clear path)	legacy	wired	low
A3-05	SMTP off side effect	SitePreferencesController.php:600-611	"Allow BCOE&M to Send Emails" = No	Stop the platform sending mail	Also discards posted transport fields and forces prefsEmailRegConfirm and prefsEmailCC to '0' , so flipping sending off and back on leaves both reads "No"	SitePreferencesController.php:600-611; parity note :36-38; consumers RegisterController.php:320, PublicController.php:380	legacy	wired	low
A3-06	Form copy	site-preferences.blade.php:1015-1021	Warning copy under the test button	"...the test will report success without an email arriving"	No longer true — the test screen deliberately reports a warning when nothing will be delivered	SendTestEmailController.php:80 → send-test-email.blade.php:26-32	port-addition	broken	low
A3-07	Test page summary	SendTestEmailController.php:59-62 + send-test-email.blade.php:13-18	Host / Username / Encryption / Port rows	Show the settings in force	Rendered unconditionally from prefs, so with resend/postmark/sendmail/log the page lists SMTP values not in use (only transport is resolved correctly)	as cited	port-addition	broken	low

Preferences — Best Brewer / scoring

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
B2-01	Tie-break rules	site-preferences.blade.php:1173-1182 (codes), :1290-1300 (6 selects); save SitePreferencesController.php:681-686	Tie Break Rule #1-#6 (prefsTieBreakRule1..6)	"Used in order to separate tied standings — rule #1 first, then #2..."	Cannot be saved. The selects post the rule codes (TBTotalPlaces, ...) but the save validates ['nullable','integer'], rejecting every code — so the whole Best-tab form 422s while a rule is selected (points/titles/positions on the same tab cannot be saved either)	consumers expect codes: BestBrewerPoints.php:88-120 (switch (\$step)), AwardsController.php:86-102; columns are varchar(255); proven Validator::make(['prefsTieBreakRule1'=>'TBFIRSTPlaces'], ['nullable','integer'])->passes() → NO . Contradicts docs/site-preferences-wiring.md:62 ("all keys live")	legacy	broken	high

Payments

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
B1-01	Currency	StripeGateway.php:48 (sent : 79); PayPalGateway.php:427	Currency (prefsCurrency)	The select sets the competition's currency	The symbol side resolves correctly, but the same display token is used as the gateway ISO code when the provider has no currency key: '\$', 'euro', 'pound', 'A\$' ... Stripe has no guard → '\$' sent as price_data.currency → invalid-currency error; PayPal guards (: 398-403, CURRENCIES :35-39) → refuses (fail-closed)	consumers as cited; intent stated at PaymentService.php:186-187 ("prefsCurrency is a legacy display token ... not an ISO code, so it is deliberately not used here") which : 112,189-205 obey. Cross-ref C2-02 (the missing write path — different half of the same pair)	port-addition	broken	high
B1-02	Accept Cash? / Accept Checks?	site-preferences.blade.php: 1097-1099,1107-1109; ManualGateway.php:36-47	prefsCash, prefsCheck	Yes = offer the method, No = withdraw it	Fail-open: a method is offered unless explicitly stored '0'/'N', while the radio renders "No" for any value ≠ '1' — so an unset/NULL column shows No yet cash/check are offered. Shipped baseline stores 'N' (consistent)	consumer ManualGateway::methodsFor() → ManualPaymentController.php:45,51; fail-open deliberate (docblock :30-35; docs/site-preferences-wiring.md:57-58); the mismatch is the radio's NULL rendering	port-addition	broken	low
B1-03	Checks Payable To / Currency	PaymentService.php:234 → mail/payment-confirm.blade.php:9	prefsCurrency, prefsCheckPayee	Amount + payee on the payment confirmation	The mail prints the raw prefsCurrency token while every on-screen amount uses currencySymbol() — a czkoruna/euro/yen install mails "24.00 czkoruna" instead of Kč	consumer PaymentService.php:234 vs TenantContext.php:74-93; payee side correct (: 225-227 → payment-confirm.blade.php:10-11)	port-addition	broken	low
B1-04	Online payments	no UI control; columns only	prefsPaypal, prefsPaypalAccount, prefsPaypalIPN	(was) PayPal enable/ account/IPN settings	Retired — no PayPal control on the tab (only a read-only status line, blade:1134-1141); no production reader	only non-decoy hit is public-layout.blade.php: 126 ("not the retired prefsPaypalIPN"); live PayPal config is the separate prefsPaypalConfig (PayPalSettings.php:25)	retired	retired	low
C2-01	Stripe readiness	admin/stripe.blade.php:42-46; admin/payment-setup.blade.php: 39-43	Webhook signing secret (prefsStripe.webhook_secret)	Steps say add the webhook endpoint and paste its signing secret	The secret gates only webhook verification — Stripe goes live on account_id alone. With no/wrong secret the webhook fails verification and the webhook is the only thing that flips brewPaid, while PayController::callback deliberately does not → entrant charged, entries unpaid	PaymentProviderRegistry.php:66-76; StripeGateway.php:41-54,106-116; StripeWebhookController.php:31-35; PayController.php:146-153	port-addition	broken	high
C2-02	Currency (write side)	no control (payment-setup / stripe screens); key prefsStripe.currency	ISO currency code for the gateway	— (no UI promises it)	Read but never written: nothing sets it and no screen offers an ISO-currency control, so the fallback chain can never yield a valid code from prefs	readers StripeGateway.php:48, PaymentService.php:191-204, PayPalGateway.php:420-429; writers to prefsStripe are only PaymentSetupController.php:76 (client_id/secret), StripeConnectController.php:91 (account_id), :103 (webhook_secret), plus unused forget(). Cross-ref B1-01 (the token-as-ISO consequence)	legacy key / port-addition readers	not-saved	high
C2-03	Stripe disconnect	admin/stripe.blade.php (no action); admin/payment-setup.blade.php:46	Disconnect a connected Stripe account	—	PayPal has a working "Remove PayPal settings" button; Stripe has no disconnect action, route, or caller — StripeSettings::forget() has zero callers , so account_id can only be cleared by editing the DB	grep StripeSettings::forget → none; routes/web.php:204-211 has no remove route; StripeSettings.php:74-77 defines it	port-addition	ui-only	medium

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
C2-04	Ledger refund	resources/views/backoffice/payments.blade.php:40-46	Refund a settled payment	Refund + un-confirm its entries	The refund button renders only for method == 'stripe' , yet PaymentsController::refund accepts stripe\paypal and PayPalGateway::refund() is implemented — so a PayPal row shows only Delete and the in-app refund is unreachable	view :40 vs PaymentsController.php:78-80; PayPalGateway.php:263-298; StripeWebhookTest.php:191-212 covers only a manual row	port-addition	ui-only	medium
C2-05	Ledger delete	backoffice/payments.blade.php:47-52; PaymentsController.php:56-60	Delete a payment record	"Delete this payment"	Deletes the ledger row only — no flag reversal (unlike refund), so brewPaid stays 1 with no payment backing it. The dialog claims nothing more and legacy behaved the same → parity decision	PaymentsController.php:56-60 (own comment "removes the ledger row only, no flag reversal")	legacy	wired	medium

Judging

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
B3-01	Judging prefs	judging/config/preferences.blade.php:170-176	Maximum Rounds per Session (jPrefsRounds)	Caps rounds per judging session	Written on save but read by nothing ; round counts come from the location's own judgingRounds	save JudgingPreferenceController.php:52,77, form :172-174, tests JudgingConfigTest.php:375-387; no consumer in app//resources//routes//config/. (inferred: legacy/ has no judging files, so upstream enforcement is unverifiable)	legacy (inferred)	not-consumed	medium
B3-02	Judging prefs	preferences.blade.php:109-113	Minimum Words for Scoresheet Comment/Feedback (jPrefsMinWords)	Enforces a minimum comment length on electronic scoresheets	Written only when prefsEval=1; nothing reads it — a judge can submit a one-word comment with the minimum at 25	save :65,83, form :111; eval processing validates by sheet variant only (EvalProcessController.php:120-152)	port-addition (column reuse)	not-consumed	medium
B3-03	Judging prefs	preferences.blade.php:117-123	Maximum Difference for Consensus Scores (jPrefsScoreDispMax)	Tolerance for consensus/agreement across judges	Written (:84); nothing reads it — consensus uses fixed thresholds	save :66,84, form :119-121; app/Support/Eval/* never reads it	port-addition (column reuse)	not-consumed	medium
B3-04	Tables list	judging/config/tables.blade.php:261,266	per-table pullsheet icons (Entry / Judging Numbers)	Open that table's pullsheet	URL built as route('outputs.pullsheets') . '&view=entry&id=N' — no ? → browser requests /admin/output/pullsheets&view=entry&id=5 → 404	tables.blade.php:261,266 vs the correct sibling :269 (?id=); route routes/outputs.php:24-25; reader PullsheetsController.php:51,54. This is the sibling-slice URL-shape bug class (D1 searched for it in its own links and did not find it there)	port-addition	broken	medium
B3-05	Tables mode	tables.blade.php:153-169 + TablesModeController.php:249	"Switch to Tables Competition Mode"	Warns which judges/stewards were un-assigned when entry conflicts forced them off tables	The switch silently deletes conflicted judging_assignments rows and sets a session flag; the caution modal that should list them is never triggered (no data-bs-target, no JS, no reader of the flag)	modal tables.blade.php:151-169; flag written TablesModeController.php:187,249; grep judge_unassign_flag → writes + JudgingAjaxTest.php:401 (asserts the flag, not UI); grep unassigned-modal → markup alone	legacy	broken	medium
B3-06	Electronic scoresheets	preferences.blade.php:88-98 + JudgingPreferenceController.php:56 + routes/eval.php:32	Electronic Scoresheets: Enable/Disable (prefsEval)	Turn the electronic-scoresheet function on or off	Off hides the links only — no eval controller reads prefsEval , so every /eval/* route stays fully usable by URL after "Disable"	routes/eval.php:32 (['auth'] + in-controller userLevel<=1); grep prefsEval in app/Http/Controllers/Eval/ → zero; guards are isAdmin()/ownership only (EvalProcessController.php:37-65, EvalScoresheetController.php:31-47)	legacy	broken	medium

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
B3-07	Scoresheet identifier	preferences.blade.php:63-80 + JudgingPreferenceController.php:57	Scoresheet Unique Identifier: "6-Character Judging Number" vs "6-Digit Entry Number" (prefsDisplaysSpecial)	"How entries are identified to judges when evaluating"	The judges' scoresheet header hardcodes the raw entry id (Entry <code>{{ \$entry->id }}</code> , unpadding) — neither option. The pref's only readers are a help paragraph on the upload screen and an archive metadata column	eval/partials/scoresheet-head.blade.php:7 (used by all four sheets); readers admin/upload-scoresheets.blade.php:21, ArchiveController.php:223 → admin/archive.blade.php:30	legacy	broken	medium
B3-08	Check-in	judging/checkin.blade.php:6	"Switch View to Entry/ Judging Numbers, Box, and Paid Entries"	Switch the check-in screen to the box/paid layout	filter is never read — BarcodeCheckinController::show() honours only <code>?clear</code> ; the URL changes, the page is identical to the default scan screen	BarcodeCheckinController.php:39-49; same link DashboardController.php:306	legacy	ui-only	low
B3-09	Table add/edit form	judging/config/table-form.blade.php:21-22	View... → Judges / Stewards Not Assigned to a Table	Open the not-assigned roster modal	Both items target <code>#availJudgeModal / #availStewardModal</code> , rendered only on the tables list page, and the form's controller doesn't pass the rosters → clicking does nothing	triggers table-form.blade.php:21-22; modals tables.blade.php:173,204; rosters passed only by TableController.php:135-136 (index), absent from create() :142-150/edit() :187-195	port-addition	ui-only	low
B3-10	Custom "best of" categories	judging/special-best-form.blade.php (no control) + AwardDeckBuilder.php:216,235	sbi_display_places (show places on the awards deck)	Whether each custom category's places appear on the awards deck	Read but never written by the port — the deck honours the column, the port's form offers no control, and no port code writes it (only imported legacy rows carry a value)	reader AwardDeckBuilder.php:216,235; no writer (grep; dead SpecialBestInfoRow); form fields limited to sbi_name/sbi_places/sbi_description/sbi_rank (SpecialBestController.php:120-125); omission documented :21-22	legacy	not-saved	low
B3-11	Drop-off locations	judging/config/dropoff.blade.php:19-34 (help modal)	Help text: "Drop-off locations are displayed on the Info with a link* to a map and driving directions"	Public listing of drop-off locations with map/ directions links	No public surface lists drop-off locations; the rows feed an admin output sheet, the entrant's own profile cell, and counts only (no map link anywhere for drop-off; the map pattern exists for judging sessions)	no resources/views/public/** queries drop_off (grep); consumers Output/DropoffController.php:52-60, BrewerForm2Controller.php:333/brewer/info.blade.php:41-43, counts :77,89; contrast public-sidebar.blade.php:93,123 (session map links). Intent unpinned in docs/	legacy	needs-decision	low

Competition Info & misc admin screens

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
C1-01	Banner Images	admin/hero-images.blade.php:74-84 (checkbox) + :37-62 (upload); HeroImagesController.php:60-72,76-142,144-166	hero_image_<file> checkboxes; upload; delete	"Select which banner images are displayed on the homepage... picked at random"; uploads offered for rotation	Chosen map written to prefsHeroImages and re-read only by this screen's own form; the public hero never reads it — PublicController::heroImage() builds a hard-coded pool from prefsSelectedStyles, so disabling/uploading an image changes nothing on the homepage	no consumer for prefsHeroImages (only its own writer/reader); consumer that should read it PublicController.php:877-884 (hard-coded \$poolByType); docblock :870-874 admits the renderer was deferred	port-addition	not-consumed	medium
C1-02	Custom Modules	admin/mods.blade.php:95-121; ModsController.php:101-120	mod_extend_function = "Administration" (9) + mod_extend_function_admin	A module can extend an admin screen ("Administration Dashboard", "Entry Administration", "Scoring", ...)	mod_extend_function_admin written and never read. The only render gate runs public-only and maps sections 1\ 6\ 8, so extend=9 never matches → an admin-extending module renders nowhere	no consumer (grep); gate public-layout.blade.php:36 (! \$isAdminSide), :38-43, :49-52; value round-tripped only by ModsController.php:120 and the unused ModsRow.php:42	legacy	not-consumed	medium
C1-03	Competition Info	admin/competition-info.blade.php:371-375,425-431,433-439,441-447; CompetitionInfoController.php:182,193-195	contestBottles, contestAwards, contestBOSAward, contestCircuit (four markdown text areas)	Long-form competition copy shown on the public rules/info surface	All four validated, stored and pre-filled — nothing renders them ; the only public rules surface renders contestRules (holding competition_rules + competition_packing_shipping)	no consumer (grep); public/partials/rules-section.blade.php:15-18 renders only ContestRules::renderCompetitionRules(\$contestRules); other hits are the unused ContestInfoRow and the column definitions sql/bcoem_baseline_3.0.X.sql:259,264,270	legacy	not-consumed	medium

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
C1-04	Upload Scoresheets	admin/upload-scoresheets.blade.php:14 → routes/admin.php:42	"single file upload function" (? action=html)	"The single file upload function is also available as an alternative to this multiple file uploader"	UploadScoresheetsController::show() ignores action and always renders the multi-file view (contrast /admin/upload, where action=html really does render a single-file form)	UploadScoresheetsController.php:22-28 (no action handling)	legacy	ui-only	low

Styles / Entries / Participants

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
C3-03	Participants	admin/participants.blade.php:307	Delete-account icon in the "Participants with Entries" view	Deletes the participant and all their entries (per its data-confirm)	An <a href> GET against a DELETE-only route → 405, nothing deleted; its data-confirm has no JS handler anywhere	link :307; route routes/backoffice.php:21 (Route::delete); grep data-confirm → this line only (+ a comment in public/partials/entries-table.blade.php:5); the default-view delete (:396-400) is a proper POST form	port-addition	broken	medium
C3-04	Participants	participants.blade.php:150-190 (modal), opened :349-357	"Assigned As" → Assignment(s) modal	Lists the tables a judge/steward is assigned to	\$tableJudge/\$tableSteward come from a Collection of Collections , compared to '' and then echoed → Collection could not be converted to string → HTTP 500 on the whole participants page when the modal renders	modal :157-190; source ParticipantsController.php:125-135; the same error class was recorded for the table cell in docs/BUG-AUDIT-ADMIN-DASHBOARD.md C4 (cell fixed :410, modal path not fixed)	port-addition	broken	high (on legacy data; unreachable on fresh data)
C3-05	Participants	participants.blade.php:150,292,349-352	"Assigned As" column	Shows the participant's role (Judge / Steward / Staff)	Renders ucwords() of brewer.brewerAssignment, but the port writes that column as affiliations JSON , so it prints a mangled JSON blob and the str_contains(, 'Judge') role test tests the wrong thing	writers RegisterController.php:273,441-446, BrewerForm2Controller.php:202,492-496; JSON reader BrewerForm2Controller.php:322; column medumtext (sql/bcoem_baseline_3.0.X.sql:141)	legacy (role-CSV assumption) + port-addition (JSON writer)	broken	medium
C3-06	Participants print	admin/participants-print.blade.php:44	"Location(s) Available" column	Lists the sessions a judge/steward is available for	The controller passes \$locationDisplay as a Closure and the view reads it as an array offset → fatal Cannot use object of type Closure as array. Renders only for filter=judges\ stewards	view :44 vs ParticipantsController.php:78-87 (the manage view calls the closure correctly, participants.blade.php:333). Reachable by direct URL/bookmark only — no port link sends ?action=print with those filters (LegacyRedirectController.php:100 carries only filter)	port-addition	broken	low
C3-08	Purge dashboard	admin/purge.blade.php:12-47	Every purge/reset card	One card per destructive flow	The @foreach over the three threshold flows is never closed before the static <x-purge-action> cards, so all 15 flows render three times (~45 cards) with duplicated id="flow-..." and labels	purge.blade.php one @foreach at :12, @endforeach at :47, 12 static + 3 loop components between; each form still posts its own correct flow, so no wrong flow can run	port-addition	broken	medium
C3-09	Purge / Archive	routes/archive.php:11-22; routes/backoffice.php:43-44; EntriesController.php:227-230	Purge dashboard and Archive page (incl. "Purge ALL Data", "Purge Participants", "Purge All Entries")	Destructive, irreversible resets	Both gated ['web','auth','admin'] → userLevel ≤ 1 , while the narrower entries-list purge of the same legacy module requires admin.top (level 0). A mid-level admin can truncate payments/brewing/participants but not run the narrower entries purge. Server-side confirm=yes is enforced on both	routes/archive.php:11 vs routes/backoffice.php:43-44; level-0 rationale stated EntriesController.php:222; ArchiveController.php:52, PurgeController.php:41, pinned ArchiveFlowsTest.php:305. PurgeController.php:16 cites ledger/archive-purge.md, which is absent from this repo — intent unverifiable here	port-addition	needs-decision	medium
C3-10	Entries	entries.blade.php:353 + EntriesController.php:276-306	Inline Judging Number cell (and the bulk-entry form)	A six-character judging number	updateForm() calls no validation at all — brewJudgingNumber stored via strtolower(\$request->input(...)) with no length/charset check; only client-side pattern/maxlength. The companion update() path does validate	EntriesController.php:276-306 (no validate); field entries.blade.php:353; validating sibling :327-337. Judging numbers are the barcode/QR key (BarcodeCheckinController.php:57-63) and drive pullsheet ordering	port-addition	broken	medium

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
C3-11	Entries	entries.blade.php: 124-160,420-426; routes/backoffice.php:39-55	Admin Actions (mark-all ×5, purge ×2, regenerate ×3) + per-row Delete	"Are you sure?" before an irreversible whole-table action	Confirmations are client-side only ; server-side there is CSRF + role gating and no confirmation flag is re-checked , so a direct POST bypasses the warning (archive/purge pages do the opposite — C3-09). Mark-all updates the whole <code>brewing</code> table regardless of filter (legacy parity)	forms entries.blade.php:132-177,403,419-426; middleware routes/backoffice.php:39-55; contrast ArchiveController.php:52 / PurgeController.php:41	legacy	wired	low

Outputs / Reports

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
D1-01	Results / BOS Results	Output/ResultsController.php: 40	Results matrix: ? view=default\ winners\ pdf\ html, ? tb=scores\ none\ bos, ?action=print\ download\ default, ? psort=..., ?go=all\ judging_scores\ judging_scores_bos\ best	Four distinct documents per section, three sort orders, PDF vs HTML	Only go is read — all four variants of a section render the same winners-only PDF, sort dropdowns don't sort, and view=html returns application/pdf	reads only query('go','all'); view has no request access (grep request(/\$view → none); StreamPdf.php:33-36 always application/pdf + inline (\$download never passed); links DashboardController.php:741-760	port-addition	broken	high
D1-02	Participant Summary	Output/ ParticipantSummaryController.php:30-32; links participants.blade.php:99-111	"Print Current View..." dropdown (psort=brewer_name\ club, filter=judges\ stewards&psort=judge_id\ judge_rank) + the dashboard's By Last Name / By Club / By Organization links	One list per ordering/filter	No option is read at all — __invoke(Request \$request) never touches \$request, so every link renders the identical all-participants list in one fixed order	ParticipantSummaryController.php:30-32 (unused \$request; no ->query(in the file); links participants.blade.php:99-111. Merged: C3-07 (same controller, same defect)	port-addition	broken	medium
D1-03	Table Cards	Output/ TableCardsController.php: 54-71; link DashboardController.php (\$perSession('/admin/output/table_cards?go=judging_locations'))	"For Session..." dropdown: ? go=judging_locations&l ocation=<id>&round=<n>	One card set per judging session	psort, round, id, view are read but go and location are not — every session's entry renders the same all-tables set for that round	reads :54-71 only; location/go absent from the file; cardRows() filters assignRound only : 167-171	port-addition	broken	medium
D1-04	Data Exports	Output/ExportController.php: 63-84,102	~18 links: ? go=csv&filter=avail_ju dges\ avail_stewards\ judges\ stewards\ staff&action=email, ? go=csv&tb=winners\ circuit\ paid\ nopay\ brewer_contact_info\ required, ? tb=circuit&filter=mhp, ? view=all\ not_received	Distinct datasets (available judges, assigned stewards, winners-limited, circuit, MHP, paid/non-paid, required, contact-info)	go and filter are never read and filename — every link streams the full csv/all/all export. A file named <code>_winners_...</code> csv contains all entries	:63-84 (filename only), :102 (DB::table('brewing')->get() — no filter); admitted in the docblock :48-51 and DashboardController.php:800-804 ("documented un-ported ... rendered for dashboard parity"), but nothing in the UI warns the organizer	port-addition	broken	high
D1-05	Entries Print	Output/ EntriesPrintController.php:53; view outputs/entries-print.blade.php:28,29,51	Print Current View → / admin/output/entries_print?psort=... on a Pro-edition competition	Pro edition shows an "Organization" column and hides Club (amateur shows "Brewer" + Club)	Preference read under the wrong key — \$ctx->prefsStr('proEdition') instead of prefsProEdition → null → \$proEdition always false ; the sheet always renders the amateur heading and the Club column	EntriesPrintController.php:53 is the only prefsStr() call in the codebase whose key does not start with prefs; correct key used by ExportController.php:86 and BottleLabelController.php:127	port-addition	broken	low

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
D1-06	BJCP Points	Output/ StaffPointsController.php:65	"Print" / "PDF" / "XML" links	Three destinations: printable report, PDF download, XML file	Only view=xml is read; action=download and view=pdf are ignored, so Print and PDF return the same inline PDF (never an attachment)	:65 (view === 'xml' is the only branch)	port-addition	ui-only	low

Public / Entrant

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
D2-01	Clubs/MHP save	resources/views/brewer/ clubs.blade.php:67-75 + BrewerForm1Controller.php:50-72	MHP number field (brewerMHP), gated by prefsMHPDisplay	Field is hidden while the admin disables MHP	Hiding the field destroys the stored value: the input is absent from the POST when the pref is 0, but the save always writes the column (isset(...) ? (int) 0 : null) → brewerMHP = NULL. Registration still collects MHP unconditionally, and the pref is forced '0' in Pro edition, so the value is commonly present and then wiped	BrewerForm1Controller.php:64; clubs.blade.php:67; registration auth/register.blade.php:239-242, RegisterController.php:145,268; pref-forcing SitePreferencesController.php:333. Contrast the fixed prefsSpecific case (BrewController.php:475-477)	legacy	broken	high
D2-02	Contact form gate	public/contact.blade.php:19-27 + PublicController.php:354-393	prefsContact display mode (Y form / N list / X none)	Disabling the contact form removes the form	The gate is view-only: contact() passes mode to the view but contactStore() never reads prefsContact, so a crafted POST / contact (valid CSRF + any existing contact id) still emails the official; the signed mailto redirect likewise works regardless	PublicController.php:354-393 (no mode check), :299 (mode → view); contact.blade.php:19-27; routes/web.php:57,63	legacy	broken	medium
D2-03	Account links	public/partials/account-main.blade.php:61-64	"Print your judging scoresheet labels — Letter / A4"	A judge can print their scoresheet labels	Dead link for its audience — points at route('outputs.labels', ...), but every outputs.* route is ['web', 'auth', 'admin']; a judge (level 2) bounces to /?msg=99. The entry labels correctly use the public route	account-main.blade.php:62-63; routes/outputs.php:10-25; routes/web.php:177; entries-table.blade.php:66	port-addition	broken	medium
D2-04	Entry add path	BrewController.php:247 vs :419-432	Entry-form required fields (brewInfo "Required Info *", brewMead1/2/3)	*-marked fields are required for styles that need them	Enforced on edit but not on add: edit computes \$missing and forces brewConfirmed='0' with a msg=1- <style> round-trip; add inserts unconditionally with brewConfirmed='1' and no check. A first submission with a blank Required Info is created confirmed , and EntryPurge only removes unconfirmed rows	BrewController.php:247 (add) vs :424-431 (edit), :493-501	legacy	broken	medium
D2-05	QR judging number	qr/checkin.blade.php:87 + QrCheckinController.php:96-110	QR judging-number input	"Six numbers with leading zeros"	Format is client-side only : pattern="[^\d]*" (accepts nearly anything) + maxlength; the server does no numeric/length validation — strtolower(sprintf('%06s', trim(\$input))) stores abc as 000abc (only a duplicate clash is checked)	checkin.blade.php:87; QrCheckinController.php:96-110	legacy	broken	low
D2-06	MHP preference	auth/register.blade.php:239-242 + RegisterController.php:145,268	prefsMHPDisplay	Copy: "Enable or disable the ability for entrants to enter their MHP number when adding or editing their account information"	Disabling the pref does not remove MHP from registration — the field renders and saves there unconditionally; only the /list display row and the clubs field are gated. Interacts with D2-01	registration path as cited; gating sites brewer/clubs.blade.php:67, brewer/info.blade.php:33	legacy	broken	low

Auth / Eval / Wizard

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
D3-01	Registration	auth/register.blade.php:298-307; RegisterController.php:159,266	Judge/Steward waiver checkbox ("I accept the waiver", required)	The registrant accepts the waiver before registering as a judge/steward	Enforced client-side only ; the server rule is <code>nullable\in:Y</code> and the insert substitutes 'Y' when the field is absent , so a judge can be recorded as having accepted without consenting — and the sign-in sheets print "Yes" for them	rule RegisterController.php:159, default :266; consumer Output/AssignmentsController.php:167,180; the enforcing sibling BrewerForm2Controller.php:143-144	legacy control / port-addition default	broken	medium
D3-02	Password reset	routes/web.php:140-145; ForgotPasswordController.php:90-154	The security-question gate on POST /forgot-password/verify	The security answer is the barrier between knowing an email and receiving a reset token	Answer checking is server-side and correct, but no reset route carries any throttle or lockout (contrast /register = throttle:signup, verification = throttle:6,1), and POST /forgot-password confirms whether an address exists, giving a valid-target oracle	routes :140-145 vs throttled neighbours :96-98,80-83; enumeration ForgotPasswordController.php:101-103; answer check :126-128	port-addition	broken	medium
D3-03	Login	routes/web.php:72; LoginController.php:71-119	Login form	Signed-in access	No application-level throttle or failed-login counter ; failure only invalidates the session and writes <code>error_log('user authentication failure')</code> — and that line is emitted only in production , so other environments have no brute-force signal	route :72 (no middleware); docblock LoginController.php:20-31; conditional log :114-116; throttled siblings routes/web.php:96-98,80-83	legacy	needs-decision	medium
D3-04	Change password	auth/password.blade.php:31-49; ChangePasswordController.php:36-40	Change Password (Old + New)	Sets a new account password	Old password verified server-side ✓, but the new password is only <code>required string max:72</code> — no minimum length , while registration and reset both enforce <code>min:8</code>	rules ChangePasswordController.php:36-40; parity note in the docblock ("the strength meter was client-side only in legacy")	legacy	wired	low
D3-05	Forgot flow	ForgotPasswordController.php:46-52; auth/passwords/verify.blade.php:15,23	The security-question page (GET /forgot-password/verify)	Displays the question stored against the account	Renders question straight from the query string , so a hand-made URL shows whatever question text the caller supplies. No bypass — the normal flow redirects with the real question and the POST always checks against the stored hash; the defect is a misrepresentable challenge (phishing-shaped, same-origin)	verifyForm() :46-52; view :15 (escaped) and :23 (hidden email); real-question redirect :105-108	legacy (AJAX parity)	broken	low
D3-06	Evaluation output	eval/output.blade.php:39-44; EvalProcessController.php:236-243,271-290	Structured scoresheet variant (jPrefsScoresheet=3)	A saved evaluation is readable back in the form it was entered	Ticks are stored and the form re-renders them, but the output view dispatches only variant 2 and 4; variant 3 falls into the generic branch , so the structured tick grid is invisible on the read-back page	storage :236-243; dispatch output.blade.php:39-44; no structured-output partial exists	port-addition	broken	medium
D3-07	Evaluation import	eval/dashboard.blade.php:41-44 vs eval/import.blade.php	"Import Score Data" button	(implicit) the port's two-step import, whose confirm screen carries the material rules	The dashboard posts straight to eval.import.run ; the confirmation page the port built — the only statement of the import rules ("only entries evaluated by two or more judges... will NOT overwrite...") — is linked from nowhere , so the admin sees only the card's one-liner before official scores are written	form dashboard.blade.php:41-44; orphan import.blade.php:1-19 + EvalImportController.php:35; grep for <code>route('eval.import')</code> outside the controller → none	port-addition	broken	medium

ID	Area	Surface (file:line)	Control / feature	What it promises	What it does today	Evidence	Origin	Verdict	Impact
D3-08	Evaluation data outside /eval/*	routes/web.php:245; AjaxController.php (countRecords)	POST /ajax/count-records with section=evaluation	(dashboard record counter)	Returns the evaluation row count (optionally filtered) to anonymous callers — no middleware and no auth gate, unlike its sibling save() . Cross-ref B3-06 (/eval/* ungated by prefsEval); this is a different surface that additionally lacks authentication	route :245 (all six /ajax/* routes registered bare; routes-file comment :235-240 says gates live in the controller); countRecords() allows section then queries :51,55,282-287; save()'s gate returns status 9	legacy	needs-decision	low
D3-09	Install wizard	wizard/install/database.blade.php:53,60-105	Screen 2 Next button	Advances to the site screen	Rendered disabled and enabled only by inline script after the /install/database/test call succeeds, so with JS unavailable the install cannot proceed — even though the server path (validation + connection test + inspection) does not need the client-side test	database.blade.php:53 (disabled), script : 60-105; server re-test InstallWizardController.php:244-265	port-addition	broken	low
D3-10	Upgrade wizard	wizard/upgrade/confirm.blade.php:24-33,47-52	"I understand this site will be briefly unavailable" checkbox	Acknowledgement before the update runs	Client-side only: the change handler enables the markup-disabled "Upgrade Now" button; the run endpoint cannot tell whether the box was ticked. Reported for precision — it is an acknowledgement, not a safety confirmation (archive/purge enforce server-side confirm=yes)	confirm.blade.php:25,33,49-52; no confirm field is posted; contrast ArchiveController.php:52/PurgeController.php:41	port-addition	wired	low

3. Appendix A — verified working

Every control below was traced to a real consumer that changes behaviour. Format: control (slice) → stored key/value → consumer file:line → what it changes. (Per-slice Appendix A tables merged; multi-key rows keep the slices' own grouping.)

Preferences

Control (slice)	Stored	Consumer (file:line)	What it changes
Competition Type (A1)	prefsProEdition	PublicController.php:527; AwardsController.php:77; AwardDeckBuilder.php:299,504; BottleLabelController.php:127; ExportController.php:86; public-layout.blade.php:733; DashboardController.php:81,830	Pro/Amateur branching across entry info, slides, labels, exports, footer, dashboard
MHP Fields and Display (A1)	prefsMHPDisplay	BrewerForm1Controller.php:40 → brewer/clubs.blade.php:67; BrewerForm2Controller.php:358 → brewer/info.blade.php:33; DashboardController.php:82,830	Shows/hides the entrant MHP field and the dashboard MHP-CSV row
Theme (A1)	prefsTheme	public-layout.blade.php:133	data-bs-theme="bcoem-brux" on public HTML
Results Display (A1)	prefsDisplayWinners	PublicController.php:48; AwardsController.php:59; public-sidebar.blade.php:23; DashboardController.php:199	Gates the public results block, awards deck, sidebar button, dashboard status
Results Display Date/Time (A1)	prefsWinnerDelay	PublicController.php:49; AwardsController.php:60; public-sidebar.blade.php:24; DashboardController.php:198	Reveal epoch compared against now
Winner Place Distribution Method (A1)	prefsWinnerMethod	AwardsController.php:78; AwardDeckBuilder.php:67; Output/ResultsController.php:56; Output/ParticipantSummaryController.php:130; Output/BosMatController.php:138; Output/LabelsController.php:1296; DashboardController.php:200; public/partials/results.blade.php:4	Grouping of winner slides, labels, mats
Custom Modules (A1)	prefsUseMods	public-layout.blade.php:36; DashboardController.php:79,942-949	Public mods render gate + dashboard row
Cloudflare Turnstile (A1)	prefsCAPTCHA	TurnstileGate.php:27 ← RegisterController.php:70,117	Registration spam gate
Turnstile Keys (A1)	prefsGoogleAccount	TurnstileGate.php:59-65	Site/secret keys for the widget + rule

Control (slice)	Stored	Consumer (file:line)	What it changes
Email Verification (A1)	prefsEmailVerify	EmailVerificationGate.php:26,50 ← EnsureEmailIsVerified.php:26; RegisterController.php:316	Forces signups to confirm email
Records Displayed (A1)	prefsRecordPaging	admin/entries.blade.php:291; admin/participants.blade.php:251 → resources/js/app.js:376	DataTables page size (see A1-01 for the third table)
Session Timeout (Minutes) (A1)	prefsSessionTimeout	ApplySessionTimeout.php:45; TenantContext.php:66-70; public-layout.blade.php:494,744; AjaxController.php:186	Framework idle window + both countdown sites + heartbeat
Language (A1)	prefsLanguage	SetLocale.php:61-62; PublicController.php:38,200,447	App locale + long/short date style
Runtime Language Toggle (A1)	prefsLanguageToggle	SetLocale.php:41,55; public-layout.blade.php:410	?lang= cookie switch + nav globe menu
Available Languages (A1)	prefsLanguageOptions	SetLocale.php:74-79; public-layout.blade.php:411-421	Visitor language whitelist
Date Format (A1)	prefsDateFormat	DateFmt.php:52-55 ← PublicController.php:92; entry-info-section.blade.php:6,8	1→m/d/Y, 2→d/m/Y, 0→Y/m/d, 999→Y-m-d H:i:s
Time Format (A1)	prefsTimeFormat	DateFmt.php:86,110 ← PublicController.php:93	1→H:i, else g:i A
Time Zone (A1)	prefsTimeZone	DateFmt.php:26-30 (config/timezones.php)	Shifts every DateFmt render
Sponsor Display (A1)	prefsSponsors	PublicController.php:58,266,294,319; RegisterController.php:90; LoginController.php:57; ForgotPasswordController.php:77; EmailVerificationController.php:37	Sponsors section/page + nav link gate
Sponsor Logo Display (A1)	prefsSponsorLogos	PublicController.php:171,326; AwardsController.php:130; SponsorsController.php:43,57,82	Logo vs no_image.png; sponsor slide logos; admin summary
Drop-off Location Display (A1)	prefsDropOff	public-sidebar.blade.php:190; PublicController.php:589,795	Sidebar panel + at-a-glance drop-off card
Shipping Location Display (A1)	prefsShipping	public-sidebar.blade.php:205; PublicController.php:594,789	Sidebar panel + at-a-glance shipping card
Style Set (A2)	prefsStyleSet	BrewController.php:668,554,538; StylesAdminController.php:53,218,283; EntryPurge.php:31; LabelsController.php:256,315,607,845,1295; ParticipantSummaryController.php:33; AwardDeckBuilder.php:505; ExportController.php:87	Active style set everywhere; change rebuilds prefsSelectedStyles
Printed Entry Labels (A2)	prefsEntryForm	BottleLabelController.php:114-122; DashboardController.php:78,87; public-layout.blade.php:124	Label variant flags (anon/standard/barcode/large)
Hide Brewer's Specifics (A2)	prefsSpecific	brew/_fields.blade.php:214	Hides brewComments; absent field preserves the stored value
Character Limit for Text Entry (A2)	prefsSpecialCharLimit	brew/_fields.blade.php:81,91,219	maxlength + counters
Per Entry Fee (A2)	contest_info.contestEntryFee	FeeCalculator.php:87; PayController.php:239; PublicController.php:452; EntriesController.php:48; BrewController.php:245; ManualPaymentController.php:44	Per-entry price; 0 ⇒ entry paid on insert
Fee Cap (A2)	contest_info.contestEntryCap	FeeCalculator.php:92,69-71	Caps an entrant's total
Discount fields (A2)	contest_info.contestEntryFeeDiscount/...DiscountNum/...Fee2	FeeCalculator.php:88-90,59-64; flag derived SitePreferencesController.php:428-431	Volume-discount tiering
Member Discount Password (A2)	contest_info.contestEntryFeePassword	BrewController.php:698-705; field brew/_fields.blade.php:228-237	Matching password sets brewerDiscount='Y'
Member Discount Fee (A2)	contest_info.contestEntryFeePasswordNum	FeeCalculator.php:84,91,50-58	Member per-entry rate
Overall Entry Limit per Participant (A2)	prefsUserEntryLimit	BrewController.php:715-734 → EntryLimits::check	Per-participant cap — enforced on add

Control (slice)	Stored	Consumer (file:line)	What it changes
#1-#4 Incremental Entry Limits (A2)	prefsUserEntryLimitDates	EntryLimits.php:162-186 Via BrewController.php:720-724	Time-windowed tier cap (add)
Sub-Style limit + exceptions (A2)	prefsUserSubCatLimit, prefsUSCLExLimit, prefsUSCLEx	BrewController.php:143-147,365-369 → EntryLimits::subcategoryReached :193-214	Sub-style cap with per-style exceptions
Entry Limit Method + per-style grid (A2)	prefsStyleLimits (JSON / '2' / '')	BrewController.php:759-780; grid SitePreferencesController.php:160-171	Per-style/medal-group cap or by-table cap — add and edit
Entry Limit - <type> (A2)	style_types.styleTypeEntryLimit	BrewController.php:771-775	Per-style-type cap — add and edit
Per-table entry limit (A2)	judging_tables.tableEntryLimit	BrewController.php:777-780,807-838	Per-table cap — add and edit
Allow BCOE&M to Send Emails (A3)	prefsEmailSMTP	MailSettings.php:85 → :64	mail.default='log' — nothing is delivered
How Emails Are Sent (A3)	prefsEmailTransport	MailSettings.php:95-101 → :198	mail.default per request
Host / Port / Encryption / Username / Password (A3)	prefsEmailHost/Port/Encrypt/Username/Password	MailSettings.php:101,218,204,219,203,211,217,205,220,206,221	SMTP mailer config; password never echoed
Provider API Key (A3)	prefsEmailApiKey	MailSettings.php:228 → config/services.php:17,21	services.resend.key / services.postmark.key
Originating Email Address (A3)	prefsEmailFrom	MailSettings.php:182,185	mail.from.address
Contact Form (A3)	prefsContact	PublicController.php:299 → public/contact.blade.php:22-31, public/partials/contacts.blade.php:1,9,16	X nothing / N officials list / Y message form
Contact Form CC (A3)	prefsEmailCC	PublicController.php:380 → ContactMail.php:44-47	CCs the visitor on their own message
Registration Confirmation Emails (A3)	prefsEmailRegConfirm	RegisterController.php:320-326	Sends RegistrationConfirmMail on signup
Best Brewer Display/ Position + Title (B2)	prefsShowBestBrewer, prefsBestBrewerTitle	BestBrewerStandings.php:62,64,122,330; public/partials/bestbrewer.blade.php:2; AwardDeckBuilder.php:293; DashboardController.php:84,201	Gates generation and the public list; heading text
Best Club Display/ Position + Title (B2)	prefsShowBestClub, prefsBestClubTitle	BestBrewerStandings.php:63,65,126; AwardDeckBuilder.php:303,305; DashboardController.php:85,201	Gates club standings (amateur only); heading text
Include BOS in Calculations (B2)	prefsBestUseBOS	BestBrewerStandings.php:77,95-106,118-120	Merges judging_scores_bos into the place buckets
Use Circuit of America Calculations (B2)	prefsScoringCOA	BestBrewerStandings.php:57,60,108,301-303; AwardsController.php:81,119; BestBrewerPoints.php:44-59,67-125	Switches CoA vs classic scoring
Points per place (B2)	prefsFirstPlacePts... prefsHMPts	BestBrewerStandings.php:72-75 → BestBrewerPoints.php:74-78; AwardsController.php:82-85,121	Per-place point values (classic mode)

Payments

Control (slice)	Stored	Consumer (file:line)	What it changes
Checkout Fees Paid by Entrant + rate (B1)	prefsTransFee, prefsTransFeePercent, prefsTransFeeFixed	FeeCalculator.php:97-99,129-141,115-121 → PayController.php:67,117; ManualPaymentController.php:83	Changes the amount charged (kept out of total() so fee displays stay pre-surcharge)
Pay to Print? (B1)	prefsPayToPrint	EntrantLabelController.php:52-57	Gate: unpaid batch refused (/list?msg=13)

Control (slice)	Stored	Consumer (file:line)	What it changes
Accept Cash? / Accept Checks? (B1)	prefsCash, prefsCheck	ManualGateway::methodsFor() :40,44-45 → ManualPaymentController.php:45,51	Adds/removes cash/check from the mark-as-paid method list
Checks Payable To (B1)	prefsCheckPayee	PaymentService.php:225-227 → PaymentConfirmMail.php:32 → payment-confirm.blade.php:10-11	Display only (check confirmation line)
Currency (B1)	prefsCurrency	TenantContext.php:74-93 (currencySymbol()) used at admin/entries.blade.php:260,265,270, dashboard.blade.php:551,555, public/pay.blade.php:30,36	Display symbol prefixed to every amount (see B1-01/B1-03 for the leaks)
Stripe platform keys (C2)	prefsStripe.client_id / .secret (encrypted)	StripeSettings::get()/hasClientId(); StripeConnectController.php:43,73; StripeGateway.php:47	Enables Connect; the button renders only when both are set; blank keeps stored/env
Connect with Stripe (C2)	prefsStripe.account_id	StripeConnectController.php:52-93; PaymentProviderRegistry.php:66-76	Turns Stripe on for checkout + the status panel
Webhook signing secret (C2)	prefsStripe.webhook_secret	StripeGateway.php:49,106-116; stripe.blade.php:21	Signature verification (not a checkout gate — see C2-01)
PayPal Mode / credentials (C2)	prefsPaypalConfig. {mode,client_id,client_secret,webhook_id}	PayPalGateway.php:62-88,95-98; PaymentProviderRegistry.php:46-52	All three must be present for PayPal at checkout; secret encrypted, never echoed
Remove PayPal settings (C2)	prefsPaypalConfig = null	PaymentSetupController.php:105-113 → PayPalSettings::forget()	Disables PayPal again
Manual marking fields (C2)	payments + brewing flags	ManualPaymentController.php:63-129	Marks confirmed unpaid entries paid via the same PaymentService; amount computed server-side
Manual method list (C2)	prefsCash / prefsCheck	ManualGateway::methodsFor() → ManualPaymentController.php:65,68; payments.blade.php:59-63	Gates pay_method; a disabled method is refused by in: validation
Ledger refund / delete (C2)	gateway + payments	PaymentsController.php:70-110 (refund → markRefunded) / :56-60 (delete)	Refund reverses flags; delete removes the row only (C2-05)

Judging

Control (slice)	Stored	Consumer (file:line)	What it changes
Number of Bottles Required (B3)	jPrefsBottleNum	BottleLabelController.php:125; PublicController.php:500	Label copies per entry + requirement text
Use Queued Judging (B3)	jPrefsQueued	PullsheetsController.php:92; JudgeNotesController.php:41; AssignmentsController.php:124; TableCardsController.php:78; DashboardController.php:91	Queued mode lists received entries flat; flips flight columns
Maximum Entries per Flight (B3)	jPrefsFlightEntries	FlightController.php:44,65,96 → FlightAssignment	ceil(entries / N) flight proposal
Maximum Places in BOS Round (B3)	jPrefsMaxBOS	BosController.php:124,137; trim JudgingPreferenceController.php:105-110	BOS place options 1..N; lowering N deletes over-placed rows
Judge / Steward Limit (B3)	jPrefsCapJudges, jPrefsCapStewards	Windows.php:140,144; DashboardController.php:168,171	Closes the signup window at the cap; dashboard counters
Entry Evaluation Scoresheet (B3)	jPrefsScoresheet	EvalScoresheetController.php:50 → eval/partials/*	Sheet variant by type + style
Judging Open/Close (B3)	jPrefsJudgingOpen/Closed	EvalMyAccountController.php:46-47; eval/partials/warnings.blade.php:7,11; public-layout.blade.php:482; AllDatesController.php:212-213	Judge prompt window, countdown, admin nav, prefill
Tables Planning Mode (B3)	jPrefsTablePlanning	TableController.php:77; AssignController.php:53; PullsheetsController.php:45; TableCardsController.php:125; TablesModeController.php:191	Planning counts all entries, withholds pullsheets, flags assignPlanning
Electronic Scoresheets (partial) (B3)	prefsEval	ScoreController.php:68; DashboardController.php:83,149,461; public-layout.blade.php:117; scores.blade.php:49	Gates eval entry points (see B3-06 for the missing server gate)

Control (slice)	Stored	Consumer (file:line)	What it changes
Scoresheet Unique Identifier (partial) (B3)	prefsDisplaySpecial	admin/upload-scoresheets.blade.php:21; ArchiveController.php:223 → admin/archive.blade.php:30	PDF-naming guidance; archive metadata (see B3-07)
Session fields (B3)	judging_locations.*	Windows.php:94-101,169; PublicController.php:256-261; AssignmentsController.php:81,242-267; TableCardsController.php:230-245; StaffPointsController.php:463,552; PublishResultsController.php:53-59; BrewerForm2Controller.php:275-287	Public schedule, windows, outputs, publication, availability
Table fields (B3)	judging_tables.*	TableAssignment, FlightAssignment, FlightController, PullsheetsController, EntryLimits	Style grouping → flights/tables; per-table cap; number uniqueness at save
Flight radios (B3)	judging_flights.flightNumber/flightEntryID	FlightController.php:183-224; AssignController.php:62,100; PullsheetsController; EvalDashboardController.php:105-118	Which flight an entry is judged in
Assign Flights to Rounds (B3)	judging_flights.flightRound	FlightController.php:183-217; flights-rounds.blade.php; AssignController.php:100	Round per flight; changing a round deletes affected assignments (matches the confirm modal)
BOS Places (B3)	judging_scores_bos.scorePlace	BosController.php:124-137; results/winners	BOS winners ('5' = HM)
BOS panel judges — port addition (B3)	bos_panel_judges	bos.blade.php:34-46 → BosController.php:62-79 → StaffPointsController.php:954,979-1015	Per-panel BOS experience bonus (cap 3/5)
Scores / Place / Mini-BOS (B3)	judging_scores.scoreEntry/scorePlace/scoreMiniBOS	ScoreController.php:97-122; results/winners; scores.blade.php	Table winners, Mini-BOS admission, public results
Barcode check-in scan (B3)	brewing.brewReceived	BarcodeCheckinController.php:74; received counts	Marks received; refuses duplicate judging numbers
Judge signup fields (B3)	brewer.brewerJudge* + staff.staff_judge	JudgeSignupController.php:107-119 → PoolAssignController.php:90,546-551; AssignController.php:116-117,134; LabelsController.php:999-1023; ExportController.php:242,260	Pool filters, ranked roster, style hints, labels, exports (window-gated)
Pool membership / inline allocation (B3)	staff.*, judging_assignments	PoolAssignController.php; pool_table.blade.php; pool_assign.blade.php:250-283	Who appears on a table screen; conflict refusal
Custom category + winners (B3)	special_best_info.*, special_best_data.*	AwardDeckBuilder.php:216-239; SpecialBestDataController.php:33-89	Awards-deck categories and winners
sbi_description (B3)	special_best_info.sbi_description	judging/special-best.blade.php:63	Rendered in the category list
Regenerate judging numbers (B3)	brewing.brewJudgingNumber	RegenerateNumbersController (admin.judging.regenerate_numbers, admin.top)	Rewrites every judging number

Competition Info & misc admin screens

Control (slice)	Stored	Consumer (file:line)	What it changes
contest name / host / host website / host location (C1)	contest_info.*	PublicController.php:69-83,427	Landing salutation/host line + section h1
contestID (C1)	contest_info.contestID	StaffPointsController.php:231,637	BJCP XML <CompID>, filename, refusal when blank
contestWinnerLink (C1)	contest_info	public-sidebar.blade.php:13	Past Winners "View" link
contestLogo (C1)	contest_info	AwardsController.php:108 → awards/show.blade.php:29,96,150; public-layout.blade.php:180-181	Award-deck logo; og:image
contestClubs (C1)	contest_info.contestClubs (JSON)	Clubs.php:96; CompetitionInfoController::edit :70	Club picker source

Control (slice)	Stored	Consumer (file:line)	What it changes
12 contest date fields (C1)	contest_info epochs	Windows.php:68-85,119,192-200; PublicController.php:106-150,745-790; public-sidebar.blade.php:153-214; rules-section.blade.php:10-12; entry-info-section.blade.php:6,8	All window states/CTAs and rendered dates
Shipping name/address (C1)	contest_info	ShippingLabelController.php:40-41; PublicController.php:594,790	Shipping label; shipping card/window gate
competition_rules / competition_packing_shipping (C1)	contest_info.contestRules (JSON)	rules-section.blade.php:17 via ContestRules.php:17	Public rules section
contestVolunteers (C1)	contest_info	public/partials/volunteers.blade.php:6; public/volunteers.blade.php:40	Public volunteers page
Awards location/name/date (C1)	contest_info	PublicController.php:831,834,832,844	Awards card location/date/map link
contestInfoExtra (C1)	contest_info.contestInfoExtra	public-layout.blade.php:18,407-408,735-739	"Other Info" nav link + landing block (PARITY-028)
QR check-in password (C1)	contest_info.contestCheckInPassword (bcrypt)	QrCheckinController.php:38,50	QR check-in gate
All Dates judging window (C1)	judging_preferences.jPrefsJudgingOpen/Closed	public-layout.blade.php:470-476; eval/partials/warnings.blade.php:7	Judging Dashboard nav gate; judging-close display
Per-session dates (C1)	judging_locations.judgingDate/DateEnd	AllDatesController.php:148-155; consumed by Windows, public-sidebar.blade.php:60-101	Session schedule
Mods fields (C1)	mods.*	public-layout.blade.php:36-81; DashboardController.php:79,942-949	File include + section/permission/display-rank gates (PARITY-027 verified)
Sponsor fields (C1)	sponsors.*	PublicController.php:58,171,266,326 → sponsors-cards.blade.php; AwardsController.php:130	Public sponsors + slide logos
Contacts fields (C1)	contacts.*	PublicController.php:296-300, contact list/form + signed mailto	Public contact surface
Logo uploads (C1)	public/user_images/*	SponsorsController::imageFiles(); CompetitionInfoController::edit :60-64; public sponsor logos	Logo dropdowns + public logos
Scoresheet uploads (C1)	user-docs root	UploadScoresheetsController.php:30-71; output scoresheets controller	Stored PDFs streamed to entrants

Styles / Entries / Participants

Control (slice)	Stored	Consumer (file:line)	What it changes
Accepted-styles bulk checklist (C3)	prefsSelectedStyles (JSON)	BrewController.php:557; PublicController.php:886; LabelsController.php:1294	What entrants may select
Custom style add/edit (C3)	styles.*	BrewController::activeStyles; EntryLimits::normalizeCategory; StyleSets::findStyle; outputs	Style rows + prefsSelectedStyles entry (carries brewStyleType — D3 fixed)
Edit/Delete custom style (C3)	styles.brewStyleOwn	Guarded StylesAdminController.php:125,152,212	bcoe styles refused (B4 fixed)
Style-type form (C3)	style_types.*	BosController.php:35,59,130,203; ScoreController.php:65; AwardDeckBuilder.php:187; BosMatController.php:109; PullsheetsController.php:489-491; StaffPointsController.php:1065; BrewController.php:771	BOS rounds, pulled places, per-type cap
Combine / Separate Mead and Cider (C3)	style_types.styleTypeBOS + judging_scores_bos	StyleTypesController.php:108-140	Flips BOS, NULLs retired limits, deletes retired BOS scores
Entries bulk form (C3)	brewing.*	EntriesController.php:276-306; received counts; barcode check-in; outputs	Row state (see C3-10 for the missing validation)
Admin Actions mark-all (C3)	brewing.brewPaid/Received/Confirmed	EntriesController.php:189-207	Bulk flag state (legacy msg codes)
Admin Actions purge unconfirmed/unpaid (C3)	rows deleted	EntriesController.php:225-255 → EntryPurge; route admin.top	Deletes rows; level-0 enforced server-side
Regenerate judging numbers (C3)	brewing.brewJudgingNumber	RegenerateNumbersController, admin.top	Rewrites judging numbers

Control (slice)	Stored	Consumer (file:line)	What it changes
Entry Status modal counters + totals (C3)	brewing.*, FeeCalculator	EntriesController.php:98-138	Counts + fee totals (D2 fixed — now via FeeCalculator); NULL-inclusive unpaid predicates (D8 fixed)
Entries print (C3)	psort, view	EntriesPrintController.php:36-42	Ordering + view=all
Entry edit form (C3)	brewing.*	EntriesController.php:323-375	Validated + canonicalised
Per-row entry delete (C3)	brewing (+ one score row)	EntriesController.php:377-390	Deletes the entry
Participant edit (C3)	brewer.*	ParticipantsController.php:220-240	Profile fields (B1 fixed)
Security Q/A + reset password (C3)	users.userQuestion/Answer/password/userCreated	ParticipantsController.php:246-261	Re-hash + userCreated bump
Participant delete (default view) (C3)	cascade	ParticipantsController.php:266-293	Deletes entries/scores/assignments/staff/brewer/users, keeps the payments ledger, refuses self-delete
Participant row actions (C3)	routes	participants.blade.php:386-413	All real routes (C5 fixed); self-actions render disabled with explanations
Archive page suffix + 7 keep flags (C3)	archive.* + table recreation	ArchiveController.php:56-71,91-182,220	Every keep flag honoured; confirm=yes enforced server-side
Purge dashboard flows + threshold (C3)	rows truncated/deleted	PurgeController.php:37-194	Each flow does what its card says; confirm=yes enforced
Count by Style/Sub-Style + hide-zeros (C3)	filter=no_zeros	EntriesByStyleController.php:59-61; EntriesBySubstyleController.php:55-57	Removes zero-count rows; toggles round-trip
DataTables paging (C3)	prefsRecordPaging	participants.blade.php:251; entries.blade.php:291	Page size

Outputs / Reports, Public / Entrant, Auth / Eval / Wizard

Control (slice)	Options / stored	Consumer (file:line)	What it changes
Pullsheets (D1)	go, view, filter, action, id, location, round, sort	PullsheetsController.php:50-57,60,102-145,419-456,521-600	Table/session/round/sort/type selection all shape the sheet
Labels (D1)	action, go, filter, sort, psort, view, tb, location	LabelsController.php:89-138,162-174	Papers (5167/5160/3422/OL32/OL5275WR) + label-count dropdown (1-12)
BOS mats (D1)	action, view, filter, sort	BosMatController.php:49-51,90	Blank / mini-BOS / BOS / pro-am + per-type selection
Assignments (D1)	filter, view, location	AssignmentsController.php:57-95	Roster ordering, per-session restriction, sign-in sheets, staff availability
Sorting (D1)	go, view	SortingController.php:50-51	filter unread but constant
Entries print (D1)	psort (5), view	EntriesPrintController.php:36-38	Ordering + paid-only
Judge notes (D1)	go	JudgeNotesController.php:33-37	All three sections reachable
Drop-off totals / list (D1)	go	DropoffController.php:36	Totals vs entry list
Post-judge inventory (D1)	go=scores	PostJudgeInventoryController.php:30	With/without scores
Scoresheets (D1)	file	ScoresheetsController.php:35	Clamped basename in the docs root
Maps / Print (D1)	id	MapsController.php:26; PrintController.php:30	Map target; all-vs-one contact card
Bottle labels (D1)	ids, id, bid	BottleLabelController.php:57-59	Entry-set selection for the per-row printer icon
Brewer's Specifics (D2)	prefsSpecific	brew/_fields.blade.php:214; BrewController.php:475-477	Hidden field preserves the stored value
Text char limit (D2)	prefsSpecialCharLimit	brew/_fields.blade.php:12,81,91,219	maxlength + counters

Control (slice)	Options / stored	Consumer (file:line)	What it changes
Member-discount password (D2)	contestEntryFeePassword/...Num	brew/_fields.blade.php:228-239; BrewController.php:691-708	Matching POST sets brewerDiscount='Y'; absence is a no-op
Entry-form conditional fieldsets (D2)	style flags, prefsStyleSet	brew/_fields.blade.php:60-200; BrewController.php:532+	d-none hides but inputs still post — no silent drop
Club picker (D2)	—	brewer/clubs.blade.php:30-44; Clubs.php:31-52	Known club as-is; "Other" → title-cased; unknown cleared
Judge/steward/staff prefs + waiver (D2)	judge window/caps	brewer/judging.blade.php:24-260; BrewerForm2Controller.php:384-416	Gated blocks ignore POSTed flags; waiver required server-side; role on → staff row upserted
Judge signup /judge (D2)	judge window	JudgeSignupController.php:49-87	Closed window → no write
Account edit (D2)	ownership	brewer/edit.blade.php:20-30; BrewController.php:31-62,64-114	Non-owners see the lead only; always writes by Auth::id()
Change email (D2)	filter=admin	public/account-username.blade.php:27-63; ChangeEmailController.php:29-58,62-115	Admin gate on GET+POST; taken email refused; CSRF + sure
Pay page providers (D2)	PaymentProviderRegistry	public/pay.blade.php:70-83; PayController.php:118-136	One button per enabled provider; crafted provider= rejected
Pay CTA / Add Entry gate (D2)	window + caps	account-main.blade.php:37-51,79-96	Greyed disabled spans with reasons
Entry action buttons (D2)	EntryGates, prefsPayToPrint	entries-table.blade.php:52-70; EntrantLabelController.php:27-64	Locked spans when gated; labels ownership + pay-to-print gated
Contact form fields (D2)	honeypot + throttle + signed links	contact-form.blade.php:13-49; routes/web.php:60-64	CSRF, honeypot, throttle; address never printed (mode gate is D2-02)
QR check-in (D2)	contestCheckInPassword	qr/checkin.blade.php:60-101; QrCheckinController.php:44-140	Password-verified session; store refuses without it; duplicate numbers refused
Registration window gates (D3)	registration/judge windows	RegisterController.php:104-115; register.blade.php:12-16	Closed window refuses the POST
Turnstile widget (D3)	prefsCAPTCHA + keys	RegisterController.php:69,117-126,167-171 + TurnstileCheck	syncConfig() before render + validation; enabled-without-secret fails closed
Honeypot + time trap (D3)	spatie config	ProtectAgainstSpam (routes/web.php:98) + <x-honeypot />	Server-side rejection
Signup rate limiter (D3)	—	AppServiceProvider.php:65 + throttle:signup	6th attempt → 429
Registration insert (D3)	users/brewer/staff	RegisterController.php:218-298	userLevel forced '2'; duplicate email → ?msg=2; hashed password/answer
Judge/steward profile fields (D3)	brewer.brewerJudge*, staff.*	RegisterController.php:228-297; PoolAssignController.php:90; AssignController.php:116-117,134	Pool membership, rank, style prefs
Email verification (D3)	email_verified_at; gate prefsEmailVerify	routes/web.php:79-83; EmailVerificationController.php:38-46; EnsureEmailIsVerified	Signature-protected link; verified on entry/payment routes
Login / logout (D3)	session + users	LoginController.php:71-137	Normalisation, 72-byte cap, regenerate, brewer email mirror, landing by level (no throttle — D3-03)
Change password (D3)	users.password + userCreated	ChangePasswordController.php:36-54	Old verified; legacy msg codes
Forgot → verify → reset (D3)	userToken / userTokenTime	ForgotPasswordController.php:90-195	password_verify (raw + md5 variant), 32-hex token emailed, 24h expiry, single-use, min:8
Eval variant selection (D3)	jPrefsScoresheet + style type	EvalScoresheetController::variantFor() :79-89	1→full, 2→checklist/full, 3→structured, 4→nw-cider (see D3-06 for the output gap)
Eval save add/edit (D3)	evaluation.*	EvalProcessController.php:23-33,36-54,236-290	Variant column assembly; ownership binding + 403
Eval dashboard / my-account / import run (D3)	evaluation, judging_assignments	EvalDashboardController.php:26-98; EvalMyAccountController.php:20-48; EvalImportController.php:31-41	Judge's tables; admin import (isAdmin in-controller)
Install wizard screens 1-6 (D3)	throwaway DB + temp root	InstallWizardController.php:30-56,244-343,311-329	Server-side validation + connection test/inspection; password stored encrypted in session
Install/update run + progress (D3)	ProgressTracker	InstallWizardController.php:163-241,344-453	48-hex token + per-step lock; refuses an occupied DB; one step per poll

Control (slice)	Options / stored	Consumer (file:line)	What it changes
Upgrade wizard screens 1-4 (D3)	VERSION/bcoem_sys + backups	UpgradeWizardController.php:32-172	Token+lock gated; 404s when current

4. Appendix B — deliberately inert / retired

Item (slice)	Verdict	Written reason (source)
prefsMHPDisplay under Pro edition (A1-04)	gated	Legacy quirk: Pro suppresses MHP; forced '0' at SitePreferencesController.php:333; pinned by AdminScreensSettingsTest.php:347,370. The UI does not say so.
prefsSEF / "Search Engine Friendly URLs" (A1-05)	retired	Removed because "Laravel routes clean URLs unconditionally"; column kept. docs/site-preferences-wiring.md:18 (already-tracked).
prefsAutoPurge / "Automatically Purge..." (A1-06)	retired	Replaced by the on-demand "Purge stale entries now" action (legacy cron path not ported). docs/site-preferences-wiring.md:20 (already-tracked).
prefsPaypal, prefsPaypalAccount, prefsPaypalIPN (B1-04)	retired	Superseded by Stripe + prefsPaypalConfig; no control, no production reader (public-layout.blade.php:126 calls prefsPaypalIPN "the retired" column).
prefsCash/prefsCheck fail-open on NULL (B1-02)	broken (deliberate divergence)	The fail-open is intentional ("a legacy install that never touched the switches keeps its full method list" — ManualGateway.php:30-35, docs/site-preferences-wiring.md:57-58); only the radio's NULL rendering is the mismatch.
prefsBestUseB05 forced '0' under COA (B2)	gated	"Yes [COA] overrides all other calculation preferences" (SitePreferencesController.php:690); the view hides the question under COA, so the UI never exposes the combination.
Point dropdowns stop at 9 (B2)	gated	Explicit, documented, test-pinned narrowing from legacy's 0-25 (SitePreferencesParityTest.php:471-479); a stored value >9 stays selectable.
Special-best disabled dropdown items (B3)	gated	Rendered disabled exactly when the controller provides nothing (SpecialBestController.php:31-39).
Already-used table numbers (B3)	gated	Disabled client-side, backed by the server-side uniqueness rule (TableController.php:232-243).
Assignment conflict (B3)	gated	Disabled for a judge with an entry at that table (AssignController.php:134; assign.blade.php:44-46).
bcoe style-type trash icon (C3)	gated	bcoe rows render a muted icon instead of a delete form (style-types.blade.php:89-94); delete refused at StyleTypesController.php:99; hidden styleTypeName passthrough (:116,133-135).
Purge cards for absent tables (C3)	gated	Evaluations/payments cards render only when those tables exist (\$hasEvaluation/\$hasPayments, purge.blade.php:36-43).
Obfuscated print variants (C3)	gated	Judging-number/organization print variants gated on the obfuscate flag (entries.blade.php:91,106).
Locked entry actions / glance CTAs (D2)	gated	Inert s rather than dead hrefs; disabled span when a CTA's link is empty (glance.blade.php:37-44).
Wizard JS-gated buttons (D3-09/D3-10)	broken (D3-09) / wired (D3-10)	D3-09's Next button is JS-only (a defect, listed in the main table); D3-10's acknowledgement is an acknowledgement, not a safety confirm.
Excluded decoys (all slices)	—	app/Session/Prefs.php (dead \$ _SESSION accessor), app/Domain/PreferencesRow.php and the whole generated app/Domain/*Row.php family — zero references outside app/Domain/, used only by tests. .slop-scan.cache.json is stale tool output listing files that no longer exist.
"Inert allowed" — styles.brewStyleAtLimit (A2-04/C3-01)	not-consumed	Already recorded as inert by docs/site-preferences-wiring.md:64-68; the slice confirms it is still unread.
"Inert allowed" — prefsRecordLimit (A2-03/C3-02)	not-saved	Legacy column with no port UI; the record-paging notice misdirects to prefsRecordPaging.

5. Appendix C — already tracked elsewhere

Recorded item	Where recorded	Status in the current tree
BUG-AUDIT A1 — scoresheet upload had no admin gate	docs/BUG-AUDIT-ADMIN-DASHBOARD.md:59-72	FIXED , by a different mechanism than the doc proposes: routes now sit inside <code>Route::middleware(['web', 'auth', 'admin'])</code> (<code>routes/admin.php:31</code> , routes <code>:42-51</code>); the controller still has no in-controller check (C1 re-verified A1).
BUG-AUDIT A2-A5 — NULL <code>userLevel</code> counts as admin; level-1 self-promotion / demotion; level-1 password reset; null-user guards	docs/BUG-AUDIT-ADMIN-DASHBOARD.md:74-130	Not in the audited slices' scope (no slice covered <code>MakeAdmin/ChangeUserPassword</code>); the slices that pass through those routes (C3) saw <code>admin.top</code> middleware on them (<code>routes/admin.php:184-190</code>). No slice re-verified A2-A5 — treat as unverified here .
BUG-AUDIT B1 — participant save 500s on a blank optional field	:136-154	FIXED (<code>blankToNull</code> now accepts null; C3 re-verified).
BUG-AUDIT B2 — Competition Info save wiped the QR check-in password	:156-170	FIXED — <code>CompetitionInfoController::storageRow()</code> writes the column only if <code>(array_key_exists('contestCheckInPassword', \$data))</code> (:206-212) (C1 re-verified).
BUG-AUDIT B3 — blank PayPal secret wipes an env secret	:172-185	FIXED — <code>PayPalSettings::existingSecret()</code> falls back to env (C2 re-verified).
BUG-AUDIT B4 — shipped <code>bcue</code> styles deletable/overwritable	:187-201	FIXED — guard at <code>StylesAdminController.php:125,152,212</code> (C3 re-verified).
BUG-AUDIT B5 — payments ledger always records USD	:203-214	FIXED — <code>PaymentService.php:112</code> writes an explicit currency via <code>tenantCurrency()</code> (:189-205), which deliberately ignores the display token (C2 re-verified). Superseded by B1-01/C2-02 (the gateway-side gaps remain).
BUG-AUDIT B6 — sponsor logo cleared on an unrelated save	:216-226	FIXED — <code>SponsorsController::update()</code> preserves the stored logo when the key is absent (:128-134) (C1 re-verified).
BUG-AUDIT C1/C2 — nested forms on entries/ styles pages	:232-261	FIXED — the bulk form wraps only the table and per-row deletes use <code>form="..."</code> (C3 re-verified).
BUG-AUDIT C3 — upload delete GET to a POST route	:263-274	FIXED — <code>upload.blade.php:59-67</code> is now a POST form posting <code>file</code> ; <code>UploadController::destroy()</code> reads <code>input('file')</code> and reports an honest error (C1 re-verified).
BUG-AUDIT C4 — participants list 500s when anyone has a table	:276-290	PARTIALLY FIXED — the table cell now uses <code>->isNotEmpty()</code> (<code>participants.blade.php:410</code>), but the same <code>Collection</code> cast in the Assignment(s) modal still 500s → reported as C3-04 (new).
BUG-AUDIT C5 — participant row icons point at the wrong target	:292-305	FIXED — rows now target <code>admin.make_admin.edit</code> , <code>admin.change_user_password.edit</code> , <code>/user/username?filter=admin&id=</code> (C3 re-verified; self-actions render disabled).
BUG-AUDIT D1 — inverted ternary rendered a 1970 judging-close date	:311-322	FIXED — <code>AllDatesController.php:248</code> now reads <code>\$judgingEarliest === '' ? \$now + 86400 : \$judgingEarliest + 86400</code> (C1, B3 re-verified).
BUG-AUDIT D2 — Entry Status "Total Fees" ignored the fee model	:324-334	FIXED — totals now go through <code>FeeCalculator</code> (<code>EntriesController.php:105-117</code> , C3 re-verified).
BUG-AUDIT D3 — custom-style writer dropped <code>brewStyleType</code>	:336-347	FIXED — <code>StylesAdminController.php:199</code> includes it (C3 re-verified).
BUG-AUDIT D4 — style-rename cascade trusts a client field	:349-363	INTENDED LEGACY BEHAVIOUR — the doc's own status update and the pinned test <code>AdminScreensStylesTest::test_edit_renames_style_and_cascades_into_brewing</code> show keying on the posted <code>brewStyleId</code> is the legacy contract. Not re-reported (C3 confirmed via <code>StylesAdminController.php:132-135</code>).
BUG-AUDIT D5 — sponsors bulk update skipped validation	:365-375	FIXED — <code>SponsorsController::bulkUpdate()</code> validates <code>level/image/text/enable</code> (:146-158) (C1 re-verified).
BUG-AUDIT D6 — sponsor logo list omitted SVG	:377-388	FIXED — <code>imageFiles()</code> globs <code>svg</code> too (:224-235) (C1 re-verified).
BUG-AUDIT D7 — dangling <code>for=</code> on two Competition Info labels	:390-398	FIXED — labels now point at the rendered ids (<code>competition-info.blade.php:363/365</code> , :379/381) (C1 re-verified).

Recorded item	Where recorded	Status in the current tree
BUG-AUDIT D8 — "Unpaid" filters exclude NULL brewPaid	:400-410	FIXED — unpaid predicates include NULL (EntriesController.php:64,89,119,148,235) (C3 re-verified).
BUG-AUDIT D9 — delete/update reported success for missing ids	:412-421	FIXED — ContactsController (:53-56,75-77), ModsController (:56-63), SponsorsController (:115-117,163-166) check existence first (C1 re-verified).
BUG-AUDIT D10 — dead emptiness guard on a Collection	:423-430	FIXED (C3 re-verified).
HANDOFF — "All By Table" link and /admin/output/pullsheets 403	docs/HANDOFF-OPEN-ISSUES.md:33-40 (records both as no longer reproducing, 2026-09-17)	Not reproducible in code — the link is well-formed (/admin/output/pullsheets?go=all_entry_info&view=entry&id=default), PullsheetsController reads all eight params, and the route is inside ['web', 'auth', 'admin']. B3-04 is a different, still-live URL-shape bug in the same family (tables-list icons).
HANDOFF open issues #23 (#24, #25, #27, #28)	docs/HANDOFF-OPEN-ISSUES.md:13-17	#23 (General preferences) = slices A1/B1/C1 re-audited it; #24 (payments hardening) = B1/C2; #25 (BJCP XML org report) = A1-02/D1-06 touch its output; #28 (stray + prefixes in RegisterFlowTest::setUp) not in any slice. None re-derived.
docs/site-preferences-wiring.md dispositions	General/Entries/Email/Payment/Best tabs	Mostly re-verified as still true (A1, A2, A3, B1, B2 confirm the live rows). Two claims corrected: :21 says prefsRecordPaging drives pool-assign (it does not — A1-01); :62 says every Best-tab key "was already live" (the tie-break rules cannot be saved — B2-01).
Stale <!-- TODO: legacy output --> markers	admin/dashboard.blade.php:222,380,400,407; admin/entries.blade.php:89; admin/participants.blade.php:92	Stale, not missing features. The dashboard's inert branch fires on a todo key that no item sets (C1/D1 verified: DashboardController contains todo only in a docblock at :532), so nothing renders through it; the two screen-level TODO comments annotate print dropdowns whose links do resolve. (The participant-summary half ignores psort — D1-02.)

6. Coverage and confidence

Per-slice coverage

Slice	Area	Controls enumerated	Reference grep count	Explanation of the difference
A1	Preferences: General tab + localization	24	35 occurrences / 22 names	12 multi-option groups repeat their name (+13); the 2 non-form actions carry none
A2	Preferences: Entries tab	22	30 / 25	radio groups (+5); 2 JS selector fragments; 1 hidden helper
A3	Preferences: Email & Contact tab	16	19 / 13	5 groups repeat a name (+6)
B1	Preferences: Currency and payments	9 (+1 non-form)	14 / 8	4 groups repeat (+4); 2 JS selector strings
B2	Preferences: Best Brewer/Club	17	12 / 8	Blade expands 5 point selects + 6 tie-break selects; radio pair; 2 JS selectors
B3	Judging preferences + config	66 fields + 184 non-form	77 / 67	10 names rendered twice; csrf-token meta; @csrf/@method invisible to the grep
C1	Competition Info, All Dates, misc admin	96 fields + 12 non-form	per view: 37/21/13/13/4/4/3/1	dynamic per-row/image names (judgingDate{id}, hero_image_<file>, sponsorLevel<id>) + id[]
C2	Payment setup, Stripe, manual mark-paid	20	11 / 7	client_id/client_secret reused by both provider forms (+4); ledger has no name=
C3	Styles, Style Types, Entries, Participants	60 names / 70 occurrences	70 / 60	10 repeats: radio pairs, multi-radio groups, duplicated hidden fields, shared confirm/go, name="{{
D1	Outputs and Reports options	21 endpoints × 13 option families + 12 non-form	124 link literals / 14 endpoints in DashboardController; 33 / 11 in views	loop-built links mean the rendered count exceeds the literals
D2	Public and entrant-facing surfaces	76	76 / 69	radio/checkbox groups and per-style grids repeat names

Slice	Area	Controls enumerated	Reference grep count	Explanation of the difference
D3	Auth, evaluation, installer wizard	67 distinct + 55 non-form	84 / 67	register contact fields rendered twice, csrf-token x4, shared email/password, Blade-generated names

Where the slices said they did not fully read something

- **B3** read 22 of 24 `resources/views/judging/*.blade.php` in full (the two list views grepped only) and checked `AssignController`, `PoolAssignController`, `FlightController`, `ScoreController`, `SpecialBestDataController`, `PracticeSessionController`, `CustomStyleController`, `RegenerateNumbersController` by targeted grep/segment rather than line-by-line. Its findings rest on files read end-to-end; a follow-up could exhaustively cover those controllers.
- **C3** read `ArchiveController` (363 lines) and `PurgeController` (360 lines) only in part (gate, validation, keep-flag dispatch, `purgeParticipants`, `runPurgeAll`), and `ArchiveFlowsTest` by test names + the `confirm` gate assertion. It also notes several docblocks cite `ledger/*.md` files that **do not exist in this repo**, so those pins could not be verified — and that is precisely why C3-09 is `needs-decision` rather than `broken`.
- **D3** checked `EvalImportController`, `Output/AssignmentsController`, `InstallWizardController` (506 lines), `UpgradeWizardController` and `ProgressTracker` by grep/segment; the two highest-severity rows (D3-01, D3-02) rest on view/controller pairs and the route table, both read end-to-end.
- **B1 / C2** both searched every writer of `prefsStripe`; both are confident the currency key has no write path.
- **A1/A2/A3/B2** are full reads of their tab blocks and save paths.

Confidence: **high** for every row with a `file:line` on both the surface and the consumer; **medium** where reachability depends on data state (C3-04/C3-06 are unreachable on fresh data, C3-05 depends on legacy `brewerAssignment` content, A1-03 needs a `NULL prefsLanguageOptions`); **lower** where `legacy/` lacks the file (B3-01's upstream enforcement, A1-01's pool-table parity, C1-03's four text areas) — those are labelled (inferred) in the table and should not be read as verified parity.

Disagreements and conflicts between slices

1. **A2-04 vs C3-01 (same item, different impact)**. Both report `styles.brewStyleAtLimit` as inert. A2 rated it **low** (an already-tracked inert column); C3 rated it **medium** (it is the "Restrict Entries" control the admin actually ticks). Merged into one row at **medium**; the owner should note the two readings.
2. **A1-01 vs docs/site-preferences-wiring.md:21**. The doc claims `prefsRecordPaging` drives the pool-assign table; A1 found that table hard-codes `data-dt-page="25"`. Reported as a **doc correction**, not a control defect (the control is live on two of the three tables).
3. **B2-01 vs docs/site-preferences-wiring.md:62**. The doc asserts every Best-tab key "was already live (scoring, titles, points, tie-breaks)"; B2 proves the six tie-break rules **cannot be saved at all**. The doc's claim is wrong for that row.
4. **B1-01 / B1-03 vs C2-02 (complementary, not conflicting)**. B1 reports the read consequence (display token used as an ISO code, and the token printed in the mail); C2 confirms there is no write path or UI for `prefsStripe.currency`. Both rows are kept — different halves of one pair.
5. **C2-05 vs the refund row (C2-04)**. Delete deliberately does not reverse flags while refund does. C2 records it as a parity **decision**, not a defect — flagged so the owner does not read the two actions as intended to be symmetric.
6. **D1-06 vs A1-02 (same controller, different defects)**. Both concern `StaffPointsController`; one is the ignored `action=download`, the other the hard-coded XML date. Kept separate.
7. **MHP cluster (A1-04, D2-01, D2-06)**. Three distinct defects around `prefsMHPDisplay`: the pref is force-cleared under Pro edition (A1-04), hiding the field wipes `brewerMHP` (D2-01), and registration ignores the pref (D2-06). Kept separate, but they interact — fixing only one leaves the others.
8. **D3-04 / D3-10 rated wired** even though neighbouring code is stricter (`min:8` elsewhere; `confirm=yes` on archive/purge). Recorded as parity for precision; **not** defects.
9. **Unreconciled**: nothing in the 12 slices was found genuinely contradictory beyond (1)–(3) above. Two items could not be checked at all because the cited authority is absent from the repo: the `ledger/*.md` pins (C3-09, several B3 docblocks) and `docs/**` statements about drop-off public display (B3-11). Both are carried as `needs-decision`, not resolved.

Merged duplicates

Merged into	From	Note
A2-03	A2-03 + C3-02	<code>prefsRecordLimit</code> read, never written (C3 adds the misdirecting notice)
A2-04	A2-04 + C3-01	<code>styles.brewStyleAtLimit</code> inert (C3 adds the writers + stale-flag addendum)

Merged into	From	Note
D1-02	D1-02 + C3-07	ParticipantSummaryController ignores psort/filter
(cross-referenced, not merged)	B1-01 ↔ C2-02; B3-06 ↔ D3-08; B3-06/A3-01 ↔ the repo-wide dead fancybox pattern; C3-04 ↔ BUG-AUDIT C4	Deliberately kept as separate rows (different halves/surfaces)