





pbtGroup8 sample rate: 0.2 250 **-**200 -150 **-**Estimate 100 50 -0 -Ac MLE NoEx Estimate type









pbtGroup13 sample rate: 0.2 300 -200 -Estimate 100 -0 -Ac MLE NoEx Estimate type

pbtGroup14 sample rate: 0.2 400 -300 -Estimate - 002 100 -0 -Ac MLE NoEx Estimate type

pbtGroup15 sample rate: 0.2 400 -300 -Estimate 200 -100 -0 -Ac MLE NoEx Estimate type

pbtGroup16 sample rate: 0.2 500 -400 -300 -Estimate 200 100 -Ac MLE NoEx Estimate type


pbtGroup17 sample rate: 0.2 500 -400 -Estimate - 008 200 -100 -Аc MLE NoEx Estimate type


pbtGroup18 sample rate: 0.2 600 -400 -Estimate 200 -Ac Estimate type MLE NoEx


pbtGroup19 sample rate: 0.2 500 -400 -Estimate 200 -100 -Ac MLE NoEx Estimate type


pbtGroup20 sample rate: 0.2 600 -Estimate - 004 200 -Ac MLE NoEx Estimate type


pbtGroup21 sample rate: 0.2 600 -Estimate - 004 200 -Ac MLE NoEx Estimate type




















GSIgroup5 sample rate: 0.2 900 -Estimate - 007 500 -300 -Ac MLE TotEx NoEx Estimate type

GSIgroup6 sample rate: 0.2 1000 -800 -Estimate 600 -400 -Ac MLE NoEx TotEx Estimate type

GSIgroup7 sample rate: 0.2 1200 -1000 -Estimate 800 -600 -400 -Ac MLE TotEx NoEx Estimate type

GSIgroup8 sample rate: 0.2 2500 **-**Estimate 2000 -1500 **-**Ac MLE NoEx TotEx Estimate type

