

A

B

AC

D


Code	Option Feature
00	Always Populated
01	FD CAN Transceiver
02	RS-485 Transceiver
03	10F Supercap
04	Supercap Bypass
99	Do Not Populate

D

D


Power Input (12vDC Nominal)

Fused, Filtered w/Reverse Polarity Protection




3.3v Buck Regulator


2.00A Rail w/ Power Indicator



3.000v Precision Reference




STM32G0B1RET I/O




STM32G0B1RET Power, Clocks and Reset

w/STM32 (S)erial (W)ire (D)ebbugger Programming Header




Illumination

RGBW Multi-Purpose Status LED




NOR Flash Memory

64MBit (8MB)




Real Time Clock

Low Power



10F Supercapacitor

for RTC/SPRAM Retention




ILLUMINATION LEGEND

LD1	- Multipurpose RGBW LED
LD2A	- 12v Rail Active
LD2B	- REVERSE POLARITY DETECTED!
LD3A	- Bluetooth Communication
LD3B	- Bluetooth Recovery Mode

EcoFleet		Title: EcoFleet G0B1 APU Manager	
Size: B	Number: EF-G0B1R	Revision: R1.00.00	
Project Date: **/**/****	to: **/**/****	Sheet 2 of 5	
Drawn By: RJS	Reviewed By: RJS		
SVN Revision Number: 5ba3851c9e1ba3b6a3d7c7d0f94c6e6e			


Analog Op-Amp Inputs

w/Signal Conditioning




Digital I/O

w/BJT buffering




Title: EcoFleet G0B1 APU Manager		
Size: B	Number: EF-G0B1R	Revision: R1.00.00
Project Date: **** to ****	Sheet 3 of 5	
Drawn By: R/S	Reviewed By: R/S	
SVN Revision Number: 10009f850eef183247c46450640a86671d196a		


Main-Board Scorpion Connector




Optional FDCAN Transceiver



RS-485 Transceiver w/120 Ohm Termination



Multiprotocol Module (Bluetooth 6.0/Matter/Thread/Zigbee)



EcoFleet		Title: EcoFleet G0B1 APU Manager	
Size: B	Number: EF-G0B1R	Revision: R1.00.00	
Project Date: 2023/04/04	to: 2023/04/04	Sheet: 4	of: 5
Drawn By: RJS		Reviewed By: RJS	
SVN Revision Number: 5ba3851c9be1ba3be6a3d7c7ed094c6e6be			

