

Automatic Derivation of Semantic Representations for Thai Serial Verb Constructions: A Grammar-Based Approach

Vipasha Bansal
University of Washington
vipashab@uw.edu

Features of SVCs

- A clause containing two or more verbs with no overt marker of coordination, subordination, or other type of syntactic dependency^{4,5}
- Monoclausal^{4,6}
- Verbal Independence^{4,6}
- Verbs have the same tense, aspect, and polarity value^{4,6}
- Encode a single event, subevents of a larger event, or two closely related events^{4,6}
- Compositional^{6,7}

1. สุรี หา ของขวัญ พบ
Suri hǎ: khǎ:ŋ-khwǎn phóp
Suri seek present find
'Suri sought then found the present'⁸

Distinguishing SVCs from other constructions...

2. สุรี กำลัง กิน ข้าว
Suri kamlan kin khâ:w
Suri PROG eat rice

← Violates verbal independence

‘Suri is eating rice/Suri is in the process of eating rice.’

Muansuwan (2002)

3. สุรี เหลว ไหล
Suri leěw lăy
Suri be.liquefied flow
‘Suri was being silly.’

← Violates compositionality

Thepkanjana (1986)

4. ผม อยาก กลับ บ้าน
phǒm yaàk klap baân
I want return home
‘I want to return home.’

← Not monoclausal

Jenks (2006)

SVCs can also be distinguished from **asyndetic coordination** based on this definition and a series of additional tests.

Data and Categorization

- **5 Semantic types:** Purpose, Resultative, Directional, Simultaneous, Sequential
- **3 Argument-Sharing Configurations:**
 - Shared Subject
 - Switch Function (the object of the first verb is the subject of the second verb)
 - Shared Subject and Object
- **3 Syntactic Configurations:**
 - $VP \rightarrow V (N) VP$
 - $VP \rightarrow V N V$
 - $VP \rightarrow VP VP$
- **Features of component verbs:** Motion, Direction, Deictic, Posture, Intention, Stative
- Based on these distinctions, I divide SVCs into **8 categories**

(5) Sequential

สุรี หา ของขวัญ พบ
Suri hǎ: khwǎn-khwǎn phóp
Suri seek present find
'Suri sought then found the present'⁸

(6) Open-Purpose

สุรี ผัด ข้าว กิน
Suri phàt khâ:w kin
Suri fry rice eat
a) 'Suri fried rice to eat (rice)'
b) 'Suri fried rice then ate (rice)'⁹

(7) Shared-Subject Resultative

สุรี กิน ข้าว อิ่ม
Suri kin khâ:w ʔim
Suri eat rice be.full
'Suri ate rice therefore she was full'⁸

(8) Switch-Function Resultative

สุรี กิน ข้าว หหมด
Suri kin khâ:w mòd
Suri eat rice be.gone
'Suri ate rice therefore the rice was gone'⁸

(9) Deictic Purpose

สุรี ไป ซื้อ หนังสือ
Suri paj sǎm nǎng-sǎm
Suri go buy book
'Suri went to buy a book'

(10) Simultaneous

สุรี ยืน เคาะ ประตู
Suri yi:n khwǎ:ʔ pràtu:
Suri stand knock door
'Suri knocked on the door while standing'⁹

(11) Direction-Deictic

สุรี เดิน ไป
Suri dǎn paj
Suri walk go
'Suri walked away from the speaker'⁹

(12) Long Directional

สุรี เดิน ข้าม สะพาน กลับ ไป
Suri dǎn khâam saphaan klàb paj
Suri walk cross bridge return go
'Suri walked, crossing the bridge, returning, away from the speaker'⁸

SVC Interactions


SVCs can combine with additional verbs or SVCs to build longer, more complex structures, with more than one type of semantic relationship between verbs

- 13.** สุรี ขี่ ม้า ข้าม สะพาน เหนื่อย
Suri khì: mâ: khâam saphaan nî:y
Suri ride horse cross bridge be.tired
'Suri rode a horse across the bridge therefore Suri was tired.'
* 'Suri rode a horse across the bridge therefore the horse was tired.'


- 14.** สุรี เดิน ข้าม สะพาน ไป ซื้อ หนังสือ อ่าน
Suri dôn khâam saphaan paj sî: năṅsă: ʔà:n
Suri walk cross bridge go buy book read
'Suri walked across the bridge to buy a book to read.'
'While walking across the bridge Suri bought a book to read.'

Target Semantic Representations


9. สุรี ไป ซื้อ หนังสือ
 Suri paj sǔm nǎngsǔm
 Suri go buy book
 'Suri went to buy a book'



12. สุรี เดิน ข้าม สะพาน กลับ ไป
 Suri dǎn khâam saphaan klàb paj
 Suri walk cross bridge return go
 'Suri walked, crossing the bridge, returning,
 away from the speaker'



15. สุรี ไป เดิน อ่าน หนังสือ
 Suri paj dǎn ?à:n nǎngsǔm
 Suri go walk read book
 'Suri went away from the speaker to read
 while walking'



Implementation Strategy

Features and Types: Added to the HEAD values of lexical entries for verbs

- **Binary Features:**

- [SVC]
- [AUX]
- [NEG]
- [INTENTION]
- [STATIVE]

- **Additional Features:**

- [MDDP] (motion, direction, deictic, or posture)
- [SVTYPE] (resultative, deictic-purpose etc.)

Head Feature Principle: a mother node will have the same HEAD value as its head daughter.

Implementation Strategy

Valence-changing lexical and phrase-structure rules:



- Cross-inherit from type-hierarchies based on syntactic and semantic properties.
- Each rule subtype adds increasingly more specific constraints on component verbs

Lexical rules add a verbal complement to the initial verb's COMPS list, allowing them to combine using the existing Head Complement Rule

Phrase Structure Rules are non-headed rules and allow two distinct VPs to combine to form an overall VP

Example Analysis: Deriving the MRS for Deictic-Purpose SVC


สุรี ไป ซื้อ หนังสือ
Suri paj sǎm nǎngsǎm
Suri go buy book
'Suri went to buy a book'




For this SVC, I use *deictic-purpose-transitive-lex-rule*

This rule cross-inherits from *shared-subject-transitive-lex-rule* and *purpose-sem-lex-rule*


Lexical Rules: Argument-Sharing Type Hierarchy




Lexical Rules: Argument-Sharing Type Hierarchy



Lexical Rules: Semantic Type Hierarchy



Lexical Rules: Semantic Type Hierarchy




Lexical Rules: *Serial-Verb-Lex-Rule*

$$\left[\begin{array}{c} serial\text{-}verb\text{-}lex\text{-}rule \\ \\ HEAD \left[\begin{array}{c} verb \\ SVC \quad + \\ AUX \quad - \\ NEG \quad - \end{array} \right] \\ \\ DTR \left[\begin{array}{c} HEAD \left[\begin{array}{c} verb \\ SVC \quad - \\ AUX \quad - \\ NEG \quad - \end{array} \right] \end{array} \right] \end{array} \right]$$


Feature Structures to Analyze Deictic Purpose SVC

<i>trans-v1-lex-rule</i>		$\left[\begin{array}{l} \text{SUBJ} \left\langle \left[\begin{array}{l} \text{HEAD } \textit{noun} \\ \text{CONT } [\text{HOOK } [\text{INDEX } 2]] \end{array} \right] \right\rangle \\ \text{VAL} \left\langle \left[\begin{array}{l} \text{COMPS } \langle 3 \rangle, \left[\begin{array}{l} \text{OPT } - \\ \text{HEAD } \left[\begin{array}{l} \textit{verb} \\ \text{AUX } - \\ \text{NEG } - \end{array} \right] \\ \text{CONT } [\text{HOOK } [\text{INDEX } 4, \text{LTOP } 5]] \end{array} \right] \end{array} \right] \right\rangle \\ \text{CONT} [\text{HOOK } [\text{XARG } 2]] \\ \text{DTR} \left[\begin{array}{l} \text{VAL} \left[\begin{array}{l} \text{SUBJ } 1 \\ \text{COMPS } \langle 3 \rangle \end{array} \right] \\ \text{CONT} \left[\begin{array}{l} \text{HOOK } \left[\begin{array}{l} \text{XARG } 2 \\ \text{INDEX } 6 \\ \text{LTOP } 5 \end{array} \right] \end{array} \right] \end{array} \right] \\ \text{C-CONT} \left[\begin{array}{l} \text{HOOK} \left[\begin{array}{l} \text{XARG } 2 \\ \text{INDEX } 7 \\ \text{LTOP } 5 \end{array} \right] \\ \text{RELS} \left\langle \left[\begin{array}{l} \text{ARG0 } 7 \\ \text{ARG1 } 6 \\ \text{ARG2 } 4 \\ \text{LBL } 5 \end{array} \right] \right\rangle \end{array} \right] \end{array} \right]$
<i>shared-subject-trans-lex-rule</i>		$\left[\begin{array}{l} \text{SUBJ} \left\langle [\text{CONT } [\text{HOOK } [\text{INDEX } 1]]] \right\rangle \\ \text{VAL} \left\langle \left[\begin{array}{l} \text{COMPS } \langle [], \text{VP } \left[\begin{array}{l} \text{VAL } [\text{COMPS } \langle \rangle] \\ \text{CONT } [\text{HOOK } [\text{XARG } 1]] \end{array} \right] \end{array} \right] \right\rangle \end{array} \right]$
<i>purpose-sem-lex-rule</i>		$\left[\text{C-CONT} [\text{RELS } \langle [\text{PRED } \textit{purpose_rel}] \rangle] \right]$
<i>deictic-purpose-trans-lex-rule</i>		$\left[\begin{array}{l} \text{HEAD } [\text{SVTYPE } \textit{deictic-purpose}] \\ \text{VAL} \left\langle \left[\begin{array}{l} \text{COMPS } \langle [], \left[\begin{array}{l} \text{HEAD } \left[\begin{array}{l} \text{SVC } - \\ \text{TYPE } \left[\begin{array}{l} \text{MDDP } \textit{not-deictic} \\ \text{INTENTION } + \\ \text{STATIVE } - \end{array} \right] \end{array} \right] \end{array} \right] \right] \right\rangle \\ \text{DTR} [\text{HEAD } [\text{TYPE } [\text{MDDP } \textit{deictic}]]] \end{array} \right]$

Feature Structures to Analyze Deictic Purpose SVC



- ***trans-v1-lex-rule*** adds a verbal complement at the end of a transitive verb's COMPS list
- This added complement is [OPT -] (requiring it to be overt) and has not been negated or modified by an auxiliary verb.



- The semantic relationship between the verbs is constrained by the item on the RELS list of the C-CONT.
- This item takes each component verb as an argument (***trans-v1-lex-rule***), and has PRED value *purpose_rel* (***purpose-sem-lex-rule***).

Feature Structures to Analyze Deictic Purpose SVC

$$\left[\begin{array}{l} \text{shared-subject-trans-lex-rule} \\ \text{VAL} \left[\begin{array}{l} \text{SUBJ} \left\langle \left[\text{CONT} \left[\text{HOOK} \left[\text{INDEX} \text{ 1} \right] \right] \right\rangle \right. \\ \left. \text{COMPS} \left\langle \left[\right], \text{VP} \left[\begin{array}{l} \text{VAL} \left[\text{COMPS} \left\langle \right\rangle \right] \right. \right. \\ \left. \left. \text{CONT} \left[\text{HOOK} \left[\text{XARG} \text{ 1} \right] \right] \right] \right\rangle \right] \right\rangle \end{array} \right] \end{array} \right]$$



- **shared-subject-transitive-lex-rule** ensures that both verbs share a subject:
 - Identifies XARG of the VP complement with INDEX of the subject NP, which was already identified with XARG of the input verb in **trans-v1-lex-rule**.

$$\left[\begin{array}{l} \text{deictic-purpose-trans-lex-rule} \\ \text{HEAD} \left[\text{SVTYPE} \text{ deictic-purpose} \right] \\ \text{VAL} \left[\begin{array}{l} \text{COMPS} \left\langle \left[\right], \left[\begin{array}{l} \text{HEAD} \left[\begin{array}{l} \text{SVC} \text{ --} \\ \text{TYPE} \left[\begin{array}{l} \text{MDDP} \text{ --} \\ \text{INTENTION} \text{ +} \\ \text{STATIVE} \text{ --} \end{array} \right] \right] \right] \right\rangle \end{array} \right] \right\rangle \\ \text{DTR} \left[\text{HEAD} \left[\text{TYPE} \left[\text{MDDP} \text{ deictic} \right] \right] \right] \end{array} \right]$$

- **deictic-purpose-transitive-lex-rule** then constrains the individual properties of the component verbs:
 - To form a Deictic-Purpose SVC, the input verb (V1) must be deictic, while the head of the complement VP (V2) cannot be deictic, stative, or without intent.
 - The final construction is [SVTYPE *deictic-purpose*].

Example Analysis: Deriving the MRS for Deictic Purpose SVC

สุรี ไป ซื้อ หนังสือ
 Suri paj suu nangsuu
 Suri go buy book
 'Suri went to buy a book'



Future Dissertation Chapters

Chapter 2: How can we extend this to other languages? Both typologically related and different from Thai

- Some differences I expect:
 - Argument sharing: Subj V1 = Obj V2, No shared arguments, cumulative arguments
 - Verbal features and other factors influencing SVC semantics: in Chinese, type and position of aspect markers matters (Müller and Lipenkova 2009)
- Some typologically related languages already have SVCs implemented within the Grammar Matrix e.g. Korean, Indonesian, perhaps Vietnamese?
- Typologically different languages: many options, ideally searching for one with both an available grammar and existing SVC literature

Chapter 3: How can we use the generated MRSes to support other applications?

ขอบคุณค่ะ

Thank you!

References

- Alexandra Y. Aikhenvald. 2006. Serial verb constructions in typological perspective. In Alexandra Y. Aikhenvald and R.M.W. Dixon, editors, *Serial Verb Constructions: A Crosslinguistic Typology*. Oxford University Press.
- Emily Bender, Scott Drellishak, Antske Fokkens, Laurie Poulson, and Safiyyah Saleem. 2010. Grammar customization. *Research on Language and Computation*, 8:23–72.
- Emily M. Bender. 2008. Evaluating a crosslinguistic grammar resource: A case study of wambaya. In *Proceedings of ACL-08: HLT*, pages 977–985, Columbus, Ohio. Association for Computational Linguistics.
- Emily M. Bender, Dan Flickinger, and Stephan Oepen. 2002. The grammar matrix: An open-source starter-kit for the rapid development of cross-linguistically consistent broad-coverage precision grammars. In *COLING-02: Grammar Engineering and Evaluation*.
- Emily M. Bender, Dan Flickinger, Stephan Oepen, Woodley Packard, and Ann Copestake. 2015. Layers of interpretation: On grammar and compositionality. In *Proceedings of the 11th International Conference on Computational Semantics*, pages 239–249, London, UK. Association for Computational Linguistics.
- Ann Copestake. 2002. *Implementing Typed Feature Structure Grammars*. CSLI Publications, Stanford, CA.
- Ann Copestake. 2009. Invited Talk: slacker semantics: Why superficiality, dependency and avoidance of commitment can be the right way to go. In *Proceedings of the 12th Conference of the European Chapter of the ACL (EACL 2009)*, pages 1–9, Athens, Greece. Association for Computational Linguistics.
- Ann Copestake, Dan Flickinger, Ivan A. Sag, and Carl Pollard. 2005. Minimal recursion semantics: An introduction. *Research on Language and Computation*, 3.
- A.V.N. Diller. 2006. Thai serial verbs: Cohesion and culture. In Alexandra Y. Aikhenvald and R.M.W. Dixon, editors, *Serial Verb Constructions: A Crosslinguistic Typology*. Oxford University Press.
- Kira Droганova and Daniel Zeman. 2019. Towards deep Universal Dependencies. In *Proceedings of the Fifth International Conference on Dependency Linguistics (Depling, SyntaxFest 2019)*, pages 144–152, Paris, France. Association for Computational Linguistics.
- Dan Flickinger. 2000. On building a more efficient grammar by exploiting types. *Natural Language Engineering*, 6 (1):15 – 28.

References

- Dan Flickinger. 2011. Accuracy vs. robustness in grammar engineering. In *E. M. Bender & J. E. Arnold (Eds.), Language from a cognitive perspective: Grammar, usage, and processing* (pp. 3150). Stanford: CSLI Publications.
- Martin Haspelmath. 2016. The serial verb construction: Comparative concept and cross-linguistic generalizations. *Language and Linguistics*, 17:291–319.
- David. Inman. 2019. *Multi-predicate Constructions in Nuuchahnulth*. Ph.D. thesis, The University of Washington.
- Nuttanart Muansuwan. 2002. *Verb Complexes in Thai*. Ph.D. thesis, University at Buffalo, The State University of New York.
- Stefan Müller, Anne Abeille, Robert Borsley, and Jean-Pierre Koenig. 2021. *Head-Driven Phrase Structure Grammar: The handbook*. Language Science Press.
- Stefan Müller and Janna Lipenkova. 2009. Serial verb constructions in Chinese: An HPSG account. In *Proceedings of the 16th International Conference on Head-Driven Phrase Structure Grammar, University of Göttingen, Germany*, pages 234–254, Stanford. CSLI Publications
- Stephan Oepen and Dan Flickinger. 1998. Towards systematic grammar profiling test suite technology 10 years after. *Journal of Computer Speech and Language*, 12:411–435.
- Peter Jenks. 2006. Control in Thai. In *Variation in control structures (Online Database)*. UC San Diego.
- Carl Pollard and Ivan A. Sag. 1994. *Head-Driven Phrase Structure Grammar*. University of Chicago Press.
- Mancharee Pongsutthi, Nongnuch Ketui, and Chutamanee Onsuwan. 2013. Thai serial verb constructions: A corpus-based study. In *10th International Symposium on Natural Language Processing (SNLP)*.
- Sebastian Schuster and Christopher D. Manning. 2016. Enhanced English Universal Dependencies: An improved representation for natural language understanding tasks. In *Proceedings of the Tenth International Conference on Language Resources and Evaluation (LREC'16)*, pages 2371–2378, Portorož, Slovenia. European Language Resources Association (ELRA).

References

Glenn Slayden. 2009. Thai resource grammar.

Cholthicha. Sudmuk. 2005. *The Syntax and Semantics of Serial Verb Constructions in Thai*. Ph.D. thesis, The University of Texas at Austin.

Kiyoko Takahashi. 2009. Basic serial verb constructions in thai. *Journal of the Southeast Asian Linguistics Society*, 1:215–229.

Kingkarn Thepkanjana. 1986. *Serial Verb Constructions in Thai*. Ph.D. thesis, University of Michigan.

Kristina Toutanova, Christopher Manning, Dan Flickinger, and Stephan Oepen. 2005. Stochastic hpsg parse disambiguation using the redwoods corpus. *Research on Language and Computation*, 3:83–105.

Olga Zamaraeva, Chris Curtis, Guy Emerson, Antske Fokkens, Michael Goodman, Kristen Howell, T.J. Trimble, and Emily M. Bender. 2022. 20 years of the grammar matrix: cross-linguistic hypothesis testing of increasingly complex interactions. *Journal of Language Modelling*, 10(1):49–137.