
# Optimizing RTP in Slot Machines While Preserving Reel Characteristics

By Ashley Del Sesto

University of Nevada, Reno <a href="https://github.com/delsesto-ashley/SlotMachi">https://github.com/delsesto-ashley/SlotMachi</a> neGAReelCharacteristics

## A Little Refresher

- Return to Player (RTP)
  - Average winnings returned to the player
  - o 86%, 89%, 90%, etc.
  - $\circ \quad RTP = \frac{SUM(win)}{SUM(bet)}$
- Credits
  - Unit of currency for slot machines
  - Converted from real-life currencies & denomination amounts (1¢, \$1, etc.)
- Win Patterns (or Pay Combos)
  - A pattern of symbols that yields a credit amount and/or triggers an event
  - Example: 30AK of 10 pays 5 credits



- Screen
- Lines
  - Positions on the screen that a win pattern can appear on
  - Typically evaluated Left-to-Right
- Scatter
  - Win patterns that can appear on any position in screen

## Prior Work

- Balabanov et. al., 2015: GA used to target RTP via Monte Carlo Simulations<sup>[1]</sup>
  - Each wagered game is simulated using a random seed
- Balabanov et. al., 2015: Discrete Differential Evolution (DDE) algorithm used to target 3 parameters<sup>[2]</sup>:
  - O RTP
  - Pay combo hit distribution
  - Symbol diversity
- Keremedchiev et. al., 2017: GA used to target RTP via Exact RTP calculations<sup>[3]</sup>
- Kamanas et. al., 2021: Used Variable Neighborhood Search to target RTP via Monte Carlo Simulations<sup>[4]</sup>

# **Unexplored Territory**

- Mathematical Calculation
  - Calculate probability of symbols and use math to derive RTP
  - Pros
    - Speed
    - Similar to Excel
  - o "Cons"
    - Only calculates Base Game
    - Hit frequency: No coinciding line wins
- Math Models
  - Symbol stacks
    - WILD stacks
    - Other symbol stacks
    - No stacks of a given symbol (only single-symbol appearances)
  - o Ghost/Blank symbol requirements
  - Perceived Persistence Bonus triggers
  - Base Game Feature probabilities
  - ...and many more!



Aristocrat's Gold Stacks 88 Empire Ocean Dragon Slot Machine

## Old Chromosome → New Chromosome

- 2D
- Maps 1-1 with reels
- Fixed reel length for all reels

	2
4 4 2 6	
	7
7 2 3 1 3	3
5 7 4 8 9	5
8 3 4 5	4
3 9 1 3 ;	3
2 6 7 8 6	3
5 4 8 6 8	3

- 3D
- Tuple = Stack
- (symbol, count)
- Fixed # of Tuple entries for all reels
  - variable reel lengths

(1,4)	(6,1)	(5,2)	(3,1)	(2,1)
(4,2)	(4,1)	(2,1)	(6,1)	(7,2)
(7,1)	(2,2)	(3,2)	(1,3)	(3,1)
(5,1)	(7,1)	(4,1)	(8,1)	(5,1)
(8,2)	(3,1)	(5,2)	(5,2)	(4,1)
(3,1)	(9,2)	(1,1)	(3,1)	(3,2)
(2,1)	(6,1)	(7,3)	(8,1)	(6,1)
(5,3)	(4,3)	(8,1)	(6,2)	(8,1)
		•		
	· ·	·		

## Approach - GAs

- Multiple Objective Functions
  - RTP
  - Symbol Diversity
  - Bonus Hit Frequency (?)
- Fitness Function = Combination of objectives into single criteria function
- Chromosome
  - o 500 tuples, 1000 elements
  - 1 <= symbol counts <= 5 per tuple</li>
- Penalties: TBD
- Pop: 50 (?)
- Generations: 100 (?)

- Tournament Selection
- Uniform X-over
  - High probability 0.9
- Mutations
  - Chance to swap two stacks
    - High probability 0.1
  - Per tuple: chance to either
    - Shift symbol (+/- 1)\*
    - Shift symbol count (+/- 1)\*
    - Low probability 0.001 (?)

<sup>\*</sup>shifts use modulo % to prevent illegal symbols & symbol counts

## Approach - Math Model

- RTP: 70%

- Bet\*
  - 50 lines
  - 1 credit per line
  - no side bet
- "Easy" pays
- Left-to-Right

- Wild symbol 1
  - Combos evaluate to symbol 2
- Bonus
- R = 5
- L = varies per reel
- Stacks = 100 per reel

Symbol Name/Count	3	4	5
11	Bonus	Bonus	Bonus

Scatter pay combos for math model


Symbol Name/Count	2	3	4	5
2	5	20	50	200
3		15	45	100
4		15	45	100
5		10	30	75
6		10	30	75
7		5	20	50
8		5	20	50
9		5	20	50
10		5	20	50

Line pay combos for math model


## What I Have So Far

- RTP evaluation
- Chromosomal Decoding
- Tournament Selection
  - Fixing

- Uniform X-Over
- Mutations
  - Stack Swap
    - Fixing
  - Tuple Shift



#### User input file



### What I Plan To Do Next

- Objective function for Symbol Diversity
- Objective function for Bonus trigger frequency
- Penalty for adjacent tuples creating stack > 5 symbols
- Penalty for stacking bonus symbol (11)
- Experiment with different probabilities for X-over & mutations

## References

- 1. T. Balabanov, I. Zankinski, and B. Shumanov, "Slot machines rtp optimization with genetic algorithms," in Numerical Methods and Applications: 8th International Conference, NMA 2014, Borovets, Bulgaria, August 20-24, 2014, Revised Selected Papers 8, Springer, 2015, pp. 55–61.
- 2. T. Balabanov, I. Zankinski, and B. Shumanov, "Slot machine rtp optimization and symbols wins equalization with discrete differential evolution," in *Large-Scale Scientific Computing: 10th International Conference, LSSC 2015, Sozopol, Bulgaria, June 8-12, 2015. Revised Selected Papers 10,* Springer, 2015, pp. 210–217.
- D. Keremedchiev, P. Tomov, and M. Barova, "Slot machine base game evolutionary rtp optimization," in Numerical Analysis and Its Applications: 6th International Conference, NAA 2016, Lozenetz, Bulgaria, June 15-22, 2016, Revised Selected Papers 6, Springer, 2017, pp. 406-413.
- 4. P.-A. Kamanas, A. Sifaleras, and N. Samaras, "Slot machine rtp optimization using variable neighborhood search," *Mathematical Problems in Engineering*, vol. 2021, pp. 1–8, 2021.