

**ARCHAEOLOGICAL SITE DATABASE**  
**DAVID DALY**  
**SFSU ID: 913 694 774**  
**GITHUB ID: DELTABDELT**

Checkpoint #	Date Submitted
Checkpoint I	2024 Feb 19
Checkpoint I v2	
Checkpoint II	2024 Mar 3
Checkpoint II v2	
Checkpoint III	2024 Mar 20
Checkpoint III v2	
Checkpoint IV	2024 Apr 4
Checkpoint IV v2	
Checkpoint V	2024 May 16
Checkpoint V v2	

# TABLE OF CONTENTS

Project Description	1
Functional Database Requirements	4
Non-functional Database Requirements	7
Entity Relationship Diagram (ERD)	10
Entity Description	11
Entity Establishment Relationship Diagram (EER)	17
Constraints Description	18

## **Project Description**

Archaeologists regularly attempt to balance two goals of the field: to learn more about humanity through material culture and physical traces left in the environment, and to protect and preserve cultural and historic resources, which includes forgoing excavation in the present to allow the possibility of more conscientious investigation with potentially more advanced technology in the future. It is critical, therefore, for archaeologists to record their observations of an archaeological site, whether as a result of field survey, geophysical investigation, shovel test pits, or excavation. Archaeologists also need the ability to deposit their findings in a central repository so that that information is (a) accessible to entities that need to use it (such as other archaeologists or governmental agencies who are voting on a development project) and also (b) protected from people who should not have it (such as bottle collectors or potential looters).

Information about archaeological sites in the state of California is housed in the California Historic Resources Information Service (CHRIS), which is overseen by the state Office of Historic Preservation (OHP). This data is then made available to qualified individuals via nine Information Centers, located at universities around the state (CSUs Bakersfield, Chico, Fullerton, Sacramento, and Stanislaus; Sonoma State University; the Santa Barbara Museum of Natural History; and UC Riverside).

I have extensive background in archaeology. I have a master's degree from San Francisco State in anthropology and archaeology. I also have years of experience in archaeology, collecting data in the field, preparing and submitting site record forms, and requesting and analyzing site records from Information Centers.

Although the structure of the CHRIS database system is not publicized, it is clear that the database records must contain fields that are part of the standardized site record forms, created and maintained by the Office of Historic Preservation ([https://ohp.parks.ca.gov/?page\\_id=28351](https://ohp.parks.ca.gov/?page_id=28351)). These forms are typically referred to as “DPR forms” because they are published by the California Department of Parks and Recreation. The principal unit of the database is the site, denoted by a site identifier of the form P-XX-YYYYYY, where the two-digit number XX corresponds to the alphabetical order of the county in which the site is recorded. The second, six-digit number YYYYYY corresponds to the ordinal of the site's recording in that county.

Each site will have at least one corresponding site record, which is the most basic means of recording the site. Within the primary site record will be any other identifiers of the site (such as a site name or descriptor). The primary record also has a choice for whether the location of the site is “Not for Publication” or “Unrestricted”: the latter category usually applies to well-known

structures such as the Golden Gate Bridge, the Stanford University Quad, or a city's historic district, while the former applies to the majority of archaeological deposits — from obsidian stone tool work areas to gold rush era trash pits to human burials, most archaeological site locations are not publicly available. The primary record also requires the location of the site (both identifying the county and the corresponding U.S. Geological Survey quadrangle map), as well as a text description of the resource. The resources present are listed by choosing corresponding codes from a list provided by OHP. The identity of the property owner is recorded, as is the name and affiliation of the recorder, the date recorded, the type of survey (for example, pedestrian survey, or excavation), and any reports associated with the current recordation.

Other DPR forms provide specialized fields that may or may not apply to any given site (such as rock art or historic districts). Each site is associated with a digital location, in the form of an ArcGIS shape file.

# Functional Database Requirements

1. Site (Strong)
  - 1.1. A site shall be associated with multiple site records
  - 1.2. A site shall have a site identifier
  - 1.3. A site shall have several counties
  - 1.4. A site may consist of other sites (in a district)
  - 1.5.
2. Site record (Strong)
  - 2.1. A site record shall be associated with multiple sites
  - 2.2. A site record shall have multiple site identifiers
  - 2.3. A site record shall have a privacy setting
  - 2.4. A site record shall be associated with multiple counties
  - 2.5. A site record shall have a USGS quad
  - 2.6. A site record shall have a site description
  - 2.7. A site record shall have many resource codes
  - 2.8. A site record shall have many resource types
  - 2.9. A site record shall have an age and source
  - 2.10. A site record shall have an owner
  - 2.11. A site record shall have a recorder
  - 2.12. A site record shall have several addresses
  - 2.13. A site record shall have multiple survey types
  - 2.14. A site record shall have many report citations
  - 2.15. A site record shall have many attachments
  - 2.16. A site record shall have many maps
  - 2.17. A site record shall have a shape file
  - 2.18. A site record shall have one or more photos
3. Site identifier
  - 3.1. A site identifier shall pertain to a site
  - 3.2. A site identifier shall have at least one site record
  - 3.3. A site identifier shall be of the form "P-##-#####"
4. County (Strong)
  - 4.1. A county shall have many sites
  - 4.2. A county shall have many site records
  - 4.3. A county shall be associated with one information center

5. USGS quad (Strong)
  - 5.1. A USGS quad may have many site records
  - 5.2. A USGS quad shall be the name of a valid USGS quad map
6. Site description
  - 6.1. A site description shall pertain to one site record
7. Resource code (Strong)
  - 7.1. A resource code shall pertain to many site records
8. Resource type (Strong)
  - 8.1. A resource type shall pertain to many site records
9. Owner (Strong)
  - 9.1. An owner may pertain to many site records
  - 9.2. An owner may have several addresses
10. Recorder (Strong)
  - 10.1. A recorder may have multiple affiliations
  - 10.2. A recorder may have multiple addresses
11. Affiliation (Strong)
  - 11.1. An affiliation may pertain to many recorders
  - 11.2. An affiliation may pertain to many users
12. Address (Strong)
  - 12.1. An address may pertain to many owners
  - 12.2. An address may pertain to many recorders
  - 12.3. An address shall pertain to many information centers
13. Survey type (Strong)
  - 13.1. A survey type may pertain to several site records
14. Report citation (Strong)
  - 14.1. A report citation may pertain to multiple site records
  - 14.2. A report citation may be "None"
15. Attachments (Strong)
  - 15.1. An attachment shall pertain to one or many site records
  - 15.2. An attachment may be "None"
16. Map (Strong)
  - 16.1. A map shall pertain to several site records
  - 16.2. A map may be a sketch map or a location map
17. Location map (Weak)
  - 17.1. A location map is a type of map

- 18. Sketch map (Weak)
  - 18.1. A sketch map is a type of map
- 19. Shape file
  - 19.1. A shape file shall pertain to one site record
- 20. Photo
  - 20.1. A photo shall pertain to one site record
- 21. User (Strong)
  - 21.1. A user shall have an account
  - 21.2. A user shall have many affiliations
  - 21.3. A user may work for at most one information center at a time
- 22. Account
  - 22.1. An account shall pertain to only one user
  - 22.2. An account shall have a password
- 23. Information center
  - 23.1. An information center shall serve many counties
  - 23.2. An information center shall employ many users
  - 23.3. An information center shall have an address



## **Non-functional Database Requirements**

### **1. Performance**

- 1.1. The database system shall support concurrent queries.
- 1.2. Because updates and queries can be scheduled so as not to overlap, support for concurrent updates is not a priority.
- 1.3. The database system will need to deliver ArcGIS shape files and images reliably.
- 1.4. The database shall be optimized for efficient queries.
- 1.5. The system should be configured for reliability.

### **2. Security**

- 2.1. The database system shall allow access to authorized users.
- 2.2. The database system shall not allow access to anyone who is not an authorized user.
- 2.3. The database system shall support only encrypted passwords.
- 2.4. The database system shall accept only data consistent with the corresponding domain.
- 2.5. The database shall not support more than one session for a given user.

### **3. Scalability**

- 3.1. Because the number of authorized users, either at an Information Center or in a cultural resource management firm, is small, the system should begin small.
- 3.2. Performance checks should be run to ensure throughput is sufficient.
- 3.3. Horizontal scaling is possible if staffing increases.
- 3.4. The likelihood of substantial horizontal scaling is miniscule.
- 3.5. DPR forms were last updated in 1993. This stability means that functional scalability is not a high priority.

#### 4. Capability

- 4.1. The system shall offer acceptable responses when check boxes appear on DPR forms.
- 4.2. The system shall check the format of the primary identifier field.
- 4.3. The system shall validate formatting of date fields.
- 4.4. The system shall inform the user of allowable file formats.
- 4.5. The system shall inform the user of appropriate data formatting.

#### 5. Environmental

- 5.1. The system will be used in office settings.
- 5.2. The system will be used on desktop computers.
- 5.3. The system should not have a mobile interface.
- 5.4. The system does not require touch-screen capability.
- 5.5. The system should provide legible, useful data formatting.

#### 6. Coding Standards

- 6.1. The system should be compatible with major operating systems.
- 6.2. If the system cannot be compatible with both Windows and Mac, it should be compatible with Windows.
- 6.3. The system should support the current version of MySQL.
- 6.4. The system should not be needlessly complicated, so that it can be compatible with more versions of MySQL.
- 6.5. The system should be accompanied with documentation for usability.

#### 7. Media Storage

- 7.1. The system shall store ArcGIS shape files in an appropriate format.
- 7.2. The system shall store images as JPG or TIF files.
- 7.3. The system shall store digital versions of site records as PDF files.
- 7.4. The system shall store digital versions of reports as PDF files.

7.5. The system shall not store files such as EXE files.

8. Privacy

8.1. The database system shall not ask for sensitive personal information of users.


8.2. The database shall maintain names and addresses of property owners.

8.3. The database shall maintain names, addresses, and affiliations of site recorders.

8.4. The database shall maintain the precise location of archaeologically sensitive areas, including sites that contain human remains.

8.5. The database shall not release aforementioned data, except to an approved user.

# Entity Relationship Diagram (ERD)



## Entity Description

### List of Entities and Attributes

1. Site (Strong)
  - 1.1. site\_id: key, numeric
  - 1.2. date\_entered: multivalue, timestamp
  - 1.3. date\_updated: multivalue, timestamp
2. Site record (Strong)
  - 2.1. site\_record\_id: key, numeric
  - 2.2. privacy\_setting: enum (“Not for Publication” or “Unrestricted”)
  - 2.3. age\_source: enum (“Historic”, “Prehistoric”, or “Both”)
3. Site identifier (Weak)
  - 3.1. site\_identifier\_id: key, numeric
  - 3.2. identifier\_name: alphanumeric
  - 3.3. site: key, numeric
  - 3.4. site\_record: key, numeric
4. County (Strong)
  - 4.1. county\_id: key, numeric
  - 4.2. county\_name: alphanumeric
  - 4.3. county\_seat: alphanumeric
5. USGS quad (Strong)
  - 5.1. usgs\_quad\_id: key, numeric
  - 5.2. usgs\_quad\_name: alphanumeric
  - 5.3. site\_record: key, numeric
6. Site description (Weak)
  - 6.1. site\_desc\_id: key, numeric
  - 6.2. site\_desc\_text: alphanumeric
  - 6.3. site\_desc\_entered: multivalue, timestamp
7. Resource code (Strong)
  - 7.1. res\_code\_id: key, numeric
  - 7.2. res\_code\_text: alphanumeric
  - 7.3. res\_code\_class: alphanumeric
8. Resource type (Strong)
  - 8.1. res\_type\_id: key, numeric

- 8.2. res\_type\_name: alphanumeric
- 8.3. res\_type\_desc: alphanumeric
- 9. Owner (Strong)
  - 9.1. owner\_id: key, numeric
  - 9.2. owner\_name: alphanumeric
  - 9.3. address: key, numeric
- 10. Recorder (Strong)
  - 10.1. recorder\_id: key, numeric
  - 10.2. recorder\_name: alphanumeric
  - 10.3. affiliation: key, numeric
  - 10.4. address: key, numeric
- 11. Affiliation (Strong)
  - 11.1. affiliation\_id: key, numeric
  - 11.2. affiliation\_org: alphanumeric
  - 11.3. affiliation\_title: alphanumeric
- 12. Address (Strong)
  - 12.1. address\_id: key, numeric
  - 12.2. address\_street: alphanumeric
  - 12.3. address\_city: alphanumeric
  - 12.4. address\_state: alphanumeric
  - 12.5. address\_zip: alphanumeric
- 13. Survey type (Strong)
  - 13.1. survey\_type\_id: key, numeric
  - 13.2. survey\_type\_text: alphanumeric
  - 13.3. survey\_intensity: numeric
- 14. Report citations (Strong)
  - 14.1. citations\_id: key, numeric
  - 14.2. citations\_text: alphanumeric
  - 14.3. site\_record: key, numeric
- 15. Attachment (Strong)
  - 15.1. attachment\_id: key, numeric
  - 15.2. attachment\_type: alphanumeric
  - 15.3. site\_record: key, numeric
- 16. Map (Strong)
  - 16.1. map\_id: key, numeric
  - 16.2. map\_type: numeric

- 16.3. site\_record: key, numeric
- 17.Location map (Weak)
  - 17.1. loc\_map\_id: key, numeric
  - 17.2. loc\_map\_quad: alphanumeric
  - 17.3. loc\_map\_scale: numeric
- 18.Sketch map (Weak)
  - 18.1. sketch\_map\_id: key, numeric
  - 18.2. sketch\_map\_quad: alphanumeric
  - 18.3. sketch\_map\_scale: numeric
- 19.Photo (Strong)
  - 19.1. photo\_id: key, numeric
  - 19.2. photo\_path: alphanumeric
  - 19.3. site\_record: key, numeric
  - 19.4. photo\_size: numeric
- 20.Shape file (Strong)
  - 20.1. shape\_file\_id: key, numeric
  - 20.2. shape\_file\_path: alphanumeric
  - 20.3. site\_record: key, numeric
- 21.User (Strong)
  - 21.1. user\_id: key, numeric
  - 21.2. user\_name: alphanumeric
  - 21.3. affiliation: key, numeric
- 22.Account (Weak)
  - 22.1. account\_id: key, numeric
  - 22.2. account\_name: alphanumeric
  - 22.3. password: alphanumeric
- 23.Information center (Strong)
  - 23.1. info\_center\_id: key, numeric
  - 23.2. county\_id: numeric
  - 23.3. user\_id: numeric
  - 23.4. address\_id: numeric
- 24. Site docs (Strong)
  - 24.1. site\_docs\_id: key, numeric
  - 24.2. site\_docs\_name: alphanumeric
  - 24.3. site\_docs\_path: alphanumeric
  - 24.4. site\_docs\_type: enum

## 25.Continuation sheet (weak)

- 25.1. continuation\_id: key, numeric
- 25.2. continuation\_path: alphanumeric
- 25.3. continuation\_type: enum
- 25.4. site\_record\_id: key, numeric

## Associative entities

- 1. site\_identifier\_site
  - 1.1. site\_identifier\_site\_id: key, numeric
  - 1.2. site\_id: key, numeric
  - 1.3. site\_identifier\_id: key, numeric
- 2. site\_county
  - 2.1. site\_county\_id: key, numeric
  - 2.2. site\_id: key, numeric
  - 2.3. county\_id: key, numeric
- 3. site\_record\_site
  - 3.1. site\_record\_site\_id: key, numeric
  - 3.2. site\_id: key, numeric
  - 3.3. site\_record\_id: key, numeric
- 4. site\_identifier\_site\_record
  - 4.1. site\_identifier\_site\_record\_id: key, numeric
  - 4.2. site\_id: key, numeric
  - 4.3. site\_record\_id: key, numeric
- 5. site\_record\_county
  - 5.1. site\_identifier\_county\_id: key, numeric
  - 5.2. county\_id: key, numeric
  - 5.3. site\_record\_id: key, numeric
- 6. site\_record\_usgs\_quad
  - 6.1. site\_record\_usgs\_quad\_id: key, numeric
  - 6.2. usgs\_quad\_id: key, numeric
  - 6.3. site\_record\_id: key, numeric
- 7. site\_record\_res\_code
  - 7.1. site\_record\_res\_code\_id: key, numeric
  - 7.2. res\_code\_id: key, numeric
  - 7.3. site\_record\_id: key, numeric



- 8. site\_record\_res\_type
  - 8.1. site\_record\_res\_type\_id: key, numeric
  - 8.2. res\_type\_id: key, numeric
  - 8.3. site\_record\_id: key, numeric
- 9. site\_record\_owner
  - 9.1. site\_record\_owner\_id: key, numeric
  - 9.2. owner\_id: key, numeric
  - 9.3. site\_record\_id: key, numeric
- 10.site\_record\_recorder
  - 10.1. site\_record\_recorder\_id: key, numeric
  - 10.2. recorder\_id: key, numeric
  - 10.3. site\_record\_id: key, numeric
- 11.site\_record\_address
  - 11.1. site\_record\_address\_id: key, numeric
  - 11.2. address\_id: key, numeric
  - 11.3. site\_record\_id: key, numeric
- 12.site\_record\_survey\_type
  - 12.1. site\_record\_survey\_type\_id: key, numeric
  - 12.2. survey\_type\_id: key, numeric
  - 12.3. site\_record\_id: key, numeric
- 13.site\_record\_citations
  - 13.1. site\_record\_citations\_id: key, numeric
  - 13.2. citations\_id: key, numeric
  - 13.3. site\_record\_id: key, numeric
- 14.site\_record\_map
  - 14.1. site\_record\_map\_id: key, numeric
  - 14.2. map\_id: key, numeric
  - 14.3. site\_record\_id: key, numeric
- 15.site\_record\_attachment
  - 15.1. site\_record\_attachment\_id: key, numeric
  - 15.2. attachment\_id: key, numeric
  - 15.3. site\_record\_id: key, numeric
- 16.user\_affiliation
  - 16.1. user\_affiliation\_id: key, numeric
  - 16.2. user\_id: key, numeric
  - 16.3. affiliation\_id: key, numeric

- 17.owner\_address
  - 17.1. owner\_address\_id: key, numeric
  - 17.2. owner\_id: key, numeric
  - 17.3. address\_id: key, numeric
- 18.recorder\_address
  - 18.1. recorder\_address\_id: key, numeric
  - 18.2. recorder: key, numeric
  - 18.3. address\_id: key, numeric
- 19.site\_record\_has\_site\_docs
  - 19.1. site\_record\_id: key, numeric
  - 19.2. site\_docs\_id: key, numeric
- 20.permissions
  - 20.1. permissions\_id: key, numeric
  - 20.2. permissions\_level: enum
  - 20.3. permissions\_role: enum
  - 20.4. user\_id: key, numeric
  - 20.5. site\_docs\_id: key, numeric



## Constraints Description

Table	FK	ON DELETE	ON UPDATE	Comment
site	site_id entifier	SET NULL	CASCADE	A site may have many site identifiers and should remain if a site identifier is deleted
site_id entifier	site	SET NULL	CASCADE	A site identifier is also tied to site records and should remain if a site is deleted
site_record	site_id entifier	SET NULL	CASCADE	A site record may have many site identifiers and should remain if a site identifier is deleted
site_id entifier	site_record	SET NULL	CASCADE	A site identifier may be tied to other site records and should remain if a site record is deleted
site	county	SET NULL	CASCADE	A site should remain for reassignment if a county is deleted
county	site	SET NULL	CASCADE	A county may be tied to other sites and should remain if a site is deleted
site_record	county	SET NULL	CASCADE	A site record should remain for reassignment if a county is deleted
county	site_record	SET NULL	CASCADE	A county may be tied to other sites record and should remain if a site record is deleted
site_record	usgs_quad	SET NULL	CASCADE	A site record should remain for reassignment if a USGS quad is deleted
usgs_quad	site_record	SET NULL	CASCADE	A USGS quad may be tied to other sites record and should remain if a site record is deleted
site_desc	site_record	CASCADE	CASCADE	The site description is tied to the site record; if deleted or modified, changes should cascade

site_ record	res_ code	SET NULL	CASCADE	A site record should remain for reassignment if a resource code is deleted
res_ code	site_ record	SET NULL	CASCADE	A resource code may be tied to other site records and should remain if a site record is deleted
site_ record	res_ type	SET NULL	CASCADE	A site record should remain for reassignment if a resource type is deleted
res_ type	site_ record	SET NULL	CASCADE	A resource type may be tied to other site records and should remain if a site record is deleted
site_ record	owner	SET NULL	CASCADE	A site record should remain for reassignment if an owner is deleted
owner	site_ record	SET NULL	CASCADE	An owner may be tied to other site records and should remain if a site record is deleted
owner	addres s	SET NULL	CASCADE	An address should remain for reassignment if an owner is deleted
addres s	owner	SET NULL	CASCADE	An owner may be tied to other addresses and should remain if an address is deleted
site_ record	recorde r	SET NULL	CASCADE	A site record should remain for reassignment if a recorder is deleted
recorde r	site_ record	SET NULL	CASCADE	A recorder may be tied to other site records and should remain if a site record is deleted
recorde r	addres s	SET NULL	CASCADE	An address should remain for reassignment if a recorder is deleted
addres s	recorde r	SET NULL	CASCADE	A recorder may be tied to other addresses and should remain if an address is deleted
recorde r	affiliatio n	SET NULL	CASCADE	An affiliation may be tied to other recorders and should remain if a recorder is deleted
user	affiliatio n	SET NULL	CASCADE	An affiliation should remain for reassignment if a user is deleted

affiliation	user	SET NULL	CASCADE	A user may be tied to other affiliation and should remain if an affiliation is deleted
account	user	CASCADE	CASCADE	If a user is deleted, the user's account should also be deleted
user	info_center	SET NULL	CASCADE	Deleting an info center should free the former employees for reassignment, rather than deleting
info_center	addresses	NO ACTION	CASCADE	Deleting an info center should not affect the address, which may be associated with other fields
info_center	county	NO ACTION	CASCADE	Deleting an info center should not affect the county, which may be associated with other fields
site_record	survey_type	SET NULL	CASCADE	A site record should remain for reassignment if a survey type is deleted
survey_type	site_record	SET NULL	CASCADE	A survey type may be tied to other site records and should remain if a site record is deleted
site_record	citations	SET NULL	CASCADE	A site record should remain for reassignment if a citation is deleted
citations	site_record	SET NULL	CASCADE	A citation may be tied to other site records and should remain if a site record is deleted
site_record	attachment	SET NULL	CASCADE	A site record should remain for reassignment if an attachment is deleted
attachment	site_record	SET NULL	CASCADE	An attachment may be tied to other site records and should remain if a site record is deleted
site_record	map	SET NULL	CASCADE	A site record should remain for reassignment if a map is deleted
map	site_record	SET NULL	CASCADE	A map may be tied to other site records and should remain if a site record is deleted

photo	site_record	CASCADE	CASCADE	If a site record is deleted, the site record's photo(s) should also be deleted, because of the one-to-many relationship
shape_file	site_record	CASCADE	CASCADE	If a site record is deleted, the site record's shape file should also be deleted, because of the one-to-many relationship
loc_map	map	CASCADE	CASCADE	If a location map is deleted, the map should also be deleted, because of the one-to-one relationship
sketch_map	map	CASCADE	CASCADE	If a sketch map is deleted, the map should also be deleted, because of the one-to-one relationship
permissions	user_id	RESTRICT	CASCADE	If a user_id is deleted, the permissions should be restricted for possible future reference
permissions	site_docs	RESTRICT	CASCADE	If a site_docs is deleted, the permissions should be restricted for possible future reference
continuation	site_record	CASCADE	CASCADE	If a site record is deleted, the site record's continuation sheets should also be deleted, because of the one-to-many relationship
site_record	site_docs	NO ACTION	CASCADE	A site record should remain for reassignment if a site document is deleted
site_docs	site_record	NO ACTION	CASCADE	A site document may be tied to other sites record and should remain if a site record is deleted