

# Webbit 教育版

## AI影像辨識體驗



講師：鳳山科技中心 傅仲儀主任

2020/12/16

## Webbit教育版(離線版)

- 下載網址：Google搜尋 “WebBitSetup.exe”  
離線版：<https://ota.webduino.io/WebBitInstaller/WebBitSetup.exe>  
網頁版：<https://webbit.webduino.io/blockly/> (無法使用USB連線)
- 驅動程式：[http://www.wch.cn/download/CH341SER\\_ZIP.html](http://www.wch.cn/download/CH341SER_ZIP.html)  
(離線版安裝已內建驅動程式)
- 更新韌體：<https://webbit.webduino.io/tutorials/doc/zh-tw/education/info/ota.html>  
(離線版接上Webbit後可自動偵測線上更新)

# 如何新增自訂積木 (影像辨識功能須以瀏覽器模式執行程式)



## 自訂積木設定清單

<https://github.com/fustyles/webduino/blob/master/CustomBlock.txt>

新增積木指令： `Code.customTab.$__add__('積木連結');`

移除積木指令： `Code.customTab.$__remove__('積木連結');`

## Webbit教育版 & KebbixWebbit 新增自訂積木輔助積木

`Code.customTab.$__add__('https://fustyles.github.io/webduino/EDU_addCustomBlocks/blockly.json');`

## 自訂積木

變數

邏輯

重複

數學

文字

陣列

顏色

函式

怪獸控制

偵測

語音 &amp; 音效

Web.Bit -

開發板

矩陣 LED

按鈕開關

偵測光線 &amp; 溫度

音樂 &amp; 聲音

九軸體感偵測

I/O 引腳

擴充功能 +

DevTools - localhost:20975/blockly/?lang=zh-hant&demo=default

Elements Console Sources Network Performance Memory Application Security Lighthouse 13 67 14 hidden

91 messages 10 user messages 13 errors 68 warnings 10 info No verbose

開發環境下，開啟模擬器 log，請設定 localStorage or sessionStorage，SIMULATOR\_LOG 為 true

(LocalStorage) Custom blocks loaded successful. 新增自訂積木 edu-blockly-top-menu.min.js:1

usb edu-blockly-top-menu.min.js:1

Code.customTab.\$\_\_add\_\_('https://fustyles.github.io/webduino/EDU\_addCustomBlocks/blockly.json');

Promise {<fulfilled>: {...}}

Code.customTab.\$\_\_remove\_\_('https://fustyles.github.io/webduino/EDU\_addCustomBlocks/blockly.json');

移除自訂積木


Console What's New

Highlights from the Chrome 87 update

New CSS Grid debugging tools  
Debug and inspect CSS Grid with the new CSS Grid debugging tools.

New WebAuthn tab  
Emulate authenticators and debug the Web Authentication API with the new WebAuthn tab.

Move tools between top and bottom panel



沒有新通知

上午 08:59  
2020/12/16



## 自訂積木

變數

邏輯

重複

數學

文字

陣列

顏色

函式

怪獸控制

偵測

語音 &amp; 音效

Web:Bit -

開發板

矩陣 LED

按鈕開關

偵測光線 &amp; 溫度

音樂 &amp; 聲音

九軸體感偵測

I/O 引腳

擴充功能 +

自訂積木 網址

自訂積木 網址

add

remove

addAll

removeAll

addAll(New AI)

removeAll(New AI)

新增單一自訂積木


移除單一自訂積木

新增所有舊版自訂積木

移除所有舊版自訂積木

新增所有新版影像辨識自訂積木(支援ESP32-CAM)

移除所有新版影像辨識自訂積木(支援ESP32-CAM)



臉部偵測 (blazeface)  
機器學習(knn-classifier)  
臉部偵測 (face-api)  
人臉辨識 (face-api)  
物件偵測 (mobilenet)  
機器學習 (自訂模型)  
QRcode辨識 (instascan)  
顏色追蹤(Tracking)  
追蹤人臉(Tracking)  
物件偵測 (coco-ssd)  
文字辨識 (tesseract.js)  
姿態偵測 (posenet)

自訂積木

變數

邏輯

重複

數學

文字

陣列

顏色


函式

怪獸控制

自訂積木 網址

“ ”

▼



(新版) 臉部偵測 (tfjs face-api.js)

```
Code.customTab.$__add__('https://fustyles.github.io/webduino/faceapi_detect_20201012/blockly.json');
```

```
Code.customTab.$__remove__('https://fustyles.github.io/webduino/faceapi_detect_20201012/blockly.json');
```

(新版) 人臉辨識 (tfjs face-api.js)

```
Code.customTab.$__add__('https://fustyles.github.io/webduino/faceapi_recognize_20201012/blockly.json');
```

```
Code.customTab.$__remove__('https://fustyles.github.io/webduino/faceapi_recognize_20201012/blockly.json');
```

(新版) 顏色偵測 (Tracking.js)

```
Code.customTab.$__add__('https://fustyles.github.io/webduino/trackingcolor_20201012/blockly.json');
```

```
Code.customTab.$__remove__('https://fustyles.github.io/webduino/trackingcolor_20201012/blockly.json');
```



(新版) 文字辨識 (tesseract.js)

```
Code.customTab.$__add__('https://fustyles.github.io/webduino/tesseract.js_20201012/blockly.json');
```

```
Code.customTab.$__remove__('https://fustyles.github.io/webduino/tesseract.js_20201012/blockly.json');
```

(新版) QR code辨識 (instascan)

```
Code.customTab.$__add__('https://fustyles.github.io/webduino/instascan.js_20201012/blockly.json');
```

```
Code.customTab.$__remove__('https://fustyles.github.io/webduino/instascan.js_20201012/blockly.json');
```

(新版) 物件辨識 (tfjs coco-ssd)

```
Code.customTab.$__add__('https://fustyles.github.io/webduino/coco-ssd_20201012/blockly.json');
```

```
Code.customTab.$__remove__('https://fustyles.github.io/webduino/coco-ssd_20201012/blockly.json');
```

(新版) 姿態偵測 (tfjs posenet)

```
Code.customTab.$__add__('https://fustyles.github.io/webduino/posenet_20201012/blockly.json');
```

```
Code.customTab.$__remove__('https://fustyles.github.io/webduino/posenet_20201012/blockly.json');
```

(新版) 機器學習 (tfjs KNN-Classifier)

```
Code.customTab.$__add__('https://fustyles.github.io/webduino/knn-classifier_20201012/blockly.json');
```

```
Code.customTab.$__remove__('https://fustyles.github.io/webduino/knn-classifier_20201012/blockly.json');
```

(新版) 機器學習 (tfjs teachablemachine)

```
Code.customTab.$__add__('https://fustyles.github.io/webduino/teachablemachine_20201012/blockly.json');
```

```
Code.customTab.$__remove__('https://fustyles.github.io/webduino/teachablemachine_20201012/blockly.json');
```

(新版) 臉部偵測 (Tracking.js)

```
Code.customTab.$__add__('https://fustyles.github.io/webduino/trackingface_20201012/blockly.json');
```

```
Code.customTab.$__remove__('https://fustyles.github.io/webduino/trackingface_20201012/blockly.json');
```

(新版) 臉部偵測 (tfjs blazeface)

```
Code.customTab.$__add__('https://fustyles.github.io/webduino/Blazeface_20201012/blockly.json');
```

```
Code.customTab.$__remove__('https://fustyles.github.io/webduino/Blazeface_20201012/blockly.json');
```

(新版) 物件辨識 (tfjs mobilenet\_20201012)

```
Code.customTab.$__add__('https://fustyles.github.io/webduino/mobilenet_20201012/blockly.json');
```

```
Code.customTab.$__remove__('https://fustyles.github.io/webduino/mobilenet_20201012/blockly.json');
```

## 遊戲元素

```
Code.customTab.$__add__('https://fustyles.github.io/webduino/GameElements_20190131/blockly.json');
```

```
Code.customTab.$__remove__('https://fustyles.github.io/webduino/GameElements_20190131/blockly.json');
```



Tensorflow.js(tfjs)介紹

<https://www.tensorflow.org/js/>

Tensorflow.js已訓練模型

<https://github.com/tensorflow/tfjs-models>



# Tensorflow.js(tfjs) 示範網頁

## 物件辨識 (coco-ssd)

### 圖片

[https://fustyles.github.io/webduino/TensorFlow/ObjectDetection\\_image/ObjectDetection\\_image\\_coco-ssd.html](https://fustyles.github.io/webduino/TensorFlow/ObjectDetection_image/ObjectDetection_image_coco-ssd.html)

### 視訊 (Chrome瀏覽器)

[https://fustyles.github.io/webduino/TensorFlow/ObjectDetection\\_video/ObjectDetection\\_video\\_coco-ssd.html](https://fustyles.github.io/webduino/TensorFlow/ObjectDetection_video/ObjectDetection_video_coco-ssd.html)

### 可辨識物件列表

<https://github.com/tensorflow/tfjs-models/blob/master/coco-ssd/src/classes.ts>

## 物件辨識 (mobilenet)

圖片

[https://fustyles.github.io/webduino/TensorFlow/ObjectDetection\\_image/ObjectDetection\\_image\\_mobilenet.html](https://fustyles.github.io/webduino/TensorFlow/ObjectDetection_image/ObjectDetection_image_mobilenet.html)

視訊 (Chrome瀏覽器)

[https://fustyles.github.io/webduino/TensorFlow/ObjectDetection\\_video/ObjectDetection\\_video\\_mobilenet.html](https://fustyles.github.io/webduino/TensorFlow/ObjectDetection_video/ObjectDetection_video_mobilenet.html)

可辨識物件列表

[https://github.com/tensorflow/tfjs-models/blob/master/mobilenet/src/imagenet\\_classes.ts](https://github.com/tensorflow/tfjs-models/blob/master/mobilenet/src/imagenet_classes.ts)

## 姿態辨識 posenet

圖片(單人)

[https://fustyles.github.io/webduino/TensorFlow/PoseDetection\\_image/PoseDetection\\_image.html](https://fustyles.github.io/webduino/TensorFlow/PoseDetection_image/PoseDetection_image.html)

圖片(多人)

[https://fustyles.github.io/webduino/TensorFlow/PoseDetection\\_image/PoseDetection\\_image\\_multi.html](https://fustyles.github.io/webduino/TensorFlow/PoseDetection_image/PoseDetection_image_multi.html)

視訊(單人)(Chrome瀏覽器)

[https://fustyles.github.io/webduino/TensorFlow/PoseDetection\\_video/PoseDetection\\_video.html](https://fustyles.github.io/webduino/TensorFlow/PoseDetection_video/PoseDetection_video.html)

視訊(多人)(Chrome瀏覽器)

[https://fustyles.github.io/webduino/TensorFlow/PoseDetection\\_video/PoseDetection\\_video\\_multi.html](https://fustyles.github.io/webduino/TensorFlow/PoseDetection_video/PoseDetection_video_multi.html)

## BodyPix V1

圖片

[https://fustyles.github.io/webduino/TensorFlow/BodyPix\\_image/BodyPix\\_image.html](https://fustyles.github.io/webduino/TensorFlow/BodyPix_image/BodyPix_image.html)

視訊(Chrome瀏覽器)

[https://fustyles.github.io/webduino/TensorFlow/BodyPix\\_video/BodyPix\\_video.html](https://fustyles.github.io/webduino/TensorFlow/BodyPix_video/BodyPix_video.html)

## BodyPix V2

圖片

[https://fustyles.github.io/webduino/TensorFlow/BodyPix\\_image/BodyPix2\\_image.html](https://fustyles.github.io/webduino/TensorFlow/BodyPix_image/BodyPix2_image.html)

視訊(Chrome瀏覽器)

[https://fustyles.github.io/webduino/TensorFlow/BodyPix\\_video/BodyPix2\\_video.html](https://fustyles.github.io/webduino/TensorFlow/BodyPix_video/BodyPix2_video.html)



## Face Detection (face-api.js)

圖片

[https://fustyles.github.io/webduino/TensorFlow/Face-api/Face-api\\_FaceDetection\\_image.html](https://fustyles.github.io/webduino/TensorFlow/Face-api/Face-api_FaceDetection_image.html)

視訊(Chrome瀏覽器)

[https://fustyles.github.io/webduino/TensorFlow/Face-api/Face-api\\_FaceDetection\\_video.html](https://fustyles.github.io/webduino/TensorFlow/Face-api/Face-api_FaceDetection_video.html)

## Face Recognition (face-api.js)

圖片

[https://fustyles.github.io/webduino/TensorFlow/Face-api/Face-api\\_FaceRecognition\\_image.html](https://fustyles.github.io/webduino/TensorFlow/Face-api/Face-api_FaceRecognition_image.html)

視訊

[https://fustyles.github.io/webduino/TensorFlow/Face-api/Face-api\\_FaceRecognition\\_video.html](https://fustyles.github.io/webduino/TensorFlow/Face-api/Face-api_FaceRecognition_video.html)

## DeepLab v3

圖片

[https://fustyles.github.io/webduino/TensorFlow/ObjectDetection\\_image/ObjectDetection\\_image\\_deeplab.html](https://fustyles.github.io/webduino/TensorFlow/ObjectDetection_image/ObjectDetection_image_deeplab.html)

視訊(Chrome瀏覽器)

[https://fustyles.github.io/webduino/TensorFlow/ObjectDetection\\_video/ObjectDetection\\_video\\_deeplab.html](https://fustyles.github.io/webduino/TensorFlow/ObjectDetection_video/ObjectDetection_video_deeplab.html)

knn-classifier 手寫或匯入圖片訓練辨識(可訓練辨識數字)

[https://fustyles.github.io/webduino/TensorFlow/DigitRecognition\\_knn-classifier/DigitRecognition\\_knn-classifier.html](https://fustyles.github.io/webduino/TensorFlow/DigitRecognition_knn-classifier/DigitRecognition_knn-classifier.html)

knn-classifier 視訊深度學習

[https://fustyles.github.io/webduino/TensorFlow/VideoRecognition\\_knn-classifier/VideoRecognition\\_knn-classifier.html](https://fustyles.github.io/webduino/TensorFlow/VideoRecognition_knn-classifier/VideoRecognition_knn-classifier.html)

## Blazeface

圖片

[https://fustyles.github.io/webduino/TensorFlow/Blazeface\\_image/Blazeface\\_image.html](https://fustyles.github.io/webduino/TensorFlow/Blazeface_image/Blazeface_image.html)

視訊(Chrome瀏覽器)

[https://fustyles.github.io/webduino/TensorFlow/Blazeface\\_video/Blazeface\\_video.html](https://fustyles.github.io/webduino/TensorFlow/Blazeface_video/Blazeface_video.html)

## Handpose

圖片

[https://fustyles.github.io/webduino/TensorFlow/HandPoseDetection\\_image/handpose\\_image.html](https://fustyles.github.io/webduino/TensorFlow/HandPoseDetection_image/handpose_image.html)

視訊(Chrome瀏覽器)

[https://fustyles.github.io/webduino/TensorFlow/HandPoseDetection\\_video/handpose\\_video.html](https://fustyles.github.io/webduino/TensorFlow/HandPoseDetection_video/handpose_video.html)

## Facemesh

圖片

[https://fustyles.github.io/webduino/TensorFlow/FacemeshDetection\\_image/facemesh\\_image.html](https://fustyles.github.io/webduino/TensorFlow/FacemeshDetection_image/facemesh_image.html)

視訊(Chrome瀏覽器)

[https://fustyles.github.io/webduino/TensorFlow/FacemeshDetection\\_video/facemesh\\_video.html](https://fustyles.github.io/webduino/TensorFlow/FacemeshDetection_video/facemesh_video.html)

## Teachable Machine

視訊(Chrome瀏覽器)

<https://fustyles.github.io/webduino/TensorFlow/teachablemachine/teachablemachine.html>

# Tensorflow.js(tfjs) 應用網頁



# 馬賽克( tfjs BodyPix2 )

- [https://fustyles.github.io/webduino/TensorFlow/BodyPix\\_video/BodyPix2\\_blurothers\\_video.html](https://fustyles.github.io/webduino/TensorFlow/BodyPix_video/BodyPix2_blurothers_video.html)
- 可選擇不馬賽克對象：
  - 1. 第一個被偵測到的人臉
  - 2. 人臉面積最大(最靠近鏡頭)
  - 3. 全部馬賽克

# 隱身術( tfjs PoseNet )

- [https://fustyles.github.io/webduino/TensorFlow/BodyPix\\_video/BodyPix2\\_blurothers\\_video.html](https://fustyles.github.io/webduino/TensorFlow/BodyPix_video/BodyPix2_blurothers_video.html)

1. 點選按鈕"Capture background image"捕捉無人時畫面。
2. 兩手腕高於鼻子隱形
3. 兩手腕肩膀下靠很近(手腕交叉或合掌如影片)現形
4. 原理：利用姿態辨識設定條件識別姿態，隱形時顯示背景圖、現形時顯示視訊

# 背景特效( tfjs BodyPix2 )

- [https://fustyles.github.io/webduino/TensorFlow/BodyPix\\_video/BodyPix2\\_changebackground\\_video.html](https://fustyles.github.io/webduino/TensorFlow/BodyPix_video/BodyPix2_changebackground_video.html)

1. 點選按鈕"Capture background image"捕捉無人時畫面。  
或者選擇載入本機背景圖
2. 原理：將視訊中有人的部分取出與靜態背景圖合併輸出影像

# 隱藏所有人( tfjs BodyPix2 )

- [https://fustyles.github.io/webduino/TensorFlow/BodyPix\\_video/BodyPix2\\_HidePersons\\_video.html](https://fustyles.github.io/webduino/TensorFlow/BodyPix_video/BodyPix2_HidePersons_video.html)

1. 點選按鈕"Capture background image"捕捉無人時畫面。  
或者選擇載入本機背景圖
2. 原理：將視訊有人的區域用對應靜態背景圖區域像素取代

# 其他影像辨識網頁範例



## Tesseract.js (文字辨識)

圖片

[https://fustyles.github.io/webduino/tesseract.js/Image2Text\\_image.html](https://fustyles.github.io/webduino/tesseract.js/Image2Text_image.html)

視訊(Chrome瀏覽器)

[https://fustyles.github.io/webduino/tesseract.js/Image2Text\\_video.html](https://fustyles.github.io/webduino/tesseract.js/Image2Text_video.html)

## Color Detection

視訊

[https://fustyles.github.io/webduino/Tracking.js/tracking.js\\_DetectMask\\_MultiColor\\_video.html](https://fustyles.github.io/webduino/Tracking.js/tracking.js_DetectMask_MultiColor_video.html)

## Face Detection

視訊

[https://fustyles.github.io/webduino/Tracking.js/tracking.js\\_DetectFace\\_video.html](https://fustyles.github.io/webduino/Tracking.js/tracking.js_DetectFace_video.html)

Instascan.js (QR Code辨識)


視訊(Chrome瀏覽器)

[https://fustyles.github.io/webduino/Instascan.js/Instascan\\_qrcode.html](https://fustyles.github.io/webduino/Instascan.js/Instascan_qrcode.html)

## 姿態辨識：

- Nose 鼻子
- Eye 眼睛
- Ear 耳朵
- Shoulder 肩膀
- Elbow 手肘
- Wrist 手腕
- Hip 臀部
- Knee 膝蓋
- Ankle 腳踝

17 Pose Keypoints  
Returned by PoseNet



## 機器學習(Google Teachable Machine)

在Google Teachable Machine網站上可對影像、音訊、姿態做樣本的訓練，訓練後的模型可上傳雲端取得模型網址設定，使用於支援的平台、應用程式、APP、積木程式等。可應用於需分類影像、音訊、姿態的場景。

<https://teachablemachine.withgoogle.com>

[About](#)[FAQ](#)[Get Started](#)

# Teachable Machine

**Train a computer to recognize your own images, sounds, & poses.**

A fast, easy way to create machine learning models for your sites, apps, and more – no expertise or coding required.


[Get Started](#)


Tree

Wings

100%

# New Project


 Open an existing project from Drive.

 Open an existing project from a file.



## Image Project

Teach based on images, from files or your webcam.



## Audio Project


Teach based on one-second-long sounds, from files or your microphone.



## Pose Project


Teach based on images, from files or your webcam.

# Teachable Machine

舉右手 

Add Pose Samples:



舉左手 

Add Pose Samples:



 Add a class

## Training

Train Model

Advanced

## Preview

 Export Model

You must train a model on the left before you can preview it here.



# Teachable Machine

舉右手

Webcam



Hold to Record

20 Pose Samples



Training

Train Model

Advanced

Preview

Export Model

You must train a model on the left before you can preview it here.

舉左手



# Teachable Machine

Webcam



Hold to Record



24 Pose Samples



+ Add a class

Training

Train Model

Advanced



Preview



Export Model

You must train a model on the left before you can preview it here.

## 2. Train your Model



Now that you have two classes, you can train your model here (or add more classes).



English (U.S.)

release-2-3-1 - 2.3.1#f0c528 - 97

# Teachable Machine

Don't switch tabs!

You must leave this tab open to train your model.

[Don't show again](#)

[OK](#)

舉右手 ✎

20 Pose Samples



Webcam



Upload



舉左手 ✎

24 Pose Samples



Webcam



Upload



⊞ Add a class

Training

Training...

00:09 - 23 / 50

Advanced



Preview



Export Model

You must train a model on the left before you can preview it here.

## Teachable Machine

舉右手

20 Pose Samples



舉左手

24 Pose Samples



⊞ Add a class

### Training

Model Trained

Advanced

Preview

Export Model

Input ☐ ON

Webcam



Output

舉右手

舉左手

100%

# Teachable Machine

舉右手 ✎

20 Pose Samples

Webcam

Upload

舉左手 ✎

24 Pose Samples

Webcam

Upload

Export your model to use it in projects.



Tensorflow.js ⓘ

Export your model:

- ☒ Upload (shareable link)
- ☐ Download
- ☒ Upload my model

Your sharable link:

[https://teachablemachine.withgoogle.com/models/\[...\]](https://teachablemachine.withgoogle.com/models/[...])

When you upload your model, Teachable Machine hosts it at this link for free. (FAQ: [Who can use my model?](#))

Code snippets to use your model:

Javascript

[Contribute on Github](#) 🔄

Learn more about how to use the code snippet on [github](#).

```
<div>Teachable Machine Pose Model</div>
<button type="button" onclick="init()">Start</button>
<div><canvas id="canvas"></canvas></div>
<div id="label-container"></div>
<script src="https://cdn.jsdelivr.net/npm/@tensorflow/tfjs@1.3.1/dist/tf.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/@teachablemachine/pose@0.8/dist/teachablemachine-
pose.min.js"></script>
<script type="text/javascript">
  // More API functions here:
  // https://github.com/googlecreativelab/teachablemachine-community/tree/master/libraries/pose

  // the link to your model provided by Teachable Machine export page?
```

Copy 📄

Export Model

ON Webcam ▾



100%



# Teachable Machine

舉右手 ✎

20 Pose Samples

Webcam

Upload

舉左手 ✎

24 Pose Samples

Webcam

Upload

Export your model to use it in projects.



Tensorflow.js ⓘ

Export your model:

- ☒ Upload (shareable link)
 ☐ Download

Your sharable link:

<https://teachablemachine.withgoogle.com/models/dRyteoagd/>

Copy

When you upload your model, Teachable Machine hosts it at this link for free. (FAQ: [Who can use my model?](#))

✓ Your cloud model is up to date.

Code snippets to use your model:

Javascript

Contribute on Github

Learn more about how to use the code snippet on [github](#).

```
<div>Teachable Machine Pose Model</div>
<button type="button" onclick="init()">Start</button>
<div><canvas id="canvas"></canvas></div>
<div id="label-container"></div>
<script src="https://cdn.jsdelivr.net/npm/@tensorflow/tfjs@1.3.1/dist/tf.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/@teachablemachine/pose@0.8/dist/teachablemachine-pose.min.js"></script>
<script type="text/javascript">
```

Copy

Export Model

ON Webcam



100%