ACS LABORATORY | BEYOND COMPLIANCE
721 Cortaro Dr.
Sun City Center, FL 33573
www.acslab.com
DEA No. RA0571996
FL License # CMTL-0003

TESTED SAFE CERTIFIED HEMP EXTRACT

Geek Clearview - Miami Mint
Sample Matrix:
CBD/HEMP
Derivative Products
(Inhalation - Heated)

Certificate of Analysis

Compliance Test

Client Information:
SUMMITT LABS
5901 Orient Rd
TAMPA, FL 33610

Batch # GK10EHC
Batch Date: 2025-05-08
Extracted From: Hemp

Test Reg State: Florida

Order # SUM250508-130001
Order Date: 2025-05-08
Sample # AAGR810

Sampling Date: 2025-05-10
Lab Batch Date: 2025-05-10
Completion Date: 2025-05-16

Initial Gross Weight: 19.714 g

Product Image

Potency Tested	Heavy Metals Passed	2 3-Butanedione Passed	Mycotoxins Passed	Pesticides Passed	
Residual Solvents Passed	Pathogenic Passed	Microbiology (qPCR) Passed	Vitamin E Passed	Filth and Foreign Passed	

Potency 25 (LCUV)

Tested

Specimen Weight: 509.550 mg

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	50.000	2.60E-5	0.015	730.6000	73.0600
Delta9-THCP *	50.000	1.17E-5	0.012	45.2200	4.5220
THCH *	50.000	3.50E-4	0.0163	42.4500	4.2450
CBN	50.000	1.40E-5	0.015	24.9000	2.4900
CBG	50.000	2.48E-4	0.015	21.5000	2.1500
THCVA	50.000	4.70E-5	0.015	15.3900	1.5390
Delta-8 THCV	50.000	4.00E-5	0.015	3.1500	0.3150
CBNA	50.000	9.50E-5	0.015	2.8900	0.2890
CBT	50.000	2.00E-4	0.015	2.3100	0.2310
THCB *	50.000	1.80E-4	0.0163	1.9800	0.1980
Delta8-THCP *	50.000	3.75E-4	0.015	1.1200	0.1120
CBC	50.000	1.80E-5	0.015	0.5000	0.0500
CBGA	50.000	8.00E-5	0.015	0.5000	0.0500
CBCA	50.000	1.07E-4	0.015	<LOQ	<LOQ
CBD	50.000	5.40E-5	0.015	<LOQ	<LOQ
CBDA	50.000	1.00E-5	0.015	<LOQ	<LOQ
CBDV	50.000	6.50E-5	0.015	<LOQ	<LOQ
CBDVA	50.000	1.40E-5	0.015	<LOQ	<LOQ
CBL	50.000	3.50E-5	0.015	<LOQ	<LOQ
Delta-8 THC-O Acetate	50.000	2.70E-5	0.025	<LOQ	<LOQ
Delta-9 THC	50.000	1.30E-5	0.015	<LOQ	<LOQ
Delta-9 THC-O Acetate	50.000	7.70E-5	0.025	<LOQ	<LOQ
Exo-THC	50.000	2.30E-4	0.015	<LOQ	<LOQ
THCA-A	50.000	3.20E-5	0.015	<LOQ	<LOQ
THCV	50.000	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD	50.000			<LOQ	<LOQ
Total Active THC	50.000			<LOQ	<LOQ

Potency Summary

Total Active THC - None Detected	**Total Active CBD** - None Detected
Total CBG 2.194%	**Total CBN** 2.743%
Total Cannabinoids 85.006%	**Total DELTA-8-THC** 73.06%

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

ACCREDITED CERT #6786.01
DEA REGISTERED LABORATORY #RA0571996
AHCA

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87) , CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed – Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "" are not ISO/IEC 17025:2017 accredited test results.*

QA By: 1057 on 2025-05-16 17:27:25 V1

ACS LABORATORY | BEYOND COMPLIANCE
721 Cortaro Dr.
Sun City Center, FL 33573
www.acslab.com
DEA No. RA0571996
FL License # CMTL-0003

TESTED SAFE CERTIFIED HEMP EXTRACT

Geek Clearview - Miami Mint
Sample Matrix:
CBD/HEMP
Derivative Products
(Inhalation - Heated)

Certificate of Analysis

Compliance Test

Client Information:
SUMMITT LABS
5901 Orient Rd
TAMPA, FL 33610

Batch # GK10EHC
Batch Date: 2025-05-08
Extracted From: Hemp

Test Reg State: Florida

Order # SUM250508-130001
Order Date: 2025-05-08
Sample # AAGR810

Sampling Date: 2025-05-10
Lab Batch Date: 2025-05-10
Completion Date: 2025-05-16

Initial Gross Weight: 19.714 g

2,3-butanedione(Diacetyl)

Passed

Specimen Weight: 19.600 mg

SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
2,3-Butanedione	.024	0.024	<LOQ

Total Yeast and Mold

Passed

Specimen Weight: 488.700 mg

SOP13.017 (qPCR)

Dilution Factor: 8.000

Analyte	Action Level (cfu/g)	LOQ (cfu/g)	Result (cfu/g)
Total Yeast/Mold	100000	1000	<LOQ

Prep. By: 1179 **Date:** 2025-05-12 09:12:00 **Analyzed By:** 1179 **Date:** 2025-05-12 09:12:00

Reviewed By: 1161 **Date:** 2025-05-13 09:39:44 **Lab Batch #:** AAGR810-434 **Date:** 2025-05-13 09:39:44

Pathogenic SAE (qPCR)

Passed

Specimen Weight: 1003.000 mg

SOP13.029 (qPCR)

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Analyte	Action Level (cfu/g)	Result (cfu/g)
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	1	Absence in 1g	Salmonella	1	Absence in 1g
E.Coli	1	Absence in 1g			

Filth and Foreign Material

Passed

Specimen Weight: N/A **Dilution Factor: 1.000**

SOP13.020 (Electronic Balance)

Analyte	Action Level (%)	Result (%)	Analyte	Action Level (%)	Result (%)
Covered Area	10	0.000	Weight %	1	0.000
Feces	0.5	0.000			

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "" are not ISO/IEC 17025:2017 accredited test results.*

ACCREDITED CERT #6786.01 | DEA REGISTERED LABORATORY #RA0571996 | AHCA

QA By: 1057 on 2025-05-16 17:27:25 V1

ACS LABORATORY | BEYOND COMPLIANCE
721 Cortaro Dr.
Sun City Center, FL 33573
www.acslab.com
DEA No. RA0571996
FL License # CMTL-0003

TESTED SAFE CERTIFIED HEMP EXTRACT

Geek Clearview - Miami Mint
Sample Matrix:
CBD/HEMP
Derivative Products
(Inhalation - Heated)

Certificate of Analysis

Compliance Test

Client Information:
SUMMITT LABS
5901 Orient Rd
TAMPA, FL 33610

Batch # GK10EHC
Batch Date: 2025-05-08
Extracted From: Hemp

Test Reg State: Florida

Order # SUM250508-130001
Order Date: 2025-05-08
Sample # AAGR810

Sampling Date: 2025-05-10
Lab Batch Date: 2025-05-10
Completion Date: 2025-05-16

Initial Gross Weight: 19.714 g

Residual Solvents - FL (CBD)

Passed

Specimen Weight: 19.600 mg

SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	2	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	<LOQ	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "" are not ISO/IEC 17025:2017 accredited test results.*

ACCREDITED CERT #6786.01 | DEA REGISTERED LABORATORY #RA0571996 | AHCA

QA By: 1057 on 2025-05-16 17:27:25 V1

ACS LABORATORY | BEYOND COMPLIANCE
721 Cortaro Dr.
Sun City Center, FL 33573
www.acslab.com
DEA No. RA0571996
FL License # CMTL-0003

TESTED SAFE CERTIFIED HEMP EXTRACT

Geek Clearview - Miami Mint
Sample Matrix:
CBD/HEMP
Derivative Products
(Inhalation - Heated)

Certificate of Analysis

Compliance Test

Client Information:
SUMMITT LABS
5901 Orient Rd
TAMPA, FL 33610

Batch # GK10EHC
Batch Date: 2025-05-08
Extracted From: Hemp

Test Reg State: Florida

Order # SUM250508-130001
Order Date: 2025-05-08
Sample # AAGR810

Sampling Date: 2025-05-10
Lab Batch Date: 2025-05-10
Completion Date: 2025-05-16

Initial Gross Weight: 19.714 g

Pesticides

Passed

Specimen Weight: 583.300 mg

SOP13.007 (LCMS)

Dilution Factor: 2.570

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	200	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	MGK-264	5.8500E-1	10	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlormequat Chloride	1.0800E-1	10	1000	<LOQ	Paclobutrazol	6.5000E-2	30	100	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Flonicamid	5.1700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "" are not ISO/IEC 17025:2017 accredited test results.*

ACCREDITED CERT #6786.01 | DEA REGISTERED LABORATORY #RA0571996 | AHCA

QA By: 1057 on 2025-05-16 17:27:25 V1