Full Stack:

- React JS frontend
- Express Node Js backend
- MySQL database

Editor We Used:

VS Code

Link to Project and SQL database file:

• https://drive.google.com/drive/folders/1ihBtxsgrX_PQFpA055JdftZquZnuTmIP?u sp=sharing

Original Authors: dominique.malgeri400@myci.csuci.edu (or demalgeri@gmail.com), andrew.gutierrez799@myci.csuci.edu , travis.clark490@myci.csuci.edu)


How to Run the Project on your local host (words in blue are commands to type in):


- Download and extract "IT420-Web-Project-main.zip" and open it in VS Code
- NOTE: Before running the project, see "Change the Code" because you need to input your own credentials for the emails account and for the mysql database.
- In the terminal in VS Code:
 - cd web-project
 - o npm start (In a minute, your browser should open on localhost:3000)
- Open a new terminal in VS Code:
 - cd backend
 - node index.js (you can open a new tab in your browser and go to localhost:3001)
 - Do Ctrl+C in the terminal
 - npm run devStart (allows you to edit while the project is running just save your code, then refresh your localhost:3001 to update the changes)
- Open MySQL Workbench:
 - Whatever changes you make to the database in the code, you can view what was inserted in your database by doing commands such as: use datbase_name; select * from table name;


Change the Code:


- Emailis:
 - There are two forms on the website that, when submitted by the user, are emailed to <u>startingpointsac@gmail.com</u> through a service called emailjs: https://www.emailjs.com/
 - You must:
 - 1) Create an emailjs account
 - 2) Add the gmail service
 - 3) Create two email templates, one for each form


4) In the code, go to DonateEmail.js and VolunteerEmail.js and change the parameters on line 11 in each file to your credentials- which can be found on your emailjs account and on the templates you create.











- MySQL Database:
 - The SQL file for creating the database and the tables is in the link to the google drive folder above.
 - Find a server to host your database on
 - Then up a connection in MySQL Workbench:


Welcome to MySQL Workber

MySQL Workbench is the official graphical user interface (GUI) tool for MySQL. It allows you to design create and browse your database schemas, work with database objects and insert data as well as design and run SQL queries to work with stored data. You can also migrate schemas and data from oth database vendors to your MySQL database.

Browse Documentation > Read the Blog > Discuss or



You will edit the highlighted portions to your credentials



- In the index.js file in the backend folder of the code, you need to change the database credentials on lines 18-21 based on where you host the database, what your username and password is, and what you call the database.
- To create the database, open a "Query" tab, and paste the "spw.sql" script (shared in the google drive folder) and then click the yellow lightning bolt!

```
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
                                             🌠 🏂 🔘 | 🚯 | 🕢 🔕 🎏 | Limit to 1000 rows
Q Filter objects
                                            CREATE SCHEMA LSDWL;
▶ ☐ demalger_spw
                                      2
                                      3 •
                                            use spw;
                                      5 • ⊖ CREATE TABLE `Children` (
                                              `child id` int(11) NOT NULL,
                                      6
                                      7
                                              `parent_id` int(11) NOT NULL,
                                      8
                                              `childFirstName` varchar(45) COLLATE utf8_bin DEFAULT NULL,
                                              `gender` varchar(25) COLLATE utf8_bin DEFAULT NULL,
                                      9
                                              `age` int(11) DEFAULT NULL,
                                     10
                                              `shoe` int(11) DEFAULT NULL,
                                     11
                                              `childNotes` varchar(250) COLLATE utf8_bin DEFAULT NULL
                                     12
                                     13
                                            ) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_bin;
Administration Schemas
                                     14
Information:
                                     15
                                     16 • ⊖ CREATE TABLE `Parent` (
  No object selected
                                              `parent_id` int(11) NOT NULL,
                                     17
                                              `lastName` varchar(45) CHARACTER SET utf8mb4 DEFAULT NULL,
                                     18
                                     19
                                              `firstName` varchar(45) CHARACTER SET utf8mb4 DEFAULT NULL,
                                     20
                                              `address` int(11) DEFAULT NULL,
                                              `street` varchar(45) CHARACTER SET utf8mb4 DEFAULT NULL,
                                     21
                                              `apartment` varchar(25) CHARACTER SET utf8mb4 DEFAULT NULL,
                                   Action Output
                                                 Action
```

 Helpful sql command for development (see document called "SQL Commands" in the share google drive folder linked above)