



**DeMedia**

# DeMedia

## Decentralized Social Media Protocol

2023-234

# DeMedia Team



**Mr. Kavinga Abeywardena**  
Supervisor



**Ms. Laneesha Ruggahakotuwa**  
Co-Supervisor



**Perera B.S.S.**  
IT20254698



**Bandara A.M.C.A.**  
IT20159726



**Dhananjani G.G.S.**  
IT20137496



**Abeykoon A.W.Y.I.K.**  
IT20157432

# Introduction

## What is a social media platform?

According to the Tufts University[1],

“Social media refers to the means of interactions among people in which they create, share, and/or exchange information and ideas in virtual communities and networks.”



# Research Problem

- ❖ Existing social media platforms do not allow users to govern the data they upload or share on their platforms. This has resulted in numerous disagreements among users, and major social media corporations use this user information to gain revenue while compromising the confidentiality of the user data to third parties.
- ❖ The current social media platforms have given rise to a number of issues that prompt the need for a new approach to decentralized social media.


# Research Problem Contd.

- ❖ In particular, the following issues have come to the fore:
  - How to implement decentralized protocol to support social media platforms?
  - How to ensure transparency in the flow of application data?
  - How to grant users true control over their own data?
  - How to provide a centralized application like user experience on a decentralized application?


# Solution




- ❖ DeMedia - a protocol that facilitates the development of decentralized social media platforms.



# Objectives



# Overall System Architecture





# System Integration

- ❖ DeMedia protocol consist of the components mentioned in following sections and will integrate to one protocol.
- ❖ A demo social media platform is developed to demonstrate the implemented protocol.





# PEER TO PEER COMMUNICATION

**PERERA B.S.S | IT20254698 | IT**

# Introduction


## ❖ Successful projects in past

- Skype [1]
- Gnutella [2]
- Kazaa [2]
- eMule [3]
- Torrent [4]



# Research Problem

- ❖ What is the best way to communicate in peer to peer network ?
- ❖ How to scale peer to peer communication network ?
- ❖ How to implement general purpose peer to peer protocol ?



# Sub Objectives




Design RPC style full duplex communication protocol

Use key-value store to keep track of peers


Utilizing third party storage providers for file sharing

Implement protocol with flexibility for any kind peer to peer communication

# System Architecture




# Technologies





# Progress of the Proposed Project

- ❖ Establish connection between peers and hub
- ❖ Implemented ping-pong scheme
- ❖ Implemented DNS resolver
- ❖ Implemented encryption layer






# Progress of the Proposed Project Cont'd



The screenshot shows a web browser window with the address bar displaying "panel.demediapp". The page title is "DeMedia Dashboards". Below the title, there are four tabs: "Hubs" (selected), "Decentralized Data", "Data Integrity", and "Decentralized Caching". The "Hubs" tab displays a table with three columns: "ID", "ADDRESS", and "LAST UPDATE". The table contains five rows of data, each representing a hub with its unique ID, IP address, and the last update timestamp.

| ID  | ADDRESS  | LAST UPDATE                    |
|---|--|--------------------------------|
| 5cc9886fc4dc953febcbdd5b80a4d7b59d4f576852b453f32551fdd35403d7ce6 | /ip4/192.168.1.3/tcp/10753/p2p/16Uiu2HAmIfsj12a8XsXzStuNZHmGj4qEfp3sMfnLYyb6n8an5Pb  | 2023-05-20T17:40:17.613573246Z |
| 6988dd6ac232fe6d05253e383313253c0a35b345552ec83a9f1bf739ea721b4a  | /ip4/192.168.1.3/tcp/10814/p2p/16Uiu2HAmKkxCirW8HrbSKEWxZnrCDh9TwtBLKpWCAzxBQAC22WFs | 2023-05-20T17:40:19.589572372Z |
| b9ccebcbcc88e0f4069ebb231d7427bc6bd24c8318e1ab44a72a169d3052ae7ec | /ip4/172.19.0.4/tcp/10885/p2p/16Uiu2HAmRAH1QL987s2KjJhuo6JovQSfGFXVeUL3PDHWjra5fDAb  | 2023-05-20T17:40:18.550112455Z |
| d17a72d30a13d30f5dc1b6225d1465959f02860b22d9093db5e4af6dae91ebc3  | /ip4/192.168.1.3/tcp/10588/p2p/16Uiu2HAmSkhrTe5mfrCS5X1UmJGS2Jn2r6xr67178HF3y9A3YRNA | 2023-05-20T17:40:17.031699746Z |
| eef07d09c3c6086c819ce8a8273a2c0e53c79876eae81a46c1cb6c5c6d38c667  | /ip4/192.168.1.3/tcp/10271/p2p/16Uiu2HAmUji584iBwepdAB6ioJQCq1KXtNs7V3TtLzx1JkFcoxZC | 2023-05-20T17:40:18.31406633Z  |




# Future Implementation

- ❖ Tracing and Observability
- ❖ BadgerDB for keep map of connections
- ❖ Proper logging
- ❖ Unit and stress testing



# Completion Of The Project



# REFERENCES

- [1] Y. A.-N. R. M. N. Mehdi Jahanirad\*, "Security measures for VoIP application: A state of the art review" [Academic Journals, 2011].
- [2] S. K. M. G. Leonidas Lymberopoulos, "Deliverable D.6.1: ARGUGRID Platform Design" [2007].
- [3] D. B. Yoram Kulbak, "The eMule/eDonkey protocol," 2005 17 January. [Online]. Available: <http://pages.di.unipi.it/ricci/e-mule-report.pdf>. [Accessed: 24-Mar-2023].
- [4] B. Cohen, 22 May 2003. [Online]. Available: <https://stuker.com/wp-content/uploads/import/i-1fd3ae7c5502dfddfe8b2c7acdefaa5e-bittorrentecon.pdf>. [Accessed: 24-Mar-2023].



# USER DATA DECENTRALIZATION PROTOCOL

**Bandara A.M.C.A. | IT20159726 | IT**



# Introduction

- ❖ The primary goal is to grant complete data ownership control to the user.
- ❖ Presently, numerous decentralized social media platforms exist in the market[1].
- ❖ A significant proportion of these platforms are blockchain-based[2].
- ❖ While many researches have been done on decentralizing social media[3],
- ❖ Most of them are done using blockchain, which is not an optimal solution[4].

# Research Problem

- ❖ What measures can be taken to provide users with complete ownership of their data?
- ❖ What potential solutions exist for overcoming the limitations of blockchain when using it to store large quantities of data?
- ❖ What enhancements can be made to current decentralized social media networks?



# Sub Objectives




Enable user to control user data

Utilizing user device to store user data



Improving limitations in current decentralized social media platforms

Making user data highly available

# System Architecture




# Technologies



# Progress of the Proposed Project

- ❖ Implemented the establishment of connection with hubs.
- ❖ Implemented the content creation as a user.
- ❖ Implemented the uploading of content to hubs.
- ❖ Implemented the handling of locally stored data.





# Progress of the Proposed Project Cont'd



The screenshot shows a web browser window with the address bar displaying "panel.demedia.app". The page title is "DeMedia Dashboards". There are four tabs: "branle", "Home", and two others. The browser is in Incognito mode. The dashboard has a navigation bar with four items: "Hubs", "Decentralized Data" (highlighted in blue), "Data Integrity", and "Decentralized Caching". Below the navigation bar is a table with two columns: "PUBLIC KEY" and "CONTENT". The table contains five rows of data.

| PUBLIC KEY   | CONTENT  |
|--|--|
| b9ccebbcc88e0f4069ebb231d7427bc6bd24c8318e1ab44a72a169d3052ae7ec | Just going about my day, nothing extraordinary.            |
| b9ccebbcc88e0f4069ebb231d7427bc6bd24c8318e1ab44a72a169d3052ae7ec | Fully engaged in juggling multiple projects and tasks.     |
| b9ccebbcc88e0f4069ebb231d7427bc6bd24c8318e1ab44a72a169d3052ae7ec | The usual chaos and mayhem, but all in good fun!           |
| b9ccebbcc88e0f4069ebb231d7427bc6bd24c8318e1ab44a72a169d3052ae7ec | I'm having a blast! So many fun activities and adventures! |
| b9ccebbcc88e0f4069ebb231d7427bc6bd24c8318e1ab44a72a169d3052ae7ec | Just going with the flow, nothing special.                 |

# Progress of the Proposed Project Cont'd




# Future Implementation

- ❖ Integration of local storage with IPFS
- ❖ Tracing and Observability
- ❖ Data backup
- ❖ Unit and load testing



# Completion Of The Project





# REFERENCES

- [1]. C. Staff, "Blockchain social media and crypto social media," Cryptopedia . [Online]. Available: <https://www.gemini.com/cryptopedia/blockchain-social-media-decentralized-social-media#section-blockchain-and-social-media>. [Accessed: 20-Mar-2023].
- [2]. Sketchar, "What advantages does web 3.0 give to creators?," Sketchar, 03-Mar-2023. [Online]. Available: <https://blog.sketchar.io/what-advantages-does-web-3-0-give-to-creators/>. [Accessed: 20-Mar-2023].
- [3]. T. Cai, Z. Hong, S. Liu, W. Chen, Z. Zheng and Y. Yu, "SocialChain: Decoupling Social Data and Applications to Return Your Data Ownership," in IEEE Transactions on Services Computing, vol. 16, no. 1, pp. 600-614, 1 Jan.-Feb. 2023, doi: 10.1109/TSC.2021.3128959.
- [4]. R. Nourmohammadi and K. Zhang, "An On-Chain Governance Model Based on Particle Swarm Optimization for Reducing Blockchain Forks," in IEEE Access, vol. 10, pp. 118965-118980, 2022, doi: 10.1109/ACCESS.2022.3221419.
- [5]. "Decentralized social media," Mastodon. [Online]. Available: <https://joinmastodon.org/>. [Accessed: 20-Mar-2023].
- [6]. S. Freight, "The decentralized social blockchain," DeSo. [Online]. Available: <https://www.deso.com/>. [Accessed: 20-Mar-2023].



# DECENTRALIZED DATA INTEGRITY


**Dhananjani G.G.S. | IT20137496 | IT**

# Introduction

- ❖ Data integrity is a main aspect of any application. [1]
- ❖ Currently, there are various mechanisms available to maintain the integrity of data in decentralised application.
- ❖ In here, try to implement a proper data integrity mechanism on top of IPFS.

# Research Problem

- ❖ How to maintain integrity of user data which saved on user device?
- ❖ What is the best mechanism for achieve user data integrity?
- ❖ How to ensure user data integrity using IPFS network? [2]



# Sub Objectives




Ensure consistency in preparation for hashing and signing

Ensures the data security distributed across multiple nodes



Verify the authenticity of the data

Ensure that the data has not been altered or tampered with during storage

# System Architecture




# Technologies



# Progress of the Proposed Project

- ❖ Implemented hashing of data
- ❖ Implemented hashing of multimedia
- ❖ Implemented persist hashes on database
- ❖ Implemented verified flag







# Progress of the Proposed Project Cont'd

DeMedia Dashboards

|      |                    |                |                       |
|------|--------------------|----------------|-----------------------|
| Hubs | Decentralized Data | Data Integrity | Decentralized Caching |
|------|--------------------|----------------|-----------------------|

| ID   | CONTENT  | HASH  | IS VERIFIED |
|--|--|---|-------------|
| 738013c3a0717e0906edae895a098586c58ae5fecbbdf969830d6bb5dd580347 | Just going about my day, nothing extraordinary.            | 0x7cf6a0588e00f0d9e215d87f1d469a2ff795335ee32588634da6ea62f41715f5728aa243e9b238f8fd4f87840627c8d09fc5321fb2530b70558ca73c3669e1ea00  | true        |
| 3e2bba33eca7fd32f6b4f52cced78df5993b7217fd322c348fa790a5154f70ca | Fully engaged in juggling multiple projects and tasks.     | 0x03eb9ccf68555bfc114dec2bf0169fb4d04fdb424d6f3656806920d2edefd76c26110ea861cc70c4fafeca5f0df85a0fb2f179dd95df3ad11f7281751cbaf27901  | true        |
| 9f84c432297346fd70472e875c410627a3b401aa36f2946dba981a8c2a2b3495 | The usual chaos and mayhem, but all in good fun! edited    | 0xe85602237c111097bebc8712a709548caaf5f7c796154ab6e013bfe54aa72614c264bf5a1fc871ef1a5bce12609898896e99490f260b28bc940f59cff46606500   | false       |
| 32d8b11dba40267810d1b2a02ac9686ce9248efc99824a4d6877d289c3cf6342 | I'm having a blast! So many fun activities and adventures! | 0xb524a3078b74c2cbbf1678645209f75357b1f687c9b880f2cf67fa447d9e71690a0e7d2d9a2241dd5da4acd4620f2ef82900f27fbcc5dab6d7bb6076f70708e201  | true        |
| 704d0f246ee89f41efcb46e63da5807091cdd859051c64081b8050d1676b792f | Just going with the flow, nothing special. edited          | 0x8273e1b8c8a70ea6bbbaa7629445a8e8cac7c2059204777c7aa9a1f7c7f15587807b672b781253e46783855b624ffb049e2d635b169a3e0094f2b61d3b945cf1600 | false       |

# Progress of the Proposed Project Cont'd




# Future Implementation

- ❖ Publish master hash on IPFS
- ❖ Filter unverified content
- ❖ Allow purge unverified content
- ❖ Unit testing



# Completion Of The Project



# REFERENCES

- [1] Vishwanath G. Garagad, Nalini C. Iyer, Heera G. Wali, "Data Integrity: A security threat for Internet of Things and Cyber-Physical Systems", IEEE 2020.
- [2] Kelsie Nabben , "Decentralized Technology in Practice: Social and technical resilience in IPFS", IEEE, 2022.
- [3] "Decentralized social media," Mastodon. [Online]. Available: <https://joinmastodon.org/>. [Accessed: 20-Mar-2023].
- [4] S. Freight, "The decentralized social blockchain," DeSo. [Online]. Available: <https://www.deso.com/>. [Accessed: 20-Mar-2023].
- [5] "What is the Mastodon social media platform?," Internet Matters, 15-Mar-2023. [Online]. Available: <https://www.internetmatters.org/hub/news-blogs/what-is-mastodon-social-media/>. [Accessed: 20-Mar-2023].
- [6] "IPFS Docs," [Online]. Available: <https://docs.ipfs.tech/>.
- [7] Quanqing Xu, "Building an Ethereum and IPFS-Based Decentralized Social Network System", IEEE, 2018.
- [8] Ma Haifeng, Zhang Ji, "Block-chain based cloud storage integrity verification scheme for recoverable data", IEEE 2022.
- [9] Biwen Chen, "A Blockchain-Based Searchable Public-Key Encryption With Forward and Backward Privacy for Cloud-Assisted Vehicular Social Networks", IEEE 2022.
- [10] Subhashish Mazumdar, "From data integrity to inference integrity", IEEE 2017.
- [11] Bogdan Tiganoaia, "The use of social platforms and personal data protection — An exploratory study" IEEE, 2017.



# DECENTRALIZED DATA CACHING

**ABEYKOON A.W.Y.I.K. | IT20157432 | IT**



# Introduction

- ❖ “Caching your way to a decentralized social media experience that's fast and efficient”[1]
- ❖ Decentralized social media protocols that preserve data caching are essential for improving network performance, reducing traffic, and improving scalability, dependability, and cost effectiveness. They also increase storage optimization and reduce the cost of network operations.

[2]

- Ex :Diaspora, Scuttlebutt, Peepath, Steemit, Minds, Akasha

- ❖ There are many kind of decentralized storage networks [3]
  - Ex : Storj, Filecon, Arware , BitTorrent, IPFs (InterPlanetary File System)

# Research Problem

- ❖ What is the most effective caching strategy for issues of caching mechanism?
- ❖ What we can do for minimize resource usage?
- ❖ Why we use IPFS to implement the caching mechanism?





# Sub Objectives




Integrating the caching mechanism with the IPFS

Improve Scalability, Efficiency, and Flexibility, Lower transaction fees


Reduce resource consumption in data storage

To evaluate the ease of integration and development efficiency

# System Architecture




# Technologies



# Progress of the Proposed Project

- ❖ Upload binary objects to cloud storage
- ❖ Retrieve binary objects from cloud storage
- ❖ Hash metadata of binary objects
- ❖ Keep map of binary objects content and users





# Progress of the Proposed Project Cont'd



The screenshot shows a web browser window with the address bar displaying "panel.demedia.app". The page title is "DeMedia Dashboards". Below the title, there are four tabs: "Hubs", "Decentralized Data", "Data Integrity", and "Decentralized Caching". The "Decentralized Caching" tab is currently selected and highlighted in blue. Below the tabs, there is a table with four columns: "ID", "CONTENT", "MEDIA TYPE", and "MEDIA ADDRESS". The table contains three rows of data, all of which are audio files stored on Amazon S3.

| ID  | CONTENT                                  | MEDIA TYPE | MEDIA ADDRESS   |
|---|--|------------|---|
| 0873499cdbfa5ece61ce9e209477d0de867c115b661a0ac31199826295034492  | Living in the moment.                    | audio      | https://hub-de-s3.s3.eu-north-1.amazonaws.com/hub_No%20promises.mp3?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIARVI6FS2WDNQLOX6N%2F20230520%2Feu-north-1%2Fs3%2Faws4_request&X-Amz-Date=20230520T185213Z&X-Amz-Expires=3600&X-Amz-SignedHeaders=host&X-Amz-Signature=575ffb953830760ef80e644fca9b3b34bc296b8be29bb342c45392d31ef2f6f4   |
| d057c6c324dcbc96395dddc81911df69c2a9f699bb9c8bb9d5d35e8583e07230c | Smiling through it all.                  | audio      | https://hub-de-s3.s3.eu-north-1.amazonaws.com/hub_Charlie%20Puth%20-%20Attention%20%5BOfficial%20Video%5D.mp3?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIARVI6FS2WDNQLOX6N%2F20230520%2Feu-north-1%2Fs3%2Faws4_request&X-Amz-Date=20230520T185059Z&X-Amz-Expires=3600&X-Amz-SignedHeaders=host&X-Amz-Signature=ad1eb6cde93fb54a5c614171cc14d54256ea33619246a8dfa4c920fb23f2ccb3 |
| 7db8a04eef691f5bd5269b89d9e9ad0bedff1c0546bed94abee5a5d5e22c38dd  | Just enjoying the little things in life. | audio      | https://hub-de-s3.s3.eu-north-1.amazonaws.com/hub_03.Beautiful.mp3?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIARVI6FS2WDNQLOX6N%2F20230520%2Feu-north-1%2Fs3%2Faws4_request&X-Amz-Date=20230520T184816Z&X-Amz-Expires=3600&X-Amz-SignedHeaders=host&X-Amz-Signature=dff7eb08b9bcacfce0f416a41bc78b954090cf3ddb0383baa38b4cd5416a6faf  |

# Progress of the Proposed Project Cont'd




# Future Implementation

- ❖ Utilize IPFS for cloud storage
- ❖ Verify binary objects content
- ❖ Allow to Purge binary objects
- ❖ Load and unit testing





# Completion Of The Project





# REFERENCES

- [1] R. Schollmeier, "A definition of peer-to-peer networking for the classification of peer-to-peer architectures and applications," IEEE, 2001.
- [2] F. A. Alabdulwahhab, "Web 3.0: The Decentralized Web Blockchain networks and Protocol Innovation," IEEE, 2019.
- [4] B. Zhang and H. Wu, "A new distributed caching replacement strategy," IEEE, 2011.
- [5] B. P. Robert Sheldon, "7 decentralized data storage networks compared," TechTarget, 05 June 2022. [Online]. Available: <https://www.techtarget.com/searchstorage/tip/Comparing-4-decentralized-data-storage-offerings>.
- [6] F. T. Erik Daniel, "IPFS and Friends: A Qualitative Comparison of Next Generation Peer-to-Peer Data Networks," IEEE, 2022.
- [7] M. K. G. Newton Masinde, "Caching Structures for Distributed Data Management in P2P-based Social Networks," IEEE, Montreal, QC, Canada, 2020.
- [8] D. J. Tharuka Sarathchandra, "A decentralized social network architecture," IEEE, 2021.
- [9] M. P. B. N. S. M. a. L. I. L. Han, "SocialCDN: Caching techniques for distributed social networks," IEEE 12th International Conference, Tarragona, Spain, 2012.
- [10] N. K. M. a. G. K. Masinde, "Caching structures for distributed data management in P2P-based social networks," IEEE, Montreal, QC, Canada, 2020.
- [11] "IPFS Docs," [Online]. Available: <https://docs.ipfs.tech/>.

# Commercialization Plan

- ❖ DeMedia is slated to function as an open source protocol, facilitating the creation of decentralized social media platforms that are self-hosted.
- ❖ DeMedia will provide
  - A base model which can be utilized for free of charge.
  - Additionally 2 paid models will also available:
    - A membership model based on subscription, which can be governed by the host
    - An advertising-based revenue model that can also be governed by the host

# Q & A



# Thank You!



**2023 23-234**

# Demo



DeMedia

**2023 23-234**