


FlexBox – Parte 2

Crie o index.html



The image shows a code editor interface with two tabs: 'index.html' and '# style.css'. The 'index.html' tab is active, displaying the following HTML code:

```
<!DOCTYPE html>
<html lang="pt-br">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="style.css">
    <title>FlexBox 01</title>
</head>
<body>
    <div class="container">
        <h1>Flex Container</h1>
        <p>Justify-Content: Space Around</p>
        <div class="flex-space-around">
            <div class="box">BOX 1</div>
            <div class="box">BOX 2</div>
            <div class="box">BOX 3</div>
            <div class="box">BOX 4</div>
        </div>
    </div>
</body>
</html>
```

The code editor has a dark theme with syntax highlighting. The '# style.css' tab is visible but contains no content.

Crie o style.css

```
# style.css > ↗ .box
1   .container{
2     display: flex;
3     flex-direction: column;
4     border: 2px solid □ red;
5   }
6
7   .container h1, p{
8     margin: 0;
9   }
10
11  .flex-space-around{
12    display: flex;
13    justify-content: space-around;
14  }
15
16  .box{
17    background-color: □ aquamarine;
18    border-radius: 10px;
19    border: 1px solid □ #000;
20    width: 50px;
21    height: 50px;
22    padding: 10px;
23    text-align: center;
24 }
```

Resultado

