

LOVELY PROFESSIONAL UNIVERSITY

Academic Task-3 (Operating System)

School of Computer Science and Engineering (Faculty of Technology & Sciences)

SUBMITTED BY

Name - Shekhar Anand

Reg no - 11803983

Email-id – shekhar4321anand@gmail.com

Github link - https://github.com/demin13/os_project

SUBMITTED TO

Name of the faculty member: Keshav Dhir

Course code: CSE316

Course Title: Operating System

DESCRIPTION

Problem:

Ten students (a, b, c, d, e, f, g, h, i, j) are going to attend an event. There are lots of gift shops, they all are going to the gift shops and randomly picking the gifts. After picking the gifts they are randomly arriving in the billing counter. The accountant gives the preference to that student who has maximum number of gifts. Create a C or Java program to define order of billed students?

Solution:

This problem can be solved by using **priority scheduling** algorithm of operating system.

At billing counter all student will prioritized as per their number of gifts they picked and accountant will billed first who is having maximum number of gifts this can be done using priority algorithm of operating system and if same number of gifts will be there then in that case accountant will billed as per first come first serve basis(FCFS).

What is **priority scheduling**?

- Priority scheduling is a non-preemptive algorithm and one of the most common scheduling algorithms in batch systems.
- Each process is assigned a priority. Process with highest priority is to be executed first and so on.
- Processes with same priority are executed on first come first served basis.
- Priority can be decided based on memory requirements, time requirements or any other resource requirement.

ALGORITHM AND COMPLEXITY

Step 1: create 10 student arrays as n_student, 20 shops array as n_shops and 10 gifts array as n_gifts , create 10 billed for gifts as order_billed.

Step 2: start loop from $0 \leftarrow i$ to $9 \leftarrow i$

Step 3: Take random value for n_shops as shop number from 0 to 50.

Step 4: Take random value for n_gifts as number of gifts from 0 to 30.

End of Loop of Step 2.

Step 5: start loop from $0 \leftarrow k$ to $9 \leftarrow k$

$0 \leftarrow \text{key}$, $0 \leftarrow \text{index}$

Step 6: start loop from $0 \leftarrow l$ to $10-k \leftarrow l$

Step 7: if $n_gifts[l] \geq \text{key}$

Then: $n_gifts[l] \leftarrow \text{key}$

End of if structure.

Else: do nothing

End of loop of Step 4.

Step 8: $\text{key} \leftarrow n_bill[k]$

Step 9: $\text{search}(n_gifts, \text{key}, \text{length}(n_gifts)) \leftarrow \text{index}$

Step 10: $n_student[\text{index}] \leftarrow \text{order_billed}[k]$

Step 11: $\text{delete}(n_gifts, \text{index}, \text{length}(n_gifts))$

Step 12: $\text{delete}(n_student, \text{index}, \text{length}(n_student))$

End of loop of step 5.

Complexity

Step 2: $O(n)$

Step 5: $O(n)$

Step 6: $O(n)$

ADDITIONAL ALGORITHM AND COMPLEXITY

Search (array [], key, length)

Step 1: Start loop from $0 \leftarrow r$ to $\text{length} \leftarrow r$

Step 2: if $\text{key} = \text{array}[r]$

Then: $r \leftarrow \text{index}$

Break

Else: do nothing

End of loop of Step 1.

Step 3: Return index.

Complexity: - Step 1: $O(n)$

Delete (array [], index, length)

Step 1: Start loop from $0 \leftarrow p$ to $\text{length} \leftarrow p$

Step 2: if $p = \text{index}$

Step 3: Then: start loop from $p \leftarrow o$ to $\text{length} \leftarrow o$

Step 4: $\text{array}[o+1] \leftarrow \text{array}[o]$

End of loop of step 1.

Step 5: $\text{length}-1 \leftarrow \text{length};$

Break

End of if structure.

Else: do nothing

End of loop of step 3.

Complexity: -

Step 1: $O(n)$

Step 3: $O(n)$

Overall Complexity: $n + (n*n) + n + (n*n) = 2n + 2(n^2) = O(n^2)$

CODE AND SNIPPET OF OUTPUT

```
#include<stdio.h>
#include<conio.h>
#include<stdlib.h>
#include<time.h>
#include<string.h>
//searching algorithm
int search(int array[],int keys,int leng){
    int r,t;
    for(r=0;r<leng;r++)
    {
        if(keys==array[r])
        {
            t=r;
            break;
        }
    }
    return t;
}

//deletion of any index from an integer array O(n^2)
void delete_i(int arr[],int ind,int len)
{
    int p,o;
    for(p=0;p<len;p++)
    {
        if(p==ind)
        {
```

```

        for(o=p;o<len;o++)
        {
            arr[o]=arr[o+1];
        }
        len=len-1;
        break;
    }
}

//deletion of any index from an character array O(n^2)
void delete_c(char arr[],int ind,int len)
{
    int p,o;
    for(p=0;p<len;p++)
    {
        if(p==ind)
        {
            for(o=p;o<len;o++)
            {
                arr[o]=arr[o+1];
            }
            len=len-1;
            break;
        }
    }
}

```

```

int main(){
    int i,j;
    time_t t;
    srand(time(&t));    //uses of srand because every time random number will differ
    char n_student[]={ 'a','b','c','d','e','f','g','h','i','j' };
    int n_shops[20];
    int n_gifts[10];
    for(i=0;i<10;i++)    //O(n)
    {
        n_shops[i]=rand()%50;
        n_gifts[i]=rand()%30;
    }
    printf("No. of gifts picked by which student and from which shop no :-\n\n");
    for(j=0;j<10;j++)
    {
        printf("No of gifts picked by %c from shop no %d =
%d\n",n_student[j],n_shops[j],n_gifts[j]);
    }
    //At billing counter
    int k,l,index=0;
    int n_bill[10];
    int order_billed[10];
    for(k=0;k<10;k++)
    {
        int key=0;
        for(l=0;l<10-k;l++)
        {

```

```

        if(n_gifts[l]>=key)
        {
            key=n_gifts[l];
        }
    }
    n_bill[k]=key;
    index=search(n_gifts,key,(sizeof(n_gifts)/4));
    order_billed[k]=n_student[index];
    delete_i(n_gifts,index,(sizeof(n_gifts)/4));
    delete_c(n_student,index,(strlen(n_student)));

}

printf("\nAt billing counter first preference will be given to those student those
are\n");

printf("having maximum number of gifts and if equal then on FCFS basis:-\n\n");
for(i=0;i<10;i++)
{
    printf("billing of student %c as he picked %d
gifts.\n",order_billed[i],n_bill[i]);
}
}

```


SAMPLE TEST CASES AND ITS OUTPUT

| | | Expected output | |
|---------|-------------|-----------------|----------|
| Student | no_of_gifts | student_order | no_gifts |
| a | 17 | c | 29 |
| b | 8 | d | 25 |
| c | 29 | j | 23 |
| d | 25 | e | 18 |
| e | 18 | a | 17 |
| f | 10 | h | 16 |
| g | 7 | i | 13 |
| h | 16 | f | 10 |
| i | 13 | b | 8 |
| j | 23 | g | 7 |

Actual output :-

```

No. of gifts picked by which student and from which shop no :-

No of gifts picked by a from shop no 26 = 17
No of gifts picked by b from shop no 16 = 8
No of gifts picked by c from shop no 33 = 29
No of gifts picked by d from shop no 10 = 25
No of gifts picked by e from shop no 33 = 18
No of gifts picked by f from shop no 47 = 10
No of gifts picked by g from shop no 9 = 7
No of gifts picked by h from shop no 35 = 16
No of gifts picked by i from shop no 12 = 13
No of gifts picked by j from shop no 35 = 23

At billing counter first preference will be given to those student those are
having maximum number of gifts and if equal then on FCFS basis:-

billing of student c as he picked 29 gifts.
billing of student d as he picked 25 gifts.
billing of student j as he picked 23 gifts.
billing of student e as he picked 18 gifts.
billing of student a as he picked 17 gifts.
billing of student h as he picked 16 gifts.
billing of student i as he picked 13 gifts.
billing of student f as he picked 10 gifts.
billing of student b as he picked 8 gifts.
billing of student g as he picked 7 gifts.

-----
Process exited after 0.08218 seconds with return value 43
Press any key to continue . . .

```

SAMPLE TEST CASES AND ITS OUTPUT

| | | Expected output | |
|---------|-------------|-----------------|----------|
| Student | no_of_gifts | student_order | no_gifts |
| a | 19 | c | 29 |
| b | 21 | g | 29 |
| c | 29 | e | 25 |
| d | 5 | f | 24 |
| e | 25 | b | 21 |
| f | 24 | a | 19 |
| g | 29 | j | 17 |
| h | 13 | h | 13 |
| i | 2 | d | 5 |
| j | 17 | i | 2 |

Actual output :-

```
No. of gifts picked by which student and from which shop no :-

No of gifts picked by a from shop no 31 = 19
No of gifts picked by b from shop no 29 = 21
No of gifts picked by c from shop no 41 = 29
No of gifts picked by d from shop no 36 = 5
No of gifts picked by e from shop no 37 = 25
No of gifts picked by f from shop no 29 = 24
No of gifts picked by g from shop no 2 = 29
No of gifts picked by h from shop no 35 = 13
No of gifts picked by i from shop no 28 = 2
No of gifts picked by j from shop no 49 = 17

At billing counter first preference will be given to those student those are
having maximum number of gifts and if equal then on FCFS basis:-

billing of student c as he picked 29 gifts.
billing of student g as he picked 29 gifts.
billing of student e as he picked 25 gifts.
billing of student f as he picked 24 gifts.
billing of student b as he picked 21 gifts.
billing of student a as he picked 19 gifts.
billing of student j as he picked 17 gifts.
billing of student h as he picked 13 gifts.
billing of student d as he picked 5 gifts.
billing of student i as he picked 2 gifts.

-----
Process exited after 0.03126 seconds with return value 43
Press any key to continue . . .
```