

Demir Bot: current specification and master roadmap

Stable IDs. Useful capabilities first. Evidence before release.

Contents

Contents	2
Document provenance and reading guide	7
Current package and evidence states	8
Architecture, routing and permission contracts	9
Providers and implementation limits	10
Context, costs and completion	11
Retained assessment and installation evidence	12
Current skill catalogue	13
agent-configuration-review	13
architecture-review	13
clarify-and-execute	13
code-refactoring-refactor-clean	14
context-efficiency	14
deep-research-and-idea-validation	14
demir-bot	14
demir-linkedin	15
documentation-and-adrs	15
email-tone	16
frontend-quality-and-accessibility	16
git-and-github-workflow	16
jurisdiction-specific-legal-feasibility	16
linkedin-tone	17
ml-training-specialist	17
personal-writing	17
privacy-review	17
qa-and-test-evidence	18
release-readiness-and-observability	18
requirements-and-traceability	18
swiftui-performance-and-concurrency	19
youtube-learning	19
Completed guidance: master items 001-013	20

001. Baseline measurement and honest cost attribution	21
002. Context overhead and observable loading	22
003. Routing telemetry	23
004. Output filtering discipline	24
005. Precise routing, negative cases and composition	25
006. Minimal skill catalogue and duplicate-rule reduction	26
007. Cache and freshness strategy	27
008. Source reuse, compact checkpoints and handoffs	28
009. Cost-benefit decision rule	29
010. User-set budgets, stop and graceful resume	30
011. Cost-aware model delegation	31
012. Proportional answers and visual output	32
013. Optional installation profiles	33
New priority order and decision gates	34
Old-to-new priority mapping	35
A1 - Useful general capabilities	40
047. Product discovery and delivery	41
026. Repository onboarding	42
045. Error and type design	43
025. Broader GitHub operations	44
048. Content repurposing	45
088. Academic literature and paper review	46
028. User-directed learning	47
032. Learning controls and correction	48
029. Private lesson register	49
030. Controlled skill evolution	50
033. On-demand lesson discovery - proposed	51
A2 - Project-led engineering depth	52
053. Swift concurrency, state ownership and identity	53
054. ios-project-structure	54
062. ios-architecture-patterns	55
061. dependency-injection-ios	56
059. swiftui-navigation	57
060. ios-error-handling	58
055. xcodebuild-error-taxonomy	59
056. derived-data-hygiene	60
063. spm-dependency-management	61
068. keychain-cryptokit	62

064. swiftdata-migrations	63
065. coredata-to-swiftdata	64
074. cloudkit-sync	65
076. ios-accessibility-audit	66
077. ios-localization	67
078. privacy-manifests	68
079. ios-security-hardening	69
075. Performance analysis and Apple profiling depth	70
066. xctest-patterns	71
067. swift-testing-patterns	72
072. ui-test-patterns	73
073. snapshot-testing	74
058. swiftlint-swiftformat-ios	75
057. simulator-device-management	76
080. Xcode CLI integration	77
085. Backend and API engineering	78
086. Database engineering	79
087. React/frontend depth	80
083. Stack-specific testing references	81
084. Project E2E and accessibility testing	82
093. UI design systems	83
094. Interaction and click-path reviews	84
090. Containers and reproducible environments	85
091. Operational observability	86
044. Model/API cost control	87
089. Typed connector development and App Store Connect	88
069. code-signing-provisioning	89
071. app-store-review-compliance	90
070. testflight-automation	91

A3 - Optional capabilities when a real need exists92

092. Data and ML workflow depth	93
096. Cross-client memory	94
097. Local status dashboard	95
098. Notification integrations	96
099. Advanced testing modes	97
100. Additional language/framework packs	98
101. Mobile and on-device extensions	99
102. Specialist infrastructure	100
103. SEO and broader marketing	101
104. Networking and opportunity research	102
105. Investor/business documents	103
106. Extended social channels	104

107. Media and motion extras	105
108. Specialized research sources	106
109. Workspace and messaging connectors	107
113. widgetkit-live-activities	108
114. app-intents-shortcuts	109
115. background-tasks	110
116. push-notifications	111
117. universal-links-deep-linking	112
118. storekit2-subscriptions	113
119. coreml-on-device	114
120. foundation-models-ios	115
121. vision-speech-frameworks	116
122. metal-basics	117
123. avfoundation-media	118
124. Fastlane integration, optional	119
125. Xcode Cloud integration, optional	120
B - Integrate and refine	121
042. Action receipts and selective executable safeguards	122
043. Agent/runtime diagnostics	123
046. Upstream maintenance tooling	124
051. Bounded fresh-context review	125
052. Opt-in gate tiers and skip policy	126
027. Documentation maintenance	127
C - Comprehensive validation	128
035. Structural repository checks	129
034. Behavioral regression suite	130
031. Bounded improvement comparisons and effectiveness	131
038. Confidentiality release gate	132
D - Packaging and installation lifecycle	133
021. Dependency and support matrix	134
050. Supply-chain records	135
039. Licensing and redistribution decision	136
018. Safe private-profile onboarding	137
020. Installation doctor	138
022. Versioning and releases	139
036. Installation lifecycle tests	140
037. Scoped CI	141
095. Additional client support	142

E - Stable documentation and release decision	143
014. Installation guide	144
017. Update, uninstall and rollback guide	145
015. README and first-use quickstart	146
016. Everyday usage guide	147
019. Troubleshooting and support guide	148
024. Git/GitHub user recipes	149
082. Workflow cookbook	150
049. Examples and demos	151
023. Contributor and maintainer guides	152
040. Security reporting policy	153
081. GitHub collaboration setup	154
110. Multilingual documentation	155
111. Documentation site and richer presentation	156
112. Public-project community support	157
041. Release acceptance and recovery	158
 F - Explicit deferrals and reuse decisions	 159
126. Duplicate debugging specialist	160
127. Duplicate skill-authoring toolkit	161
128. Autonomous multi-agent loops	162
129. Background learning and persona mutation	163
130. Automatic maintenance and monitoring	164
131. Mandatory testing/verification loops	165
132. Cloud sync and university RAG	166
133. Training and compute infrastructure	167
134. Healthcare and regulated clinical packs	168
135. Crypto, trading and agent payments	169
136. Logistics, manufacturing and enterprise operations	170
137. Homelab and network administration	171
138. Duplicate provider implementations	172
139. ECC runtime and command parity	173
140. Early-window scheduling idea - reassess only	174
 Repository artifact inventory and maintenance	 175
 Evidence gaps and next eligible work	 179
Revision: 24 September 2026. Private instruction plugin. Capability-first planning; release polish last.	

Document provenance and reading guide

No editable roadmap source was found in the document folder or the scoped nearby project filename search. This Markdown is a newly reconstructed editable source, not the original authoring file. It combines the preserved 157-page PDF with current repository evidence. The previous PDF is retained as `demir-bot-master-roadmap.before-reorder-20260924.pdf`. No plugin implementation or evaluation is authorized by this document.

Master IDs 001-140 and original-ID mappings remain stable. Ordering now comes from the phase and sequence below, not numerical ID. Items 001-013 are completed at the saved-guidance level; their operational benefit remains unverified. Every future entry retains its inherited scope and acceptance outcome. Identical Description/Required deliverable text is printed once; distinct deliverables are retained. Historical video/upstream comparison claims remain in the preserved prior PDF and are not treated as current product specifications.

Current package and evidence states

Plugin identity: demir-bot-pilot; display name: Demir Bot - Private Pilot; source version: 0.1.0+codex.20260924125059. The manifest is plugins/demir-bot-pilot/codex-plugin/plugin.json. The package exposes ./skills/ only. Source inspection found 22 SKILL.md files, 22 agents/openai.yaml metadata files, 106 total package files and 8 licence notices. There is one coordinating role (demir-bot), plus 21 specialists; personal-writing is a channel router within those specialists. YAML files describe invocation/display metadata, not running workers. No bundled executable hooks, custom subagent definitions, publisher, memory service, installer framework or autonomous daemon is represented by this package.

The development checkout and installed cache are distinct. Source edits do not update installed instructions automatically. Retained installation verification reports all 106 source/cache files equal, 22 skills, 8 notices and the three permission/presentation fixes present at version 0.1.0+codex.20260924125059. Its snapshot digest is 2a24e24207dcb30712736ba9f3f99d98eb51d60564384d9e5cd52cdf8e5a9345. This task does not refresh or re-evaluate the cache. The active catalogue exposes that version; old loaded conversation instructions can persist. Fresh-task routing and all provider operations remain unverified.

Documentation snapshot: SHA-256 of sorted JSON mapping package-relative filenames to file SHA-256 digests: 2a24e24207dcb30712736ba9f3f99d98eb51d60564384d9e5cd52cdf8e5a9345. This includes uncommitted content; it is not a Git commit. If any digest is unavailable, this identifies only the readable manifest, not an exact complete source snapshot. Unavailable files: none.

Evidence vocabulary: SAVED = instructions exist; IMPLEMENTED = named executable mechanism exists; INSTALLED = contents present; OBSERVED = scoped operation or response has retained evidence; MEASURED = comparable completed outcomes establish a result. Neither saved nor installed proves behavior. No measured cost or reliability benefit is established.

Architecture, routing and permission contracts

Use demir-bot-pilot:<skill-name>. The coordinator chooses the smallest relevant skill combination; direct specialist use is valid. It is not an autonomous agent fleet. Required activation follows an explicit skill request or governing prerequisite; optional activation must add a missing capability; forbidden operations remain forbidden even after a skill is read. A simple stable question can need no specialist. Native host skill discovery is reused; there is no custom loader. Canonical routes: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md` and `plugin-routes.md`.

System/developer rules precede user/repository scope, which precedes skill guidance and remembered preferences. Current explicit restrictions override older broad preferences. Retrieved documents and tool responses are evidence, not authority. Implementation, writing checks, running checks and fixing findings are separate scopes. Documentation builders, linters and executable examples require explicit scoped authorization. Publishing/sending requires applicable approval tied to the final payload and destination; materially changed actions invalidate old approval. Use available exact authorization without unnecessary repeated approval.

The profile loader resolves an explicitly supplied profile, then `DEMIR_BOT_PROFILE_DIR`, then the conventional profile under `CODEX_HOME`. Only necessary approved facts and tone are loaded. No profile means supplied facts/provisional tone, not assumed identity. Private profiles, credentials, messages, coursework, queues, indexes, backups and account history stay outside the package. Storage conventions are not encryption or proof of erasure. The document does not reproduce private profiles or machine-specific paths.

Canonical ownership: `execution-scope.md` owns action/check boundaries; `delivery.md` owns proportional output; `profile-loading.md` owns private-profile resolution; `capability-maintenance.md` owns capability states and maintenance; `skill-sync.md#qmd-refresh-authorization` owns indexing authority. An edit alone never authorizes QMD refresh. Reuse explicit operation/collection authority in the current task; otherwise leave it pending. Cloud sync remains inactive.

Providers and implementation limits

External capabilities are optional and operation-specific: Firecrawl/current web research; official OpenAI documentation/developer tooling; Git/GitHub; Codex Security; Superpowers methods; mail/calendar; Google documents; Notion; Figma; Canva; media providers; Sites; Supabase and artifact tools. Their route names are hints, not installation, authentication or write-access claims. Resolve the actual current tool contract. If unavailable, use supplied evidence or an authorized local fallback, identify the missing operation and finish independent work. Do not install, authenticate, send private data or bypass a denial incidentally.

RTK is an optional output helper, not a global interception hook. QMD is optional local retrieval, not bundled indexing. Structural symbol/reference retrieval differs from prose search; do not claim compiler-resolved identity from keyword results. Buffer actions.md and publishing-runtime.md under skills/demir-linkedin/references/ describe approval/runtime boundaries but do not supply an executable connection. Apple, database, browser, training and hosting workflows require their actual project/tools/access. University RAG, cloud synchronization, model training and background automation remain deferred.

README.md and profile-loading.md contain historical fresh-discovery/validator statements. Later retained installation and assessment evidence is more specific; this document records it without silently updating those source files. No full supported-client matrix, redistribution decision, operational telemetry, comprehensive regression suite or complete lifecycle verification is established.

Context, costs and completion

context-efficiency owns bounded reads, selective freshness and source reuse. runtime-options.md owns honest measurement, output filtering/recovery, workflow choice, user budgets and delegation. source-reuse.md owns observable loading, opt-in telemetry, cache/source records and compact handoffs.

A baseline names task, result quality, model/settings, available usage/latency and missing attribution. Claims include failures, retries, worker calls, parent review and coordination, and require comparable completed outcomes. Output selection occurs before emission and preserves producer exit status, decisive errors, coverage and recoverable original evidence. Smaller text and RTK byte counts are not task-cost savings.

User budgets use available host mechanisms within their actual scope. Enforceable caps differ from estimates and shared-account limits; there are no arbitrary default budgets or continuous polling. Stop honestly with partial work and remaining requirements. Resume after relevant source/permission freshness checks. Delegation needs authorized independent work, supported models, bounded inputs/output and stop/escalation conditions; tightly coupled work stays together.

The single handoff format preserves goal, constraints, decisions, artifacts, evidence, unfinished work and next action. Persist only when authorized; no automatic progress file or memory service. Invalidate affected sources when content, versions, access, requirements or scope changes. Default answers are the shortest complete response with necessary evidence and unfinished-work disclosure. Visuals are used only when requested or materially helpful.

Retained assessment and installation evidence

Initial bounded assessment: snapshot d5caec83ee5414fd58bf47d320535472da8ead5a725f6016a703591bbf5aeb76; 31 grouped structural assertions passed, including 22 skill metadata records, 52 explicit relative links, 29 heading anchors and 44 namespaced route occurrences. This was not official host-schema certification. Twelve synthetic cases in two worker contexts met independent response expectations, once each, with zero case retries. One separate source reviewer read all skill bodies; references were selective. One artifact-write failure was retried with the available Python command; truncated reads required recovery.

Four fixes: documentation-and-adrs/SKILL.md now requires scoped execution authority; demir-linkedin and privacy-review use conditional visuals; skill-sync owns QMD refresh authorization with maintenance/freshness callers; capability-maintenance uses explicit sibling links to LinkedIn actions.md and publishing-runtime.md. Six files were changed.

Focused regression: snapshot d50044fe3584d95e77cbb85622dcfcf99cc66d7274332ac639b57286ea4e2fa2; source assertions improved from 1/9 to 9/9, with original eight failures retained; 17 affected links resolved. Six synthetic cases, one worker response each, met parent-reviewed expectations, zero case retries. Worker overhead: six orchestration calls and fourteen nested local commands; two truncations required three recovery reads. These are sampled responses under an independent safety harness, not real action enforcement, causal proof or repeated-sampling reliability.

Later installation verification records byte equality for all 106 files and source digest 2a24e24207dcb30712736ba9f3f99d98eb51d60564384d9e5cd52cdf8e5a9345 after the version-only update. Evidence retained and read for this revision: initial report.md, focused report.md and installation-verification JSON in temporary task storage. These temporary reports are not durable evidence archives; their private paths are deliberately omitted. Historical hashes and outcomes are transcribed here, not rerun.

Untested: actual publishing/QMD execution, live provider access, budget enforcement/cancellation, private-profile integration, full install/update/uninstall lifecycle, all domain workflows and fresh-task native routing. Exact aggregate token costs/model settings are unavailable. No benchmark, evaluation, plugin test or service operation ran during this document revision.

Current skill catalogue

Each entry describes saved instructions. Skill names below are exact; prefix each with demir-bot-pilot:. References and section headings describe scope, not proven execution. All paths are repository-relative. The manifest, metadata, skill bodies and reference inventory together describe the package; private dependencies are deliberately excluded.

agent-configuration-review

Responsibility and trigger: Review a requested agent, skill, hook or MCP configuration for permission, secret-handling, trust-boundary and supply-chain risks using scoped evidence. Use for explicit assistant-environment reviews; not automatic scans or application vulnerability audits.

Source: plugins/demir-bot-pilot/skills/agent-configuration-review/SKILL.md.

Workflow coverage: Focused workflow and boundaries in the source body.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: plugins/demir-bot-pilot/skills/agent-configuration-review/references/local-scanner.md;
plugins/demir-bot-pilot/skills/agent-configuration-review/references/provenance.md.

architecture-review

Responsibility and trigger: Review or design software architecture using requirements, repository evidence and explicit trade-offs. Use for system design, module boundaries, dependency cycles, data flow, architectural risks and significant structural decisions. Skip routine small fixes; a review does not authorize implementation.

Source: plugins/demir-bot-pilot/skills/architecture-review/SKILL.md.

Workflow coverage: Review workflow; Specialist boundaries; Proportional output.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: plugins/demir-bot-pilot/skills/architecture-review/references/review-checklist.md;
plugins/demir-bot-pilot/skills/architecture-review/references/sources.md.

clarify-and-execute

Responsibility and trigger: Turn rough or materially ambiguous requests into focused tasks through minimal clarification, preferably multiple-choice questions, then execute the original task. Use when Demir asks for help shaping a request, improving a prompt, choosing task scope, or when unresolved choices would materially change the result. Skip clarification for clear requests.

Source: plugins/demir-bot-pilot/skills/clarify-and-execute/SKILL.md.

Workflow coverage: Focused workflow and boundaries in the source body.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: plugins/demir-bot-pilot/skills/clarify-and-execute/references/choices.md;
plugins/demir-bot-pilot/skills/clarify-and-execute/references/sources.md.

code-refactoring-refactor-clean

Responsibility and trigger: Review and refactor existing code for maintainability, cognitive complexity, duplication, code smells, modularity, documentation, performance and test quality. Use for clean-code audits, safe restructuring and evidence-based quality reviews, including optional course traceability checks.

Source: `plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/SKILL.md`.

Workflow coverage: Workflow; Read only relevant detail; Targeted error and type review.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: `plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/contracts-and-documentation.md`;
`plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/course-lessons.md`;
`plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/quality-review.md`;
`plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/sources.md`;
`plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/targeted-review-provenance.md`;
`plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/testing-and-evidence.md`.

context-efficiency

Responsibility and trigger: Use for requested context/token efficiency, source reuse, handoffs or runtime optimization, and as Demir Bot's default method. Skip extra bookkeeping for simple questions and small edits.

Source: `plugins/demir-bot-pilot/skills/context-efficiency/SKILL.md`.

Workflow coverage: Focused workflow and boundaries in the source body.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: `plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md`;
`plugins/demir-bot-pilot/skills/context-efficiency/references/source-reuse.md`;
`plugins/demir-bot-pilot/skills/context-efficiency/references/sources.md`.

deep-research-and-idea-validation

Responsibility and trigger: Research complex questions and validate project ideas using primary sources, corroboration, counterevidence and decision-focused analysis. Use for substantial research, technology comparisons, feasibility, demand and competitive analysis; skip simple factual answers and routine coding.

Source: `plugins/demir-bot-pilot/skills/deep-research-and-idea-validation/SKILL.md`.

Workflow coverage: Scope and intake; Research with evidence; Validate a project idea; Deliver and preserve boundaries.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: `plugins/demir-bot-pilot/skills/deep-research-and-idea-validation/references/provenance.md`.

demir-bot

Responsibility and trigger: Use for explicit Demir Bot requests, cross-workflow coordination, or code creation/changes. Route to relevant skills; skip unrelated standalone questions.

Source: `plugins/demir-bot-pilot/skills/demir-bot/SKILL.md`.

Workflow coverage: Active user profile; Execute with focused context; Binding execution scope; Clickable preference choices; Available plugins and built-in capabilities; Capability tracking and skill maintenance; Git and GitHub work; Preserve evidence, reduce waste; Personalization and actions; Deliver clearly.

Relationships: Coordinates only relevant specialists; context-efficiency is its default method.

References: plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md;
plugins/demir-bot-pilot/skills/demir-bot/references/capability-register.md;
plugins/demir-bot-pilot/skills/demir-bot/references/delivery.md;
plugins/demir-bot-pilot/skills/demir-bot/references/execution-scope.md;
plugins/demir-bot-pilot/skills/demir-bot/references/personal-workflows.md;
plugins/demir-bot-pilot/skills/demir-bot/references/plugin-routes.md;
plugins/demir-bot-pilot/skills/demir-bot/references/profile-loading.md;
plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;
plugins/demir-bot-pilot/skills/demir-bot/references/skill-sync.md;
plugins/demir-bot-pilot/skills/demir-bot/references/upstream-adaptations.md.

demir-linkedin

Responsibility and trigger: Develop the user's LinkedIn presence through current CS, data science, AI and LLM research, evidence-based posts, profile positioning, relevant networking, comments and analytics. Use for LinkedIn drafts, news-to-post requests, employer visibility or audience growth. Publish or contact people only after approval of the specific final action and with supported access.

Source: plugins/demir-bot-pilot/skills/demir-linkedin/SKILL.md.

Workflow coverage: Working contract; Apply the approved voice; Select the relevant work; Approval and publishing; Delivery and reuse.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: plugins/demir-bot-pilot/skills/demir-linkedin/references/actions.md;
plugins/demir-bot-pilot/skills/demir-linkedin/references/approval-ledger.md;
plugins/demir-bot-pilot/skills/demir-linkedin/references/growth.md;
plugins/demir-bot-pilot/skills/demir-linkedin/references/publishing-runtime.md;
plugins/demir-bot-pilot/skills/demir-linkedin/references/research-and-content.md;
plugins/demir-bot-pilot/skills/demir-linkedin/references/sources.md.

documentation-and-adrs

Responsibility and trigger: Maintain project documentation and architectural decision records as Demir's Documentation Officer. Use for requested documentation creation/review, significant design decisions, changed public APIs or setup instructions, and inconsistencies across requirements, design, implementation and testing evidence. Keep small unrelated coding tasks lightweight.

Source: plugins/demir-bot-pilot/skills/documentation-and-adrs/SKILL.md.

Workflow coverage: Work from evidence; Load only needed references; Keep maintenance proportionate.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: plugins/demir-bot-pilot/skills/documentation-and-adrs/references/adr-and-templates.md;
plugins/demir-bot-pilot/skills/documentation-and-adrs/references/consistency-and-evidence.md;
plugins/demir-bot-pilot/skills/documentation-and-adrs/references/sources.md.

email-tone

Responsibility and trigger: Apply the user's approved email tone to requested drafts and revisions, keeping channel preferences separate from shared facts and delivery authorization.

Source: `plugins/demir-bot-pilot/skills/email-tone/SKILL.md`.

Workflow coverage: Focused workflow and boundaries in the source body.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: No local reference directory; consult the skill body and its canonical shared/private pointers..

frontend-quality-and-accessibility

Responsibility and trigger: Implement usable, accessible web UI in the actual project stack, covering semantics, keyboard and focus behavior, forms, responsive layouts, interface states and reduced motion. Use for relevant frontend implementation or explicitly requested UI/accessibility reviews; do not trigger automatic audits or tests.

Source: `plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/SKILL.md`.

Workflow coverage: Apply within the requested change; Semantics and perceivable content; Keyboard and focus; Forms and feedback; Responsive layout and interface states; Reuse available providers appropriately; Verification and completion boundaries.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: `plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/references/provenance.md`.

git-and-github-workflow

Responsibility and trigger: Inspect and perform scoped Git and GitHub repository work, including branches, focused commits, synchronization, pull requests and recovery from conflicts or failed operations. Use for requested version-control work or a concrete Git blocker; ordinary code edits do not imply committing, pushing or merging.

Source: `plugins/demir-bot-pilot/skills/git-and-github-workflow/SKILL.md`.

Workflow coverage: Scope and authorization; Inspect before changing state; Preserve work and choose a branch; Focused staging and commits; Fetch and integration strategy; Pushes, pull requests and merges; Finish with evidence.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: `plugins/demir-bot-pilot/skills/git-and-github-workflow/references/provenance.md`;
`plugins/demir-bot-pilot/skills/git-and-github-workflow/references/recovery.md`.

jurisdiction-specific-legal-feasibility

Responsibility and trigger: Research legal feasibility for a defined activity, jurisdiction and relevant date using current official sources. Use for product/business legal questions, regulatory applicability and questions for counsel; not certification, representation or external legal action.

Source: `plugins/demir-bot-pilot/skills/jurisdiction-specific-legal-feasibility/SKILL.md`.

Workflow coverage: Define the actual case; Reuse research and privacy workflows; Establish authority and applicability; Analyze feasibility; Output and action boundaries.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: [plugins/demir-bot-pilot/skills/jurisdiction-specific-legal-feasibility/references/provenance.md](#).

linkedin-tone

Responsibility and trigger: Apply the user's approved linkedin tone to requested drafts and revisions, keeping channel preferences separate from shared facts and delivery authorization.

Source: [plugins/demir-bot-pilot/skills/linkedin-tone/SKILL.md](#).

Workflow coverage: Focused workflow and boundaries in the source body.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: No local reference directory; consult the skill body and its canonical shared/private pointers..

ml-training-specialist

Responsibility and trigger: Implement or review ML data pipelines, training and fine-tuning workflows in the actual project stack, or assess whether training would improve Demir Bot. Use for concrete ML work and assistant-improvement research; do not start training or autonomous self-modification merely by invoking the skill.

Source: [plugins/demir-bot-pilot/skills/ml-training-specialist/SKILL.md](#).

Workflow coverage: Choose an intervention; Implement in the actual stack; Execution and delivery.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: [plugins/demir-bot-pilot/skills/ml-training-specialist/references/provenance.md](#).

personal-writing

Responsibility and trigger: Write or revise the user's emails, applications, messages and personal prose using shared approved facts and voice examples. Use for writing in the user's voice and maintaining explicitly approved reusable facts or samples; route LinkedIn-specific research and actions to demir-linkedin.

Source: [plugins/demir-bot-pilot/skills/personal-writing/SKILL.md](#).

Workflow coverage: Focused workflow and boundaries in the source body.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Routes to email-tone or linkedin-tone; LinkedIn operations use demir-linkedin.

References: [plugins/demir-bot-pilot/skills/personal-writing/references/facts-and-voice.md](#).

privacy-review

Responsibility and trigger: Review personal-data handling in a requested feature, assistant workflow, integration or data flow. Use for privacy reviews and concrete decisions about collection, tool sharing, telemetry, retention, deletion, consent or reuse of personal information. Route vulnerability audits to existing Codex Security skills. Skip unrelated work and automatic audits after routine coding tasks.

Source: [plugins/demir-bot-pilot/skills/privacy-review/SKILL.md](#).

Workflow coverage: Choose the right workflow; Inspect only the relevant data flow; Boundaries.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: [plugins/demir-bot-pilot/skills/privacy-review/references/sources-and-coverage.md](#).

qa-and-test-evidence

Responsibility and trigger: Plan and implement risk-based tests, review test quality, investigate coverage gaps and produce honest execution evidence. Use only for explicitly requested QA strategy, test creation/execution, integration/export/persistence verification or evidence audits. Skip unnecessary test infrastructure for trivial low-impact edits.

Source: [plugins/demir-bot-pilot/skills/qa-and-test-evidence/SKILL.md](#).

Workflow coverage: Focused workflow and boundaries in the source body.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: [plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/demir-bot-evaluation.md](#);
[plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/evidence.md](#);
[plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/sources.md](#);
[plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/test-design.md](#).

release-readiness-and-observability

Responsibility and trigger: Assess release readiness or implement requested deployment and observability changes using project-specific evidence, configuration, migration, rollback, health, logging, alerting and recovery guidance. Use for explicit release preparation or operational tasks; no automatic post-merge audit, tests or deployment.

Source: [plugins/demir-bot-pilot/skills/release-readiness-and-observability/SKILL.md](#).

Workflow coverage: Establish scope and authorization; Readiness evidence; Deployment prerequisites and configuration; Migrations and data integrity; Health signals and observability; Rollback and recovery; Completion.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: [plugins/demir-bot-pilot/skills/release-readiness-and-observability/references/provenance.md](#).

requirements-and-traceability

Responsibility and trigger: Turn project ideas, assignment criteria and change requests into measurable requirements and acceptance criteria; audit ambiguity, scope, bidirectional traceability and change impact. Use for substantial unclear features, requirements documents, requirement-to-test mappings or conflicting specifications. Skip routine self-contained fixes and unrelated coding tasks.

Source: [plugins/demir-bot-pilot/skills/requirements-and-traceability/SKILL.md](#).

Workflow coverage: Establish scope and evidence; Specify; Handoff and maintenance.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: [plugins/demir-bot-pilot/skills/requirements-and-traceability/references/requirements.md](#);
[plugins/demir-bot-pilot/skills/requirements-and-traceability/references/sources.md](#);
[plugins/demir-bot-pilot/skills/requirements-and-traceability/references/traceability.md](#).

swiftui-performance-and-concurrency

Responsibility and trigger: Implement or review SwiftUI state, view-update performance and safe Swift concurrency for Apple-platform projects. Use for relevant SwiftUI changes, task lifecycle, isolation diagnostics or performance problems; follow actual toolchain settings and do not automatically build, profile or test.

Source: `plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/SKILL.md`.

Workflow coverage: Establish project context; State ownership and view updates; Expensive work and evidence; Task lifetime and cancellation; Actor isolation and safe sharing; Delivery and boundaries.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: `plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/provenance.md`.

youtube-learning

Responsibility and trigger: Understand and apply lessons from requested YouTube videos using timestamped transcript and visual evidence. Use for video explanations, tutorials, lectures, comparisons and learning from demonstrations; distinguish transcript-only access from actual visual analysis. Not an autonomous watcher or model-training workflow.

Source: `plugins/demir-bot-pilot/skills/youtube-learning/SKILL.md`.

Workflow coverage: Scope and evidence; Understand and apply; Learning and privacy boundaries.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: `plugins/demir-bot-pilot/skills/youtube-learning/references/provenance.md`;
`plugins/demir-bot-pilot/skills/youtube-learning/references/providers.md`.

Completed guidance: master items 001-013

Status for all thirteen: SAVED / INSTALLED at the recorded snapshot; scoped evidence only; broader behavior and benefit UNVERIFIED. These are not new services or thirteen added skills. Do not reimplement them merely to follow numeric order.

001. Baseline measurement and honest cost attribution

Original IDs: 165, 52, 96 | Original PDF p. 19; Continuation PDF p. 5; adapted to video-first priorities; Continuation PDF p. 11; adapted to video-first priorities

Preserved scope: Before optimizing, define representative task outcomes and record already available usage, elapsed time, retries and failures. Separate raw tokens, cached tokens, API cost estimates and subscription allowance. Mark unavailable values and concurrent-account activity. Design any additional comparison now; run it only under a separate explicit evaluation request.

Acceptance contract: A baseline record names the task, result quality, model/settings, available metrics and missing attribution. Any savings claim includes a comparable completed-task result and all retries/coordination. Until an authorized comparison exists, label the improvement unverified.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

002. Context overhead and observable loading

Original IDs: 103, 164, 89 | Original PDF p. 9; Continuation PDF p. 7; adapted to video-first priorities; Continuation PDF p. 11; adapted to video-first priorities

Preserved scope: Audit repeated instructions, unnecessary skill activation, oversized tool output and observable context sources. Make the coordinator a minimal router; preserve bindings and move conditional details into focused references. Measure only under separately authorized comparison scope.

Acceptance contract: Identify observed loaded instructions, metadata, tool descriptions and returned output where visible; label estimates and unknowns. Name a specific removable duplication without losing requirements. A smaller document alone does not prove a cheaper completed task.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/source-reuse.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

003. Routing telemetry

Original IDs: 153 | Continuation PDF p. 11; adapted to evidence-led priorities

Preserved scope: Design minimal opt-in records of expected versus actual skill activation, with privacy-safe retention; do not install a conversation observer.

Acceptance contract: For scoped observed examples, distinguish expected from actual skill activation, unnecessary loads and unavailable trace data. Records exclude private content by default; no background observer is installed. Written telemetry guidance alone is not operational telemetry.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/source-reuse.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

004. Output filtering discipline

Original IDs: 99 | Continuation PDF p. 6; adapted to evidence-led priorities

Preserved scope: Return selected fields and relevant passages before tool output enters context; preserve errors, coverage and recoverable full evidence. Apply existing RTK selectively, not as a universal wrapper.

Acceptance contract: The selected output path preserves exit status, decisive errors and a recoverable original. Show the intended bounded output and recovery mechanism; actual session savings remain unverified without an authorized comparison. Reuse installed RTK where suitable.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

005. Precise routing, negative cases and composition

Original IDs: 155, 156, 157, 90 | Original PDF p. 9; Continuation PDF p. 11; adapted to video-first priorities; Continuation PDF p. 11; adapted to video-first priorities; Continuation PDF p. 11; adapted to video-first priorities

Preserved scope: Verify that Demir Bot selects relevant installed skills, including Superpowers, without redundant tagging or loading entire frameworks. Reconcile task scope, testing, approval and delegation requirements using instruction precedence. Check missing-provider fallback and installation versus access versus operation evidence. Reuse existing providers before creating new specialists. Reuse existing routing, knowledge, tool, permission and model failure categories; define actionable distinctions rather than creating another diagnostic framework. Add synthetic cases for when a skill must not activate, including simple edits, already-known context and unavailable providers. Define the smallest adequate combination of existing specialists; avoid duplicated context and incompatible procedural requirements.

Acceptance contract: Define required, optional and forbidden activation; resolve instruction conflicts, missing-provider fallback and no-specialist cases without unnecessary framework loading.

Saved owner: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

006. Minimal skill catalogue and duplicate-rule reduction

Original IDs: 158, 98 | Continuation PDF p. 6; adapted to evidence-led priorities; Continuation PDF p. 11; adapted to evidence-led priorities

Preserved scope: Codex already loads skill bodies on demand. Improve concise names/descriptions, narrow activation and canonical ownership of repeated rules. Inspect overhead before adding a new loading mechanism.

Acceptance contract: Each revised trigger has clear positive and negative examples and one canonical owner for shared rules. Native lazy loading is reused. Report saved guidance separately from observed activation and measured context reduction.

Saved owner: plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

007. Cache and freshness strategy

Original IDs: 100, 106, 107 | Continuation PDF p. 6; adapted to evidence-led priorities; Continuation PDF p. 7; adapted to evidence-led priorities; Continuation PDF p. 7; adapted to evidence-led priorities

Preserved scope: Reuse relevant unchanged source evidence, documentation and scoped indexes; define invalidation and bounded storage without promising control of hidden model caches. Preserve useful DerivedData, dependency caches and scoped QMD state; invalidate on relevant changes rather than routine cleanup. No unsolicited build or index expansion. Read changed areas and relevant dependencies, review scoped diffs and update only affected indexes. Run changed-target tests/builds only when requested. For larger repositories, assess an on-demand, token-bounded symbol/reference or dependency map using existing tools first. Account for indexing and map-loading overhead; tiny tasks should use direct search. Validate the actual Swift/project compatibility before recommending any external integration.

Acceptance contract: A selected cache or retrieval mechanism records its source/version, invalidation conditions and original-evidence path. Structural retrieval distinguishes symbols/references from prose search. Guidance, connected tooling and measured benefit are reported separately; no blanket indexing or provider installation.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/source-reuse.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

008. Source reuse, compact checkpoints and handoffs

Original IDs: 101, 161, 41 | Original PDF p. 19; Continuation PDF p. 6; adapted to video-first priorities; Continuation PDF p. 11; adapted to video-first priorities

Preserved scope: Strengthen existing context-efficiency, QMD and RTK use with narrow retrieval, freshness checks and concise resumable handoffs. Preserve unresolved requirements and source evidence. Link to master item 002; do not create redundant context ledgers or an always-on memory service. Preserve decisions, constraints, unfinished work and source locators while removing redundant narrative; use summaries without replacing original evidence when precision matters. Reuse the existing compact handoff: goal, constraints, decisions, artifacts, evidence, unfinished work and next action; persist only when authorized.

Acceptance contract: Use one minimal handoff format and precise freshness rules; do not introduce automatic progress files.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/source-reuse.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

009. Cost-benefit decision rule

Original IDs: 95 | Continuation PDF p. 4; adapted to evidence-led priorities

Preserved scope: Choose the smallest adequate workflow using expected task quality, total usage, latency and risk; avoid speculative numerical savings or mandatory preflight ceremonies.

Acceptance contract: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

010. User-set budgets, stop and graceful resume

Original IDs: 104, 105, 166, 167, 97 | Continuation PDF p. 6; adapted to evidence-led priorities; Continuation PDF p. 7; adapted to evidence-led priorities; Continuation PDF p. 7; adapted to evidence-led priorities; Continuation PDF p. 11; adapted to evidence-led priorities; Continuation PDF p. 11; adapted to evidence-led priorities

Preserved scope: Respect an explicit user task budget using available host controls and sparse usage snapshots. Preserve quality; stop with an honest checkpoint if the budget cannot cover the task. Explain shared-account attribution and soft versus enforceable caps.

Acceptance contract: Reuse available host budget mechanisms; implement only enforceable scope and report partial work. No arbitrary daily caps, continuous polling or unnecessary estimate approval.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

011. Cost-aware model delegation

Original IDs: 102, 160 | Continuation PDF p. 7; adapted to evidence-led priorities; Continuation PDF p. 11; adapted to evidence-led priorities

Preserved scope: For explicitly authorized delegation, select a supported cheaper model for a bounded independent task and include parent review, retries and handoff cost. Compare against single-agent work before recommending a default. Escalate task complexity to an appropriate available model or the user only when needed; distinguish missing facts, permissions and model capability.

Acceptance contract: The delegation policy names eligible independent tasks, excluded tightly coupled tasks, supported model choices, a bounded handoff and an escalation/stop rule. Any comparison counts parent review, worker calls, failures and retries at comparable quality. No lower-cost claim is made from model price or agent count alone.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

012. Proportional answers and visual output

Original IDs: V9 | Video 11:05; local coordinator presentation rules

Preserved scope: Default to the shortest complete response. Use visual output only when it materially improves understanding or is explicitly requested; revise the current automatic visual-inventory preference within the specific approved change. Preserve necessary evidence and unfinished-work disclosure.

Acceptance contract: Simple answers need no generated visual or long completion checklist; complex comparisons retain useful detail.

Saved owner: plugins/demir-bot-pilot/skills/demir-bot/references/delivery.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

013. Optional installation profiles

Original IDs: 44 | Original PDF p. 23

Preserved scope: Core, coding, academic and writing selections if bundle growth justifies them. Preserve stable names and required references; no premature installer framework.

Acceptance contract: Stable names and reference closure survive selection; complexity is justified over a simple full instruction bundle.

Saved owner: plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

New priority order and decision gates

A1 adds useful general capabilities using existing owners. A2 implements project-relevant engineering gaps; no named app means project integration is blocked, although bounded reusable guidance may be possible. A3 is optional, not a requirement to implement every ecosystem before progressing. Existing coverage is reused rather than duplicated. B resolves combined-workflow conflicts and native-provider boundaries. C establishes release-level evidence. D stabilizes distribution and lifecycle support. E finishes public/user documentation and makes the final release decision. F remains inactive or reuse-only.

Focused regression checkpoints follow each meaningful authorized implementation batch in A and B, especially permission, privacy and routing changes. Reuse 034/035 and the existing QA evaluation reference: source checks first, small independent synthetic cases where explicitly authorized. Case counts, execution limits and retries must be declared; no open-ended fix/evaluate loop. This schedule does not grant execution permission. Minimal dependency facts, acceptance criteria and rollback notes are maintained while implementing; polished guides wait until E.

No artificial dependency requires every A3 item before B/C. Select the useful release scope, record exclusions and validate that scope. Licensing/provenance notices and privacy boundaries apply from the first edit; final redistribution review belongs in D. CI configuration may be drafted when checks stabilize but enabling remote execution needs its own authority. Optional app deployment skills do not authorize deploying the plugin.

Material changes: former P2 installation/README work moves to D/E; general capability gaps and academic/writing additions move ahead of polish. Swift foundations precede persistence, testing depth and distribution recipes. Typed connector item 089 no longer depends on itself: guidance precedes a separately authorized authenticated operation. Documentation ownership 027 stays in B to prevent drift, while audience-facing documentation remains late. Regression 034/035 supports early batch checkpoints and comprehensive C validation. 041 is the last release gate.

Overlap resolution: 053/061/062 share Swift/architecture ownership; 060 extends 045 error contracts; 066/067/072/073/083/084/099 extend QA instead of duplicate test coordinators; 075 owns profiling depth; 089 owns typed connector contracts; 028-033 reuse maintenance/privacy; 024 recipes and 025 operations remain distinct. 126/127/138/139 are explicit reuse decisions, not missing specialists. All original scopes remain traceable.

Old-to-new priority mapping

Each line gives stable master ID, original priority, revised phase/order, status and original IDs. Detailed reasons and blockers follow in each entry.

001 | old P1 | Current - saved guidance, position 1 | saved; behavior partial/unverified | original IDs 165, 52, 96

002 | old P1 | Current - saved guidance, position 2 | saved; behavior partial/unverified | original IDs 103, 164, 89

003 | old P1 | Current - saved guidance, position 3 | saved; behavior partial/unverified | original IDs 153

004 | old P1 | Current - saved guidance, position 4 | saved; behavior partial/unverified | original IDs 99

005 | old P1 | Current - saved guidance, position 5 | saved; behavior partial/unverified | original IDs 155, 156, 157, 90

006 | old P1 | Current - saved guidance, position 6 | saved; behavior partial/unverified | original IDs 158, 98

007 | old P1 | Current - saved guidance, position 7 | saved; behavior partial/unverified | original IDs 100, 106, 107

008 | old P1 | Current - saved guidance, position 8 | saved; behavior partial/unverified | original IDs 101, 161, 41

009 | old P1 | Current - saved guidance, position 9 | saved; behavior partial/unverified | original IDs 95

010 | old P1 | Current - saved guidance, position 10 | saved; behavior partial/unverified | original IDs 104, 105, 166, 167, 97

011 | old P1 | Current - saved guidance, position 11 | saved; behavior partial/unverified | original IDs 102, 160

012 | old P1 | Current - saved guidance, position 12 | saved; behavior partial/unverified | original IDs V9

013 | old P1 | Current - saved guidance, position 13 | saved; behavior partial/unverified | original IDs 44

014 | old P2 | E - Stable documentation and release decision, position 1 | remaining; existing coverage to reuse | original IDs 1

015 | old P2 | E - Stable documentation and release decision, position 3 | remaining; existing coverage to reuse | original IDs 2

016 | old P2 | E - Stable documentation and release decision, position 4 | remaining; existing coverage to reuse | original IDs 3

017 | old P2 | E - Stable documentation and release decision, position 2 | remaining; existing coverage to reuse | original IDs 4

018 | old P2 | D - Packaging and installation lifecycle, position 4 | remaining; existing coverage to reuse | original IDs 11

019 | old P2 | E - Stable documentation and release decision, position 5 | remaining; existing coverage to reuse | original IDs 12

020 | old P2 | D - Packaging and installation lifecycle, position 5 | remaining; existing coverage to reuse | original IDs 19

021 | old P2 | D - Packaging and installation lifecycle, position 1 | remaining; existing coverage to reuse | original IDs 20

022 | old P2 | D - Packaging and installation lifecycle, position 6 | remaining; existing coverage to reuse | original IDs 13

023 | old P2 | E - Stable documentation and release decision, position 9 | remaining; existing coverage to reuse | original IDs 14

024 | old P2 | E - Stable documentation and release decision, position 6 | remaining; existing coverage to reuse | original IDs 16

025 | old P2 | A1 - Useful general capabilities, position 4 | remaining; existing coverage to reuse | original IDs 17

026 | old P2 | A1 - Useful general capabilities, position 2 | remaining; existing coverage to reuse | original IDs 27

027 | old P2 | B - Integrate and refine, position 6 | remaining; existing coverage to reuse | original IDs 40

028 | old P2 | A1 - Useful general capabilities, position 7 | remaining; existing coverage to reuse | original IDs 83

029 | old P2 | A1 - Useful general capabilities, position 9 | remaining; existing coverage to reuse | original IDs 84

030 | old P2 | A1 - Useful general capabilities, position 10 | remaining; existing coverage to reuse | original IDs 168, 85

031 | old P2 | C - Comprehensive validation, position 3 | remaining; existing coverage to reuse | original IDs 154, 169, 86

032 | old P2 | A1 - Useful general capabilities, position 8 | remaining; existing coverage to reuse | original IDs 172, 87

033 | old P2 | A1 - Useful general capabilities, position 11 | remaining; existing coverage to reuse | original IDs 171, 88

034 | old P2 | C - Comprehensive validation, position 2 | remaining; existing coverage to reuse | original IDs 162, 163, 6

035 | old P2 | C - Comprehensive validation, position 1 | remaining; existing coverage to reuse | original IDs 5

036 | old P2 | D - Packaging and installation lifecycle, position 7 | remaining; existing coverage to reuse | original IDs 7

037 | old P2 | D - Packaging and installation lifecycle, position 8 | remaining; existing coverage to reuse | original IDs 8

038 | old P2 | C - Comprehensive validation, position 4 | remaining; existing coverage to reuse | original IDs 9

039 | old P2 | D - Packaging and installation lifecycle, position 3 | remaining; existing coverage to reuse | original IDs 10

040 | old P2 | E - Stable documentation and release decision, position 10 | remaining; existing coverage to reuse | original IDs 18

041 | old P2 | E - Stable documentation and release decision, position 15 | remaining; existing coverage to reuse | original IDs 30

042 | old P2 | B - Integrate and refine, position 1 | remaining; existing coverage to reuse | original IDs 31, 51

043 | old P2 | B - Integrate and refine, position 2 | remaining; existing coverage to reuse | original IDs 32

044 | old P2 | A2 - Project-led engineering depth, position 35 | conditional | original IDs 34

045 | old P2 | A1 - Useful general capabilities, position 3 | remaining; existing coverage to reuse | original IDs 38

046 | old P2 | B - Integrate and refine, position 3 | remaining; existing coverage to reuse | original IDs 159, 170, 42

047 | old P2 | A1 - Useful general capabilities, position 1 | remaining; existing coverage to reuse | original IDs 47

048 | old P2 | A1 - Useful general capabilities, position 5 | remaining; existing coverage to reuse | original IDs 48

049 | old P2 | E - Stable documentation and release decision, position 8 | remaining; existing coverage to reuse | original IDs 49

050 | old P2 | D - Packaging and installation lifecycle, position 2 | remaining; existing coverage to reuse | original IDs 50

051 | old P2 | B - Integrate and refine, position 4 | remaining; existing coverage to reuse | original IDs 91, 94

052 | old P2 | B - Integrate and refine, position 5 | remaining; existing coverage to reuse | original IDs 92, 93

053 | old P3 | A2 - Project-led engineering depth, position 1 | conditional | original IDs 110, 114, 115, 116, 117

054 | old P3 | A2 - Project-led engineering depth, position 2 | conditional | original IDs 111

055 | old P3 | A2 - Project-led engineering depth, position 7 | conditional | original IDs 108

056 | old P3 | A2 - Project-led engineering depth, position 8 | conditional | original IDs 112

057 | old P3 | A2 - Project-led engineering depth, position 24 | conditional | original IDs 113

058 | old P3 | A2 - Project-led engineering depth, position 23 | conditional | original IDs 109

059 | old P3 | A2 - Project-led engineering depth, position 5 | conditional | original IDs 118

060 | old P3 | A2 - Project-led engineering depth, position 6 | conditional | original IDs 123

061 | old P3 | A2 - Project-led engineering depth, position 4 | conditional | original IDs 124

062 | old P3 | A2 - Project-led engineering depth, position 3 | conditional | original IDs 125

063 | old P3 | A2 - Project-led engineering depth, position 9 | conditional | original IDs 126

064 | old P3 | A2 - Project-led engineering depth, position 11 | conditional | original IDs 119

065 | old P3 | A2 - Project-led engineering depth, position 12 | conditional | original IDs 120

066 | old P3 | A2 - Project-led engineering depth, position 19 | conditional | original IDs 121

067 | old P3 | A2 - Project-led engineering depth, position 20 | conditional | original IDs 122

068 | old P3 | A2 - Project-led engineering depth, position 10 | conditional | original IDs 127

069 | old P3 | A2 - Project-led engineering depth, position 37 | conditional | original IDs 128

070 | old P3 | A2 - Project-led engineering depth, position 39 | conditional | original IDs 129

071 | old P3 | A2 - Project-led engineering depth, position 38 | conditional | original IDs 131

072 | old P3 | A2 - Project-led engineering depth, position 21 | conditional | original IDs 132

073 | old P3 | A2 - Project-led engineering depth, position 22 | conditional | original IDs 133

074 | old P3 | A2 - Project-led engineering depth, position 13 | conditional | original IDs 134

075 | old P3 | A2 - Project-led engineering depth, position 18 | conditional | original IDs 135, 136, 137, 175, 33

076 | old P3 | A2 - Project-led engineering depth, position 14 | conditional | original IDs 138

077 | old P3 | A2 - Project-led engineering depth, position 15 | conditional | original IDs 139

078 | old P3 | A2 - Project-led engineering depth, position 16 | conditional | original IDs 140

079 | old P3 | A2 - Project-led engineering depth, position 17 | conditional | original IDs 141

080 | old P3 | A2 - Project-led engineering depth, position 25 | conditional | original IDs 173

081 | old P4 | E - Stable documentation and release decision, position 11 | remaining; existing coverage to reuse | original IDs 15

082 | old P4 | E - Stable documentation and release decision, position 7 | remaining; existing coverage to reuse | original IDs 21

083 | old P4 | A2 - Project-led engineering depth, position 29 | conditional | original IDs 22

084 | old P4 | A2 - Project-led engineering depth, position 30 | conditional | original IDs 23

085 | old P4 | A2 - Project-led engineering depth, position 26 | conditional | original IDs 24

086 | old P4 | A2 - Project-led engineering depth, position 27 | conditional | original IDs 25

087 | old P4 | A2 - Project-led engineering depth, position 28 | conditional | original IDs 26

088 | old P4 | A1 - Useful general capabilities, position 6 | remaining; existing coverage to reuse | original IDs 29

089 | old P4 | A2 - Project-led engineering depth, position 36 | conditional | original IDs 130, 174, 35

090 | old P4 | A2 - Project-led engineering depth, position 33 | conditional | original IDs 36

091 | old P4 | A2 - Project-led engineering depth, position 34 | conditional | original IDs 37

092 | old P4 | A3 - Optional capabilities when a real need exists, position 1 | conditional | original IDs 39

093 | old P4 | A2 - Project-led engineering depth, position 31 | conditional | original IDs 45

094 | old P4 | A2 - Project-led engineering depth, position 32 | conditional | original IDs 46

095 | old P4 | D - Packaging and installation lifecycle, position 9 | remaining; existing coverage to reuse | original IDs 53

096 | old P4 | A3 - Optional capabilities when a real need exists, position 2 | conditional | original IDs 54

097 | old P4 | A3 - Optional capabilities when a real need exists, position 3 | conditional | original IDs 55

098 | old P4 | A3 - Optional capabilities when a real need exists, position 4 | conditional | original IDs 56

099 | old P4 | A3 - Optional capabilities when a real need exists, position 5 | conditional | original IDs 57

100 | old P4 | A3 - Optional capabilities when a real need exists, position 6 | conditional | original IDs 58

101 | old P4 | A3 - Optional capabilities when a real need exists, position 7 | conditional | original IDs 59

102 | old P4 | A3 - Optional capabilities when a real need exists, position 8 | conditional | original IDs 60

103 | old P4 | A3 - Optional capabilities when a real need exists, position 9 | conditional | original IDs 61

104 | old P4 | A3 - Optional capabilities when a real need exists, position 10 | conditional | original IDs 62

105 | old P4 | A3 - Optional capabilities when a real need exists, position 11 | conditional | original IDs 63

106 | old P4 | A3 - Optional capabilities when a real need exists, position 12 | conditional | original IDs 64

107 | old P4 | A3 - Optional capabilities when a real need exists, position 13 | conditional | original IDs 65

108 | old P4 | A3 - Optional capabilities when a real need exists, position 14 | conditional | original IDs 66

109 | old P4 | A3 - Optional capabilities when a real need exists, position 15 | conditional | original IDs 67

110 | old P4 | E - Stable documentation and release decision, position 12 | remaining; existing coverage to reuse | original IDs 68

111 | old P4 | E - Stable documentation and release decision, position 13 | remaining; existing coverage to reuse | original IDs 69

112 | old P4 | E - Stable documentation and release decision, position 14 | remaining; existing coverage to reuse | original IDs 70

113 | old P4 | A3 - Optional capabilities when a real need exists, position 16 | conditional | original IDs 142

114 | old P4 | A3 - Optional capabilities when a real need exists, position 17 | conditional | original IDs 143

115 | old P4 | A3 - Optional capabilities when a real need exists, position 18 | conditional | original IDs 144

116 | old P4 | A3 - Optional capabilities when a real need exists, position 19 | conditional | original IDs 145

117 | old P4 | A3 - Optional capabilities when a real need exists, position 20 | conditional | original IDs 146

118 | old P4 | A3 - Optional capabilities when a real need exists, position 21 | conditional | original IDs 147

119 | old P4 | A3 - Optional capabilities when a real need exists, position 22 | conditional | original IDs 148

120 | old P4 | A3 - Optional capabilities when a real need exists, position 23 | conditional | original IDs 149

121 | old P4 | A3 - Optional capabilities when a real need exists, position 24 | conditional | original IDs 150

122 | old P4 | A3 - Optional capabilities when a real need exists, position 25 | conditional | original IDs 151

123 | old P4 | A3 - Optional capabilities when a real need exists, position 26 | conditional | original IDs 152

124 | old P4 | A3 - Optional capabilities when a real need exists, position 27 | conditional | original IDs 176

125 | old P4 | A3 - Optional capabilities when a real need exists, position 28 | conditional | original IDs 177

126 | old P5 | F - Explicit deferrals and reuse decisions, position 1 | reuse/deferred | original IDs 28

127 | old P5 | F - Explicit deferrals and reuse decisions, position 2 | reuse/deferred | original IDs 43

128 | old P5 | F - Explicit deferrals and reuse decisions, position 3 | reuse/deferred | original IDs 71

129 | old P5 | F - Explicit deferrals and reuse decisions, position 4 | reuse/deferred | original IDs 72

130 | old P5 | F - Explicit deferrals and reuse decisions, position 5 | reuse/deferred | original IDs 73

131 | old P5 | F - Explicit deferrals and reuse decisions, position 6 | reuse/deferred | original IDs 74

132 | old P5 | F - Explicit deferrals and reuse decisions, position 7 | reuse/deferred | original IDs 75

133 | old P5 | F - Explicit deferrals and reuse decisions, position 8 | reuse/deferred | original IDs 76

134 | old P5 | F - Explicit deferrals and reuse decisions, position 9 | reuse/deferred | original IDs 77
135 | old P5 | F - Explicit deferrals and reuse decisions, position 10 | reuse/deferred | original IDs 78
136 | old P5 | F - Explicit deferrals and reuse decisions, position 11 | reuse/deferred | original IDs 79
137 | old P5 | F - Explicit deferrals and reuse decisions, position 12 | reuse/deferred | original IDs 80
138 | old P5 | F - Explicit deferrals and reuse decisions, position 13 | reuse/deferred | original IDs 81
139 | old P5 | F - Explicit deferrals and reuse decisions, position 14 | reuse/deferred | original IDs 82
140 | old P5 | F - Explicit deferrals and reuse decisions, position 15 | reuse/deferred | original IDs V3

A1 - Useful general capabilities

047. Product discovery and delivery

Original IDs: 47 | Original PDF p. 23

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Capability maps, user jobs, MVP cuts, ownership and acceptance criteria. Extend requirements and architecture rather than adding a second coordinator.

Reuse: requirements-and-traceability, architecture-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: The plan resolves concrete product decisions and does not introduce another general orchestration layer.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 047, Product discovery and delivery (original IDs 47). Reuse the existing coordinator routes and relevant available specialist/provider first. Capability maps, user jobs, MVP cuts, ownership and acceptance criteria. Extend requirements and architecture rather than adding a second coordinator. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse requirements-and-traceability, architecture-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

026. Repository onboarding

Original IDs: 27 | Original PDF p. 20

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Extend existing architecture/context guidance only where needed. Map entry points, conventions and ownership; trace one real request or data flow. Generate persistent onboarding documents only when requested.

Reuse: requirements-and-traceability, architecture-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: The explanation points to actual source, labels unknowns and writes persistent onboarding material only when requested.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 026, Repository onboarding (original IDs 27). Reuse the existing coordinator routes and relevant available specialist/provider first. Extend existing architecture/context guidance only where needed. Map entry points, conventions and ownership; trace one real request or data flow. Generate persistent onboarding documents only when requested. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse requirements-and-traceability, architecture-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

045. Error and type design

Original IDs: 38 | Original PDF p. 22

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Extend targeted reviews for silent failure, invalid state, nullability, boundary contracts and recovery. Incorporate useful ECC reviewer roles without making every task multi-agent.

Reuse: code-refactoring-refactor-clean, architecture-review. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Findings point to concrete behavior; no mandatory full review pass or extra agent is added to trivial tasks.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 045, Error and type design (original IDs 38). Reuse the existing coordinator routes and relevant available specialist/provider first. Extend targeted reviews for silent failure, invalid state, nullability, boundary contracts and recovery. Incorporate useful ECC reviewer roles without making every task multi-agent. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse code-refactoring-refactor-clean, architecture-review and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

025. Broader GitHub operations

Original IDs: 17 | Original PDF p. 20

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Reuse GitHub tools and the existing Git skill; add only missing operational recipes. Issue triage, CI log diagnosis, release preparation and security alert triage. Keep comments, reruns, releases and merges within action-specific authorization.

Reuse: git-and-github-workflow. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Recipes use available provider contracts and distinguish reading logs from commenting, rerunning, publishing or merging.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 025, Broader GitHub operations (original IDs 17). Reuse the existing coordinator routes and relevant available specialist/provider first. Reuse GitHub tools and the existing Git skill; add only missing operational recipes. Issue triage, CI log diagnosis, release preparation and security alert triage. Keep comments, reruns, releases and merges within action-specific authorization. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse git-and-github-workflow and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

048. Content repurposing

Original IDs: 48 | Original PDF p. 23

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Adapt an approved source into channel-specific drafts, series and portfolios. Keep personal voice, team context and fact reuse permissions intact.

Reuse: personal-writing, demir-linkedin, deep-research-and-idea-validation. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Claims preserve team/academic context and confidentiality; repurposing approval is not publishing approval.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 048, Content repurposing (original IDs 48). Reuse the existing coordinator routes and relevant available specialist/provider first. Adapt an approved source into channel-specific drafts, series and portfolios. Keep personal voice, team context and fact reuse permissions intact. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse personal-writing, demir-linkedin, deep-research-and-idea-validation and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

088. Academic literature and paper review

Original IDs: 29 | Original PDF p. 21

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Extend existing deep research and source-provider workflows; no separate research engine is required. Review protocols, search logs, deduplication, exclusions, evidence tables, methodology/baselines and citation support. Adapt to assignment rubrics; avoid unjustified numerical quality scores.

Reuse: deep-research-and-idea-validation, jurisdiction-specific-legal-feasibility. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: The level of rigor matches the assignment; preprints, reviews, primary evidence and unresolved full-text access remain distinct.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 088, Academic literature and paper review (original IDs 29). Reuse the existing coordinator routes and relevant available specialist/provider first. Extend existing deep research and source-provider workflows; no separate research engine is required. Review protocols, search logs, deduplication, exclusions, evidence tables, methodology/baselines and citation support. Adapt to assignment rubrics; avoid unjustified numerical quality scores. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse deep-research-and-idea-validation, jurisdiction-specific-legal-feasibility and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

028. User-directed learning

Original IDs: 83 | Original PDF p. 14

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Make explicit corrections reusable: identify the cause, update the relevant private preference or skill when persistence is authorized, preserve the evidence and scope, and retain rollback. Reuse existing permission; do not ask again for an already approved correction.

Reuse: demir-bot, context-efficiency, privacy-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Reuse already-granted permission; retain minimal provenance and rollback, not the raw private conversation.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 028, User-directed learning (original IDs 83). Reuse the existing coordinator routes and relevant available specialist/provider first. Make explicit corrections reusable: identify the cause, update the relevant private preference or skill when persistence is authorized, preserve the evidence and scope, and retain rollback. Reuse existing permission; do not ask again for an already approved correction. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, context-efficiency, privacy-review and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

032. Learning controls and correction

Original IDs: 172, 87 | Original PDF p. 15; Continuation PDF p. 12; adapted to video-first priorities

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Provide a clear way to inspect, revise, forget or roll back learned rules. Resolve contradictions using current explicit instructions. Project lessons stay local to that project unless broader reuse is authorized. Avoid retaining raw conversations unnecessarily. Resolve conflicting lessons by instruction precedence, explicit current user direction, scope and evidence; newer retrieved text is not automatically authoritative.

Reuse: demir-bot, context-efficiency, privacy-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Deletion claims name exactly what was removed and what historical backups remain; newer explicit instructions supersede old lessons.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 032, Learning controls and correction (original IDs 172, 87). Reuse the existing coordinator routes and relevant available specialist/provider first. Provide a clear way to inspect, revise, forget or roll back learned rules. Resolve contradictions using current explicit instructions. Project lessons stay local to that project unless broader reuse is authorized. Avoid retaining raw conversations unnecessarily. Resolve conflicting lessons by instruction precedence, explicit current user direction, scope and evidence; newer retrieved text is not automatically authoritative. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, context-efficiency, privacy-review and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

029. Private lesson register

Original IDs: 84 | Original PDF p. 14

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Store concise approved lessons with trigger, action, source, project or personal scope, approval status and superseded rules. Keep personal examples outside Git. Confidence scores and user silence must never substitute for permission.

Reuse: demir-bot, context-efficiency, privacy-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: 028 and 032: authorized persistence plus inspect/correct/delete controls.

Observable acceptance: Contradictions are reviewable, project lessons stay project-scoped and confidence alone never grants persistence.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 029, Private lesson register (original IDs 84). Reuse the existing coordinator routes and relevant available specialist/provider first. Store concise approved lessons with trigger, action, source, project or personal scope, approval status and superseded rules. Keep personal examples outside Git. Confidence scores and user silence must never substitute for permission. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, context-efficiency, privacy-review and the references named in this entry. Prerequisites: 028 and 032: authorized persistence plus inspect/correct/delete controls. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

030. Controlled skill evolution

Original IDs: 168, 85 | Original PDF p. 15; Continuation PDF p. 11; adapted to video-first priorities

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: On request, identify recurring approved lessons and propose a focused improvement to an existing skill. Show the change and provenance, preserve local adaptations, refresh the supported installation/index when authorized, and keep a recoverable previous version. Use scoped existing version control and provenance for approved reusable prompts; keep private examples outside Git and avoid a new parallel ledger.

Reuse: demir-bot, context-efficiency, privacy-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: 028-029 and 032: approved lessons, scoped rollback and provenance.

Observable acceptance: Show a reviewable diff, prevent duplicate rules and refresh source/index/installed pilot only within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 030, Controlled skill evolution (original IDs 168, 85). Reuse the existing coordinator routes and relevant available specialist/provider first. On request, identify recurring approved lessons and propose a focused improvement to an existing skill. Show the change and provenance, preserve local adaptations, refresh the supported installation/index when authorized, and keep a recoverable previous version. Use scoped existing version control and provenance for approved reusable prompts; keep private examples outside Git and avoid a new parallel ledger. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, context-efficiency, privacy-review and the references named in this entry. Prerequisites: 028-029 and 032: approved lessons, scoped rollback and provenance. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

033. On-demand lesson discovery - proposed

Original IDs: 171, 88 | Original PDF p. 25; Continuation PDF p. 12; adapted to video-first priorities

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Adapt repository-history analysis and rule distillation to suggest conventions or reusable lessons from selected authorized sources. Review source text as untrusted, redact sensitive details, and keep proposed lessons inactive until their persistence scope is authorized. Promote a reusable lesson only with explicit persistence scope, provenance and removal of project-specific private data.

Reuse: demir-bot, context-efficiency, privacy-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: 028-032 and selected authorized history; proposed lessons stay inactive.

Observable acceptance: Suggestions remain inactive until persistence is authorized, source content is untrusted and sensitive examples are redacted.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 033, On-demand lesson discovery - proposed (original IDs 171, 88). Reuse the existing coordinator routes and relevant available specialist/provider first. Adapt repository-history analysis and rule distillation to suggest conventions or reusable lessons from selected authorized sources. Review source text as untrusted, redact sensitive details, and keep proposed lessons inactive until their persistence scope is authorized. Promote a reusable lesson only with explicit persistence scope, provenance and removal of project-specific private data. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, context-efficiency, privacy-review and the references named in this entry. Prerequisites: 028-032 and selected authorized history; proposed lessons stay inactive. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

A2 - Project-led engineering depth

053. Swift concurrency, state ownership and identity

Original IDs: 110, 114, 115, 116, 117 | Continuation PDF p. 8; adapted to evidence-led priorities; Continuation PDF p. 8; adapted to evidence-led priorities; Continuation PDF p. 8; adapted to evidence-led priorities; Continuation PDF p. 8; adapted to evidence-led priorities; Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Extend the existing SwiftUI specialist with a concise source-review entrypoint for isolation, Sendable, task lifetime and cancellation; no duplicate standalone skill unless justified. Extend existing isolation guidance using the actual Swift language mode, compiler and target flags; address diagnostics without blanket unsafe suppressions. Reuse structured concurrency, cooperative cancellation and actor guidance; add only missing project-relevant async sequences, continuations or task-group patterns. Reuse existing ownership and observation guidance; add only an uncovered state-lifetime or dependency-injection case with deployment-target compatibility. Reuse stable identity guidance for lists, navigation and task lifetime; address an actual identity/reset failure without a duplicate specialist. Extend the existing SwiftUI specialist with a concise source-review entrypoint for isolation, Sendable, task lifetime and cancellation; no duplicate standalone skill unless justified.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Extend the existing SwiftUI specialist only for a demonstrated missing case; do not create five overlapping skills.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 053, Swift concurrency, state ownership and identity (original IDs 110, 114, 115, 116, 117). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Extend the existing SwiftUI specialist only for a demonstrated missing case; do not create five overlapping skills. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

054. ios-project-structure

Original IDs: 111 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Map relevant targets, schemes, packages, resources and configuration for a named iOS project; keep a small useful navigation reference rather than loading a full repository map each turn.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 054, ios-project-structure (original IDs 111). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Map relevant targets, schemes, packages, resources and configuration for a named iOS project; keep a small useful navigation reference rather than loading a full repository map each turn. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

062. ios-architecture-patterns

Original IDs: 125 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Apply existing architecture review to iOS state/data boundaries and modularity; choose a pattern from actual requirements rather than enforcing one architecture everywhere.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 062, ios-architecture-patterns (original IDs 125). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Apply existing architecture review to iOS state/data boundaries and modularity; choose a pattern from actual requirements rather than enforcing one architecture everywhere. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

061. dependency-injection-ios

Original IDs: 124 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Extend architecture guidance with stable service ownership and replaceable dependencies using project conventions; do not introduce a framework by default.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 061, dependency-injection-ios (original IDs 124). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Extend architecture guidance with stable service ownership and replaceable dependencies using project conventions; do not introduce a framework by default. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

059. swiftui-navigation

Original IDs: 118 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Add deployment-aware navigation state, routes, restoration and deep-link handling for the actual app architecture.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 059, swiftui-navigation (original IDs 118). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Add deployment-aware navigation state, routes, restoration and deep-link handling for the actual app architecture. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

060. ios-error-handling

Original IDs: 123 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Define typed failure, cancellation, recovery and user messaging across the actual iOS boundaries; preserve error information and avoid silent success fallbacks.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 060, ios-error-handling (original IDs 123). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Define typed failure, cancellation, recovery and user messaging across the actual iOS boundaries; preserve error information and avoid silent success fallbacks. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

055. xcodebuild-error-taxonomy

Original IDs: 108 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Classify supplied Xcode build diagnostics into compiler, linker, dependency, signing and environment causes; investigate the actual failure without automatically rerunning builds.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 055, xcodebuild-error-taxonomy (original IDs 108). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Classify supplied Xcode build diagnostics into compiler, linker, dependency, signing and environment causes; investigate the actual failure without automatically rerunning builds. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

056. derived-data-hygiene

Original IDs: 112 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Diagnose build-cache anomalies and choose scoped recovery; preserve working caches and do not delete DerivedData as a routine first step.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 056, derived-data-hygiene (original IDs 112). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Diagnose build-cache anomalies and choose scoped recovery; preserve working caches and do not delete DerivedData as a routine first step. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

063. spm-dependency-management

Original IDs: 126 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Handle package versions, resolution, resources and binary targets within the project's supported toolchain; preserve lockfiles and review supply-chain implications.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 063, spm-dependency-management (original IDs 126). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Handle package versions, resolution, resources and binary targets within the project's supported toolchain; preserve lockfiles and review supply-chain implications. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

068. keychain-cryptokit

Original IDs: 127 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Add platform-correct secret storage and cryptographic API guidance; distinguish access groups, availability and backup behavior without inventing cryptography.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 068, keychain-cryptokit (original IDs 127). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Add platform-correct secret storage and cryptographic API guidance; distinguish access groups, availability and backup behavior without inventing cryptography. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

064. swiftdata-migrations

Original IDs: 119 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Design versioned SwiftData schemas and migration paths with recovery assumptions; never migrate live user data or run a migration without explicit scope.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Named SwiftData schema versions, sample synthetic data and recovery design.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 064, swiftdata-migrations (original IDs 119). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Design versioned SwiftData schemas and migration paths with recovery assumptions; never migrate live user data or run a migration without explicit scope. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: Named SwiftData schema versions, sample synthetic data and recovery design. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

065. coredata-to-swiftdata

Original IDs: 120 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Plan a project-specific store transition with mapping, relationships, compatibility and rollback; establish data ownership and preserve existing stores.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: 064 plus actual Core Data mapping and supported toolchain; never migrate live data incidentally.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 065, coredata-to-swiftdata (original IDs 120). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Plan a project-specific store transition with mapping, relationships, compatibility and rollback; establish data ownership and preserve existing stores. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: 064 plus actual Core Data mapping and supported toolchain; never migrate live data incidentally. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

074. cloudkit-sync

Original IDs: 134 | Continuation PDF p. 9; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Design ownership, conflict resolution, offline behavior and schema environments for a concrete CloudKit app; do not alter production containers incidentally.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 074, cloudkit-sync (original IDs 134). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Design ownership, conflict resolution, offline behavior and schema environments for a concrete CloudKit app; do not alter production containers incidentally. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

076. ios-accessibility-audit

Original IDs: 138 | Continuation PDF p. 9; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Review VoiceOver, Dynamic Type, focus, contrast and motion for the actual iOS interface; distinguish source review from device-tested accessibility.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 076, ios-accessibility-audit (original IDs 138). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Review VoiceOver, Dynamic Type, focus, contrast and motion for the actual iOS interface; distinguish source review from device-tested accessibility. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

077. ios-localization

Original IDs: 139 | Continuation PDF p. 9; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Handle string catalogs, pluralization, locale-sensitive formats and right-to-left layouts with approved translations and deployment compatibility.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 077, ios-localization (original IDs 139). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Handle string catalogs, pluralization, locale-sensitive formats and right-to-left layouts with approved translations and deployment compatibility. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

078. privacy-manifests

Original IDs: 140 | Continuation PDF p. 9; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Inspect actual SDK/data behavior and current Apple requirements before preparing privacy declarations; never infer compliance from a template alone.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 078, privacy-manifests (original IDs 140). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Inspect actual SDK/data behavior and current Apple requirements before preparing privacy declarations; never infer compliance from a template alone. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

079. ios-security-hardening

Original IDs: 141 | Continuation PDF p. 9; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Reuse Codex Security and privacy routes first; add iOS-specific transport, storage, entitlement and IPC guidance for demonstrated gaps.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 079, ios-security-hardening (original IDs 141). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Reuse Codex Security and privacy routes first; add iOS-specific transport, storage, entitlement and IPC guidance for demonstrated gaps. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

075. Performance analysis and Apple profiling depth

Original IDs: 135, 136, 137, 175, 33 | Original PDF p. 28; Continuation PDF p. 9; adapted to video-first priorities; Continuation PDF p. 9; adapted to video-first priorities; Continuation PDF p. 9; adapted to video-first priorities; Continuation PDF p. 12; adapted to video-first priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Use existing architecture/release/SwiftUI expertise first; add workload-specific depth only when needed. Latency, throughput, memory, I/O, hot-path analysis and representative workloads. Profiling and benchmarks remain opt-in. Interpret supplied traces or prepare an explicitly requested profiling workflow with a representative workload; distinguish hypotheses from measured bottlenecks. Investigate startup dependencies, synchronous work and first useful frame using actual evidence; preserve correctness and report device/build conditions for any measurement. Investigate ownership cycles, retained tasks and memory growth from source or supplied graphs; device profiling remains opt-in. Connect supported trace capture/reading for a named workload only when profiling is authorized; use master item 075 guidance and preserve private trace data.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Reuse architecture/SwiftUI guidance; add workload-specific Instruments, memory or launch guidance and tooling only for a named project and authorized profiling.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 075, Performance analysis and Apple profiling depth (original IDs 135, 136, 137, 175, 33). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Reuse architecture/SwiftUI guidance; add workload-specific Instruments, memory or launch guidance and tooling only for a named project and authorized profiling. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

066. xctest-patterns

Original IDs: 121 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Add focused XCTest guidance to existing QA for fixtures, async behavior and meaningful assertions; separate writing tests from executing them.

Reuse: qa-and-test-evidence, swiftui-performance-and-concurrency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 066, xctest-patterns (original IDs 121). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Add focused XCTest guidance to existing QA for fixtures, async behavior and meaningful assertions; separate writing tests from executing them. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence, swiftui-performance-and-concurrency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

067. swift-testing-patterns

Original IDs: 122 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Add current Swift Testing guidance for parameterization, traits and concurrency when supported by the project; do not migrate XCTest merely for novelty.

Reuse: qa-and-test-evidence, swiftui-performance-and-concurrency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 067, swift-testing-patterns (original IDs 122). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Add current Swift Testing guidance for parameterization, traits and concurrency when supported by the project; do not migrate XCTest merely for novelty. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence, swiftui-performance-and-concurrency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

072. ui-test-patterns

Original IDs: 132 | Continuation PDF p. 9; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Add focused iOS UI test patterns for stable identifiers, asynchronous states and isolation; avoid broad UI campaigns unless requested.

Reuse: qa-and-test-evidence, swiftui-performance-and-concurrency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 072, ui-test-patterns (original IDs 132). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Add focused iOS UI test patterns for stable identifiers, asynchronous states and isolation; avoid broad UI campaigns unless requested. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence, swiftui-performance-and-concurrency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

073. snapshot-testing

Original IDs: 133 | Continuation PDF p. 9; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Add visual-test guidance only for an actual regression risk; control device, OS, font and rendering variability, with explicit baseline approval.

Reuse: qa-and-test-evidence, swiftui-performance-and-concurrency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 073, snapshot-testing (original IDs 133). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Add visual-test guidance only for an actual regression risk; control device, OS, font and rendering variability, with explicit baseline approval. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence, swiftui-performance-and-concurrency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

058. swiftlint-swiftformat-ios

Original IDs: 109 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Use the project's existing Swift lint/format configuration on request; distinguish style from correctness and avoid automatic save hooks or whole-repository reformatting.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 058, swiftlint-swiftformat-ios (original IDs 109). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Use the project's existing Swift lint/format configuration on request; distinguish style from correctness and avoid automatic save hooks or whole-repository reformatting. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

057. simulator-device-management

Original IDs: 113 | Continuation PDF p. 8; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Use supported tools for requested simulator/device selection, launching and screenshots; identify the exact target and preserve unrelated devices/data.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 057, simulator-device-management (original IDs 113). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Use supported tools for requested simulator/device selection, launching and screenshots; identify the exact target and preserve unrelated devices/data. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

080. Xcode CLI integration

Original IDs: 173 | Continuation PDF p. 12; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Discover supported installed Xcode command-line tools and exact contracts for a requested operation; verify current upload tooling rather than assuming historical altool examples still apply.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 080, Xcode CLI integration (original IDs 173). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Discover supported installed Xcode command-line tools and exact contracts for a requested operation; verify current upload tooling rather than assuming historical altool examples still apply. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

085. Backend and API engineering

Original IDs: 24 | Original PDF p. 27

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Use existing architecture, requirements, Superpowers engineering workflows and official stack guidance first. Add narrow references for contracts, authorization, validation, pagination, idempotency, jobs, caching or rate limits only when demonstrated gaps justify them. Superpowers is a methodology, not guaranteed backend expertise.

Reuse: architecture-review, requirements-and-traceability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Existing architecture and Superpowers coverage is reused, and the contract has concrete consumers and observable acceptance criteria.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 085, Backend and API engineering (original IDs 24). Reuse the existing coordinator routes and relevant available specialist/provider first. Use existing architecture, requirements, Superpowers engineering workflows and official stack guidance first. Add narrow references for contracts, authorization, validation, pagination, idempotency, jobs, caching or rate limits only when demonstrated gaps justify them. Superpowers is a methodology, not guaranteed backend expertise. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse architecture-review, requirements-and-traceability and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

086. Database engineering

Original IDs: 25 | Original PDF p. 27

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Use the existing Supabase/Postgres provider for applicable schema, migration, RLS and query work. Add database-specific guidance only outside that coverage or after a concrete failure. Provider installation is not proof of account access, restore safety or successful migrations.

Reuse: architecture-review, requirements-and-traceability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: No production migration or restore is implied. New guidance names the database, compatibility constraints and recovery assumptions.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 086, Database engineering (original IDs 25). Reuse the existing coordinator routes and relevant available specialist/provider first. Use the existing Supabase/Postgres provider for applicable schema, migration, RLS and query work. Add database-specific guidance only outside that coverage or after a concrete failure. Provider installation is not proof of account access, restore safety or successful migrations. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse architecture-review, requirements-and-traceability and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

087. React/frontend depth

Original IDs: 26 | Original PDF p. 27

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Reuse frontend-quality-and-accessibility, Figma, Sites and relevant Superpowers workflows. Add React state, data fetching, rendering, forms and performance references only for a real uncovered need. Design/hosting tools are not substitutes for all framework knowledge.

Reuse: frontend-quality-and-accessibility. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: The result preserves accessibility and existing conventions; a design provider is not mistaken for framework-runtime evidence.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 087, React/frontend depth (original IDs 26). Reuse the existing coordinator routes and relevant available specialist/provider first. Reuse frontend-quality-and-accessibility, Figma, Sites and relevant Superpowers workflows. Add React state, data fetching, rendering, forms and performance references only for a real uncovered need. Design/hosting tools are not substitutes for all framework knowledge. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse frontend-quality-and-accessibility and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

083. Stack-specific testing references

Original IDs: 22 | Original PDF p. 26

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Use existing QA guidance and relevant Superpowers testing workflows first. Add pytest, JavaScript/TypeScript or React recipes only when a real project reveals missing practical detail. Preserve explicit test scope and avoid universal coverage targets.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: The recipe fits the actual framework and tests observable behavior; no duplicate testing coordinator or mandatory coverage percentage.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 083, Stack-specific testing references (original IDs 22). Reuse qa-and-test-evidence and its evaluation reference first. Use existing QA guidance and relevant Superpowers testing workflows first. Add pytest, JavaScript/TypeScript or React recipes only when a real project reveals missing practical detail. Preserve explicit test scope and avoid universal coverage targets. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

084. Project E2E and accessibility testing

Original IDs: 23 | Original PDF p. 26

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Reuse QA, frontend accessibility and available browser tooling. Add stack-specific setup, traces and flaky-test recovery only for real project gaps. Superpowers does not itself establish working browser access or complete accessibility coverage. Demir Bot regression coverage accompanies implementation batches and receives comprehensive validation in phase C.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Selected user flows and error paths are observable. Automated accessibility checks are not claimed to prove full conformance.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 084, Project E2E and accessibility testing (original IDs 23). Reuse qa-and-test-evidence and its evaluation reference first. Reuse QA, frontend accessibility and available browser tooling. Add stack-specific setup, traces and flaky-test recovery only for real project gaps. Superpowers does not itself establish working browser access or complete accessibility coverage. Demir Bot regression coverage accompanies implementation batches and receives comprehensive validation in phase C. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

093. UI design systems

Original IDs: 45 | Original PDF p. 29

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Use Figma and existing frontend routes first. Tokens, components, consistency and responsive states through existing Figma/frontend routes; adapt ECC design-system and interface-polish guidance selectively.

Reuse: frontend-quality-and-accessibility. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: The local addition fills a demonstrated gap and does not replace provider design tooling.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 093, UI design systems (original IDs 45). Reuse the existing coordinator routes and relevant available specialist/provider first. Use Figma and existing frontend routes first. Tokens, components, consistency and responsive states through existing Figma/frontend routes; adapt ECC design-system and interface-polish guidance selectively. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse frontend-quality-and-accessibility and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

094. Interaction and click-path reviews

Original IDs: 46 | Original PDF p. 30

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Use existing frontend/QA routes first. Review complete task flows, empty/error/loading states, keyboard use and mobile usability. Browser execution requires the applicable scope.

Reuse: frontend-quality-and-accessibility. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Findings are tied to observable task failures; browser checks are scoped rather than automatically attached to every edit.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 094, Interaction and click-path reviews (original IDs 46). Reuse the existing coordinator routes and relevant available specialist/provider first. Use existing frontend/QA routes first. Review complete task flows, empty/error/loading states, keyboard use and mobile usability. Browser execution requires the applicable scope. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse frontend-quality-and-accessibility and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

090. Containers and reproducible environments

Original IDs: 36 | Original PDF p. 28

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Add only for projects that actually use containers. Development versus production containers, pinned dependencies, environment configuration, secrets and clean teardown. No blanket Docker requirement for an instruction plugin.

Reuse: release-readiness-and-observability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: The environment is reproducible within stated support; no container infrastructure is added to the instruction-only plugin without need.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 090, Containers and reproducible environments (original IDs 36). Reuse the existing coordinator routes and relevant available specialist/provider first. Add only for projects that actually use containers. Development versus production containers, pinned dependencies, environment configuration, secrets and clean teardown. No blanket Docker requirement for an instruction plugin. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse release-readiness-and-observability and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

091. Operational observability

Original IDs: 37 | Original PDF p. 29

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Reuse existing release-readiness guidance and hosting tools first. Useful structured events, error correlation, latency, health and retention. Keep private payloads out of logs and dashboards.

Reuse: release-readiness-and-observability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Telemetry has clear owners, retention and redaction; alerts or background collectors are not enabled incidentally.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 091, Operational observability (original IDs 37). Reuse the existing coordinator routes and relevant available specialist/provider first. Reuse existing release-readiness guidance and hosting tools first. Useful structured events, error correlation, latency, health and retention. Keep private payloads out of logs and dashboards. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse release-readiness-and-observability and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

044. Model/API cost control

Original IDs: 34 | Original PDF p. 21

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Current pricing sources, explicit budgets, narrow retries, caching and routing trade-offs for custom API applications. Do not promise subscription savings or override the user's selected model.

Reuse: context-efficiency, architecture-review. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Estimated cost is labelled; no model change or purchase is automatic and Plus allowance is not treated as an API budget.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 044, Model/API cost control (original IDs 34). Reuse the existing coordinator routes and relevant available specialist/provider first. Current pricing sources, explicit budgets, narrow retries, caching and routing trade-offs for custom API applications. Do not promise subscription savings or override the user's selected model. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse context-efficiency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

089. Typed connector development and App Store Connect

Original IDs: 130, 174, 35 | Original PDF p. 28; Continuation PDF p. 9; adapted to video-first priorities; Continuation PDF p. 12; adapted to video-first priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Reuse OpenAI Developers and suitable provider SDK/tooling first. Typed contracts, pagination, auth, secrets, retries, cancellation, idempotency and precise read/write effects. Reuse official SDK/provider guidance. Define supported typed operations and minimal permissions for the actual App Store Connect task; distinguish reads, metadata edits, uploads and submission. Implement an authenticated, narrowly scoped operation after defining the item 089 contract; keep credentials outside the package and distinguish accepted jobs from completed actions.

Reuse: architecture-review, requirements-and-traceability. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Named provider operation, official SDK contract and available supported access; this item has no self-dependency.

Observable acceptance: Reuse existing SDK/provider coverage; implement a narrow operation only after the target, credentials boundary and read/write scope are known.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 089, Typed connector development and App Store Connect (original IDs 130, 174, 35). Reuse the existing coordinator routes and relevant available specialist/provider first. Reuse existing SDK/provider coverage; implement a narrow operation only after the target, credentials boundary and read/write scope are known. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse architecture-review, requirements-and-traceability and the references named in this entry. Prerequisites: Named provider operation, official SDK contract and available supported access; this item has no self-dependency. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

069. code-signing-provisioning

Original IDs: 128 | Continuation PDF p. 9; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Diagnose identities, entitlements, bundle IDs and provisioning for a named target; do not change account access, certificates or signing assets without applicable authorization.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 069, code-signing-provisioning (original IDs 128). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Diagnose identities, entitlements, bundle IDs and provisioning for a named target; do not change account access, certificates or signing assets without applicable authorization. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

071. app-store-review-compliance

Original IDs: 131 | Continuation PDF p. 9; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Review a named app against current official submission requirements; document uncertainty and avoid guarantees of acceptance.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 071, app-store-review-compliance (original IDs 131). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Review a named app against current official submission requirements; document uncertainty and avoid guarantees of acceptance. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

070. testflight-automation

Original IDs: 129 | Continuation PDF p. 9; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Prepare an explicitly requested TestFlight workflow with versioning, signing, release notes and upload evidence; actual upload/distribution requires its own scope.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: 069 signing, 071 submission constraints and 080/089 supported operations; upload requires separate authority.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 070, testflight-automation (original IDs 129). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Prepare an explicitly requested TestFlight workflow with versioning, signing, release notes and upload evidence; actual upload/distribution requires its own scope. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: 069 signing, 071 submission constraints and 080/089 supported operations; upload requires separate authority. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

A3 - Optional capabilities when a real need exists

092. Data and ML workflow depth

Original IDs: 39 | Original PDF p. 29

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Reuse the ML specialist and project frameworks; add only demonstrated gaps. Data quality, leakage, reproducibility, dataset/model lineage, fair baselines, inference and throughput. Training and paid compute remain separately authorized.

Reuse: ml-training-specialist, swiftui-performance-and-concurrency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Training, data transfer and compute spending remain separate; baselines and evaluation leakage are explicit.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 092, Data and ML workflow depth (original IDs 39). Reuse the existing coordinator routes and relevant available specialist/provider first. Reuse the ML specialist and project frameworks; add only demonstrated gaps. Data quality, leakage, reproducibility, dataset/model lineage, fair baselines, inference and throughput. Training and paid compute remain separately authorized. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse ml-training-specialist, swiftui-performance-and-concurrency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

096. Cross-client memory

Original IDs: 54 | Original PDF p. 30

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Explicit scopes, provenance, corrections, retention and deletion. Evaluate ECC unified-memory as a separate runtime with maintenance cost.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Private/user scopes never become global implicitly; memory cannot supply authorization and raw conversations are not retained by default.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 096, Cross-client memory (original IDs 54). Reuse the existing coordinator routes and relevant available specialist/provider first. Explicit scopes, provenance, corrections, retention and deletion. Evaluate ECC unified-memory as a separate runtime with maintenance cost. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

097. Local status dashboard

Original IDs: 55 | Original PDF p. 31

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Read-only view of skills, versions, provider states and approval status. Avoid exposing private profile data; a dashboard is not required for ordinary use.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: The display distinguishes stale/unknown evidence and never exposes profile contents, secrets or implied verified access.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 097, Local status dashboard (original IDs 55). Reuse the existing coordinator routes and relevant available specialist/provider first. Read-only view of skills, versions, provider states and approval status. Avoid exposing private profile data; a dashboard is not required for ordinary use. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

098. Notification integrations

Original IDs: 56 | Original PDF p. 31

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: User-requested notifications with deduplication and minimal content. Reuse providers; no background notification service by default.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: No unsolicited watcher or messaging is enabled; unchanged/non-actionable state stays quiet when monitoring is authorized.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 098, Notification integrations (original IDs 56). Reuse the existing coordinator routes and relevant available specialist/provider first. User-requested notifications with deduplication and minimal content. Reuse providers; no background notification service by default. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

099. Advanced testing modes

Original IDs: 57 | Original PDF p. 31

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Visual regression, Windows desktop E2E, fuzzing, mutation, load and fault injection when the project risk justifies them. Existing QA already discusses several techniques.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Contain execution, define recovery and record limits; broad testing is not a default prerequisite for ordinary edits.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 099, Advanced testing modes (original IDs 57). Reuse qa-and-test-evidence and its evaluation reference first. Visual regression, Windows desktop E2E, fuzzing, mutation, load and fault injection when the project risk justifies them. Existing QA already discusses several techniques. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

100. Additional language/framework packs

Original IDs: 58 | Original PDF p. 32

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Go, Rust, Java/Spring/JPA/Quarkus, Kotlin/Ktor/Exposed, C++/C#/F#, PHP/Laravel, Ruby/Rails, Perl, Django/Celery, NestJS, Bun, Vue/Nuxt, Angular and Vite/Next tooling. Add only the active stack.

Reuse: architecture-review, requirements-and-traceability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: The added guidance is version-aware and nonduplicative; this item does not authorize installing every listed stack.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 100, Additional language/framework packs (original IDs 58). Reuse the existing coordinator routes and relevant available specialist/provider first. Go, Rust, Java/Spring/JPA/Quarkus, Kotlin/Ktor/Exposed, C++/C#/F#, PHP/Laravel, Ruby/Rails, Perl, Django/Celery, NestJS, Bun, Vue/Nuxt, Angular and Vite/Next tooling. Add only the active stack. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse architecture-review, requirements-and-traceability and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

101. Mobile and on-device extensions

Original IDs: 59 | Original PDF p. 32

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Android, React Native, Flutter, Compose Multiplatform, Swift persistence/testing and on-device models. Retain existing SwiftUI coverage.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Document device/runtime limitations and test scope; no claim that one mobile pack supports every platform.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 101, Mobile and on-device extensions (original IDs 59). Reuse the existing coordinator routes and relevant available specialist/provider first. Android, React Native, Flutter, Compose Multiplatform, Swift persistence/testing and on-device models. Retain existing SwiftUI coverage. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

102. Specialist infrastructure

Original IDs: 60 | Original PDF p. 32

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Redis, MySQL, ClickHouse, Kubernetes, alternative hosting/environment tools and workload-specific databases. Add when used by an actual project.

Reuse: architecture-review, requirements-and-traceability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Operational ownership, auth, rollback and cost are concrete; no provisioning or cloud spending is implied.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 102, Specialist infrastructure (original IDs 60). Reuse the existing coordinator routes and relevant available specialist/provider first. Redis, MySQL, ClickHouse, Kubernetes, alternative hosting/environment tools and workload-specific databases. Add when used by an actual project. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse architecture-review, requirements-and-traceability and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

103. SEO and broader marketing

Original IDs: 61 | Original PDF p. 33

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Search visibility, campaign planning, competitive reports and analytics. Keep unverified performance claims out of public copy.

Reuse: personal-writing, demir-linkedin, deep-research-and-idea-validation. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: No guaranteed traffic, ranking or conversion claims; publishing and analytics access remain separate.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 103, SEO and broader marketing (original IDs 61). Reuse the existing coordinator routes and relevant available specialist/provider first. Search visibility, campaign planning, competitive reports and analytics. Keep unverified performance claims out of public copy. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse personal-writing, demir-linkedin, deep-research-and-idea-validation and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

104. Networking and opportunity research

Original IDs: 62 | Original PDF p. 33

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Connections, lead research and social-graph ideas where lawful and useful. Use minimal data; outreach and profile changes need explicit scope.

Reuse: personal-writing, demir-linkedin, deep-research-and-idea-validation. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: No sensitive profiling or unapproved outreach; identity and recipient resolution precede any separately authorized contact.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 104, Networking and opportunity research (original IDs 62). Reuse the existing coordinator routes and relevant available specialist/provider first. Connections, lead research and social-graph ideas where lawful and useful. Use minimal data; outreach and profile changes need explicit scope. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse personal-writing, demir-linkedin, deep-research-and-idea-validation and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

105. Investor/business documents

Original IDs: 63 | Original PDF p. 33

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Pitch materials and outreach drafts for an actual venture. Reuse writing/research; sending and commercial claims remain separately controlled.

Reuse: personal-writing, demir-linkedin, deep-research-and-idea-validation. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: No invented traction, revenue or investor contact; outreach remains a separate approved action.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 105, Investor/business documents (original IDs 63). Reuse the existing coordinator routes and relevant available specialist/provider first. Pitch materials and outreach drafts for an actual venture. Reuse writing/research; sending and commercial claims remain separately controlled. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse personal-writing, demir-linkedin, deep-research-and-idea-validation and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

106. Extended social channels

Original IDs: 64 | Original PDF p. 34

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Cross-platform drafts and X or other publishing providers when requested. Account access and approval do not transfer automatically between channels.

Reuse: personal-writing, demir-linkedin, deep-research-and-idea-validation. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Reuse and publication permissions are distinct; one channel authorization does not transfer to another.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 106, Extended social channels (original IDs 64). Reuse the existing coordinator routes and relevant available specialist/provider first. Cross-platform drafts and X or other publishing providers when requested. Account access and approval do not transfer automatically between channels. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse personal-writing, demir-linkedin, deep-research-and-idea-validation and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

107. Media and motion extras

Original IDs: 65 | Original PDF p. 34

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Manim, Remotion, Blender inspection, VideoDB, motion recipes, UI demos, icon generation and visual taste calibration. Prefer existing media/design providers before installing alternatives.

Reuse: demir-linkedin, frontend-quality-and-accessibility. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Asset rights, consent, cost and export requirements are explicit; no generation charge or external upload from guidance alone.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 107, Media and motion extras (original IDs 65). Reuse the existing coordinator routes and relevant available specialist/provider first. Manim, Remotion, Blender inspection, VideoDB, motion recipes, UI demos, icon generation and visual taste calibration. Prefer existing media/design providers before installing alternatives. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-linkedin, frontend-quality-and-accessibility and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

108. Specialized research sources

Original IDs: 66 | Original PDF p. 34

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: PubMed, USPTO, scientific packages and other domain databases only for suitable research. Ordinary technical research does not need all of them.

Reuse: deep-research-and-idea-validation, jurisdiction-specific-legal-feasibility. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Record search scope, access limits and citation support; domain tools are not installed as generic research prerequisites.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 108, Specialized research sources (original IDs 66). Reuse the existing coordinator routes and relevant available specialist/provider first. PubMed, USPTO, scientific packages and other domain databases only for suitable research. Ordinary technical research does not need all of them. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse deep-research-and-idea-validation, jurisdiction-specific-legal-feasibility and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

109. Workspace and messaging connectors

Original IDs: 67 | Original PDF p. 35

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Jira, messaging, mail and additional workspace integrations when needed. Existing Google/document tools cover much of this; inspect actual available access.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: New account connections or permissions require the appropriate user action; provider existence is not authentication.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 109, Workspace and messaging connectors (original IDs 67). Reuse the existing coordinator routes and relevant available specialist/provider first. Jira, messaging, mail and additional workspace integrations when needed. Existing Google/document tools cover much of this; inspect actual available access. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

113. widgetkit-live-activities

Original IDs: 142 | Continuation PDF p. 10; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Add target-aware WidgetKit and Live Activity guidance covering shared data, timelines, lifecycle and platform constraints.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 113, widgetkit-live-activities (original IDs 142). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Add target-aware WidgetKit and Live Activity guidance covering shared data, timelines, lifecycle and platform constraints. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

114. app-intents-shortcuts

Original IDs: 143 | Continuation PDF p. 10; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Design actual App Intents and Shortcuts contracts with clear parameters, privacy boundaries and supported invocation behavior.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 114, app-intents-shortcuts (original IDs 143). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Design actual App Intents and Shortcuts contracts with clear parameters, privacy boundaries and supported invocation behavior. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

115. background-tasks

Original IDs: 144 | Continuation PDF p. 10; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Choose supported iOS background execution modes for a real requirement and handle expiration/cancellation; do not promise exact scheduling.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 115, background-tasks (original IDs 144). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Choose supported iOS background execution modes for a real requirement and handle expiration/cancellation; do not promise exact scheduling. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

116. push-notifications

Original IDs: 145 | Continuation PDF p. 10; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Define permission, device-token lifecycle, environments and payload handling; do not send notifications or provision credentials from guidance alone.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 116, push-notifications (original IDs 145). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Define permission, device-token lifecycle, environments and payload handling; do not send notifications or provision credentials from guidance alone. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

117. universal-links-deep-linking

Original IDs: 146 | Continuation PDF p. 10; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Implement validated route parsing, association requirements and safe fallback for authorized app/domain ownership.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 117, universal-links-deep-linking (original IDs 146). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Implement validated route parsing, association requirements and safe fallback for authorized app/domain ownership. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

118. storekit2-subscriptions

Original IDs: 147 | Continuation PDF p. 10; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Design entitlement and transaction-state handling for a named product using current StoreKit guidance; purchases, account setup and commercial commitments remain separate.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 118, storekit2-subscriptions (original IDs 147). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Design entitlement and transaction-state handling for a named product using current StoreKit guidance; purchases, account setup and commercial commitments remain separate. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

119. coreml-on-device

Original IDs: 148 | Continuation PDF p. 10; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Assess model compatibility, device resources, preprocessing and privacy for an actual Core ML feature; do not start training or acquire models incidentally.

Reuse: ml-training-specialist, swiftui-performance-and-concurrency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 119, coreml-on-device (original IDs 148). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Assess model compatibility, device resources, preprocessing and privacy for an actual Core ML feature; do not start training or acquire models incidentally. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse ml-training-specialist, swiftui-performance-and-concurrency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

120. foundation-models-ios

Original IDs: 149 | Continuation PDF p. 10; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Use current official on-device model APIs only on supported devices/OS versions; specify availability, fallback, privacy and task limitations.

Reuse: ml-training-specialist, swiftui-performance-and-concurrency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 120, foundation-models-ios (original IDs 149). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Use current official on-device model APIs only on supported devices/OS versions; specify availability, fallback, privacy and task limitations. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse ml-training-specialist, swiftui-performance-and-concurrency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

121. vision-speech-frameworks

Original IDs: 150 | Continuation PDF p. 10; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Select relevant Vision or Speech APIs for a concrete task; handle permissions, supported languages, accuracy and on-device/cloud behavior explicitly.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 121, vision-speech-frameworks (original IDs 150). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Select relevant Vision or Speech APIs for a concrete task; handle permissions, supported languages, accuracy and on-device/cloud behavior explicitly. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

122. metal-basics

Original IDs: 151 | Continuation PDF p. 10; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Add narrow GPU rendering/compute guidance for a demonstrated workload; retain resource lifetime and device compatibility constraints.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 122, metal-basics (original IDs 151). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Add narrow GPU rendering/compute guidance for a demonstrated workload; retain resource lifetime and device compatibility constraints. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

123. avfoundation-media

Original IDs: 152 | Continuation PDF p. 10; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Add scoped capture/playback/export guidance with permissions, session lifecycle, interruption and media ownership handling.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 123, avfoundation-media (original IDs 152). Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Add scoped capture/playback/export guidance with permissions, session lifecycle, interruption and media ownership handling. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

124. Fastlane integration, optional

Original IDs: 176 | Continuation PDF p. 12; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Use the project's existing Fastlane setup only when relevant; preserve signing secrets and require explicit scope for uploads, account writes or release actions.

Reuse: release-readiness-and-observability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 124, Fastlane integration, optional (original IDs 176). Reuse the existing coordinator routes and relevant available specialist/provider first. Use the project's existing Fastlane setup only when relevant; preserve signing secrets and require explicit scope for uploads, account writes or release actions. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse release-readiness-and-observability and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

125. Xcode Cloud integration, optional

Original IDs: 177 | Continuation PDF p. 12; adapted to evidence-led priorities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Use an existing authorized Xcode Cloud project only when needed; define build triggers, secrets, costs and release boundaries without enabling background jobs by default.

Reuse: release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 125, Xcode Cloud integration, optional (original IDs 177). Reuse the existing coordinator routes and relevant available specialist/provider first. Use an existing authorized Xcode Cloud project only when needed; define build triggers, secrets, costs and release boundaries without enabling background jobs by default. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse release-readiness-and-observability and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

B - Integrate and refine

042. Action receipts and selective executable safeguards

Original IDs: 31, 51 | Original PDF p. 19; Original PDF p. 24

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: For custom runtimes: bind permission to exact action/content/destination, reuse valid approval, invalidate material changes and reconcile uncertain outcomes. Native provider permissions still apply. Use native permissions first; consider narrow compatible guards for custom runtime actions. Review bypasses and failure modes; do not import Claude hooks as if they enforce Codex behavior.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named custom runtime and real per-operation contracts; native permissions first.

Observable acceptance: Bind any custom runtime approval to the exact action and result; source guidance alone does not enforce authorization.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Resolve cross-skill contracts before comprehensive validation.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 042, Action receipts and selective executable safeguards (original IDs 31, 51). Reuse the existing coordinator routes and relevant available specialist/provider first. Bind any custom runtime approval to the exact action and result; source guidance alone does not enforce authorization. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: A named custom runtime and real per-operation contracts; native permissions first. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

043. Agent/runtime diagnostics

Original IDs: 32 | Original PDF p. 21

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Keep agent-review guidance focused on observed runtime failures. Inspect hidden model calls, stale memory, tool contracts, retries and transport/output changes. Distinguish instruction failures from unavailable tools or platform limits.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Diagnosis identifies the failed layer and contained recovery; it does not add unrequested agents, retry loops or global interception.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Resolve cross-skill contracts before comprehensive validation.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 043, Agent/runtime diagnostics (original IDs 32). Reuse the existing coordinator routes and relevant available specialist/provider first. Keep agent-review guidance focused on observed runtime failures. Inspect hidden model calls, stale memory, tool contracts, retries and transport/output changes. Distinguish instruction failures from unavailable tools or platform limits. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

046. Upstream maintenance tooling

Original IDs: 159, 170, 42 | Original PDF p. 22; Continuation PDF p. 11; adapted to video-first priorities; Continuation PDF p. 12; adapted to video-first priorities

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: On-demand version fingerprints, adaptation diffs and keep/update/retire decisions. Preserve intentional local differences and license notices. Identify redundant or ineffective skills from authorized evidence and propose merge/retirement; do not delete installed skills automatically. Suggest retirement only during a requested review using actual evidence; no automatic background scoring, mutation or removal.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Updates preserve local behavior; no watcher, automatic upstream import or indiscriminate full re-audit.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Resolve cross-skill contracts before comprehensive validation.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 046, Upstream maintenance tooling (original IDs 159, 170, 42). Reuse the existing coordinator routes and relevant available specialist/provider first. On-demand version fingerprints, adaptation diffs and keep/update/retire decisions. Preserve intentional local differences and license notices. Identify redundant or ineffective skills from authorized evidence and propose merge/retirement; do not delete installed skills automatically. Suggest retirement only during a requested review using actual evidence; no automatic background scoring, mutation or removal. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

051. Bounded fresh-context review

Original IDs: 91, 94 | Continuation PDF p. 3; adapted to evidence-led priorities; Continuation PDF p. 4; adapted to evidence-led priorities

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Define one explicitly requested independent review with only the diff, acceptance criteria and necessary context; return findings, not fixes. Avoid default delegation and measure coordination cost. Match review scope to risk and user request; define quick, focused and release review without making review automatic. Define one explicitly requested independent review with only the diff, acceptance criteria and necessary context; return findings, not fixes. Avoid default delegation and measure coordination cost.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Resolve cross-skill contracts before comprehensive validation.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 051, Bounded fresh-context review (original IDs 91, 94). Reuse the existing coordinator routes and relevant available specialist/provider first. Define one explicitly requested independent review with only the diff, acceptance criteria and necessary context; return findings, not fixes. Avoid default delegation and measure coordination cost. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

052. Opt-in gate tiers and skip policy

Original IDs: 92, 93 | Continuation PDF p. 3; adapted to evidence-led priorities; Continuation PDF p. 4; adapted to evidence-led priorities

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Define optional risk-based checks for actual projects. Replace the continuation's automatic save/commit defaults with explicitly authorized execution; preserve applicable release requirements. Define inexpensive, medium and release-level checks for an actual project; all execution remains explicitly opt-in. Do not install automatic on-save or on-commit hooks by default.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: No default on-save/on-commit execution. Each gate has an authorized trigger, meaningful risk, bounded cost and skip rule.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Resolve cross-skill contracts before comprehensive validation.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 052, Opt-in gate tiers and skip policy (original IDs 92, 93). Reuse the existing coordinator routes and relevant available specialist/provider first. No default on-save/on-commit execution. Each gate has an authorized trigger, meaningful risk, bounded cost and skip rule. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

027. Documentation maintenance

Original IDs: 40 | Original PDF p. 22

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Clear ownership, source-of-truth rules, stale claims and consistent installation/catalogue examples. Avoid generating parallel documents that drift.

Reuse: documentation-and-adrs. Canonical shared references:
plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;
plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Update the smallest relevant documents and remove genuine duplication without losing material requirements.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Resolve cross-skill contracts before comprehensive validation.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 027, Documentation maintenance (original IDs 40). Reuse documentation-and-adrs and the current README/manifest first. Clear ownership, source-of-truth rules, stale claims and consistent installation/catalogue examples. Avoid generating parallel documents that drift. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse documentation-and-adrs and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

C - Comprehensive validation

035. Structural repository checks

Original IDs: 5 | Original PDF p. 11

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Meaningful tests for manifest/schema, skill metadata, duplicate names, broken local references, routing targets and inventory consistency. Pin required tooling; resolve validator dependencies.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Checks reject relevant broken examples and accept the real valid package; parsing success is not reported as behavioral verification.

Verification stage: Explicitly authorized comprehensive structural/behavioral/privacy evidence; no implied model runs.

Ordering reason: Establish evidence for the selected scope before distribution.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 035, Structural repository checks (original IDs 5). Reuse qa-and-test-evidence and its evaluation reference first. Meaningful tests for manifest/schema, skill metadata, duplicate names, broken local references, routing targets and inventory consistency. Pin required tooling; resolve validator dependencies. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

034. Behavioral regression suite

Original IDs: 162, 163, 6 | Original PDF p. 11; Continuation PDF p. 11; adapted to video-first priorities; Continuation PDF p. 11; adapted to video-first priorities

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Synthetic cases for task completion, correct routing, known approvals, confidentiality, hostile source instructions, no-profile behavior and truthful evidence claims. Check undesirable actions as well as successful answers. Record model/settings, versions, inputs and expected outcomes; use deterministic fixture checks where possible and repeated sampling for model variance, not a same-output guarantee. Create redacted or synthetic cases from approved failures with independent expected behavior; do not retain raw private conversations by default.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: 035 source identity and selected implemented workflows; independent expected outcomes and explicit execution limits.

Observable acceptance: Each case has independent expected behavior and failure severity; repeated runs expose variability rather than hiding it in one score.

Verification stage: Explicitly authorized comprehensive structural/behavioral/privacy evidence; no implied model runs.

Ordering reason: Establish evidence for the selected scope before distribution.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 034, Behavioral regression suite (original IDs 162, 163, 6). Reuse qa-and-test-evidence and its evaluation reference first. Synthetic cases for task completion, correct routing, known approvals, confidentiality, hostile source instructions, no-profile behavior and truthful evidence claims. Check undesirable actions as well as successful answers. Record model/settings, versions, inputs and expected outcomes; use deterministic fixture checks where possible and repeated sampling for model variance, not a same-output guarantee. Create redacted or synthetic cases from approved failures with independent expected behavior; do not retain raw private conversations by default. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: 035 source identity and selected implemented workflows; independent expected outcomes and explicit execution limits. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

031. Bounded improvement comparisons and effectiveness

Original IDs: 154, 169, 86 | Original PDF p. 15; Continuation PDF p. 11; adapted to video-first priorities; Continuation PDF p. 11; adapted to video-first priorities

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Use synthetic before/after cases to establish whether a proposed lesson fixes the original failure without causing regressions. Tie into master items 034, 001. Writing cases and running evaluations remain separately authorized; self-ratings alone are not proof. Build a bounded fixed-case comparison of skill versions with separate expected outcomes and available usage metrics; no model runs without explicit evaluation scope. Measure whether a skill improves completion, accuracy and scope while counting all overhead; use repeated representative cases and report uncertainty.

Reuse: demir-bot, context-efficiency, privacy-review. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: 001 measurement contract and 034 independent cases; comparable outcomes and explicit evaluation authority.

Observable acceptance: Version synthetic cases and measure task outcomes plus full overhead; model outputs are variable, not deterministically reproducible.

Verification stage: Explicitly authorized comprehensive structural/behavioral/privacy evidence; no implied model runs.

Ordering reason: Establish evidence for the selected scope before distribution.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 031, Bounded improvement comparisons and effectiveness (original IDs 154, 169, 86). Reuse qa-and-test-evidence and its evaluation reference first. Version synthetic cases and measure task outcomes plus full overhead; model outputs are variable, not deterministically reproducible. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, context-efficiency, privacy-review and the references named in this entry. Prerequisites: 001 measurement contract and 034 independent cases; comparable outcomes and explicit evaluation authority. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

038. Confidentiality release gate

Original IDs: 9 | Original PDF p. 12

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Review outgoing files, examples, generated artifacts, metadata and relevant history. Keep private exclusion rules outside Git. Renaming alone is insufficient; remote cleanup and history rewriting require scoped authorization.

Reuse: privacy-review, agent-configuration-review, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Known exclusions are checked without embedding them in public tests or logs. A name replacement alone cannot satisfy the gate.

Verification stage: Explicitly authorized comprehensive structural/behavioral/privacy evidence; no implied model runs.

Ordering reason: Establish evidence for the selected scope before distribution.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 038, Confidentiality release gate (original IDs 9). Reuse the existing coordinator routes and relevant available specialist/provider first. Review outgoing files, examples, generated artifacts, metadata and relevant history. Keep private exclusion rules outside Git. Renaming alone is insufficient; remote cleanup and history rewriting require scoped authorization. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse privacy-review, agent-configuration-review, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

D - Packaging and installation lifecycle

021. Dependency and support matrix

Original IDs: 20 | Original PDF p. 18

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Required versus optional tools, client/OS support, supported versions, accounts and costs. Distinguish installed, exposed, authenticated and operation-tested.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Evidence includes environment and operation scope; historical success is not promoted to current access or all-operation verification.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 021, Dependency and support matrix (original IDs 20). Reuse documentation-and-adrs and the current README/manifest first. Required versus optional tools, client/OS support, supported versions, accounts and costs. Distinguish installed, exposed, authenticated and operation-tested. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

050. Supply-chain records

Original IDs: 50 | Original PDF p. 24

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Dependency/update policy, integrity and provenance records for executable additions. Add lockfiles and SBOMs when actual packaging/dependencies warrant them.

Reuse: privacy-review, agent-configuration-review, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Actual executable dependencies and their licences; do not invent an SBOM need for prose alone.

Observable acceptance: Lockfiles or SBOMs describe real packaged dependencies; no speculative supply-chain infrastructure for nonexistent services.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 050, Supply-chain records (original IDs 50). Reuse the existing coordinator routes and relevant available specialist/provider first. Dependency/update policy, integrity and provenance records for executable additions. Add lockfiles and SBOMs when actual packaging/dependencies warrant them. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse privacy-review, agent-configuration-review, release-readiness-and-observability and the references named in this entry. Prerequisites: Actual executable dependencies and their licences; do not invent an SBOM need for prose alone. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

039. Licensing and redistribution decision

Original IDs: 10 | Original PDF p. 13

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Audit every adaptation and dependency; retain notices, document provenance and identify material that cannot be redistributed. Choose licensing for original work only after compatibility review.

Reuse: privacy-review, agent-configuration-review, release-readiness-and-observability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Produce a concrete distribution decision per affected source; never infer permission from public availability or apply one license blindly.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 039, Licensing and redistribution decision (original IDs 10). Reuse the existing coordinator routes and relevant available specialist/provider first. Audit every adaptation and dependency; retain notices, document provenance and identify material that cannot be redistributed. Choose licensing for original work only after compatibility review. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse privacy-review, agent-configuration-review, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

018. Safe private-profile onboarding

Original IDs: 11 | Original PDF p. 13

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Public synthetic template, minimal setup, field meanings, profile precedence, no-profile fallback and correction/deletion/backup instructions. Never ship personal facts, credentials or private source documents.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Public examples contain no personal data; private profile locations stay outside Git, exports and QMD skill collections.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 018, Safe private-profile onboarding (original IDs 11). Reuse the existing coordinator routes and relevant available specialist/provider first. Public synthetic template, minimal setup, field meanings, profile precedence, no-profile fallback and correction/deletion/backup instructions. Never ship personal facts, credentials or private source documents. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

020. Installation doctor

Original IDs: 19 | Original PDF p. 17

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Read-only checks for source/cache drift, missing routes, metadata, optional tool availability and index freshness. Show a repair preview; do not silently rewrite configuration.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: It reports unknown and blocked states honestly, redacts private paths where appropriate and previews repairs without applying them.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 020, Installation doctor (original IDs 19). Reuse the existing coordinator routes and relevant available specialist/provider first. Read-only checks for source/cache drift, missing routes, metadata, optional tool availability and index freshness. Show a repair preview; do not silently rewrite configuration. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

022. Versioning and releases

Original IDs: 13 | Original PDF p. 16

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Version policy, changelog, release notes, known issues, compatibility statements, migration notes and rollback target. Keep public releases separate from local cache refreshes.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: A maintainer can prepare a release without accidentally publishing, tagging or pushing; known limitations remain visible.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 022, Versioning and releases (original IDs 13). Reuse the existing coordinator routes and relevant available specialist/provider first. Version policy, changelog, release notes, known issues, compatibility statements, migration notes and rollback target. Keep public releases separate from local cache refreshes. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

036. Installation lifecycle tests

Original IDs: 7 | Original PDF p. 12

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Fresh install, upgrade, rollback, stale cache, uninstall, missing optional tools and profile isolation. Start with the actual supported environment; never claim broader compatibility without evidence.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: 020-022 and a supported isolated install target; private-profile isolation and rollback authority.

Observable acceptance: Record environment, version and discovery evidence. Restore prior state; never delete the real private profile or claim untested OS support.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 036, Installation lifecycle tests (original IDs 7). Reuse qa-and-test-evidence and its evaluation reference first. Fresh install, upgrade, rollback, stale cache, uninstall, missing optional tools and profile isolation. Start with the actual supported environment; never claim broader compatibility without evidence. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: 020-022 and a supported isolated install target; private-profile isolation and rollback authority. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

037. Scoped CI

Original IDs: 8 | Original PDF p. 12

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Explicitly enabled repository checks with minimal permissions, pinned dependencies/actions and readable failure evidence. Separate cheap structural checks from costly model evaluations; no live accounts or private data.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: 035-036 stable checks, authorized repository CI and least-privilege credentials; model runs remain separate.

Observable acceptance: No secrets or paid live accounts are needed. Local configuration is ready for review; remote activation remains a separate action.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 037, Scoped CI (original IDs 8). Reuse qa-and-test-evidence and its evaluation reference first. Explicitly enabled repository checks with minimal permissions, pinned dependencies/actions and readable failure evidence. Separate cheap structural checks from costly model evaluations; no live accounts or private data. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: 035-036 stable checks, authorized repository CI and least-privilege credentials; model runs remain separate. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

095. Additional client support

Original IDs: 53 | Original PDF p. 30

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Claude Code, other harnesses and OS-specific adapters only when there is an actual user need. Document differing tool, hook and permission support.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Support claims are bounded to observed behavior; Codex and Claude hook parity is never assumed.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 095, Additional client support (original IDs 53). Reuse the existing coordinator routes and relevant available specialist/provider first. Claude Code, other harnesses and OS-specific adapters only when there is an actual user need. Document differing tool, hook and permission support. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

E - Stable documentation and release decision

014. Installation guide

Original IDs: 1 | Original PDF p. 10

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Exact supported Codex installation steps, prerequisites, source registration, fresh-session discovery, expected result and failure recovery. Separate end-user installation from developer setup.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: A reader can follow the guide without private machine paths; all unexecuted installation steps are explicitly labelled.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 014, Installation guide (original IDs 1). Reuse documentation-and-adrs and the current README/manifest first. Exact supported Codex installation steps, prerequisites, source registration, fresh-session discovery, expected result and failure recovery. Separate end-user installation from developer setup. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

017. Update, uninstall and rollback guide

Original IDs: 4 | Original PDF p. 11

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Document the supported update flow, source/cache distinction, version readback, rollback and uninstall. Preserve private profiles and distinguish optional removal of private data.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: The rollback target and recovery sequence are clear; no instructions require editing installed caches directly.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 017, Update, uninstall and rollback guide (original IDs 4). Reuse documentation-and-adrs and the current README/manifest first. Document the supported update flow, source/cache distinction, version readback, rollback and uninstall. Preserve private profiles and distinguish optional removal of private data. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

015. README and first-use quickstart

Original IDs: 2 | Original PDF p. 10

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Clear purpose, audience, support status, install link, first successful task, screenshots only after verification, limitations and navigation. Preserve the useful existing skill inventory.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Every claim matches the package; no placeholder badges, unverified screenshots or invented provider access.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 015, README and first-use quickstart (original IDs 2). Reuse documentation-and-adrs and the current README/manifest first. Clear purpose, audience, support status, install link, first successful task, screenshots only after verification, limitations and navigation. Preserve the useful existing skill inventory. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

016. Everyday usage guide

Original IDs: 3 | Original PDF p. 10

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Coordinator versus direct specialist invocation, supported examples, project context, provider dependencies, approval reuse and how to request tests. Explain what installation does and does not provide.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Examples distinguish mandatory, optional and unnecessary specialist use and work without exposing private facts.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 016, Everyday usage guide (original IDs 3). Reuse documentation-and-adrs and the current README/manifest first. Coordinator versus direct specialist invocation, supported examples, project context, provider dependencies, approval reuse and how to request tests. Explain what installation does and does not provide. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

019. Troubleshooting and support guide

Original IDs: 12 | Original PDF p. 13

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Skill not found, wrong route, duplicate installs, stale updates, missing dependencies, authentication failures, index issues and permission denials. Include safe diagnostic information to share and redact.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Each recovery step is scoped and reversible; the guide identifies safe redacted evidence and never recommends bypassing access restrictions.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 019, Troubleshooting and support guide (original IDs 12). Reuse documentation-and-adrs and the current README/manifest first. Skill not found, wrong route, duplicate installs, stale updates, missing dependencies, authentication failures, index issues and permission denials. Include safe diagnostic information to share and redact. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

024. Git/GitHub user recipes

Original IDs: 16 | Original PDF p. 17

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Worked examples for branches, focused commits, PRs, review, conflicts, divergence, rejected pushes, detached HEAD and interrupted operations. Build on the existing Git skill.

Reuse: git-and-github-workflow. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Every destructive or remote action is distinguished from read-only inspection, with recovery and project-intent ambiguity explained.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 024, Git/GitHub user recipes (original IDs 16). Reuse the existing coordinator routes and relevant available specialist/provider first. Worked examples for branches, focused commits, PRs, review, conflicts, divergence, rejected pushes, detached HEAD and interrupted operations. Build on the existing Git skill. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse git-and-github-workflow and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

082. Workflow cookbook

Original IDs: 21 | Original PDF p. 18

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Copyable coding, research, university, writing, LinkedIn and Git examples with prerequisites, expected outputs and stop conditions. Use synthetic facts and approved public examples.

Reuse: documentation-and-adrs. Canonical shared references:
plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;
plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Recipes route through existing providers, state stop conditions and show both specialist and no-specialist examples.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 082, Workflow cookbook (original IDs 21). Reuse documentation-and-adrs and the current README/manifest first. Copyable coding, research, university, writing, LinkedIn and Git examples with prerequisites, expected outputs and stop conditions. Use synthetic facts and approved public examples. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse documentation-and-adrs and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

049. Examples and demos

Original IDs: 49 | Original PDF p. 24

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Small synthetic sample projects, before/after walkthroughs and representative outputs. Label illustrative outputs separately from recorded runs.

Reuse: documentation-and-adrs. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Illustrative output is labelled; recorded run claims include actual evidence and contain no private project details.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 049, Examples and demos (original IDs 49). Reuse documentation-and-adrs and the current README/manifest first. Small synthetic sample projects, before/after walkthroughs and representative outputs. Label illustrative outputs separately from recorded runs. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse documentation-and-adrs and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

023. Contributor and maintainer guides

Original IDs: 14 | Original PDF p. 16

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: How to add/update a skill, route it, preserve licensing, maintain inventories, refresh scoped QMD and update the pilot. Include review and authorized testing procedures.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: One focused contributor example uses existing creators and preserves unrelated changes; no hidden automatic test or commit step.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 023, Contributor and maintainer guides (original IDs 14). Reuse documentation-and-adrs and the current README/manifest first. How to add/update a skill, route it, preserve licensing, maintain inventories, refresh scoped QMD and update the pilot. Include review and authorized testing procedures. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

040. Security reporting policy

Original IDs: 18 | Original PDF p. 17

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Supported scope, vulnerability-reporting route, safe disclosure and secret-exposure recovery. Specify a real private contact before publishing a reporting policy.

Reuse: privacy-review, agent-configuration-review, release-readiness-and-observability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: A real destination is supplied before publication; no invented contact, response SLA or guarantee of vulnerability absence.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 040, Security reporting policy (original IDs 18). Reuse the existing coordinator routes and relevant available specialist/provider first. Supported scope, vulnerability-reporting route, safe disclosure and secret-exposure recovery. Specify a real private contact before publishing a reporting policy. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse privacy-review, agent-configuration-review, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

081. GitHub collaboration setup

Original IDs: 15 | Original PDF p. 16

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Issue forms, PR template, useful labels and ownership rules when collaborators exist. Evaluate branch protections and required checks separately; current remote settings were not audited.

Reuse: git-and-github-workflow. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Templates discourage posting secrets; remote labels, protections and ownership changes are proposals until separately authorized.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 081, GitHub collaboration setup (original IDs 15). Reuse the existing coordinator routes and relevant available specialist/provider first. Issue forms, PR template, useful labels and ownership rules when collaborators exist. Evaluate branch protections and required checks separately; current remote settings were not audited. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse git-and-github-workflow and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

110. Multilingual documentation

Original IDs: 68 | Original PDF p. 35

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Translations and localized examples after the primary installation/usage docs stabilize. Preserve technical meaning and maintenance ownership.

Reuse: documentation-and-adrs. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: 014-019 stable primary-language docs and approved translations.

Observable acceptance: Terminology, commands and approval boundaries remain accurate and ownership for future updates is clear.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 110, Multilingual documentation (original IDs 68). Reuse documentation-and-adrs and the current README/manifest first. Translations and localized examples after the primary installation/usage docs stabilize. Preserve technical meaning and maintenance ownership. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse documentation-and-adrs and the references named in this entry. Prerequisites: 014-019 stable primary-language docs and approved translations. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

111. Documentation site and richer presentation

Original IDs: 69 | Original PDF p. 35

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Searchable guide site, diagrams, demo video, branding and verified badges after core docs work. Static repository docs are sufficient initially.

Reuse: documentation-and-adrs. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: 014-019 and 082 stable documentation; hosting/publication remains separately authorized.

Observable acceptance: Content remains source-linked and accessible; hosting, branding assets and publication are separately scoped.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 111, Documentation site and richer presentation (original IDs 69). Reuse documentation-and-adrs and the current README/manifest first. Searchable guide site, diagrams, demo video, branding and verified badges after core docs work. Static repository docs are sufficient initially. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse documentation-and-adrs and the references named in this entry. Prerequisites: 014-019 and 082 stable documentation; hosting/publication remains separately authorized. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

112. Public-project community support

Original IDs: 70 | Original PDF p. 36

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Discussions, issue taxonomy, contributor recognition, governance, code of conduct and funding links if public participation becomes a goal.

Reuse: documentation-and-adrs. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A real public participation goal and 023/040 governance/contact decisions.

Observable acceptance: Contacts, roles and funding destinations are real; no fabricated response commitments or automatic public settings changes.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 112, Public-project community support (original IDs 70). Reuse the existing coordinator routes and relevant available specialist/provider first. Discussions, issue taxonomy, contributor recognition, governance, code of conduct and funding links if public participation becomes a goal. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse documentation-and-adrs and the references named in this entry. Prerequisites: A real public participation goal and 023/040 governance/contact decisions. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

041. Release acceptance and recovery

Original IDs: 30 | Original PDF p. 18

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Concrete criteria, known limitations, provider failure handling, rollback and recovery evidence. Reuse release-readiness guidance; execute checks only within granted scope.

Reuse: release-readiness-and-observability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: C validation, D lifecycle evidence and E stable docs; confidentiality, licensing and unresolved release risks.

Observable acceptance: Source review, execution evidence and human release authorization are separate; no unsupported production-ready claim.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 041.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement master item 041, Release acceptance and recovery (original IDs 30). Reuse the existing coordinator routes and relevant available specialist/provider first. Concrete criteria, known limitations, provider failure handling, rollback and recovery evidence. Reuse release-readiness guidance; execute checks only within granted scope. Use the scope in this master entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse release-readiness-and-observability and the references named in this entry. Prerequisites: C validation, D lifecycle evidence and E stable docs; confidentiality, licensing and unresolved release risks. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

F - Explicit deferrals and reuse decisions

126. Duplicate debugging specialist

Original IDs: 28 | Original PDF p. 37

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Superpowers systematic debugging is already available. Do not create a parallel debugging skill just for catalogue parity. Verify selection, scope, evidence handling and fallback through priority-1 master item 005 instead.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Only a demonstrated routing defect warrants a focused change under master item 005; keeping the current provider is a valid outcome.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 126, Duplicate debugging specialist. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

127. Duplicate skill-authoring toolkit

Original IDs: 43 | Original PDF p. 37

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Existing skill-creator and plugin-creator capabilities cover authoring. Reuse them; maintain only Demir Bot-specific routing, provenance and update instructions in the contributor guide. Avoid creating another competing authoring workflow.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Only project-specific documentation or a demonstrated routing gap is changed; duplicate tooling is not created.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 127, Duplicate skill-authoring toolkit. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

128. Autonomous multi-agent loops

Original IDs: 71 | Original PDF p. 37

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Dev fleets, councils, GAN-style critique, orchestration pipelines, recursive ledgers and agent teams add complexity and spend. Use bounded delegation only when requested and useful.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Any reconsideration names a concrete task, budget, stop condition and evidence that delegation helps.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 128, Autonomous multi-agent loops. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

129. Background learning and persona mutation

Original IDs: 72 | Original PDF p. 38

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Continuous observation, instincts, automatic rule distillation and self-modification conflict with explicit persistence and privacy boundaries. Keep on-demand approved improvements.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Any future change requires explicit privacy, retention and persistence scope; silence never becomes permission.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 129, Background learning and persona mutation. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

130. Automatic maintenance and monitoring

Original IDs: 73 | Original PDF p. 38

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Auto-updates, canary watchers, recurring audits, scheduled pruning and automatic notification loops remain inactive without an explicit request.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: A future automation must specify schedule/event, notification policy, owner and stop condition before activation.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 130, Automatic maintenance and monitoring. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

131. Mandatory testing/verification loops

Original IDs: 74 | Original PDF p. 38

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Do not import blanket TDD, mandatory browser/build checks, arbitrary coverage thresholds or endless fix/retest loops. Build testing capability while preserving opt-in use.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Testing follows explicit task authorization and meaningful risk; no upstream workflow overrides user scope.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 131, Mandatory testing/verification loops. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

132. Cloud sync and university RAG

Original IDs: 75 | Original PDF p. 39

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Existing explicit deferrals remain. University retrieval depends on the intended dashboard/source access and a separately approved design.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Explicit resumed scope, intended university dashboard/source access and approved retrieval/privacy design.

Observable acceptance: Resumption requires explicit scope and available dashboard/source access; an unrelated connector request does not resume both.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 132, Cloud sync and university RAG. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Explicit resumed scope, intended university dashboard/source access and approved retrieval/privacy design. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

133. Training and compute infrastructure

Original IDs: 76 | Original PDF p. 39

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Remote training, inference/compute marketplaces and recommendation infrastructure are not required by the plugin itself. Revisit for a concrete authorized ML project.

Reuse: ml-training-specialist, swiftui-performance-and-concurrency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Explicit resumed training scope, a concrete ML project, authorized compute and data rights.

Observable acceptance: A future ML project requires a trainable model, permitted data, evaluation design, compute budget and explicit execution authority.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 133, Training and compute infrastructure. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse ml-training-specialist, swiftui-performance-and-concurrency and the references named in this entry. Prerequisites: Explicit resumed training scope, a concrete ML project, authorized compute and data rights. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

134. Healthcare and regulated clinical packs

Original IDs: 77 | Original PDF p. 39

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Clinical decision support, EMR, PHI/HIPAA and healthcare evaluations need domain-specific expertise and a real project.

Reuse: deep-research-and-idea-validation, jurisdiction-specific-legal-feasibility. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Reassessment identifies jurisdiction, data sensitivity, expertise and validation needs without implying clinical readiness.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 134, Healthcare and regulated clinical packs. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse deep-research-and-idea-validation, jurisdiction-specific-legal-feasibility and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

135. Crypto, trading and agent payments

Original IDs: 78 | Original PDF p. 40

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: DeFi, token arithmetic, prediction markets, trading agents and payment protocols are unrelated to the current product scope.

Reuse: deep-research-and-idea-validation, jurisdiction-specific-legal-feasibility. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Reassessment separates research from financial action, credentials, payments and economic authorization.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 135, Crypto, trading and agent payments. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse deep-research-and-idea-validation, jurisdiction-specific-legal-feasibility and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

136. Logistics, manufacturing and enterprise operations

Original IDs: 79 | Original PDF p. 40

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Carriers, customs, procurement, demand planning, production scheduling, returns, billing and quality systems need actual business requirements.

Reuse: architecture-review, requirements-and-traceability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: A real workflow, data owner and operational boundary must justify any later addition.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 136, Logistics, manufacturing and enterprise operations. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse architecture-review, requirements-and-traceability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

137. Homelab and network administration

Original IDs: 80 | Original PDF p. 40

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Cisco, BGP, VLAN, VPN, DNS and SSH fleet automation are optional domain tooling, not missing personal-assistant foundations.

Reuse: architecture-review, requirements-and-traceability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Future work names devices, ownership, access, backup and recovery before configuration changes.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 137, Homelab and network administration. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse architecture-review, requirements-and-traceability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

138. Duplicate provider implementations

Original IDs: 81 | Original PDF p. 41

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Do not rebuild document, PDF, search, design, media, security or native task tools already available. Improve routes and usage guides instead.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Use a coverage comparison and demonstrated gap; duplication for feature count is rejected.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 138, Duplicate provider implementations. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

139. ECC runtime and command parity

Original IDs: 82 | Original PDF p. 41

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: No need to copy every command alias, control plane, agent persona or external-runtime pointer. Adopt unique useful behavior, not catalogue size.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Adopt only unique useful behavior with compatible permissions, dependencies, licensing and measurable value.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 139, ECC runtime and command parity. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

140. Early-window scheduling idea - reassess only

Original IDs: V3 | Video 4:58

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: The video suggests a small early-morning scheduled request to start a usage window. This is not a core skill or an established savings result. Keep disabled unless explicitly requested after checking current plan/reset behavior. Explain whether the scheduling suggestion is useful for the actual account; do not create automation from this roadmap.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Explicit scheduling request and current plan/reset evidence; no proven savings.

Observable acceptance: Current mechanics, usage cost and user-authorized schedule are known before any setup.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess master item 140, Early-window scheduling idea - reassess only. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Explicit scheduling request and current plan/reset evidence; no proven savings. Preserve the stable master/original IDs. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

Repository artifact inventory and maintenance

This inventory covers the plugin package, not private data or unrelated checkout files. README.md describes the repository and RESOURCES.md records provenance. Retain upstream notices; private use is not a blanket redistribution licence. The editable Markdown is the document source; edit it and regenerate the PDF using the accompanying renderer. The previous PDF remains historical evidence. Regeneration does not update installed skills or implement roadmap items.

plugins/demir-bot-pilot/.codex-plugin/plugin.json

plugins/demir-bot-pilot/skills/agent-configuration-review/SKILL.md

plugins/demir-bot-pilot/skills/agent-configuration-review/agents/openai.yaml

plugins/demir-bot-pilot/skills/agent-configuration-review/references/local-scanner.md

plugins/demir-bot-pilot/skills/agent-configuration-review/references/provenance.md

plugins/demir-bot-pilot/skills/architecture-review/LICENSE

plugins/demir-bot-pilot/skills/architecture-review/SKILL.md

plugins/demir-bot-pilot/skills/architecture-review/agents/openai.yaml

plugins/demir-bot-pilot/skills/architecture-review/references/review-checklist.md

plugins/demir-bot-pilot/skills/architecture-review/references/sources.md

plugins/demir-bot-pilot/skills/clarify-and-execute/LICENSE.upstream

plugins/demir-bot-pilot/skills/clarify-and-execute/SKILL.md

plugins/demir-bot-pilot/skills/clarify-and-execute/agents/openai.yaml

plugins/demir-bot-pilot/skills/clarify-and-execute/references/choices.md

plugins/demir-bot-pilot/skills/clarify-and-execute/references/sources.md

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/LICENSE

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/SKILL.md

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/agents/openai.yaml

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/contracts-and-documentation.md

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/course-lessons.md

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/quality-review.md

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/sources.md

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/targeted-review-provenance.md

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/testing-and-evidence.md

plugins/demir-bot-pilot/skills/context-efficiency/LICENSE.upstream

plugins/demir-bot-pilot/skills/context-efficiency/SKILL.md

plugins/demir-bot-pilot/skills/context-efficiency/agents/openai.yaml

plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md

plugins/demir-bot-pilot/skills/context-efficiency/references/source-reuse.md

plugins/demir-bot-pilot/skills/context-efficiency/references/sources.md

plugins/demir-bot-pilot/skills/deep-research-and-idea-validation/SKILL.md

plugins/demir-bot-pilot/skills/deep-research-and-idea-validation/agents/openai.yaml

plugins/demir-bot-pilot/skills/deep-research-and-idea-validation/references/provenance.md

plugins/demir-bot-pilot/skills/demir-bot/SKILL.md

plugins/demir-bot-pilot/skills/demir-bot/agents/openai.yaml

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md

plugins/demir-bot-pilot/skills/demir-bot/references/capability-register.md

plugins/demir-bot-pilot/skills/demir-bot/references/delivery.md

plugins/demir-bot-pilot/skills/demir-bot/references/execution-scope.md

plugins/demir-bot-pilot/skills/demir-bot/references/personal-workflows.md

plugins/demir-bot-pilot/skills/demir-bot/references/plugin-routes.md

plugins/demir-bot-pilot/skills/demir-bot/references/profile-loading.md

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md

plugins/demir-bot-pilot/skills/demir-bot/references/skill-sync.md

plugins/demir-bot-pilot/skills/demir-bot/references/upstream-adaptations.md

plugins/demir-bot-pilot/skills/demir-linkedin/SKILL.md

plugins/demir-bot-pilot/skills/demir-linkedin/agents/openai.yaml

plugins/demir-bot-pilot/skills/demir-linkedin/references/actions.md

plugins/demir-bot-pilot/skills/demir-linkedin/references/approval-ledger.md

plugins/demir-bot-pilot/skills/demir-linkedin/references/growth.md

plugins/demir-bot-pilot/skills/demir-linkedin/references/publishing-runtime.md

plugins/demir-bot-pilot/skills/demir-linkedin/references/research-and-content.md

plugins/demir-bot-pilot/skills/demir-linkedin/references/sources.md

plugins/demir-bot-pilot/skills/documentation-and-adrs/LICENSE

plugins/demir-bot-pilot/skills/documentation-and-adrs/SKILL.md

plugins/demir-bot-pilot/skills/documentation-and-adrs/agents/openai.yaml

plugins/demir-bot-pilot/skills/documentation-and-adrs/references/adr-and-templates.md

plugins/demir-bot-pilot/skills/documentation-and-adrs/references/consistency-and-evidence.md

plugins/demir-bot-pilot/skills/documentation-and-adrs/references/sources.md

plugins/demir-bot-pilot/skills/email-tone/SKILL.md

plugins/demir-bot-pilot/skills/email-tone/agents/openai.yaml

plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/SKILL.md

plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/agents/openai.yaml

plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/references/provenance.md

plugins/demir-bot-pilot/skills/git-and-github-workflow/LICENSE.upstream

plugins/demir-bot-pilot/skills/git-and-github-workflow/SKILL.md

plugins/demir-bot-pilot/skills/git-and-github-workflow/agents/openai.yaml

plugins/demir-bot-pilot/skills/git-and-github-workflow/references/provenance.md

plugins/demir-bot-pilot/skills/git-and-github-workflow/references/recovery.md

plugins/demir-bot-pilot/skills/jurisdiction-specific-legal-feasibility/SKILL.md

plugins/demir-bot-pilot/skills/jurisdiction-specific-legal-feasibility/agents/openai.yaml

plugins/demir-bot-pilot/skills/jurisdiction-specific-legal-feasibility/references/provenance.md

plugins/demir-bot-pilot/skills/linkedin-tone/SKILL.md

plugins/demir-bot-pilot/skills/linkedin-tone/agents/openai.yaml

plugins/demir-bot-pilot/skills/ml-training-specialist/SKILL.md

plugins/demir-bot-pilot/skills/ml-training-specialist/agents/openai.yaml

plugins/demir-bot-pilot/skills/ml-training-specialist/references/provenance.md

plugins/demir-bot-pilot/skills/personal-writing/SKILL.md

plugins/demir-bot-pilot/skills/personal-writing/agents/openai.yaml

plugins/demir-bot-pilot/skills/personal-writing/references/facts-and-voice.md

plugins/demir-bot-pilot/skills/privacy-review/SKILL.md

plugins/demir-bot-pilot/skills/privacy-review/agents/openai.yaml

plugins/demir-bot-pilot/skills/privacy-review/references/sources-and-coverage.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/LICENSE

plugins/demir-bot-pilot/skills/qa-and-test-evidence/SKILL.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/agents/openai.yaml

plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/demir-bot-evaluation.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/evidence.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/sources.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/test-design.md

plugins/demir-bot-pilot/skills/release-readiness-and-observability/SKILL.md

plugins/demir-bot-pilot/skills/release-readiness-and-observability/agents/openai.yaml

plugins/demir-bot-pilot/skills/release-readiness-and-observability/references/provenance.md

plugins/demir-bot-pilot/skills/requirements-and-traceability/LICENSE

plugins/demir-bot-pilot/skills/requirements-and-traceability/SKILL.md

plugins/demir-bot-pilot/skills/requirements-and-traceability/agents/openai.yaml

plugins/demir-bot-pilot/skills/requirements-and-traceability/references/requirements.md

plugins/demir-bot-pilot/skills/requirements-and-traceability/references/sources.md

plugins/demir-bot-pilot/skills/requirements-and-traceability/references/traceability.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/SKILL.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/agents/openai.yaml

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/provenance.md

plugins/demir-bot-pilot/skills/youtube-learning/SKILL.md

plugins/demir-bot-pilot/skills/youtube-learning/agents/openai.yaml

[plugins/demir-bot-pilot/skills/youtube-learning/references/provenance.md](#)

[plugins/demir-bot-pilot/skills/youtube-learning/references/providers.md](#)

Evidence gaps and next eligible work

Recommended first implementation: master 047, Product discovery and delivery, limited to a demonstrated gap in requirements/architecture guidance. Inspect current coverage first; if already sufficient, record reuse and advance to 026. This recommendation does not implement either item. Project-dependent additions need an actual project before operation-level acceptance can be assessed.

Remaining evidence gaps include durable original assessment artifacts, full reference/domain behavioral coverage, fresh-task discovery, live provider boundaries, complete lifecycle recovery, public licensing compatibility and comparable cost baselines. The historical PDF preserves its external source notes; external video/ECC figures were not re-researched for this local document task and are not asserted as current facts. All 140 master entries and their original-ID mappings remain represented. No new plugin reliability, measured savings or release-readiness claim is made.