

Demir Bot: current specification and master roadmap

Current capabilities. Future work in implementation order.

Contents

Contents	2
Reading guide	8
Current package and evidence states	9
Consolidated test and quality ledger	10
Assignment workflow additions and current structural acceptance	11
Assignment Planning and Delivery	11
Automated Assignment Completer	11
Assignment Deliverables Checker	11
Structural correction and test record - 24 September 2026	11
Execution Details and structural acceptance	12
Architecture, routing and permission contracts	13
Coordination architecture: decision and evidence	14
Providers and implementation limits	15
Context, costs and completion	16
Retained assessment and installation evidence	17
Current skill catalogue	18
agent-configuration-review	18
architecture-review	18
clarify-and-execute	18
code-refactoring-refactor-clean	19
context-efficiency	19
deep-research-and-idea-validation	19
demir-bot	19
demir-linkedin	20
documentation-and-adrs	20
email-tone	21
frontend-quality-and-accessibility	21
git-and-github-workflow	21

jurisdiction-specific-legal-feasibility	21
linkedin-tone	22
ml-training-specialist	22
personal-writing	22
privacy-review	22
qa-and-test-evidence	23
release-readiness-and-observability	23
requirements-and-traceability	23
swiftui-performance-and-concurrency	24
youtube-learning	24

Completed guidance in the current plugin
25

Baseline measurement and honest cost attribution	25
Context overhead and observable loading	25
Routing telemetry	25
Output filtering discipline	25
Precise routing, negative cases and composition	26
Minimal skill catalogue and duplicate-rule reduction	26
Cache and freshness strategy	26
Source reuse, compact checkpoints and handoffs	26
Cost-benefit decision rule	27
User-set budgets, stop and graceful resume	27
Cost-aware model delegation	27
Proportional answers and visual output	27
Optional installation profiles	28

Latest saved implementations and acceptance
29

Product discovery and delivery	29
Repository onboarding	29
Error and type design	29
Broader GitHub operations	29
Content repurposing	29
Academic literature and paper review	29
User-directed learning	29
Learning controls and correction	30
Private lesson register	30
Controlled skill evolution	30
Structural repository checks	30
Behavioral regression and manual evaluation	30
Bounded improvement comparisons and effectiveness	31
On-demand lesson discovery	31

Completed A2 engineering guidance**33**

Swift concurrency, state ownership and identity	33
ios-project-structure	33
ios-architecture-patterns	33
dependency-injection-ios	33
swiftui-navigation	33
ios-error-handling	34
xcodebuild-error-taxonomy	34
derived-data-hygiene	34
spm-dependency-management	34
keychain-cryptokit	34
swiftdata-migrations	34
coredata-to-swiftdata	34
cloudkit-sync	35
ios-accessibility-audit	35
ios-localization	35
privacy-manifests	35
ios-security-hardening	35
Performance analysis and Apple profiling depth	35
xctest-patterns	36
swift-testing-patterns	36
ui-test-patterns	36
snapshot-testing	36
swiftlint-swiftformat-ios	36
simulator-device-management	36
Xcode CLI integration	37
Backend and API engineering	37
Database engineering	37
React/frontend depth	37
Stack-specific testing references	37
Project E2E and accessibility testing	37
UI design systems	38
Interaction and click-path reviews	38
Containers and reproducible environments	38
Operational observability	38
Model/API cost control	38
Typed connector development and App Store Connect	38
code-signing-provisioning	39
app-store-review-compliance	39
testflight-automation	39

A3 - Optional capabilities when a real need exists	40
001. Data and ML workflow depth	41
002. Cross-client memory	42
003. Local status dashboard	43
004. Notification integrations	44
005. Advanced testing modes	45
006. Additional language/framework packs	46
007. Mobile and on-device extensions	47
008. Specialist infrastructure	48
009. SEO and broader marketing	49
010. Networking and opportunity research	50
011. Investor/business documents	51
012. Extended social channels	52
013. Media and motion extras	53
014. Specialized research sources	54
015. Workspace and messaging connectors	55
016. widgetkit-live-activities	56
017. app-intents-shortcuts	57
018. background-tasks	58
019. push-notifications	59
020. universal-links-deep-linking	60
021. storekit2-subscriptions	61
022. coreml-on-device	62
023. foundation-models-ios	63
024. vision-speech-frameworks	64
025. metal-basics	65
026. avfoundation-media	66
027. Fastlane integration, optional	67
028. Xcode Cloud integration, optional	68
B - Integrate and refine	69
029. Action receipts and selective executable safeguards	70
030. Agent/runtime diagnostics	71
031. Upstream maintenance tooling	72
032. Bounded fresh-context review	73
033. Opt-in gate tiers and skip policy	74
034. Documentation maintenance	75
C - Comprehensive validation	76
035. Confidentiality release gate	77

D - Packaging and installation lifecycle	78
036. Dependency and support matrix	79
037. Supply-chain records	80
038. Licensing and redistribution decision	81
039. Safe private-profile onboarding	82
040. Installation doctor	83
041. Versioning and releases	84
042. Installation lifecycle tests	85
043. Scoped CI	86
044. Additional client support	87
E - Stable documentation and release decision	88
045. Installation guide	89
046. Update, uninstall and rollback guide	90
047. README and first-use quickstart	91
048. Everyday usage guide	92
049. Troubleshooting and support guide	93
050. Git/GitHub user recipes	94
051. Workflow cookbook	95
052. Examples and demos	96
053. Contributor and maintainer guides	97
054. Security reporting policy	98
055. GitHub collaboration setup	99
056. Multilingual documentation	100
057. Documentation site and richer presentation	101
058. Public-project community support	102
059. Release acceptance and recovery	103
F - Explicit deferrals and reuse decisions	104
060. Duplicate debugging specialist	105
061. Duplicate skill-authoring toolkit	106
062. Autonomous multi-agent loops	107
063. Background learning and persona mutation	108
064. Automatic maintenance and monitoring	109
065. Mandatory testing/verification loops	110
066. Cloud sync and university RAG	111
067. Training and compute infrastructure	112
068. Healthcare and regulated clinical packs	113
069. Crypto, trading and agent payments	114
070. Logistics, manufacturing and enterprise operations	115
071. Homelab and network administration	116
072. Duplicate provider implementations	117

073. ECC runtime and command parity	118
074. Early-window scheduling idea - reassess only	119
G - Long-term public release, website and audience growth	120
075. Release-candidate modularity and quality review	121
076. Polished repository and usable download experience	122
077. Higgsfield plugin website and video library	123
078. Plugin education videos and bounded video automation	124
079. GitHub-first adoption and optional social marketing	125
080. Legal feasibility for distribution, website and outreach	126
Repository artifact inventory and maintenance	127
Evidence gaps and next eligible work	133
Revision: 28 September 2026. Private instruction plugin. Capability-first planning; release polish last.	

Reading guide

This document describes the current Demir Bot plugin and the future roadmap. Completed guidance appears in the current-state section without roadmap numbers. A1 and A2 reusable guidance is saved. The remaining queue starts at 001, Data and ML workflow depth, and contains 80 entries. Optional and deferred work remains clearly marked; saved guidance is distinct from validated project functionality.

Use the current item number and title together when starting a new chat. Copy its prompt and provide this document or the repository source at `docs/roadmap/demir-bot-master-roadmap.md`. Existing plugin references may contain historical item labels: identify the intended capability by its title and canonical source path. Those labels do not set the order of this roadmap. This document grants no permission to activate services, execute tests or publish changes.

Current package and evidence states

Plugin identity: demir-bot-pilot; display name: Demir Bot - Private Pilot; development manifest version: 0.1.0+codex.20260927200611. The manifest exposes `./skills/` only. Current source has 26 SKILL.md files, 26 agent metadata files and 178 package files, including 8 retained licence notices. There is one coordinator and 25 specialists. No new specialist was added for A2.

Current development snapshot: 0689fc14ec6bee7ec3a7ffa6ea7703c7d01fd4e8a10a308b0a354f7663988206. Method: SHA-256 of compact sorted JSON mapping package-relative filenames to file SHA-256 digests, excluding `__pycache__`. This fingerprint includes the free manual packet/response runner and current QA assets. Document edits do not change the plugin snapshot.

Installed cache is separate from development source. The latest session-recorded installation was version 0.1.0+codex.20260927200611 with 152 matching files after item 010 and the context-efficiency correction. Later A2 work and QA/runner changes have not been installed. Cache equality was not rechecked for this document update; older installation records below remain historical.

The package now has executable local QA utilities: a structural validator and a free manual packet/response runner, plus their tests. The runner makes no model/API calls and cannot enforce isolation in subscription chats. No publisher, authenticated connector, autonomous daemon, cloud sync or training service was implemented.

Evidence vocabulary: SAVED = instructions exist; IMPLEMENTED = named executable mechanism exists; INSTALLED = contents present; OBSERVED = scoped operation or response has retained evidence; MEASURED = comparable completed outcomes establish a result. Neither saved nor installed proves behavior. No measured cost or reliability benefit is established.

Consolidated test and quality ledger

Historical tests: the retained assessment sections below preserve the initial 31 structural assertions, 12 sampled responses, focused 1/9 then 9/9 assertions and six sampled responses, the initial 21-case pass with a failing package check, corrected 24/24 results, assignment 23/24 failure followed by 24/24, and Execution Details 24/24. These are historical snapshots, not results for current source. Original temporary evidence is not guaranteed retained.

Accepted manual behavior: ten tagged manual cases were accepted by the user. This superseded the proposed 32-response manual campaign. It does not validate later A2 work, all domain advice, runtime enforcement or real provider operations.

27 September, initial local attempt: test_structural could not import PyYAML in the bundled Python environment. No structural test body executed. This was an environment error, not a product pass.

27 September, case-integrity checks: the first invocation from the repository root failed module discovery. After correcting the working directory, four A2 integrity tests passed. Adding core-skill coverage brought the result to eight of eight passed. These check case inventory, source reachability and honest labels, not model behavior.

27 September, isolated dependency setup: the sandboxed package-download attempt failed DNS resolution. A separately approved download installed the exact declared dependencies into a temporary environment. The interpreter is CPython 3.12; historical reference CPython 3.11.11 compatibility was not newly established. No external model provider was installed.

27 September, first full local run: 35 tests executed; 33 passed and two new fixtures failed. The malformed-URL fixture assumed parsing behavior that Markdown normalised; it was corrected to inject a URL-parser exception explicitly. The unreadable-directory fixture was corrected for macOS canonical temporary paths. Intended assertions were retained. The next run passed 35/35.

27 September, additional validator regressions: two targeted cases reproduced a symlink-loop exception and heading-anchor collision (one error, one failure). Both defects were fixed. The combined suite passed 37/37, including current-package acceptance and eight case-integrity tests. A further recorded 37/37 run retained verbose output outside the plugin. Separate structural inspections reported zero findings over 175 files/26 skills at that stage.

27 September, free local runner: 14 synthetic tests were added for packet/oracle separation, exclusive run creation, not-run/ungraded states, duplicate attempts, model substitution, uncertain tool activity, honest result scope, invalid IDs, content tampering, source escape/symlinks and output location. The combined offline suite passed 51/51. Runner --help completed successfully; the latest package inspection reported zero findings across 178 files and 26 skills, snapshot 0689fc14ec6bee7ec3a7ffa6ea7703c7d01fd4e8a10a308b0a354f7663988206.

Code-quality scope: reviewed the executable validator and runner plus local tests; fixed error containment, link-resolution and anchor-generation defects, and stale test-status documentation. There is no comprehensive certification of every domain instruction, code-smell score, coverage percentage or live-integration pass.

Behavioral queue: 26 core-skill plus 39 A2 cases are written, all 65 unrun. A bounded tool-disabled run was approved but no supported enforced-isolation runner was established. CLI help, protocol schemas and feature controls were inspected; these were capability discovery, not subject runs. The user has deferred manual subscription-based behavioral evaluation until later. No new model responses, live provider tests, paid API calls, builds, benchmarks, signing actions, uploads or distributions occurred.

Evidence locations: plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/coverage-audit.md; behavioral/core-cases.json; behavioral/a2-cases.json; checks/test_structural.py; checks/test_a2_coverage.py; checks/test_free_runner.py; runner/README.md. Durable 37-test output and structural JSON are in the companion documentation workspace at validation/2026-09-27; later 51-test output is retained in this task's tool record. No new tests were run to edit this roadmap.

Claim boundary: 51/51 executed offline tests passed. This is not 65/65 behavioral acceptance, full native-plugin functionality, live integration validation or guaranteed correctness. Preparation is not execution; text-only evaluation cannot certify tool isolation.

Assignment workflow additions and current structural acceptance

Saved on 24 September 2026: three original instruction skills, bringing development source to 25 skills. They reuse existing specialists and introduce no background runner or automatic submission service.

Assignment Planning and Delivery

SAVED: assignment-planning-and-delivery reads assignment documents, rubrics and starter materials through requirements-and-traceability. It identifies required components and submission constraints, proposes dependency-ordered stages and a sensible prompt count, and adapts to prompts, guided explanations, collaborative implementation or a mixture. Existing explicit preferences avoid another intake question. Prompts preserve scope and specialist routes; planning does not automatically execute them.

Automated Assignment Completer

SAVED: automated-assignment-completer consumes the stage plan and performs authorized stages sequentially. An explicit user request activates the mode without repeated confirmation; a coordinator suggestion requires consent. It adapts later stages to actual results and invokes the deliverables checker at the final boundary, not between intermediate prompts. Required corrections stay within existing authority. Blocked work remains explicit; no automatic tests, extra reports, submission or background activity.

Assignment Deliverables Checker

SAVED: assignment-deliverables-checker compares finished artifacts with the original assignment and separate rubric/criteria PDFs. Where no deliverables list exists, it derives minimum expectations from the task descriptions and labels those inferences. It distinguishes missing, partial, ambiguous and execution-unverified work. After coverage review, it identifies potentially unnecessary extras and asks whether to keep or remove them, preserving necessary support files and unrelated user work. Review alone authorizes neither deletion nor testing.

Structural correction and test record - 24 September 2026

Initial current-source run: 23/24 cases passed; the package acceptance case failed with 75 findings. Findings covered missing metadata for the three new skills, an outdated 22-skill inventory and source-relative links inside quoted manual evaluation excerpts. An earlier attempt with the bundled interpreter stopped at a missing PyYAML import; that was an environment setup error, not a passed test. The existing provisioned test environment was then used without installing dependencies.

Corrections: added namespaced agent display/invocation metadata for all three skills; deliberately reconciled the expected inventory to 25; rendered candidate instruction excerpts as verbatim text so copied source-relative links are not treated as packet navigation. Excerpt content and recorded source hashes were preserved. Revised packets retain previous hashes alongside current hashes in the manual manifest. No checker assertion was relaxed and no behavioral case was rerun.

FINAL PASS: all 24 structural tests passed (23 synthetic contracts plus current-source acceptance). The separate full-package structural inspection reported zero findings across 143 files and 25 skills. Both commands exited 0. Commands: `python -m unittest -v test_structural`; `python structural.py`, using the existing external acceptance environment with bytecode writing disabled. Assessed snapshot: 3954524421869affdcdb3eaa9b2bfe5f343cbe24355732be7f1d16c075d7cbe6.

Scope: package structure, metadata, inventory, local links/anchors, namespaced routes and synthetic negative cases. End-to-end assignment behavior, provider operations and effectiveness remain unverified. Item 075 stays complete under its accepted ten-case scope. No installed-cache refresh, indexing or cloud/background activation occurred.

Execution Details and structural acceptance

SAVED: execution-details is an original, explicitly requested reporting skill. It can explain a specified previous response or provide details after the current task when requested. It reports recorded commands/tools, purposes, files listed/read/changed, outcomes and failures, while separating proposed actions, attempts, confirmed results and inference. Agent metadata disables implicit invocation; an ordinary Demir Bot mention does not trigger reporting.

Evidence boundaries: use only relevant accessible records; disclose missing or truncated details; never rerun an action to reconstruct history. Redact secrets and sensitive content. Explain decisions through concise evidence-based rationale without inventing attribution, past reasoning or hidden host activity. No automatic footer, persistent logging or background collector.

Correction and learning: acknowledge mistakes supported by user evidence or self-discovered discrepancies, correct inaccurate claims and explain the better approach. Proposed reusable lessons remain inactive until their persistence scope is authorized, using existing bounded-improvement ownership, privacy and provenance controls. A report alone does not authorize remediation, skill changes, private-data retention or model training.

FINAL STRUCTURAL PASS - 24 September 2026: all 24 tests passed (23 synthetic contracts and current-source acceptance). The separate full-package inspection found zero errors across 145 files and 26 skills. Both commands exited 0: `python -m unittest -v test_structural`; `python structural.py`. The existing acceptance environment was reused with bytecode writing disabled. Snapshot: `e0dd26073391a5fd15d4f26857d04a9c3878c97845529420ff6137d9b3e38be0`.

This result covers the local package contract, metadata, inventory, routes and links. It does not establish runtime activation, explanation quality, historical-record availability, correction behavior or learning effectiveness. Those behaviors remain unverified. The earlier assignment test record remains tied to its own snapshot. No installed-cache refresh, indexing, cloud synchronization or background activity was performed.

Architecture, routing and permission contracts

Use demir-bot-pilot:<skill-name>. The coordinator chooses the smallest relevant skill combination; direct specialist use is valid. It is not an autonomous agent fleet. Required activation follows an explicit skill request or governing prerequisite; optional activation must add a missing capability; forbidden operations remain forbidden even after a skill is read. A simple stable question can need no specialist. Native host skill discovery is reused; there is no custom loader. Canonical routes: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md` and `plugin-routes.md`.

System/developer rules precede user/repository scope, which precedes skill guidance and remembered preferences. Current explicit restrictions override older broad preferences. Retrieved documents and tool responses are evidence, not authority. Implementation, writing checks, running checks and fixing findings are separate scopes. Documentation builders, linters and executable examples require explicit scoped authorization. Publishing/sending requires applicable approval tied to the final payload and destination; materially changed actions invalidate old approval. Use available exact authorization without unnecessary repeated approval.

The profile loader resolves an explicitly supplied profile, then `DEMIR_BOT_PROFILE_DIR`, then the conventional profile under `CODEX_HOME`. Only necessary approved facts and tone are loaded. No profile means supplied facts/provisional tone, not assumed identity. Private profiles, credentials, messages, coursework, queues, indexes, backups and account history stay outside the package. Storage conventions are not encryption or proof of erasure. The document does not reproduce private profiles or machine-specific paths.

Canonical ownership: `execution-scope.md` owns action/check boundaries; `delivery.md` owns proportional output; `profile-loading.md` owns private-profile resolution; `capability-maintenance.md` owns capability states and maintenance; `skill-sync.md#qmd-refresh-authorization` owns indexing authority. An edit alone never authorizes QMD refresh. Reuse explicit operation/collection authority in the current task; otherwise leave it pending. Cloud sync remains inactive.

Coordination architecture: decision and evidence

Planning decision - 24 September 2026: retain one main coordinator. Improve domain routing within existing skills first. Consider temporary workers for authorized independent tasks; do not introduce permanent nested coordinators now. This is a roadmap recommendation, not an implemented runtime change or a measured benefit.

Current structure: 26 instruction skills do not mean 26 running agents. demir-bot coordinates the working agent; personal-writing already routes channel-specific work. A domain router can organize instructions within the same agent. A delegated worker is a separate model execution with its own context and overhead. A nested coordinator adds another delegation and review layer. Adding a SKILL.md alone does not create separate execution, context isolation or enforceable permissions.

Benefits and costs: domain routing can clarify ownership and limit irrelevant instructions, but overlapping routers can duplicate rules. Independent workers can explore separate evidence or modules concurrently, but incur handoff, review, retry and integration costs. Nested coordinators may help a large project with separable workstreams, but introduce extra planning, information loss, latency and harder failure attribution. Skill count alone is not a reason to add a management layer.

Research reviewed: Towards a Science of Scaling Agent Systems (version 3, April 2026) compares 260 configurations across six benchmarks. It reports that architecture must fit task structure: decomposable work can benefit while sequential planning can deteriorate, with overhead and diminishing returns in other settings. These benchmark findings do not predict Demir Bot gains. Source: <https://arxiv.org/abs/2512.08296v3>

Anthropic's multi-agent research report (June 2025) finds benefits for independent research branches, while noting shared-context dependencies and substantial token consumption. Its approximately 15-times token figure compares multi-agent use with ordinary chats, not the single-agent research baseline. This is vendor evidence from a specific system, not a Demir Bot cost estimate. Source: <https://www.anthropic.com/engineering/multi-agent-research-system>

AOchestra (February 2026 preprint) assembles workers using instructions, context, tools and model, supporting investigation of task-specific delegation rather than requiring a permanent management tree. Why Do Multi-Agent LLM Systems Fail? identifies specification, inter-agent alignment, verification and termination failures. These are research findings with benchmark/system limits, not proof of reliable nested coordination. Sources: <https://arxiv.org/abs/2602.03786v2> and <https://arxiv.org/abs/2503.13657>

Application to this roadmap: reuse completed A1 guidance and continue with current owners. Add a domain subcoordinator only after recurring work demonstrates a distinct coordination gap that an existing reference cannot cover. Start any authorized delegation experiment with one coordinator-to-worker layer. Prefer independent research questions or separate-module reviews; keep small edits, tightly coupled changes and unnecessarily shared private context with the parent. The parent owns scope, acceptance and final integration. Workers cannot expand permissions or approve external actions for one another.

Reuse the existing seven-field handoff, source-freshness, budget, measurement and delegation contracts in context-efficiency/references/source-reuse.md and runtime-options.md, under plugins/demir-bot-pilot/skills/. Define permitted inputs/actions, acceptance evidence and a stop condition. No recursive spawning, automatic evaluation, background teams or new provider installation follows from this decision.

Evaluation and revisit trigger: use the existing bounded independent-review guidance and Bounded improvement comparisons and effectiveness for a separately authorized comparison against the current single-coordinator baseline, reusing existing behavioral cases. Predeclare finite cases and limits; measure completed-task quality, privacy/permission failures, available total usage, latency, parent review, retries and coordination. Keep unknown costs explicit. Consider nested coordinators only if repeated evidence shows a parent bottleneck that simpler routing or one-layer delegation does not resolve. Retain the simpler design if additional layers do not justify their costs. Roadmap 112 remains deferred; no agents or model evaluations were launched for this document update.

Providers and implementation limits

External capabilities are optional and operation-specific: Firecrawl/current web research; official OpenAI documentation/developer tooling; Git/GitHub; Codex Security; Superpowers methods; mail/calendar; Google documents; Notion; Figma; Canva; media providers; Sites; Supabase and artifact tools. Their route names are hints, not installation, authentication or write-access claims. Resolve the actual current tool contract. If unavailable, use supplied evidence or an authorized local fallback, identify the missing operation and finish independent work. Do not install, authenticate, send private data or bypass a denial incidentally.

RTK is an optional output helper, not a global interception hook. QMD is optional local retrieval, not bundled indexing. Structural symbol/reference retrieval differs from prose search; do not claim compiler-resolved identity from keyword results. Buffer actions.md and publishing-runtime.md under skills/demir-linkedin/references/ describe approval/runtime boundaries but do not supply an executable connection. Apple, database, browser, training and hosting workflows require their actual project/tools/access. University RAG, cloud synchronization, model training and background automation remain deferred.

README.md and profile-loading.md contain historical fresh-discovery/validator statements. Later retained installation and assessment evidence is more specific; this document records it without silently updating those source files. No full supported-client matrix, redistribution decision, operational telemetry, comprehensive regression suite or complete lifecycle verification is established.

Context, costs and completion

context-efficiency owns bounded reads, selective freshness and source reuse. runtime-options.md owns honest measurement, output filtering/recovery, workflow choice, user budgets and delegation. source-reuse.md owns observable loading, opt-in telemetry, cache/source records and compact handoffs.

A baseline names task, result quality, model/settings, available usage/latency and missing attribution. Claims include failures, retries, worker calls, parent review and coordination, and require comparable completed outcomes. Output selection occurs before emission and preserves producer exit status, decisive errors, coverage and recoverable original evidence. Smaller text and RTK byte counts are not task-cost savings.

User budgets use available host mechanisms within their actual scope. Enforceable caps differ from estimates and shared-account limits; there are no arbitrary default budgets or continuous polling. Stop honestly with partial work and remaining requirements. Resume after relevant source/permission freshness checks. Delegation needs authorized independent work, supported models, bounded inputs/output and stop/escalation conditions; tightly coupled work stays together.

The single handoff format preserves goal, constraints, decisions, artifacts, evidence, unfinished work and next action. Persist only when authorized; no automatic progress file or memory service. Invalidate affected sources when content, versions, access, requirements or scope changes. Default answers are the shortest complete response with necessary evidence and unfinished-work disclosure. Visuals are used only when requested or materially helpful.

Retained assessment and installation evidence

Initial bounded assessment: snapshot d5caec83ee5414fd58bf47d320535472da8ead5a725f6016a703591bbf5aeb76; 31 grouped structural assertions passed, including 22 skill metadata records, 52 explicit relative links, 29 heading anchors and 44 namespaced route occurrences. This was not official host-schema certification. Twelve synthetic cases in two worker contexts met independent response expectations, once each, with zero case retries. One separate source reviewer read all skill bodies; references were selective. One artifact-write failure was retried with the available Python command; truncated reads required recovery.

Four fixes: documentation-and-adrs/SKILL.md now requires scoped execution authority; demir-linkedin and privacy-review use conditional visuals; skill-sync owns QMD refresh authorization with maintenance/freshness callers; capability-maintenance uses explicit sibling links to LinkedIn actions.md and publishing-runtime.md. Six files were changed.

Focused regression: snapshot d50044fe3584d95e77cbb85622dcfcf99cc66d7274332ac639b57286ea4e2fa2; source assertions improved from 1/9 to 9/9, with original eight failures retained; 17 affected links resolved. Six synthetic cases, one worker response each, met parent-reviewed expectations, zero case retries. Worker overhead: six orchestration calls and fourteen nested local commands; two truncations required three recovery reads. These are sampled responses under an independent safety harness, not real action enforcement, causal proof or repeated-sampling reliability.

Later installation verification records byte equality for all 106 files and source digest 2a24e24207dcb30712736ba9f3f99d98eb51d60564384d9e5cd52cdf8e5a9345 after the version-only update. Evidence retained and read for this revision: initial report.md, focused report.md and installation-verification JSON in temporary task storage. These temporary reports are not durable evidence archives; their private paths are deliberately omitted. Historical hashes and outcomes are transcribed here, not rerun.

Untested: actual publishing/QMD execution, live provider access, budget enforcement/cancellation, private-profile integration, full install/update/uninstall lifecycle, all domain workflows and fresh-task native routing. Exact aggregate token costs/model settings are unavailable. No benchmark, evaluation, plugin test or service operation ran during this document revision.

Current skill catalogue

Each entry describes saved instructions. Skill names below are exact; prefix each with demir-bot-pilot:. References and section headings describe scope, not proven execution. All paths are repository-relative. The manifest, metadata, skill bodies and reference inventory together describe the package; private dependencies are deliberately excluded.

agent-configuration-review

Responsibility and trigger: Review a requested agent, skill, hook or MCP configuration for permission, secret-handling, trust-boundary and supply-chain risks using scoped evidence. Use for explicit assistant-environment reviews; not automatic scans or application vulnerability audits.

Source: plugins/demir-bot-pilot/skills/agent-configuration-review/SKILL.md.

Workflow coverage: Focused workflow and boundaries in the source body.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: plugins/demir-bot-pilot/skills/agent-configuration-review/references/local-scanner.md;
plugins/demir-bot-pilot/skills/agent-configuration-review/references/provenance.md.

architecture-review

Responsibility and trigger: Review or design software architecture using requirements, repository evidence and explicit trade-offs. Use for system design, module boundaries, dependency cycles, data flow, architectural risks and significant structural decisions. Skip routine small fixes; a review does not authorize implementation.

Source: plugins/demir-bot-pilot/skills/architecture-review/SKILL.md.

Workflow coverage: Review workflow; Specialist boundaries; Proportional output.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: plugins/demir-bot-pilot/skills/architecture-review/references/review-checklist.md;
plugins/demir-bot-pilot/skills/architecture-review/references/sources.md.

clarify-and-execute

Responsibility and trigger: Turn rough or materially ambiguous requests into focused tasks through minimal clarification, preferably multiple-choice questions, then execute the original task. Use when Demir asks for help shaping a request, improving a prompt, choosing task scope, or when unresolved choices would materially change the result. Skip clarification for clear requests.

Source: plugins/demir-bot-pilot/skills/clarify-and-execute/SKILL.md.

Workflow coverage: Focused workflow and boundaries in the source body.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: plugins/demir-bot-pilot/skills/clarify-and-execute/references/choices.md;
plugins/demir-bot-pilot/skills/clarify-and-execute/references/sources.md.

code-refactoring-refactor-clean

Responsibility and trigger: Review and refactor existing code for maintainability, cognitive complexity, duplication, code smells, modularity, documentation, performance and test quality. Use for clean-code audits, safe restructuring and evidence-based quality reviews, including optional course traceability checks.

Source: `plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/SKILL.md`.

Workflow coverage: Workflow; Read only relevant detail; Targeted error and type review.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: `plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/contracts-and-documentation.md`;
`plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/course-lessons.md`;
`plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/quality-review.md`;
`plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/sources.md`;
`plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/targeted-review-provenance.md`;
`plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/testing-and-evidence.md`.

context-efficiency

Responsibility and trigger: Use for requested context/token efficiency, source reuse, handoffs or runtime optimization, and as Demir Bot's default method. Skip extra bookkeeping for simple questions and small edits.

Source: `plugins/demir-bot-pilot/skills/context-efficiency/SKILL.md`.

Workflow coverage: Focused workflow and boundaries in the source body.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: `plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md`;
`plugins/demir-bot-pilot/skills/context-efficiency/references/source-reuse.md`;
`plugins/demir-bot-pilot/skills/context-efficiency/references/sources.md`.

deep-research-and-idea-validation

Responsibility and trigger: Research complex questions and validate project ideas using primary sources, corroboration, counterevidence and decision-focused analysis. Use for substantial research, technology comparisons, feasibility, demand and competitive analysis; skip simple factual answers and routine coding.

Source: `plugins/demir-bot-pilot/skills/deep-research-and-idea-validation/SKILL.md`.

Workflow coverage: Scope and intake; Research with evidence; Validate a project idea; Deliver and preserve boundaries.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: `plugins/demir-bot-pilot/skills/deep-research-and-idea-validation/references/provenance.md`.

demir-bot

Responsibility and trigger: Use for explicit Demir Bot requests, cross-workflow coordination, or code creation/changes. Route to relevant skills; skip unrelated standalone questions.

Source: `plugins/demir-bot-pilot/skills/demir-bot/SKILL.md`.

Workflow coverage: Active user profile; Execute with focused context; Binding execution scope; Clickable preference choices; Available plugins and built-in capabilities; Capability tracking and skill maintenance; Git and GitHub work; Preserve evidence, reduce waste; Personalization and actions; Deliver clearly.

Relationships: Coordinates only relevant specialists; context-efficiency is its default method.

References: plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md;
plugins/demir-bot-pilot/skills/demir-bot/references/capability-register.md;
plugins/demir-bot-pilot/skills/demir-bot/references/delivery.md;
plugins/demir-bot-pilot/skills/demir-bot/references/execution-scope.md;
plugins/demir-bot-pilot/skills/demir-bot/references/personal-workflows.md;
plugins/demir-bot-pilot/skills/demir-bot/references/plugin-routes.md;
plugins/demir-bot-pilot/skills/demir-bot/references/profile-loading.md;
plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;
plugins/demir-bot-pilot/skills/demir-bot/references/skill-sync.md;
plugins/demir-bot-pilot/skills/demir-bot/references/upstream-adaptations.md.

demir-linkedin

Responsibility and trigger: Develop the user's LinkedIn presence through current CS, data science, AI and LLM research, evidence-based posts, profile positioning, relevant networking, comments and analytics. Use for LinkedIn drafts, news-to-post requests, employer visibility or audience growth. Publish or contact people only after approval of the specific final action and with supported access.

Source: plugins/demir-bot-pilot/skills/demir-linkedin/SKILL.md.

Workflow coverage: Working contract; Apply the approved voice; Select the relevant work; Approval and publishing; Delivery and reuse.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: plugins/demir-bot-pilot/skills/demir-linkedin/references/actions.md;
plugins/demir-bot-pilot/skills/demir-linkedin/references/approval-ledger.md;
plugins/demir-bot-pilot/skills/demir-linkedin/references/growth.md;
plugins/demir-bot-pilot/skills/demir-linkedin/references/publishing-runtime.md;
plugins/demir-bot-pilot/skills/demir-linkedin/references/research-and-content.md;
plugins/demir-bot-pilot/skills/demir-linkedin/references/sources.md.

documentation-and-adrs

Responsibility and trigger: Maintain project documentation and architectural decision records as Demir's Documentation Officer. Use for requested documentation creation/review, significant design decisions, changed public APIs or setup instructions, and inconsistencies across requirements, design, implementation and testing evidence. Keep small unrelated coding tasks lightweight.

Source: plugins/demir-bot-pilot/skills/documentation-and-adrs/SKILL.md.

Workflow coverage: Work from evidence; Load only needed references; Keep maintenance proportionate.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: plugins/demir-bot-pilot/skills/documentation-and-adrs/references/adr-and-templates.md;
plugins/demir-bot-pilot/skills/documentation-and-adrs/references/consistency-and-evidence.md;
plugins/demir-bot-pilot/skills/documentation-and-adrs/references/sources.md.

email-tone

Responsibility and trigger: Apply the user's approved email tone to requested drafts and revisions, keeping channel preferences separate from shared facts and delivery authorization.

Source: `plugins/demir-bot-pilot/skills/email-tone/SKILL.md`.

Workflow coverage: Focused workflow and boundaries in the source body.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: No local reference directory; consult the skill body and its canonical shared/private pointers..

frontend-quality-and-accessibility

Responsibility and trigger: Implement usable, accessible web UI in the actual project stack, covering semantics, keyboard and focus behavior, forms, responsive layouts, interface states and reduced motion. Use for relevant frontend implementation or explicitly requested UI/accessibility reviews; do not trigger automatic audits or tests.

Source: `plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/SKILL.md`.

Workflow coverage: Apply within the requested change; Semantics and perceivable content; Keyboard and focus; Forms and feedback; Responsive layout and interface states; Reuse available providers appropriately; Verification and completion boundaries.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: `plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/references/provenance.md`.

git-and-github-workflow

Responsibility and trigger: Inspect and perform scoped Git and GitHub repository work, including branches, focused commits, synchronization, pull requests and recovery from conflicts or failed operations. Use for requested version-control work or a concrete Git blocker; ordinary code edits do not imply committing, pushing or merging.

Source: `plugins/demir-bot-pilot/skills/git-and-github-workflow/SKILL.md`.

Workflow coverage: Scope and authorization; Inspect before changing state; Preserve work and choose a branch; Focused staging and commits; Fetch and integration strategy; Pushes, pull requests and merges; Finish with evidence.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: `plugins/demir-bot-pilot/skills/git-and-github-workflow/references/provenance.md`;
`plugins/demir-bot-pilot/skills/git-and-github-workflow/references/recovery.md`.

jurisdiction-specific-legal-feasibility

Responsibility and trigger: Research legal feasibility for a defined activity, jurisdiction and relevant date using current official sources. Use for product/business legal questions, regulatory applicability and questions for counsel; not certification, representation or external legal action.

Source: `plugins/demir-bot-pilot/skills/jurisdiction-specific-legal-feasibility/SKILL.md`.

Workflow coverage: Define the actual case; Reuse research and privacy workflows; Establish authority and applicability; Analyze feasibility; Output and action boundaries.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: [plugins/demir-bot-pilot/skills/jurisdiction-specific-legal-feasibility/references/provenance.md](#).

linkedin-tone

Responsibility and trigger: Apply the user's approved linkedin tone to requested drafts and revisions, keeping channel preferences separate from shared facts and delivery authorization.

Source: [plugins/demir-bot-pilot/skills/linkedin-tone/SKILL.md](#).

Workflow coverage: Focused workflow and boundaries in the source body.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: No local reference directory; consult the skill body and its canonical shared/private pointers..

ml-training-specialist

Responsibility and trigger: Implement or review ML data pipelines, training and fine-tuning workflows in the actual project stack, or assess whether training would improve Demir Bot. Use for concrete ML work and assistant-improvement research; do not start training or autonomous self-modification merely by invoking the skill.

Source: [plugins/demir-bot-pilot/skills/ml-training-specialist/SKILL.md](#).

Workflow coverage: Choose an intervention; Implement in the actual stack; Execution and delivery.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: [plugins/demir-bot-pilot/skills/ml-training-specialist/references/provenance.md](#).

personal-writing

Responsibility and trigger: Write or revise the user's emails, applications, messages and personal prose using shared approved facts and voice examples. Use for writing in the user's voice and maintaining explicitly approved reusable facts or samples; route LinkedIn-specific research and actions to demir-linkedin.

Source: [plugins/demir-bot-pilot/skills/personal-writing/SKILL.md](#).

Workflow coverage: Focused workflow and boundaries in the source body.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Routes to email-tone or linkedin-tone; LinkedIn operations use demir-linkedin.

References: [plugins/demir-bot-pilot/skills/personal-writing/references/facts-and-voice.md](#).

privacy-review

Responsibility and trigger: Review personal-data handling in a requested feature, assistant workflow, integration or data flow. Use for privacy reviews and concrete decisions about collection, tool sharing, telemetry, retention, deletion, consent or reuse of personal information. Route vulnerability audits to existing Codex Security skills. Skip unrelated work and automatic audits after routine coding tasks.

Source: [plugins/demir-bot-pilot/skills/privacy-review/SKILL.md](#).

Workflow coverage: Choose the right workflow; Inspect only the relevant data flow; Boundaries.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: [plugins/demir-bot-pilot/skills/privacy-review/references/sources-and-coverage.md](#).

qa-and-test-evidence

Responsibility and trigger: Plan and implement risk-based tests, review test quality, investigate coverage gaps and produce honest execution evidence. Use only for explicitly requested QA strategy, test creation/execution, integration/export/persistence verification or evidence audits. Skip unnecessary test infrastructure for trivial low-impact edits.

Source: [plugins/demir-bot-pilot/skills/qa-and-test-evidence/SKILL.md](#).

Workflow coverage: Focused workflow and boundaries in the source body.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: [plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/demir-bot-evaluation.md](#);
[plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/evidence.md](#);
[plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/sources.md](#);
[plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/test-design.md](#).

release-readiness-and-observability

Responsibility and trigger: Assess release readiness or implement requested deployment and observability changes using project-specific evidence, configuration, migration, rollback, health, logging, alerting and recovery guidance. Use for explicit release preparation or operational tasks; no automatic post-merge audit, tests or deployment.

Source: [plugins/demir-bot-pilot/skills/release-readiness-and-observability/SKILL.md](#).

Workflow coverage: Establish scope and authorization; Readiness evidence; Deployment prerequisites and configuration; Migrations and data integrity; Health signals and observability; Rollback and recovery; Completion.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: [plugins/demir-bot-pilot/skills/release-readiness-and-observability/references/provenance.md](#).

requirements-and-traceability

Responsibility and trigger: Turn project ideas, assignment criteria and change requests into measurable requirements and acceptance criteria; audit ambiguity, scope, bidirectional traceability and change impact. Use for substantial unclear features, requirements documents, requirement-to-test mappings or conflicting specifications. Skip routine self-contained fixes and unrelated coding tasks.

Source: [plugins/demir-bot-pilot/skills/requirements-and-traceability/SKILL.md](#).

Workflow coverage: Establish scope and evidence; Specify; Handoff and maintenance.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: [plugins/demir-bot-pilot/skills/requirements-and-traceability/references/requirements.md](#);
[plugins/demir-bot-pilot/skills/requirements-and-traceability/references/sources.md](#);
[plugins/demir-bot-pilot/skills/requirements-and-traceability/references/traceability.md](#).

swiftui-performance-and-concurrency

Responsibility and trigger: Implement or review SwiftUI state, view-update performance and safe Swift concurrency for Apple-platform projects. Use for relevant SwiftUI changes, task lifecycle, isolation diagnostics or performance problems; follow actual toolchain settings and do not automatically build, profile or test.

Source: `plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/SKILL.md`.

Workflow coverage: Establish project context; State ownership and view updates; Expensive work and evidence; Task lifetime and cancellation; Actor isolation and safe sharing; Delivery and boundaries.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: `plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/provenance.md`.

youtube-learning

Responsibility and trigger: Understand and apply lessons from requested YouTube videos using timestamped transcript and visual evidence. Use for video explanations, tutorials, lectures, comparisons and learning from demonstrations; distinguish transcript-only access from actual visual analysis. Not an autonomous watcher or model-training workflow.

Source: `plugins/demir-bot-pilot/skills/youtube-learning/SKILL.md`.

Workflow coverage: Scope and evidence; Understand and apply; Learning and privacy boundaries.

Relationships: Selected directly or through demir-bot; inherits current task authorization. Combine with another specialist only for a distinct missing requirement.

References: `plugins/demir-bot-pilot/skills/youtube-learning/references/provenance.md`;
`plugins/demir-bot-pilot/skills/youtube-learning/references/providers.md`.

Completed guidance in the current plugin

Status for all thirteen: SAVED / INSTALLED at the recorded snapshot; scoped evidence only; broader behavior and benefit UNVERIFIED. These are not new services or thirteen added skills. Reuse them during future work.

Baseline measurement and honest cost attribution

Saved guidance: Before optimizing, define representative task outcomes and record already available usage, elapsed time, retries and failures. Separate raw tokens, cached tokens, API cost estimates and subscription allowance. Mark unavailable values and concurrent-account activity. Design any additional comparison now; run it only under a separate explicit evaluation request.

Acceptance contract: A baseline record names the task, result quality, model/settings, available metrics and missing attribution. Any savings claim includes a comparable completed-task result and all retries/coordination. Until an authorized comparison exists, label the improvement unverified.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

Context overhead and observable loading

Saved guidance: Audit repeated instructions, unnecessary skill activation, oversized tool output and observable context sources. Make the coordinator a minimal router; preserve bindings and move conditional details into focused references. Measure only under separately authorized comparison scope.

Acceptance contract: Identify observed loaded instructions, metadata, tool descriptions and returned output where visible; label estimates and unknowns. Name a specific removable duplication without losing requirements. A smaller document alone does not prove a cheaper completed task.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/source-reuse.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

Routing telemetry

Saved guidance: Design minimal opt-in records of expected versus actual skill activation, with privacy-safe retention; do not install a conversation observer.

Acceptance contract: For scoped observed examples, distinguish expected from actual skill activation, unnecessary loads and unavailable trace data. Records exclude private content by default; no background observer is installed. Written telemetry guidance alone is not operational telemetry.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/source-reuse.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

Output filtering discipline

Saved guidance: Return selected fields and relevant passages before tool output enters context; preserve errors, coverage and recoverable full evidence. Apply existing RTK selectively, not as a universal wrapper.

Acceptance contract: The selected output path preserves exit status, decisive errors and a recoverable original. Show the intended bounded output and recovery mechanism; actual session savings remain unverified without an authorized comparison. Reuse installed RTK where suitable.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

Precise routing, negative cases and composition

Saved guidance: Verify that Demir Bot selects relevant installed skills, including Superpowers, without redundant tagging or loading entire frameworks. Reconcile task scope, testing, approval and delegation requirements using instruction precedence. Check missing-provider fallback and installation versus access versus operation evidence. Reuse existing providers before creating new specialists. Reuse existing routing, knowledge, tool, permission and model failure categories; define actionable distinctions rather than creating another diagnostic framework. Add synthetic cases for when a skill must not activate, including simple edits, already-known context and unavailable providers. Define the smallest adequate combination of existing specialists; avoid duplicated context and incompatible procedural requirements.

Acceptance contract: Define required, optional and forbidden activation; resolve instruction conflicts, missing-provider fallback and no-specialist cases without unnecessary framework loading.

Saved owner: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

Minimal skill catalogue and duplicate-rule reduction

Saved guidance: Codex already loads skill bodies on demand. Improve concise names/descriptions, narrow activation and canonical ownership of repeated rules. Inspect overhead before adding a new loading mechanism.

Acceptance contract: Each revised trigger has clear positive and negative examples and one canonical owner for shared rules. Native lazy loading is reused. Report saved guidance separately from observed activation and measured context reduction.

Saved owner: plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

Cache and freshness strategy

Saved guidance: Reuse relevant unchanged source evidence, documentation and scoped indexes; define invalidation and bounded storage without promising control of hidden model caches. Preserve useful DerivedData, dependency caches and scoped QMD state; invalidate on relevant changes rather than routine cleanup. No unsolicited build or index expansion. Read changed areas and relevant dependencies, review scoped diffs and update only affected indexes. Run changed-target tests/builds only when requested. For larger repositories, assess an on-demand, token-bounded symbol/reference or dependency map using existing tools first. Account for indexing and map-loading overhead; tiny tasks should use direct search. Validate the actual Swift/project compatibility before recommending any external integration.

Acceptance contract: A selected cache or retrieval mechanism records its source/version, invalidation conditions and original-evidence path. Structural retrieval distinguishes symbols/references from prose search. Guidance, connected tooling and measured benefit are reported separately; no blanket indexing or provider installation.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/source-reuse.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

Source reuse, compact checkpoints and handoffs

Saved guidance: Strengthen existing context-efficiency, QMD and RTK use with narrow retrieval, freshness checks and concise resumable handoffs. Preserve unresolved requirements and source evidence. Link to Context overhead and observable loading; do not create redundant context ledgers or an always-on memory service. Preserve decisions, constraints, unfinished work and source locators while removing redundant narrative; use summaries without replacing original evidence when precision matters. Reuse the existing compact handoff: goal, constraints, decisions, artifacts, evidence, unfinished work and next action; persist only when authorized.

Acceptance contract: Use one minimal handoff format and precise freshness rules; do not introduce automatic progress files.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/source-reuse.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

Cost-benefit decision rule

Saved guidance: Choose the smallest adequate workflow using expected task quality, total usage, latency and risk; avoid speculative numerical savings or mandatory preflight ceremonies.

Acceptance contract: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

User-set budgets, stop and graceful resume

Saved guidance: Respect an explicit user task budget using available host controls and sparse usage snapshots. Preserve quality; stop with an honest checkpoint if the budget cannot cover the task. Explain shared-account attribution and soft versus enforceable caps.

Acceptance contract: Reuse available host budget mechanisms; implement only enforceable scope and report partial work. No arbitrary daily caps, continuous polling or unnecessary estimate approval.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

Cost-aware model delegation

Saved guidance: For explicitly authorized delegation, select a supported cheaper model for a bounded independent task and include parent review, retries and handoff cost. Compare against single-agent work before recommending a default. Escalate task complexity to an appropriate available model or the user only when needed; distinguish missing facts, permissions and model capability.

Acceptance contract: The delegation policy names eligible independent tasks, excluded tightly coupled tasks, supported model choices, a bounded handoff and an escalation/stop rule. Any comparison counts parent review, worker calls, failures and retries at comparable quality. No lower-cost claim is made from model price or agent count alone.

Saved owner: plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

Proportional answers and visual output

Saved guidance: Default to the shortest complete response. Use visual output only when it materially improves understanding or is explicitly requested; revise the current automatic visual-inventory preference within the specific approved change. Preserve necessary evidence and unfinished-work disclosure.

Acceptance contract: Simple answers need no generated visual or long completion checklist; complex comparisons retain useful detail.

Saved owner: plugins/demir-bot-pilot/skills/demir-bot/references/delivery.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

Optional installation profiles

Saved guidance: Core, coding, academic and writing selections if bundle growth justifies them. Preserve stable names and required references; no premature installer framework.

Acceptance contract: Stable names and reference closure survive selection; complexity is justified over a simple full instruction bundle.

Saved owner: plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Later changes require scoped authorization; runtime criteria are not certified by saved text.

Latest saved implementations and acceptance

The following capabilities are complete as source deliverables, not claims of verified runtime behavior. These earlier additions kept the skill count at 22; the later assignment workflow additions below bring current development source to 25 skills. Private preferences, personal lessons and accounts were not modified.

Product discovery and delivery

SAVED: requirements-and-traceability owns user jobs, capability maps, MVP scope, decision/implementation/acceptance ownership and observable acceptance. Architecture-review supplies technical feasibility and boundary decisions. Unknown owners, demand and dependencies stay explicit. Sources: skills/requirements-and-traceability/references/requirements.md and skills/architecture-review/SKILL.md under plugins/demir-bot-pilot. No new general coordinator.

Repository onboarding

SAVED: architecture-review maps entry points, conventions and technical/human ownership, and traces a source-supported request/data flow. Source tracing is distinguished from observed runtime execution; persistent onboarding documents require a request. Source: plugins/demir-bot-pilot/skills/architecture-review/references/review-checklist.md.

Error and type design

SAVED: code-refactoring-refactor-clean covers silent failure, invalid states, nullability, boundary contracts and recovery. Existing ECC reviewer perspectives inform the same-agent review; no mandatory workers. Sources: its references/contracts-and-documentation.md and targeted-review-provenance.md. No application tests or runtime claims.

Broader GitHub operations

SAVED: existing git-and-github-workflow owns issue triage, CI diagnosis, release preparation and security alert triage through references/github-operations.md. Read-only investigation is separate from comments, reruns, releases, merges and remediation. Provider access and incomplete log coverage remain explicit; no live GitHub operations were performed for this implementation.

Content repurposing

SAVED: personal-writing owns approved-source adaptation into channel drafts, series and portfolios; demir-linkedin links to the shared method. references/content-repurposing.md preserves facts, team/academic credit, confidentiality, voice and reuse permissions. Repurposing approval does not authorize publishing.

Academic literature and paper review

SAVED: deep-research-and-idea-validation/references/academic-review.md defines proportional protocols, search logs, deduplication, exclusion reasons, evidence tables, methods/baselines and citation support. Preprints, reviews, primary studies and unavailable full text stay distinct. No separate research engine or automatic university RAG.

User-directed learning

SAVED: demir-bot/references/capability-maintenance.md separates observed mistakes from uncertain causes and response-only feedback from authorized persistence. It identifies the correct preference, project or skill owner; preserves minimal provenance and genuine scoped recovery. No private preferences were changed.

Learning controls and correction

SAVED: the same maintenance reference defines inspect, revise, forget and rollback controls. Current authority and scope govern contradictions; retrieved recency is not approval. Deletion claims distinguish current records from historical or inaccessible copies and must not recreate withdrawn data as a default backup.

Private lesson register

SAVED FORMAT ONLY: minimal lesson fields cover owner, trigger, action, source, scope, approval and supersession. Project lessons stay project-scoped; confidence and silence never grant approval. No register was created or populated and no memory service was installed.

Controlled skill evolution

SAVED: approved lessons can support an on-request, focused existing-skill change with reviewable wording/diff, preserved adaptations, provenance and rollback. Source edits, installation and indexing have separate permissions. No private-history mining or evolution cycle occurred.

Structural repository checks

IMPLEMENTED AND ACCEPTED WITHIN SCOPE: qa-and-test-evidence/checks includes a local manifest schema, independently maintained inventory, metadata/link/route checks, pinned tooling and synthetic regression cases. Exact CPython 3.11.11 and pinned dependencies were provisioned outside Git. The first run passed 21 synthetic cases but failed the real-package case on 11 optional-metadata findings. One correction batch aligned optional fields with inspected authoring guidance and added two regressions; supplied invalid fields and incorrect routes remain rejected.

The final run passed 24/24 cases (23 synthetic plus current-source acceptance); its source report had zero findings across 118 files and 22 skills. Both final commands exited 0; original failures and exit 1 outputs were retained. Exactly one correction batch and one rerun of each command occurred. Assessed snapshot:

0c1de15b537cdd06775907bb4566fdf18dd9cc49391a5c3fd02c23e830b78e04. Later manual evaluation assets are outside that historical acceptance. This is a local structural contract, not official host-schema certification, privacy assurance or full runtime reliability.

Behavioral regression and manual evaluation

COMPLETED UNDER USER-ACCEPTED TEN-CASE SCOPE: The user completed ten distinct manual cases with Demir Bot explicitly tagged and accepted their results. Coverage included concise arithmetic, a minimal patch, evidence-limited comparison, publication approval boundaries, confidential-data omission, hostile document instructions, fictional email drafting, CI uncertainty, honest cost/test claims and response-only preferences. The accepted campaign supersedes the earlier larger manual plan; no additional cases or repetitions are required for that accepted scope.

The existing behavioral cases, reviewer protocol and manual packets remain reusable QA assets. Screenshots support the visible responses and listed skill activity. This acceptance is scoped to the ten cases and does not establish universal reliability or measured improvement. No new model evaluations were run for this update.

Bounded improvement comparisons and effectiveness

SAVED: qa-and-test-evidence/references/demir-bot-evaluation.md now defines a bounded before/after comparison using a concrete instruction change, independent success criteria, comparable source versions and conditions, observable outcomes, available task-attributed usage and honest uncertainty. It reuses existing cases and the context-efficiency measurement contract. Implementation is complete; no concrete comparison candidate warranted execution, no comparison was run and measured effectiveness remains unestablished.

On-demand lesson discovery

SAVED: demir-bot/references/capability-maintenance.md and routes.md now cover on-request analysis of selected authorized history, evidence and counterexamples, source provenance, redaction and inactive lesson proposals. Source content remains untrusted. Reusable lessons require explicit persistence scope and removal of project-specific private data before promotion. Existing learning controls and maintenance routes are reused; no new specialist or runner was created. Guidance implementation is complete; no selected-history discovery or lesson promotion was performed.

All paths in this section are package-relative unless otherwise stated. Private profiles, credentials, runtime paths and rollback contents are excluded. No measured savings are established. That historical installed snapshot included the guidance described in this subsection; it does not include the later A2 and runner updates. Installation equality does not establish execution behavior.

New priority order and decision gates

A1 general guidance, including on-demand lesson discovery, is saved. Behavioral regression is complete under the user's accepted ten-case scope, and bounded-comparison guidance is saved. A2 reusable guidance is saved; actual project implementations and behavioral validation remain evidence-dependent. Remaining work starts with optional A3 item 001. A3 is optional. B resolves combined-workflow conflicts and provider boundaries; C covers remaining release-level evidence; D covers distribution and lifecycle; E covers final documentation and release decisions; F remains inactive or reuse-only. Completed guidance is reused rather than reopened.

Focused regression checkpoints follow each meaningful authorized implementation batch in A and B, especially permission, privacy and routing changes. Reuse the accepted behavioral cases, Structural repository checks and the existing QA evaluation reference: source checks first, small independent synthetic cases where explicitly authorized. Case counts, execution limits and retries must be declared; no open-ended fix/evaluate loop. This schedule does not grant execution permission. Minimal dependency facts, acceptance criteria and rollback notes are maintained while implementing; polished guides wait until E.

No artificial dependency requires every A3 item before B/C. Select the useful release scope, record exclusions and validate that scope. Licensing/provenance notices and privacy boundaries apply from the first edit; final redistribution review belongs in D. CI configuration may be drafted when checks stabilize but enabling remote execution needs its own authority. Optional app deployment skills do not authorize deploying the plugin.

Overlap resolution: completed A2 guidance stays with existing SwiftUI, architecture, QA, frontend, privacy, release and context owners. Advanced testing extends QA; Git/GitHub recipes remain distinct from operations. Deferred duplicate-specialist/provider items are reuse decisions, not missing implementations. Historical item IDs in source references are not current queue numbers.

Completed A2 engineering guidance

All 39 former A2 entries (001-039) are saved in the development source and removed from the remaining-work queue. Item numbers here are historical identifiers only. Item 036 has reusable connector guidance; authenticated connector implementation still requires a concrete operation and access. Project-specific validation remains unperformed.

Swift concurrency, state ownership and identity

SAVED GUIDANCE (historical A2-001): Extend the existing SwiftUI specialist with a concise source-review entrypoint for isolation, Sendable, task lifetime and cancellation; no duplicate standalone skill unless justified. Extend existing isolation guidance using the actual Swift language mode, compiler and target flags; address diagnostics without blanket unsafe suppressions. Reuse structured concurrency, cooperative cancellation and actor guidance; add only missing project-relevant async sequences, continuations or task-group patterns. Reuse existing ownership and observation guidance; add only an uncovered state-lifetime or dependency-injection case with deployment-target compatibility. Reuse stable identity guidance for lists, navigation and task lifetime; address an actual identity/reset failure without a duplicate specialist. Extend the existing SwiftUI specialist with a concise source-review entrypoint for isolation, Sendable, task lifetime and cancellation; no duplicate standalone skill unless justified.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/SKILL.md. No project execution or behavioral pass is implied.

ios-project-structure

SAVED GUIDANCE (historical A2-002): Map relevant targets, schemes, packages, resources and configuration for a named iOS project; keep a small useful navigation reference rather than loading a full repository map each turn.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/ios-project-structure.md. No project execution or behavioral pass is implied.

ios-architecture-patterns

SAVED GUIDANCE (historical A2-003): Apply existing architecture review to iOS state/data boundaries and modularity; choose a pattern from actual requirements rather than enforcing one architecture everywhere.

Source: plugins/demir-bot-pilot/skills/architecture-review/references/ios-architecture-patterns.md. No project execution or behavioral pass is implied.

dependency-injection-ios

SAVED GUIDANCE (historical A2-004): Extend architecture guidance with stable service ownership and replaceable dependencies using project conventions; do not introduce a framework by default.

Source: plugins/demir-bot-pilot/skills/architecture-review/references/ios-architecture-patterns.md. No project execution or behavioral pass is implied.

swiftui-navigation

SAVED GUIDANCE (historical A2-005): Add deployment-aware navigation state, routes, restoration and deep-link handling for the actual app architecture.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/swiftui-navigation.md. No project execution or behavioral pass is implied.

ios-error-handling

SAVED GUIDANCE (historical A2-006): Define typed failure, cancellation, recovery and user messaging across the actual iOS boundaries; preserve error information and avoid silent success fallbacks.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/ios-error-handling.md. No project execution or behavioral pass is implied.

xcodebuild-error-taxonomy

SAVED GUIDANCE (historical A2-007): Classify supplied Xcode build diagnostics into compiler, linker, dependency, signing and environment causes; investigate the actual failure without automatically rerunning builds.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/xcodebuild-error-taxonomy.md. No project execution or behavioral pass is implied.

derived-data-hygiene

SAVED GUIDANCE (historical A2-008): Diagnose build-cache anomalies and choose scoped recovery; preserve working caches and do not delete DerivedData as a routine first step.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/xcodebuild-error-taxonomy.md. No project execution or behavioral pass is implied.

spm-dependency-management

SAVED GUIDANCE (historical A2-009): Handle package versions, resolution, resources and binary targets within the project's supported toolchain; preserve lockfiles and review supply-chain implications.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/spm-dependency-management.md. No project execution or behavioral pass is implied.

keychain-cryptokit

SAVED GUIDANCE (historical A2-010): Add platform-correct secret storage and cryptographic API guidance; distinguish access groups, availability and backup behavior without inventing cryptography.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/keychain-cryptokit.md. No project execution or behavioral pass is implied.

swiftdata-migrations

SAVED GUIDANCE (historical A2-011): Design versioned SwiftData schemas and migration paths with recovery assumptions; never migrate live user data or run a migration without explicit scope.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/swiftdata-migrations.md. No project execution or behavioral pass is implied.

coredata-to-swiftdata

SAVED GUIDANCE (historical A2-012): Plan a project-specific store transition with mapping, relationships, compatibility and rollback; establish data ownership and preserve existing stores.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/swiftdata-migrations.md. No project execution or behavioral pass is implied.

cloudkit-sync

SAVED GUIDANCE (historical A2-013): Design ownership, conflict resolution, offline behavior and schema environments for a concrete CloudKit app; do not alter production containers incidentally.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/cloudkit-sync.md. No project execution or behavioral pass is implied.

ios-accessibility-audit

SAVED GUIDANCE (historical A2-014): Review VoiceOver, Dynamic Type, focus, contrast and motion for the actual iOS interface; distinguish source review from device-tested accessibility.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/ios-accessibility-audit.md. No project execution or behavioral pass is implied.

ios-localization

SAVED GUIDANCE (historical A2-015): Handle string catalogs, pluralization, locale-sensitive formats and right-to-left layouts with approved translations and deployment compatibility.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/ios-localization.md. No project execution or behavioral pass is implied.

privacy-manifests

SAVED GUIDANCE (historical A2-016): Inspect actual SDK/data behavior and current Apple requirements before preparing privacy declarations; never infer compliance from a template alone.

Source: plugins/demir-bot-pilot/skills/privacy-review/references/privacy-manifests.md. No project execution or behavioral pass is implied.

ios-security-hardening

SAVED GUIDANCE (historical A2-017): Reuse Codex Security and privacy routes first; add iOS-specific transport, storage, entitlement and IPC guidance for demonstrated gaps.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/ios-security-hardening.md. No project execution or behavioral pass is implied.

Performance analysis and Apple profiling depth

SAVED GUIDANCE (historical A2-018): Use existing architecture/release/SwiftUI expertise first; add workload-specific depth only when needed. Latency, throughput, memory, I/O, hot-path analysis and representative workloads. Profiling and benchmarks remain opt-in. Interpret supplied traces or prepare an explicitly requested profiling workflow with a representative workload; distinguish hypotheses from measured bottlenecks. Investigate startup dependencies, synchronous work and first useful frame using actual evidence; preserve correctness and report device/build conditions for any measurement. Investigate ownership cycles, retained tasks and memory growth from source or supplied graphs; device profiling remains opt-in. Connect supported trace capture/reading for a named workload only when profiling is authorized; use roadmap item 018 guidance and preserve private trace data.

Source: [plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/apple-performance-analysis.md](#). No project execution or behavioral pass is implied.

xctest-patterns

SAVED GUIDANCE (historical A2-019): Add focused XCTest guidance to existing QA for fixtures, async behavior and meaningful assertions; separate writing tests from executing them.

Source: [plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/xctest-patterns.md](#). No project execution or behavioral pass is implied.

swift-testing-patterns

SAVED GUIDANCE (historical A2-020): Add current Swift Testing guidance for parameterization, traits and concurrency when supported by the project; do not migrate XCTest merely for novelty.

Source: [plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/swift-testing-patterns.md](#). No project execution or behavioral pass is implied.

ui-test-patterns

SAVED GUIDANCE (historical A2-021): Add focused iOS UI test patterns for stable identifiers, asynchronous states and isolation; avoid broad UI campaigns unless requested.

Source: [plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/ui-test-patterns.md](#). No project execution or behavioral pass is implied.

snapshot-testing

SAVED GUIDANCE (historical A2-022): Add visual-test guidance only for an actual regression risk; control device, OS, font and rendering variability, with explicit baseline approval.

Source: [plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/snapshot-testing.md](#). No project execution or behavioral pass is implied.

swiftlint-swiftformat-ios

SAVED GUIDANCE (historical A2-023): Use the project's existing Swift lint/format configuration on request; distinguish style from correctness and avoid automatic save hooks or whole-repository reformatting.

Source: [plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/swiftlint-swiftformat-ios.md](#). No project execution or behavioral pass is implied.

simulator-device-management

SAVED GUIDANCE (historical A2-024): Use supported tools for requested simulator/device selection, launching and screenshots; identify the exact target and preserve unrelated devices/data.

Source: [plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/simulator-device-management.md](#). No project execution or behavioral pass is implied.

Xcode CLI integration

SAVED GUIDANCE (historical A2-025): Discover supported installed Xcode command-line tools and exact contracts for a requested operation; verify current upload tooling rather than assuming historical altool examples still apply.

Source: plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/xcode-cli-integration.md. No project execution or behavioral pass is implied.

Backend and API engineering

SAVED GUIDANCE (historical A2-026): Use existing architecture, requirements, Superpowers engineering workflows and official stack guidance first. Add narrow references for contracts, authorization, validation, pagination, idempotency, jobs, caching or rate limits only when demonstrated gaps justify them. Superpowers is a methodology, not guaranteed backend expertise.

Source: plugins/demir-bot-pilot/skills/architecture-review/references/backend-api-contracts.md. No project execution or behavioral pass is implied.

Database engineering

SAVED GUIDANCE (historical A2-027): Use the existing Supabase/Postgres provider for applicable schema, migration, RLS and query work. Add database-specific guidance only outside that coverage or after a concrete failure. Provider installation is not proof of account access, restore safety or successful migrations.

Source: plugins/demir-bot-pilot/skills/architecture-review/references/review-checklist.md. No project execution or behavioral pass is implied.

React/frontend depth

SAVED GUIDANCE (historical A2-028): Reuse frontend-quality-and-accessibility, Figma, Sites and relevant Superpowers workflows. Add React state, data fetching, rendering, forms and performance references only for a real uncovered need. Design/hosting tools are not substitutes for all framework knowledge.

Source: plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/SKILL.md. No project execution or behavioral pass is implied.

Stack-specific testing references

SAVED GUIDANCE (historical A2-029): Use existing QA guidance and relevant Superpowers testing workflows first. Add pytest, JavaScript/TypeScript or React recipes only when a real project reveals missing practical detail. Preserve explicit test scope and avoid universal coverage targets.

Source: plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/test-design.md. No project execution or behavioral pass is implied.

Project E2E and accessibility testing

SAVED GUIDANCE (historical A2-030): Reuse QA, frontend accessibility and available browser tooling. Add stack-specific setup, traces and flaky-test recovery only for real project gaps. Superpowers does not itself establish working browser access or complete accessibility coverage. Demir Bot regression coverage accompanies implementation batches and receives comprehensive validation in phase C.

Source: plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/test-design.md. No project execution or behavioral pass is implied.

UI design systems

SAVED GUIDANCE (historical A2-031): Use Figma and existing frontend routes first. Tokens, components, consistency and responsive states through existing Figma/frontend routes; adapt ECC design-system and interface-polish guidance selectively.

Source: plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/references/design-system-handoff.md. No project execution or behavioral pass is implied.

Interaction and click-path reviews

SAVED GUIDANCE (historical A2-032): Use existing frontend/QA routes first. Review complete task flows, empty/error/loading states, keyboard use and mobile usability. Browser execution requires the applicable scope.

Source: plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/references/task-flow-review.md. No project execution or behavioral pass is implied.

Containers and reproducible environments

SAVED GUIDANCE (historical A2-033): Add only for projects that actually use containers. Development versus production containers, pinned dependencies, environment configuration, secrets and clean teardown. No blanket Docker requirement for an instruction plugin.

Source: plugins/demir-bot-pilot/skills/release-readiness-and-observability/SKILL.md. No project execution or behavioral pass is implied.

Operational observability

SAVED GUIDANCE (historical A2-034): Reuse existing release-readiness guidance and hosting tools first. Useful structured events, error correlation, latency, health and retention. Keep private payloads out of logs and dashboards.

Source: plugins/demir-bot-pilot/skills/release-readiness-and-observability/SKILL.md. No project execution or behavioral pass is implied.

Model/API cost control

SAVED GUIDANCE (historical A2-035): Current pricing sources, explicit budgets, narrow retries, caching and routing trade-offs for custom API applications. Do not promise subscription savings or override the user's selected model.

Source: plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md. No project execution or behavioral pass is implied.

Typed connector development and App Store Connect

SAVED GUIDANCE (historical A2-036): Reuse OpenAI Developers and suitable provider SDK/tooling first. Typed contracts, pagination, auth, secrets, retries, cancellation, idempotency and precise read/write effects. Reuse official SDK/provider guidance. Define supported typed operations and minimal permissions for the actual App Store Connect task; distinguish reads, metadata edits, uploads and submission. Implement an authenticated, narrowly scoped operation after defining the item 036 contract; keep credentials outside the package and distinguish accepted jobs from completed actions.

Source: plugins/demir-bot-pilot/skills/architecture-review/references/backend-api-contracts.md. No project execution or behavioral pass is implied.

code-signing-provisioning

SAVED GUIDANCE (historical A2-037): Diagnose identities, entitlements, bundle IDs and provisioning for a named target; do not change account access, certificates or signing assets without applicable authorization.

Source: [plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/xcodebuild-error-taxonomy.md](#). No project execution or behavioral pass is implied.

app-store-review-compliance

SAVED GUIDANCE (historical A2-038): Review a named app against current official submission requirements; document uncertainty and avoid guarantees of acceptance.

Source: [plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/app-store-review-compliance.md](#). No project execution or behavioral pass is implied.

testflight-automation

SAVED GUIDANCE (historical A2-039): Prepare an explicitly requested TestFlight workflow with versioning, signing, release notes and upload evidence; actual upload/distribution requires its own scope.

Source: [plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/testflight-preparation.md](#). No project execution or behavioral pass is implied.

A3 - Optional capabilities when a real need exists

001. Data and ML workflow depth

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Reuse the ML specialist and project frameworks; add only demonstrated gaps. Data quality, leakage, reproducibility, dataset/model lineage, fair baselines, inference and throughput. Training and paid compute remain separately authorized.

Reuse: ml-training-specialist, swiftui-performance-and-concurrency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Training, data transfer and compute spending remain separate; baselines and evaluation leakage are explicit.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 001, Data and ML workflow depth. Reuse the existing coordinator routes and relevant available specialist/provider first. Reuse the ML specialist and project frameworks; add only demonstrated gaps. Data quality, leakage, reproducibility, dataset/model lineage, fair baselines, inference and throughput. Training and paid compute remain separately authorized. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse ml-training-specialist, swiftui-performance-and-concurrency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

002. Cross-client memory

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Explicit scopes, provenance, corrections, retention and deletion. Evaluate ECC unified-memory as a separate runtime with maintenance cost.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Private/user scopes never become global implicitly; memory cannot supply authorization and raw conversations are not retained by default.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 002, Cross-client memory. Reuse the existing coordinator routes and relevant available specialist/provider first. Explicit scopes, provenance, corrections, retention and deletion. Evaluate ECC unified-memory as a separate runtime with maintenance cost. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

003. Local status dashboard

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Read-only view of skills, versions, provider states and approval status. Avoid exposing private profile data; a dashboard is not required for ordinary use.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: The display distinguishes stale/unknown evidence and never exposes profile contents, secrets or implied verified access.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 003, Local status dashboard. Reuse the existing coordinator routes and relevant available specialist/provider first. Read-only view of skills, versions, provider states and approval status. Avoid exposing private profile data; a dashboard is not required for ordinary use. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

004. Notification integrations

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: User-requested notifications with deduplication and minimal content. Reuse providers; no background notification service by default.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: No unsolicited watcher or messaging is enabled; unchanged/non-actionable state stays quiet when monitoring is authorized.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 004, Notification integrations. Reuse the existing coordinator routes and relevant available specialist/provider first. User-requested notifications with deduplication and minimal content. Reuse providers; no background notification service by default. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

005. Advanced testing modes

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Visual regression, Windows desktop E2E, fuzzing, mutation, load and fault injection when the project risk justifies them. Existing QA already discusses several techniques.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Contain execution, define recovery and record limits; broad testing is not a default prerequisite for ordinary edits.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 005, Advanced testing modes. Reuse qa-and-test-evidence and its evaluation reference first. Visual regression, Windows desktop E2E, fuzzing, mutation, load and fault injection when the project risk justifies them. Existing QA already discusses several techniques. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

006. Additional language/framework packs

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Go, Rust, Java/Spring/JPA/Quarkus, Kotlin/Ktor/Exposed, C++/C#/F#, PHP/Laravel, Ruby/Rails, Perl, Django/Celery, NestJS, Bun, Vue/Nuxt, Angular and Vite/Next tooling. Add only the active stack.

Reuse: architecture-review, requirements-and-traceability. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: The added guidance is version-aware and nonduplicative; this item does not authorize installing every listed stack.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 006, Additional language/framework packs. Reuse the existing coordinator routes and relevant available specialist/provider first. Go, Rust, Java/Spring/JPA/Quarkus, Kotlin/Ktor/Exposed, C++/C#/F#, PHP/Laravel, Ruby/Rails, Perl, Django/Celery, NestJS, Bun, Vue/Nuxt, Angular and Vite/Next tooling. Add only the active stack. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse architecture-review, requirements-and-traceability and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

007. Mobile and on-device extensions

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Android, React Native, Flutter, Compose Multiplatform, Swift persistence/testing and on-device models. Retain existing SwiftUI coverage.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Document device/runtime limitations and test scope; no claim that one mobile pack supports every platform.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 007, Mobile and on-device extensions. Reuse the existing coordinator routes and relevant available specialist/provider first. Android, React Native, Flutter, Compose Multiplatform, Swift persistence/testing and on-device models. Retain existing SwiftUI coverage. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

008. Specialist infrastructure

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Redis, MySQL, ClickHouse, Kubernetes, alternative hosting/environment tools and workload-specific databases. Add when used by an actual project.

Reuse: architecture-review, requirements-and-traceability. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Operational ownership, auth, rollback and cost are concrete; no provisioning or cloud spending is implied.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 008, Specialist infrastructure. Reuse the existing coordinator routes and relevant available specialist/provider first. Redis, MySQL, ClickHouse, Kubernetes, alternative hosting/environment tools and workload-specific databases. Add when used by an actual project. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse architecture-review, requirements-and-traceability and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

009. SEO and broader marketing

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Search visibility, campaign planning, competitive reports and analytics. Keep unverified performance claims out of public copy.

Reuse: personal-writing, demir-linkedin, deep-research-and-idea-validation. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: No guaranteed traffic, ranking or conversion claims; publishing and analytics access remain separate.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 009, SEO and broader marketing. Reuse the existing coordinator routes and relevant available specialist/provider first. Search visibility, campaign planning, competitive reports and analytics. Keep unverified performance claims out of public copy. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse personal-writing, demir-linkedin, deep-research-and-idea-validation and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

010. Networking and opportunity research

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Connections, lead research and social-graph ideas where lawful and useful. Use minimal data; outreach and profile changes need explicit scope.

Reuse: personal-writing, demir-linkedin, deep-research-and-idea-validation. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: No sensitive profiling or unapproved outreach; identity and recipient resolution precede any separately authorized contact.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 010, Networking and opportunity research. Reuse the existing coordinator routes and relevant available specialist/provider first. Connections, lead research and social-graph ideas where lawful and useful. Use minimal data; outreach and profile changes need explicit scope. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse personal-writing, demir-linkedin, deep-research-and-idea-validation and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

011. Investor/business documents

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Pitch materials and outreach drafts for an actual venture. Reuse writing/research; sending and commercial claims remain separately controlled.

Reuse: personal-writing, demir-linkedin, deep-research-and-idea-validation. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: No invented traction, revenue or investor contact; outreach remains a separate approved action.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 011, Investor/business documents. Reuse the existing coordinator routes and relevant available specialist/provider first. Pitch materials and outreach drafts for an actual venture. Reuse writing/research; sending and commercial claims remain separately controlled. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse personal-writing, demir-linkedin, deep-research-and-idea-validation and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

012. Extended social channels

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Cross-platform drafts and X or other publishing providers when requested. Account access and approval do not transfer automatically between channels.

Reuse: personal-writing, demir-linkedin, deep-research-and-idea-validation. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Reuse and publication permissions are distinct; one channel authorization does not transfer to another.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 012, Extended social channels. Reuse the existing coordinator routes and relevant available specialist/provider first. Cross-platform drafts and X or other publishing providers when requested. Account access and approval do not transfer automatically between channels. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse personal-writing, demir-linkedin, deep-research-and-idea-validation and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

013. Media and motion extras

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Manim, Remotion, Blender inspection, VideoDB, motion recipes, UI demos, icon generation and visual taste calibration. Prefer existing media/design providers before installing alternatives.

Reuse: demir-linkedin, frontend-quality-and-accessibility. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Asset rights, consent, cost and export requirements are explicit; no generation charge or external upload from guidance alone.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 013, Media and motion extras. Reuse the existing coordinator routes and relevant available specialist/provider first. Manim, Remotion, Blender inspection, VideoDB, motion recipes, UI demos, icon generation and visual taste calibration. Prefer existing media/design providers before installing alternatives. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-linkedin, frontend-quality-and-accessibility and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

014. Specialized research sources

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: PubMed, USPTO, scientific packages and other domain databases only for suitable research. Ordinary technical research does not need all of them.

Reuse: deep-research-and-idea-validation, jurisdiction-specific-legal-feasibility. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Record search scope, access limits and citation support; domain tools are not installed as generic research prerequisites.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 014, Specialized research sources. Reuse the existing coordinator routes and relevant available specialist/provider first. PubMed, USPTO, scientific packages and other domain databases only for suitable research. Ordinary technical research does not need all of them. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse deep-research-and-idea-validation, jurisdiction-specific-legal-feasibility and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

015. Workspace and messaging connectors

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Jira, messaging, mail and additional workspace integrations when needed. Existing Google/document tools cover much of this; inspect actual available access.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: New account connections or permissions require the appropriate user action; provider existence is not authentication.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 015, Workspace and messaging connectors. Reuse the existing coordinator routes and relevant available specialist/provider first. Jira, messaging, mail and additional workspace integrations when needed. Existing Google/document tools cover much of this; inspect actual available access. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

016. widgetkit-live-activities

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Add target-aware WidgetKit and Live Activity guidance covering shared data, timelines, lifecycle and platform constraints.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 016, widgetkit-live-activities. Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Add target-aware WidgetKit and Live Activity guidance covering shared data, timelines, lifecycle and platform constraints. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

017. app-intents-shortcuts

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Design actual App Intents and Shortcuts contracts with clear parameters, privacy boundaries and supported invocation behavior.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 017, app-intents-shortcuts. Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Design actual App Intents and Shortcuts contracts with clear parameters, privacy boundaries and supported invocation behavior. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

018. background-tasks

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Choose supported iOS background execution modes for a real requirement and handle expiration/cancellation; do not promise exact scheduling.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 018, background-tasks. Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Choose supported iOS background execution modes for a real requirement and handle expiration/cancellation; do not promise exact scheduling. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

019. push-notifications

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Define permission, device-token lifecycle, environments and payload handling; do not send notifications or provision credentials from guidance alone.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 019, push-notifications. Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Define permission, device-token lifecycle, environments and payload handling; do not send notifications or provision credentials from guidance alone. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

020. universal-links-deep-linking

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Implement validated route parsing, association requirements and safe fallback for authorized app/domain ownership.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 020, universal-links-deep-linking. Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Implement validated route parsing, association requirements and safe fallback for authorized app/domain ownership. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

021. storekit2-subscriptions

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Design entitlement and transaction-state handling for a named product using current StoreKit guidance; purchases, account setup and commercial commitments remain separate.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 021, storekit2-subscriptions. Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Design entitlement and transaction-state handling for a named product using current StoreKit guidance; purchases, account setup and commercial commitments remain separate. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

022. coreml-on-device

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Assess model compatibility, device resources, preprocessing and privacy for an actual Core ML feature; do not start training or acquire models incidentally.

Reuse: ml-training-specialist, swiftui-performance-and-concurrency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 022, coreml-on-device. Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Assess model compatibility, device resources, preprocessing and privacy for an actual Core ML feature; do not start training or acquire models incidentally. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse ml-training-specialist, swiftui-performance-and-concurrency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

023. foundation-models-ios

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Use current official on-device model APIs only on supported devices/OS versions; specify availability, fallback, privacy and task limitations.

Reuse: ml-training-specialist, swiftui-performance-and-concurrency. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 023, foundation-models-ios. Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Use current official on-device model APIs only on supported devices/OS versions; specify availability, fallback, privacy and task limitations. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse ml-training-specialist, swiftui-performance-and-concurrency and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

024. vision-speech-frameworks

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Select relevant Vision or Speech APIs for a concrete task; handle permissions, supported languages, accuracy and on-device/cloud behavior explicitly.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 024, vision-speech-frameworks. Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Select relevant Vision or Speech APIs for a concrete task; handle permissions, supported languages, accuracy and on-device/cloud behavior explicitly. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

025. metal-basics

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Add narrow GPU rendering/compute guidance for a demonstrated workload; retain resource lifetime and device compatibility constraints.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 025, metal-basics. Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Add narrow GPU rendering/compute guidance for a demonstrated workload; retain resource lifetime and device compatibility constraints. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

026. avfoundation-media

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Add scoped capture/playback/export guidance with permissions, session lifecycle, interruption and media ownership handling.

Reuse: swiftui-performance-and-concurrency, architecture-review. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 026, avfoundation-media. Reuse swiftui-performance-and-concurrency and relevant QA, architecture, privacy or release skills first. Add scoped capture/playback/export guidance with permissions, session lifecycle, interruption and media ownership handling. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse swiftui-performance-and-concurrency, architecture-review and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

027. Fastlane integration, optional

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Use the project's existing Fastlane setup only when relevant; preserve signing secrets and require explicit scope for uploads, account writes or release actions.

Reuse: release-readiness-and-observability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 027, Fastlane integration, optional. Reuse the existing coordinator routes and relevant available specialist/provider first. Use the project's existing Fastlane setup only when relevant; preserve signing secrets and require explicit scope for uploads, account writes or release actions. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse release-readiness-and-observability and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

028. Xcode Cloud integration, optional

Status: CONDITIONAL; implement only for an actual useful project gap.

Purpose and remaining deliverable: Use an existing authorized Xcode Cloud project only when needed; define build triggers, secrets, costs and release boundaries without enabling background jobs by default.

Reuse: release-readiness-and-observability. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Useful capability before distribution; reuse source coverage and gate project-specific operations.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 028, Xcode Cloud integration, optional. Reuse the existing coordinator routes and relevant available specialist/provider first. Use an existing authorized Xcode Cloud project only when needed; define build triggers, secrets, costs and release boundaries without enabling background jobs by default. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse release-readiness-and-observability and the references named in this entry. Prerequisites: A named project, actual stack/tool versions, supplied evidence and operation-specific access are needed for project implementation; do not invent these dependencies. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

B - Integrate and refine

029. Action receipts and selective executable safeguards

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: For custom runtimes: bind permission to exact action/content/destination, reuse valid approval, invalidate material changes and reconcile uncertain outcomes. Native provider permissions still apply. Use native permissions first; consider narrow compatible guards for custom runtime actions. Review bypasses and failure modes; do not import Claude hooks as if they enforce Codex behavior.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A named custom runtime and real per-operation contracts; native permissions first.

Observable acceptance: Bind any custom runtime approval to the exact action and result; source guidance alone does not enforce authorization.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Resolve cross-skill contracts before comprehensive validation.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 029, Action receipts and selective executable safeguards. Reuse the existing coordinator routes and relevant available specialist/provider first. Bind any custom runtime approval to the exact action and result; source guidance alone does not enforce authorization. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: A named custom runtime and real per-operation contracts; native permissions first. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

030. Agent/runtime diagnostics

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Keep agent-review guidance focused on observed runtime failures. Inspect hidden model calls, stale memory, tool contracts, retries and transport/output changes. Distinguish instruction failures from unavailable tools or platform limits.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Diagnosis identifies the failed layer and contained recovery; it does not add unrequested agents, retry loops or global interception.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Resolve cross-skill contracts before comprehensive validation.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 030, Agent/runtime diagnostics. Reuse the existing coordinator routes and relevant available specialist/provider first. Keep agent-review guidance focused on observed runtime failures. Inspect hidden model calls, stale memory, tool contracts, retries and transport/output changes. Distinguish instruction failures from unavailable tools or platform limits. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

031. Upstream maintenance tooling

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: On-demand version fingerprints, adaptation diffs and keep/update/retire decisions. Preserve intentional local differences and license notices. Identify redundant or ineffective skills from authorized evidence and propose merge/retirement; do not delete installed skills automatically. Suggest retirement only during a requested review using actual evidence; no automatic background scoring, mutation or removal.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Updates preserve local behavior; no watcher, automatic upstream import or indiscriminate full re-audit.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Resolve cross-skill contracts before comprehensive validation.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 031, Upstream maintenance tooling. Reuse the existing coordinator routes and relevant available specialist/provider first. On-demand version fingerprints, adaptation diffs and keep/update/retire decisions. Preserve intentional local differences and license notices. Identify redundant or ineffective skills from authorized evidence and propose merge/retirement; do not delete installed skills automatically. Suggest retirement only during a requested review using actual evidence; no automatic background scoring, mutation or removal. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

032. Bounded fresh-context review

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Define one explicitly requested independent review with only the diff, acceptance criteria and necessary context; return findings, not fixes. Avoid default delegation and measure coordination cost. Match review scope to risk and user request; define quick, focused and release review without making review automatic. Define one explicitly requested independent review with only the diff, acceptance criteria and necessary context; return findings, not fixes. Avoid default delegation and measure coordination cost.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Deliver the scoped outcome above with named dependencies and an explicit acceptance example. For instructions, identify the trigger, expected action and no-action case; for tooling, identify the operation, expected result and failure/recovery behavior. Mark operational evidence unverified until observed within authorized scope.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Resolve cross-skill contracts before comprehensive validation.

Coordination decision: use at most one coordinator-to-worker layer in an explicitly authorized bounded review; preserve independent evidence and parent acceptance. No recursive delegation or automatic reviewers.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 032, Bounded fresh-context review. Reuse the existing coordinator routes and relevant available specialist/provider first. Define one explicitly requested independent review with only the diff, acceptance criteria and necessary context; return findings, not fixes. Avoid default delegation and measure coordination cost. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior. Coordination decision: use at most one coordinator-to-worker layer in an explicitly authorized bounded review; preserve independent evidence and parent acceptance. No recursive delegation or automatic reviewers.

033. Opt-in gate tiers and skip policy

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Define optional risk-based checks for actual projects. Replace the continuation's automatic save/commit defaults with explicitly authorized execution; preserve applicable release requirements. Define inexpensive, medium and release-level checks for an actual project; all execution remains explicitly opt-in. Do not install automatic on-save or on-commit hooks by default.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: No default on-save/on-commit execution. Each gate has an authorized trigger, meaningful risk, bounded cost and skip rule.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Resolve cross-skill contracts before comprehensive validation.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 033, Opt-in gate tiers and skip policy. Reuse the existing coordinator routes and relevant available specialist/provider first. No default on-save/on-commit execution. Each gate has an authorized trigger, meaningful risk, bounded cost and skip rule. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

034. Documentation maintenance

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Clear ownership, source-of-truth rules, stale claims and consistent installation/catalogue examples. Avoid generating parallel documents that drift.

Reuse: documentation-and-adrs. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Update the smallest relevant documents and remove genuine duplication without losing material requirements.

Verification stage: Focused source review after implementation; explicitly authorized batch regressions in A/B, comprehensive evidence in C.

Ordering reason: Resolve cross-skill contracts before comprehensive validation.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 034, Documentation maintenance. Reuse documentation-and-adrs and the current README/manifest first. Clear ownership, source-of-truth rules, stale claims and consistent installation/catalogue examples. Avoid generating parallel documents that drift. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse documentation-and-adrs and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

C - Comprehensive validation

035. Confidentiality release gate

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Review outgoing files, examples, generated artifacts, metadata and relevant history. Keep private exclusion rules outside Git. Renaming alone is insufficient; remote cleanup and history rewriting require scoped authorization.

Reuse: privacy-review, agent-configuration-review, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Known exclusions are checked without embedding them in public tests or logs. A name replacement alone cannot satisfy the gate.

Verification stage: Explicitly authorized comprehensive structural/behavioral/privacy evidence; no implied model runs.

Ordering reason: Establish evidence for the selected scope before distribution.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 035, Confidentiality release gate. Reuse the existing coordinator routes and relevant available specialist/provider first. Review outgoing files, examples, generated artifacts, metadata and relevant history. Keep private exclusion rules outside Git. Renaming alone is insufficient; remote cleanup and history rewriting require scoped authorization. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse privacy-review, agent-configuration-review, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

D - Packaging and installation lifecycle

036. Dependency and support matrix

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Required versus optional tools, client/OS support, supported versions, accounts and costs. Distinguish installed, exposed, authenticated and operation-tested.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Evidence includes environment and operation scope; historical success is not promoted to current access or all-operation verification.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 036, Dependency and support matrix. Reuse documentation-and-adrs and the current README/manifest first. Required versus optional tools, client/OS support, supported versions, accounts and costs. Distinguish installed, exposed, authenticated and operation-tested. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

037. Supply-chain records

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Dependency/update policy, integrity and provenance records for executable additions. Add lockfiles and SBOMs when actual packaging/dependencies warrant them.

Reuse: privacy-review, agent-configuration-review, release-readiness-and-observability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Actual executable dependencies and their licences; do not invent an SBOM need for prose alone.

Observable acceptance: Lockfiles or SBOMs describe real packaged dependencies; no speculative supply-chain infrastructure for nonexistent services.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 037, Supply-chain records. Reuse the existing coordinator routes and relevant available specialist/provider first. Dependency/update policy, integrity and provenance records for executable additions. Add lockfiles and SBOMs when actual packaging/dependencies warrant them. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse privacy-review, agent-configuration-review, release-readiness-and-observability and the references named in this entry. Prerequisites: Actual executable dependencies and their licences; do not invent an SBOM need for prose alone. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

038. Licensing and redistribution decision

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Audit every adaptation and dependency; retain notices, document provenance and identify material that cannot be redistributed. Choose licensing for original work only after compatibility review.

Reuse: privacy-review, agent-configuration-review, release-readiness-and-observability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Produce a concrete distribution decision per affected source; never infer permission from public availability or apply one license blindly.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 038, Licensing and redistribution decision. Reuse the existing coordinator routes and relevant available specialist/provider first. Audit every adaptation and dependency; retain notices, document provenance and identify material that cannot be redistributed. Choose licensing for original work only after compatibility review. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse privacy-review, agent-configuration-review, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

039. Safe private-profile onboarding

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Public synthetic template, minimal setup, field meanings, profile precedence, no-profile fallback and correction/deletion/backup instructions. Never ship personal facts, credentials or private source documents.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Public examples contain no personal data; private profile locations stay outside Git, exports and QMD skill collections.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 039, Safe private-profile onboarding. Reuse the existing coordinator routes and relevant available specialist/provider first. Public synthetic template, minimal setup, field meanings, profile precedence, no-profile fallback and correction/deletion/backup instructions. Never ship personal facts, credentials or private source documents. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

040. Installation doctor

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Read-only checks for source/cache drift, missing routes, metadata, optional tool availability and index freshness. Show a repair preview; do not silently rewrite configuration.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: It reports unknown and blocked states honestly, redacts private paths where appropriate and previews repairs without applying them.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 040, Installation doctor. Reuse the existing coordinator routes and relevant available specialist/provider first. Read-only checks for source/cache drift, missing routes, metadata, optional tool availability and index freshness. Show a repair preview; do not silently rewrite configuration. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

041. Versioning and releases

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Version policy, changelog, release notes, known issues, compatibility statements, migration notes and rollback target. Keep public releases separate from local cache refreshes.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: A maintainer can prepare a release without accidentally publishing, tagging or pushing; known limitations remain visible.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 041, Versioning and releases. Reuse the existing coordinator routes and relevant available specialist/provider first. Version policy, changelog, release notes, known issues, compatibility statements, migration notes and rollback target. Keep public releases separate from local cache refreshes. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

042. Installation lifecycle tests

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Fresh install, upgrade, rollback, stale cache, uninstall, missing optional tools and profile isolation. Start with the actual supported environment; never claim broader compatibility without evidence.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: 040, 036, 041 and a supported isolated install target; private-profile isolation and rollback authority.

Observable acceptance: Record environment, version and discovery evidence. Restore prior state; never delete the real private profile or claim untested OS support.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 042, Installation lifecycle tests. Reuse qa-and-test-evidence and its evaluation reference first. Fresh install, upgrade, rollback, stale cache, uninstall, missing optional tools and profile isolation. Start with the actual supported environment; never claim broader compatibility without evidence. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: 040, 036, 041 and a supported isolated install target; private-profile isolation and rollback authority. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

043. Scoped CI

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Explicitly enabled repository checks with minimal permissions, pinned dependencies/actions and readable failure evidence. Separate cheap structural checks from costly model evaluations; no live accounts or private data.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Structural repository checks, 042 stable checks, authorized repository CI and least-privilege credentials; model runs remain separate.

Observable acceptance: No secrets or paid live accounts are needed. Local configuration is ready for review; remote activation remains a separate action.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 043, Scoped CI. Reuse qa-and-test-evidence and its evaluation reference first. Explicitly enabled repository checks with minimal permissions, pinned dependencies/actions and readable failure evidence. Separate cheap structural checks from costly model evaluations; no live accounts or private data. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: Structural repository checks, 042 stable checks, authorized repository CI and least-privilege credentials; model runs remain separate. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

044. Additional client support

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Claude Code, other harnesses and OS-specific adapters only when there is an actual user need. Document differing tool, hook and permission support.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Support claims are bounded to observed behavior; Codex and Claude hook parity is never assumed.

Verification stage: Supported isolated lifecycle checks when explicitly authorized; no accounts, installation or distribution from document scope alone.

Ordering reason: Finalize supported packaging only after capability contracts stabilize.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 044, Additional client support. Reuse the existing coordinator routes and relevant available specialist/provider first. Claude Code, other harnesses and OS-specific adapters only when there is an actual user need. Document differing tool, hook and permission support. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

E - Stable documentation and release decision

045. Installation guide

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Exact supported Codex installation steps, prerequisites, source registration, fresh-session discovery, expected result and failure recovery. Separate end-user installation from developer setup.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: A reader can follow the guide without private machine paths; all unexecuted installation steps are explicitly labelled.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 045, Installation guide. Reuse documentation-and-adrs and the current README/manifest first. Exact supported Codex installation steps, prerequisites, source registration, fresh-session discovery, expected result and failure recovery. Separate end-user installation from developer setup. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

046. Update, uninstall and rollback guide

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Document the supported update flow, source/cache distinction, version readback, rollback and uninstall. Preserve private profiles and distinguish optional removal of private data.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: The rollback target and recovery sequence are clear; no instructions require editing installed caches directly.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 046, Update, uninstall and rollback guide. Reuse documentation-and-adrs and the current README/manifest first. Document the supported update flow, source/cache distinction, version readback, rollback and uninstall. Preserve private profiles and distinguish optional removal of private data. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

047. README and first-use quickstart

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Clear purpose, audience, support status, install link, first successful task, screenshots only after verification, limitations and navigation. Preserve the useful existing skill inventory.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Every claim matches the package; no placeholder badges, unverified screenshots or invented provider access.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 047, README and first-use quickstart. Reuse documentation-and-adrs and the current README/manifest first. Clear purpose, audience, support status, install link, first successful task, screenshots only after verification, limitations and navigation. Preserve the useful existing skill inventory. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

048. Everyday usage guide

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Coordinator versus direct specialist invocation, supported examples, project context, provider dependencies, approval reuse and how to request tests. Explain what installation does and does not provide.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Examples distinguish mandatory, optional and unnecessary specialist use and work without exposing private facts.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 048, Everyday usage guide. Reuse documentation-and-adrs and the current README/manifest first. Coordinator versus direct specialist invocation, supported examples, project context, provider dependencies, approval reuse and how to request tests. Explain what installation does and does not provide. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

049. Troubleshooting and support guide

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Skill not found, wrong route, duplicate installs, stale updates, missing dependencies, authentication failures, index issues and permission denials. Include safe diagnostic information to share and redact.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Each recovery step is scoped and reversible; the guide identifies safe redacted evidence and never recommends bypassing access restrictions.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 049, Troubleshooting and support guide. Reuse documentation-and-adrs and the current README/manifest first. Skill not found, wrong route, duplicate installs, stale updates, missing dependencies, authentication failures, index issues and permission denials. Include safe diagnostic information to share and redact. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

050. Git/GitHub user recipes

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Worked examples for branches, focused commits, PRs, review, conflicts, divergence, rejected pushes, detached HEAD and interrupted operations. Build on the existing Git skill.

Reuse: git-and-github-workflow. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Every destructive or remote action is distinguished from read-only inspection, with recovery and project-intent ambiguity explained.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 050, Git/GitHub user recipes. Reuse the existing coordinator routes and relevant available specialist/provider first. Worked examples for branches, focused commits, PRs, review, conflicts, divergence, rejected pushes, detached HEAD and interrupted operations. Build on the existing Git skill. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse git-and-github-workflow and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

051. Workflow cookbook

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Copyable coding, research, university, writing, LinkedIn and Git examples with prerequisites, expected outputs and stop conditions. Use synthetic facts and approved public examples.

Reuse: documentation-and-adrs. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Recipes route through existing providers, state stop conditions and show both specialist and no-specialist examples.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 051, Workflow cookbook. Reuse documentation-and-adrs and the current README/manifest first. Copyable coding, research, university, writing, LinkedIn and Git examples with prerequisites, expected outputs and stop conditions. Use synthetic facts and approved public examples. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse documentation-and-adrs and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

052. Examples and demos

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Small synthetic sample projects, before/after walkthroughs and representative outputs. Label illustrative outputs separately from recorded runs.

Reuse: documentation-and-adrs. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Illustrative output is labelled; recorded run claims include actual evidence and contain no private project details.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 052, Examples and demos. Reuse documentation-and-adrs and the current README/manifest first. Small synthetic sample projects, before/after walkthroughs and representative outputs. Label illustrative outputs separately from recorded runs. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse documentation-and-adrs and the references named in this entry.

Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

053. Contributor and maintainer guides

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: How to add/update a skill, route it, preserve licensing, maintain inventories, refresh scoped QMD and update the pilot. Include review and authorized testing procedures.

Reuse: demir-bot, documentation-and-adrs, release-readiness-and-observability. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: One focused contributor example uses existing creators and preserves unrelated changes; no hidden automatic test or commit step.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 053, Contributor and maintainer guides. Reuse documentation-and-adrs and the current README/manifest first. How to add/update a skill, route it, preserve licensing, maintain inventories, refresh scoped QMD and update the pilot. Include review and authorized testing procedures. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse demir-bot, documentation-and-adrs, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

054. Security reporting policy

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Supported scope, vulnerability-reporting route, safe disclosure and secret-exposure recovery. Specify a real private contact before publishing a reporting policy.

Reuse: privacy-review, agent-configuration-review, release-readiness-and-observability. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: A real destination is supplied before publication; no invented contact, response SLA or guarantee of vulnerability absence.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 054, Security reporting policy. Reuse the existing coordinator routes and relevant available specialist/provider first. Supported scope, vulnerability-reporting route, safe disclosure and secret-exposure recovery. Specify a real private contact before publishing a reporting policy. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in `plugins/demir-bot-pilot`, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse privacy-review, agent-configuration-review, release-readiness-and-observability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

055. GitHub collaboration setup

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Issue forms, PR template, useful labels and ownership rules when collaborators exist. Evaluate branch protections and required checks separately; current remote settings were not audited.

Reuse: git-and-github-workflow. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Templates discourage posting secrets; remote labels, protections and ownership changes are proposals until separately authorized.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 055, GitHub collaboration setup. Reuse the existing coordinator routes and relevant available specialist/provider first. Issue forms, PR template, useful labels and ownership rules when collaborators exist. Evaluate branch protections and required checks separately; current remote settings were not audited. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse git-and-github-workflow and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

056. Multilingual documentation

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Translations and localized examples after the primary installation/usage docs stabilize. Preserve technical meaning and maintenance ownership.

Reuse: documentation-and-adrs. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: 045, 047, 048, 046, 039, 049 stable primary-language docs and approved translations.

Observable acceptance: Terminology, commands and approval boundaries remain accurate and ownership for future updates is clear.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 056, Multilingual documentation. Reuse documentation-and-adrs and the current README/manifest first. Translations and localized examples after the primary installation/usage docs stabilize. Preserve technical meaning and maintenance ownership. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse documentation-and-adrs and the references named in this entry. Prerequisites: 045, 047, 048, 046, 039, 049 stable primary-language docs and approved translations. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

057. Documentation site and richer presentation

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Searchable guide site, diagrams, demo video, branding and verified badges after core docs work. Static repository docs are sufficient initially.

Reuse: documentation-and-adrs. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: 045, 047, 048, 046, 039, 049 and 051 stable documentation; hosting/publication remains separately authorized.

Observable acceptance: Content remains source-linked and accessible; hosting, branding assets and publication are separately scoped.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 057, Documentation site and richer presentation. Reuse documentation-and-adrs and the current README/manifest first. Searchable guide site, diagrams, demo video, branding and verified badges after core docs work. Static repository docs are sufficient initially. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse documentation-and-adrs and the references named in this entry. Prerequisites: 045, 047, 048, 046, 039, 049 and 051 stable documentation; hosting/publication remains separately authorized. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

058. Public-project community support

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Discussions, issue taxonomy, contributor recognition, governance, code of conduct and funding links if public participation becomes a goal.

Reuse: documentation-and-adrs. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: A real public participation goal and 053/054 governance/contact decisions.

Observable acceptance: Contacts, roles and funding destinations are real; no fabricated response commitments or automatic public settings changes.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 058, Public-project community support. Reuse the existing coordinator routes and relevant available specialist/provider first. Discussions, issue taxonomy, contributor recognition, governance, code of conduct and funding links if public participation becomes a goal. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse documentation-and-adrs and the references named in this entry. Prerequisites: A real public participation goal and 053/054 governance/contact decisions. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

059. Release acceptance and recovery

Status: REMAINING; existing guidance may satisfy part of the scope.

Purpose and remaining deliverable: Concrete criteria, known limitations, provider failure handling, rollback and recovery evidence. Reuse release-readiness guidance; execute checks only within granted scope.

Reuse: release-readiness-and-observability. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: C validation, D lifecycle evidence and E stable docs; confidentiality, licensing and unresolved release risks.

Observable acceptance: Source review, execution evidence and human release authorization are separate; no unsupported production-ready claim.

Verification stage: Document/source consistency and authorized rendering; verify operational examples only under separate scope. Final release evidence at 059.

Ordering reason: Describe stable behavior; public polish and release approval follow evidence.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to implement roadmap item 059, Release acceptance and recovery. Reuse the existing coordinator routes and relevant available specialist/provider first. Concrete criteria, known limitations, provider failure handling, rollback and recovery evidence. Reuse release-readiness guidance; execute checks only within granted scope. Use the scope in this roadmap entry; inspect current coverage and extend an existing skill/reference when sufficient, creating a new namespaced skill only for a distinct uncovered capability. Work in plugins/demir-bot-pilot, preserve unrelated work and private data, and keep the coordinator minimal. Do not run tests, builds, evaluations or benchmarks, commit/push, install external providers, publish, spend or change accounts. Writing checks is authorized only if the requested deliverable is a check suite. If a project or access dependency is missing, state it rather than invent it. Report saved changes and unverified behavior; do not refresh the installed cache or resume cloud sync, RAG, training or background automation. Reuse release-readiness-and-observability and the references named in this entry. Prerequisites: C validation, D lifecycle evidence and E stable docs; confidentiality, licensing and unresolved release risks. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

F - Explicit deferrals and reuse decisions

060. Duplicate debugging specialist

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Superpowers systematic debugging is already available. Do not create a parallel debugging skill just for catalogue parity. Verify selection, scope, evidence handling and fallback through priority-1 Precise routing, negative cases and composition instead.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Only a demonstrated routing defect warrants a focused change under Precise routing, negative cases and composition; keeping the current provider is a valid outcome.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 060, Duplicate debugging specialist. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

061. Duplicate skill-authoring toolkit

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Existing skill-creator and plugin-creator capabilities cover authoring. Reuse them; maintain only Demir Bot-specific routing, provenance and update instructions in the contributor guide. Avoid creating another competing authoring workflow.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Only project-specific documentation or a demonstrated routing gap is changed; duplicate tooling is not created.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 061, Duplicate skill-authoring toolkit. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

062. Autonomous multi-agent loops

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Dev fleets, councils, GAN-style critique, orchestration pipelines, recursive ledgers and agent teams add complexity and spend. Use bounded delegation only when requested and useful.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Any reconsideration names a concrete task, budget, stop condition and evidence that delegation helps.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Coordination decision: permanent nested coordinators remain deferred. Reconsider only after repeated evidence of a coordination bottleneck and an authorized comparison showing that simpler routing or one-layer delegation is insufficient. Routine domain routing is not an autonomous multi-agent loop.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 062, Autonomous multi-agent loops. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior. Coordination decision: permanent nested coordinators remain deferred. Reconsider only after repeated evidence of a coordination bottleneck and an authorized comparison showing that simpler routing or one-layer delegation is insufficient. Routine domain routing is not an autonomous multi-agent loop.

063. Background learning and persona mutation

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Continuous observation, instincts, automatic rule distillation and self-modification conflict with explicit persistence and privacy boundaries. Keep on-demand approved improvements.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Any future change requires explicit privacy, retention and persistence scope; silence never becomes permission.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 063, Background learning and persona mutation. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

064. Automatic maintenance and monitoring

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Auto-updates, canary watchers, recurring audits, scheduled pruning and automatic notification loops remain inactive without an explicit request.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: A future automation must specify schedule/event, notification policy, owner and stop condition before activation.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 064, Automatic maintenance and monitoring. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

065. Mandatory testing/verification loops

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Do not import blanket TDD, mandatory browser/build checks, arbitrary coverage thresholds or endless fix/retest loops. Build testing capability while preserving opt-in use.

Reuse: qa-and-test-evidence. Canonical shared references: plugins/demir-bot-pilot/skills/demir-bot/references/routes.md; plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Testing follows explicit task authorization and meaningful risk; no upstream workflow overrides user scope.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 065, Mandatory testing/verification loops. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse qa-and-test-evidence and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

066. Cloud sync and university RAG

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Existing explicit deferrals remain. University retrieval depends on the intended dashboard/source access and a separately approved design.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Explicit resumed scope, intended university dashboard/source access and approved retrieval/privacy design.

Observable acceptance: Resumption requires explicit scope and available dashboard/source access; an unrelated connector request does not resume both.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 066, Cloud sync and university RAG. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Explicit resumed scope, intended university dashboard/source access and approved retrieval/privacy design. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

067. Training and compute infrastructure

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Remote training, inference/compute marketplaces and recommendation infrastructure are not required by the plugin itself. Revisit for a concrete authorized ML project.

Reuse: ml-training-specialist, swiftui-performance-and-concurrency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Explicit resumed training scope, a concrete ML project, authorized compute and data rights.

Observable acceptance: A future ML project requires a trainable model, permitted data, evaluation design, compute budget and explicit execution authority.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 067, Training and compute infrastructure. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse ml-training-specialist, swiftui-performance-and-concurrency and the references named in this entry. Prerequisites: Explicit resumed training scope, a concrete ML project, authorized compute and data rights. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

068. Healthcare and regulated clinical packs

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Clinical decision support, EMR, PHI/HIPAA and healthcare evaluations need domain-specific expertise and a real project.

Reuse: deep-research-and-idea-validation, jurisdiction-specific-legal-feasibility. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Reassessment identifies jurisdiction, data sensitivity, expertise and validation needs without implying clinical readiness.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 068, Healthcare and regulated clinical packs. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse deep-research-and-idea-validation, jurisdiction-specific-legal-feasibility and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

069. Crypto, trading and agent payments

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: DeFi, token arithmetic, prediction markets, trading agents and payment protocols are unrelated to the current product scope.

Reuse: deep-research-and-idea-validation, jurisdiction-specific-legal-feasibility. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Reassessment separates research from financial action, credentials, payments and economic authorization.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 069, Crypto, trading and agent payments. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse deep-research-and-idea-validation, jurisdiction-specific-legal-feasibility and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

070. Logistics, manufacturing and enterprise operations

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Carriers, customs, procurement, demand planning, production scheduling, returns, billing and quality systems need actual business requirements.

Reuse: architecture-review, requirements-and-traceability. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: A real workflow, data owner and operational boundary must justify any later addition.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 070, Logistics, manufacturing and enterprise operations. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse architecture-review, requirements-and-traceability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

071. Homelab and network administration

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Cisco, BGP, VLAN, VPN, DNS and SSH fleet automation are optional domain tooling, not missing personal-assistant foundations.

Reuse: architecture-review, requirements-and-traceability. Canonical shared references:

plugins/demir-bot-pilot/skills/demir-bot/references/routes.md;

plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Future work names devices, ownership, access, backup and recovery before configuration changes.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 071, Homelab and network administration. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse architecture-review, requirements-and-traceability and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

072. Duplicate provider implementations

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: Do not rebuild document, PDF, search, design, media, security or native task tools already available. Improve routes and usage guides instead.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Use a coverage comparison and demonstrated gap; duplication for feature count is rejected.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 072, Duplicate provider implementations. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

073. ECC runtime and command parity

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: No need to copy every command alias, control plane, agent persona or external-runtime pointer. Adopt unique useful behavior, not catalogue size.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts.

Observable acceptance: Adopt only unique useful behavior with compatible permissions, dependencies, licensing and measurable value.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 073, ECC runtime and command parity. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Current source and the named owner instructions; inspect existing coverage first. Preserve the governing permission and private-data contracts. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

074. Early-window scheduling idea - reassess only

Status: DEFERRED / REUSE-ONLY; reassessment is not activation.

Purpose and remaining deliverable: The video suggests a small early-morning scheduled request to start a usage window. This is not a core skill or an established savings result. Keep disabled unless explicitly requested after checking current plan/reset behavior. Explain whether the scheduling suggestion is useful for the actual account; do not create automation from this roadmap.

Reuse: demir-bot, agent-configuration-review, context-efficiency. Canonical shared references: `plugins/demir-bot-pilot/skills/demir-bot/references/routes.md`; `plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md`. Use each owner's SKILL.md and its task-specific references; new namespaced skills require a distinct uncovered trigger.

Prerequisites and blockers: Explicit scheduling request and current plan/reset evidence; no proven savings.

Observable acceptance: Current mechanics, usage cost and user-authorized schedule are known before any setup.

Verification stage: Read-only source/proposal review; any activation requires a new explicit request.

Ordering reason: No demonstrated current need or explicit deferral; avoid duplicate services.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to reassess roadmap item 074, Early-window scheduling idea - reassess only. Review the retained scope and acceptance contract in this roadmap. Produce a concise recommendation only; do not activate, install, implement, schedule or run its deferred capability. Reuse demir-bot, agent-configuration-review, context-efficiency and the references named in this entry. Prerequisites: Explicit scheduling request and current plan/reset evidence; no proven savings. Do not write checks unless this item explicitly requests a check suite or fixture; writing never implies running. Do not delegate or run model evaluations without explicit bounded authority. Do not refresh the installed cache or QMD indexes. Keep cloud sync, university RAG, training and background automation inactive. No commit/push, publication, provider installation, spending, account changes or private-data modification. Report saved changes separately from observed operations and unverified behavior.

G - Long-term public release, website and audience growth

Planning direction recorded 24 September 2026: after implementing the agreed capability roadmap, and potentially additional useful capabilities, make Demir Bot a polished repository that other people can download, understand and use. Then explain the plugin through a Higgsfield-built website and YouTube videos, with possible LinkedIn and wider outreach. This phase is future intent, not a current launch or execution request.

Entry gate: finish the agreed implementation scope and any separately selected additions, then complete an explicitly authorized review and testing of modularity, coding practices, maintainability, integration boundaries and quality. Resolve material findings before launch. Deferred or reuse-only items in F remain deliberate decisions, not requirements to activate every deferred system. Do not reopen the accepted ten-case campaign simply to enter this phase; assess the actual release candidate and its later changes.

Reuse the existing packaging, installation, licensing, documentation, community and release work in D/E, especially 038, 041, 042 and 045-059. Those items provide the foundations; this phase brings them together into a coherent public experience. Item 057 supplies the documentation-site foundation, while 077 specifies the later Higgsfield delivery. No duplicate installer, documentation system or video provider is required. Legal review precedes public download, hosting, publication and marketing commitments.

075. Release-candidate modularity and quality review

Status: FUTURE; activate only after the agreed implementation and release-quality scope is complete. Legal feasibility (080) is a prerequisite for public-facing execution, regardless of its list position.

Purpose and remaining deliverable: Review the completed release candidate for clear module and skill responsibilities, minimal coordinator scope, justified dependencies, maintainable code and instructions, error handling, privacy and appropriate coding practices. Define a bounded, separately authorized test and integration scope against the release version; record findings, fixes, observed outcomes and remaining limits. Additional useful capabilities may be selected before freezing that candidate.

Reuse: architecture-review, code-refactoring-refactor-clean, qa-and-test-evidence and release-readiness-and-observability.

Observable acceptance: An identified release version, an agreed quality scope, resolved material findings and actual evidence for the checks that were authorized. Saved guidance alone is not a quality pass.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to plan roadmap item 075, Release-candidate modularity and quality review, against the actual release candidate and existing D/E deliverables. Reuse architecture-review, code-refactoring-refactor-clean, qa-and-test-evidence and release-readiness-and-observability. Confirm the phase prerequisites from existing evidence, preserve private data and provenance, and identify missing project, provider, jurisdiction or access facts. Produce a bounded proposal for the scope described above. Do not run tests, generate paid media, install providers, deploy, upload, publish, contact users, change accounts or start background automation without explicit operation-specific authorization. Keep proposed work, saved artifacts and observed results separate.

076. Polished repository and usable download experience

Status: FUTURE; activate only after the agreed implementation and release-quality scope is complete. Legal feasibility (080) is a prerequisite for public-facing execution, regardless of its list position.

Purpose and remaining deliverable: Make the repository visually coherent and easy to navigate: polished README, consistent branding, diagrams, screenshots, useful examples, clear feature and limitation descriptions, and an obvious download/install/first-use path. Reuse existing packaging, installation, update, rollback, support and release assets. Distinguish downloading source from installing a supported plugin. Present verified badges and demonstrations only.

Reuse: documentation-and-adrs, frontend-quality-and-accessibility, git-and-github-workflow and release-readiness-and-observability.

Observable acceptance: A newcomer can identify supported requirements, obtain the intended release and follow the documented onboarding path under separately authorized usability checks; presentation accurately reflects shipped behavior.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to plan roadmap item 076, Polished repository and usable download experience, against the actual release candidate and existing D/E deliverables. Reuse documentation-and-adrs, frontend-quality-and-accessibility, git-and-github-workflow and release-readiness-and-observability. Confirm the phase prerequisites from existing evidence, preserve private data and provenance, and identify missing project, provider, jurisdiction or access facts. Produce a bounded proposal for the scope described above. Do not run tests, generate paid media, install providers, deploy, upload, publish, contact users, change accounts or start background automation without explicit operation-specific authorization. Keep proposed work, saved artifacts and observed results separate.

077. Higgsfield plugin website and video library

Status: FUTURE; activate only after the agreed implementation and release-quality scope is complete. Legal feasibility (080) is a prerequisite for public-facing execution, regardless of its list position.

Purpose and remaining deliverable: After the quality and legal gates, use Higgsfield to build the plugin website. Explain what Demir Bot does, every included skill and major workflow, setup, effective usage, optional providers, privacy and permissions, limitations, support and versioned changes. Link the canonical GitHub repository and approved download/install path. Feature approved YouTube videos alongside the relevant guides. Reuse item 057 content rather than maintaining contradictory copies.

Reuse: the available Higgsfield website-builder, documentation-and-adrs and frontend-quality-and-accessibility.

Observable acceptance: An accessible, source-consistent website with clear navigation and working release/documentation/video links. Domain, hosting, provider access, costs and publication require their actual scoped authorization; no website is built by this planning entry.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to plan roadmap item 077, Higgsfield plugin website and video library, against the actual release candidate and existing D/E deliverables. Reuse the available Higgsfield website-builder, documentation-and-adrs and frontend-quality-and-accessibility. Confirm the phase prerequisites from existing evidence, preserve private data and provenance, and identify missing project, provider, jurisdiction or access facts. Produce a bounded proposal for the scope described above. Do not run tests, generate paid media, install providers, deploy, upload, publish, contact users, change accounts or start background automation without explicit operation-specific authorization. Keep proposed work, saved artifacts and observed results separate.

078. Plugin education videos and bounded video automation

Status: FUTURE; activate only after the agreed implementation and release-quality scope is complete. Legal feasibility (080) is a prerequisite for public-facing execution, regardless of its list position.

Purpose and remaining deliverable: Use another suitable available plugin to help automate video production: an introduction explaining the plugin, a practical guide to using it effectively, installation and workflow tutorials, and other useful educational content. Select the provider when this phase starts, based on actual capabilities, rights, access and costs. Use accurate demonstrations, scripts, narration and captions; feature approved published videos on the website. Separate automated production from automatic YouTube uploads.

Reuse: an appropriate separately selected video-generation plugin, personal-writing, youtube-learning and documentation-and-adrs.

Observable acceptance: A reviewed content plan and accurate, accessible videos with approved assets and disclosures. Production, spending, upload access, publication and any recurring automation each need bounded authority; this entry activates none of them.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to plan roadmap item 078, Plugin education videos and bounded video automation, against the actual release candidate and existing D/E deliverables. Reuse an appropriate separately selected video-generation plugin, personal-writing, youtube-learning and documentation-and-adrs. Confirm the phase prerequisites from existing evidence, preserve private data and provenance, and identify missing project, provider, jurisdiction or access facts. Produce a bounded proposal for the scope described above. Do not run tests, generate paid media, install providers, deploy, upload, publish, contact users, change accounts or start background automation without explicit operation-specific authorization. Keep proposed work, saved artifacts and observed results separate.

079. GitHub-first adoption and optional social marketing

Status: FUTURE; activate only after the agreed implementation and release-quality scope is complete. Legal feasibility (080) is a prerequisite for public-facing execution, regardless of its list position.

Purpose and remaining deliverable: Begin with discoverability and a welcoming experience on GitHub if useful, then consider LinkedIn and other suitable platforms to explain the project and attract users. Reuse item 058 community/support work, website material and approved videos. Share concrete use cases and invite feedback without unsupported effectiveness claims, invented testimonials or unsolicited outreach. Choose channels and success criteria when the release and audience are known.

Reuse: demir-linkedin, personal-writing, documentation-and-adrs and relevant available platform providers.

Observable acceptance: A scoped launch/outreach plan with accurate claims, realistic support expectations and approved destinations. Audience growth is an aim, not a guaranteed outcome; analytics, contact collection, paid promotion and recurring campaigns require separate decisions.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to plan roadmap item 079, GitHub-first adoption and optional social marketing, against the actual release candidate and existing D/E deliverables. Reuse demir-linkedin, personal-writing, documentation-and-adrs and relevant available platform providers. Confirm the phase prerequisites from existing evidence, preserve private data and provenance, and identify missing project, provider, jurisdiction or access facts. Produce a bounded proposal for the scope described above. Do not run tests, generate paid media, install providers, deploy, upload, publish, contact users, change accounts or start background automation without explicit operation-specific authorization. Keep proposed work, saved artifacts and observed results separate.

080. Legal feasibility for distribution, website and outreach

Status: FUTURE; activate only after the agreed implementation and release-quality scope is complete. Legal feasibility (080) is a prerequisite for public-facing execution, regardless of its list position.

Purpose and remaining deliverable: Before the public-facing steps above, use Demir Bot legal guidance to research the actual distribution model, operator and user jurisdictions, relevant dates and intended channels. Reuse item 038 for code/content licensing, adaptation provenance and redistribution rights. Assess applicable privacy/data handling, website analytics or cookies, provider/platform terms, media/music/voice/likeness rights, attribution, marketing disclosures, consumer terms and monetization if proposed. Prepare applicable notices and identify unresolved issues needing qualified legal review.

Reuse: jurisdiction-specific-legal-feasibility, privacy-review and documentation-and-adrs.

Observable acceptance: A dated, source-backed assessment tied to the actual release and business model, with required actions and unresolved questions. A skill cannot guarantee legality; publication waits on applicable unresolved prerequisites. No legal compliance finding is claimed at planning time.

Ready-to-copy prompt:

Use Demir Bot - Private Pilot to plan roadmap item 080, Legal feasibility for distribution, website and outreach, against the actual release candidate and existing D/E deliverables. Reuse jurisdiction-specific-legal-feasibility, privacy-review and documentation-and-adrs. Confirm the phase prerequisites from existing evidence, preserve private data and provenance, and identify missing project, provider, jurisdiction or access facts. Produce a bounded proposal for the scope described above. Do not run tests, generate paid media, install providers, deploy, upload, publish, contact users, change accounts or start background automation without explicit operation-specific authorization. Keep proposed work, saved artifacts and observed results separate.

Repository artifact inventory and maintenance

Current package inventory (178 files). Private data, runtime environments and evaluation responses remain outside the package. Preserve existing licence/provenance notices. The Markdown is authoritative for this PDF; regeneration does not install the plugin or run its workflows.

plugins/demir-bot-pilot/.codex-plugin/plugin.json

plugins/demir-bot-pilot/skills/agent-configuration-review/SKILL.md

plugins/demir-bot-pilot/skills/agent-configuration-review/agents/openai.yaml

plugins/demir-bot-pilot/skills/agent-configuration-review/references/local-scanner.md

plugins/demir-bot-pilot/skills/agent-configuration-review/references/provenance.md

plugins/demir-bot-pilot/skills/architecture-review/LICENSE

plugins/demir-bot-pilot/skills/architecture-review/SKILL.md

plugins/demir-bot-pilot/skills/architecture-review/agents/openai.yaml

plugins/demir-bot-pilot/skills/architecture-review/references/backend-api-contracts.md

plugins/demir-bot-pilot/skills/architecture-review/references/ios-architecture-patterns.md

plugins/demir-bot-pilot/skills/architecture-review/references/review-checklist.md

plugins/demir-bot-pilot/skills/architecture-review/references/sources.md

plugins/demir-bot-pilot/skills/assignment-deliverables-checker/SKILL.md

plugins/demir-bot-pilot/skills/assignment-deliverables-checker/agents/openai.yaml

plugins/demir-bot-pilot/skills/assignment-planning-and-delivery/SKILL.md

plugins/demir-bot-pilot/skills/assignment-planning-and-delivery/agents/openai.yaml

plugins/demir-bot-pilot/skills/automated-assignment-completer/SKILL.md

plugins/demir-bot-pilot/skills/automated-assignment-completer/agents/openai.yaml

plugins/demir-bot-pilot/skills/clarify-and-execute/LICENSE.upstream

plugins/demir-bot-pilot/skills/clarify-and-execute/SKILL.md

plugins/demir-bot-pilot/skills/clarify-and-execute/agents/openai.yaml

plugins/demir-bot-pilot/skills/clarify-and-execute/references/choices.md

plugins/demir-bot-pilot/skills/clarify-and-execute/references/sources.md

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/LICENSE

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/SKILL.md

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/agents/openai.yaml

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/contracts-and-documentation.md

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/course-lessons.md

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/quality-review.md

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/sources.md

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/targeted-review-provenance.md

plugins/demir-bot-pilot/skills/code-refactoring-refactor-clean/references/testing-and-evidence.md

plugins/demir-bot-pilot/skills/context-efficiency/LICENSE.upstream
plugins/demir-bot-pilot/skills/context-efficiency/SKILL.md
plugins/demir-bot-pilot/skills/context-efficiency/agents/openai.yaml
plugins/demir-bot-pilot/skills/context-efficiency/references/runtime-options.md
plugins/demir-bot-pilot/skills/context-efficiency/references/source-reuse.md
plugins/demir-bot-pilot/skills/context-efficiency/references/sources.md
plugins/demir-bot-pilot/skills/deep-research-and-idea-validation/SKILL.md
plugins/demir-bot-pilot/skills/deep-research-and-idea-validation/agents/openai.yaml
plugins/demir-bot-pilot/skills/deep-research-and-idea-validation/references/academic-review.md
plugins/demir-bot-pilot/skills/deep-research-and-idea-validation/references/provenance.md
plugins/demir-bot-pilot/skills/demir-bot/SKILL.md
plugins/demir-bot-pilot/skills/demir-bot/agents/openai.yaml
plugins/demir-bot-pilot/skills/demir-bot/references/capability-maintenance.md
plugins/demir-bot-pilot/skills/demir-bot/references/capability-register.md
plugins/demir-bot-pilot/skills/demir-bot/references/delivery.md
plugins/demir-bot-pilot/skills/demir-bot/references/execution-scope.md
plugins/demir-bot-pilot/skills/demir-bot/references/personal-workflows.md
plugins/demir-bot-pilot/skills/demir-bot/references/plugin-routes.md
plugins/demir-bot-pilot/skills/demir-bot/references/profile-loading.md
plugins/demir-bot-pilot/skills/demir-bot/references/routes.md
plugins/demir-bot-pilot/skills/demir-bot/references/skill-sync.md
plugins/demir-bot-pilot/skills/demir-bot/references/upstream-adaptations.md
plugins/demir-bot-pilot/skills/demir-linkedin/SKILL.md
plugins/demir-bot-pilot/skills/demir-linkedin/agents/openai.yaml
plugins/demir-bot-pilot/skills/demir-linkedin/references/actions.md
plugins/demir-bot-pilot/skills/demir-linkedin/references/approval-ledger.md
plugins/demir-bot-pilot/skills/demir-linkedin/references/growth.md
plugins/demir-bot-pilot/skills/demir-linkedin/references/publishing-runtime.md
plugins/demir-bot-pilot/skills/demir-linkedin/references/research-and-content.md
plugins/demir-bot-pilot/skills/demir-linkedin/references/sources.md
plugins/demir-bot-pilot/skills/documentation-and-adrs/LICENSE
plugins/demir-bot-pilot/skills/documentation-and-adrs/SKILL.md
plugins/demir-bot-pilot/skills/documentation-and-adrs/agents/openai.yaml
plugins/demir-bot-pilot/skills/documentation-and-adrs/references/adr-and-templates.md
plugins/demir-bot-pilot/skills/documentation-and-adrs/references/consistency-and-evidence.md
plugins/demir-bot-pilot/skills/documentation-and-adrs/references/sources.md

plugins/demir-bot-pilot/skills/email-tone/SKILL.md

plugins/demir-bot-pilot/skills/email-tone/agents/openai.yaml

plugins/demir-bot-pilot/skills/execution-details/SKILL.md

plugins/demir-bot-pilot/skills/execution-details/agents/openai.yaml

plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/SKILL.md

plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/agents/openai.yaml

plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/references/design-system-handoff.md

plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/references/provenance.md

plugins/demir-bot-pilot/skills/frontend-quality-and-accessibility/references/task-flow-review.md

plugins/demir-bot-pilot/skills/git-and-github-workflow/LICENSE.upstream

plugins/demir-bot-pilot/skills/git-and-github-workflow/SKILL.md

plugins/demir-bot-pilot/skills/git-and-github-workflow/agents/openai.yaml

plugins/demir-bot-pilot/skills/git-and-github-workflow/references/github-operations.md

plugins/demir-bot-pilot/skills/git-and-github-workflow/references/provenance.md

plugins/demir-bot-pilot/skills/git-and-github-workflow/references/recovery.md

plugins/demir-bot-pilot/skills/jurisdiction-specific-legal-feasibility/SKILL.md

plugins/demir-bot-pilot/skills/jurisdiction-specific-legal-feasibility/agents/openai.yaml

plugins/demir-bot-pilot/skills/jurisdiction-specific-legal-feasibility/references/provenance.md

plugins/demir-bot-pilot/skills/linkedin-tone/SKILL.md

plugins/demir-bot-pilot/skills/linkedin-tone/agents/openai.yaml

plugins/demir-bot-pilot/skills/ml-training-specialist/SKILL.md

plugins/demir-bot-pilot/skills/ml-training-specialist/agents/openai.yaml

plugins/demir-bot-pilot/skills/ml-training-specialist/references/provenance.md

plugins/demir-bot-pilot/skills/personal-writing/SKILL.md

plugins/demir-bot-pilot/skills/personal-writing/agents/openai.yaml

plugins/demir-bot-pilot/skills/personal-writing/references/content-repurposing.md

plugins/demir-bot-pilot/skills/personal-writing/references/facts-and-voice.md

plugins/demir-bot-pilot/skills/privacy-review/SKILL.md

plugins/demir-bot-pilot/skills/privacy-review/agents/openai.yaml

plugins/demir-bot-pilot/skills/privacy-review/references/privacy-manifests.md

plugins/demir-bot-pilot/skills/privacy-review/references/sources-and-coverage.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/LICENSE

plugins/demir-bot-pilot/skills/qa-and-test-evidence/SKILL.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/agents/openai.yaml

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/README.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/a2-cases.json

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/cases.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/core-cases.json

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/coverage-audit.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-001.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-002.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-003.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-004.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-005.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-006.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-007.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-008.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-009.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-010.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-011.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-012.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-013.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-014.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-015.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/B086-016.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/README.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/manifest.json

plugins/demir-bot-pilot/skills/qa-and-test-evidence/behavioral/manual/results-template.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/checks/.python-version

plugins/demir-bot-pilot/skills/qa-and-test-evidence/checks/README.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/checks/inventory.json

plugins/demir-bot-pilot/skills/qa-and-test-evidence/checks/manifest.schema.json

plugins/demir-bot-pilot/skills/qa-and-test-evidence/checks/requirements.txt

plugins/demir-bot-pilot/skills/qa-and-test-evidence/checks/structural.py

plugins/demir-bot-pilot/skills/qa-and-test-evidence/checks/test_a2_coverage.py

plugins/demir-bot-pilot/skills/qa-and-test-evidence/checks/test_free_runner.py

plugins/demir-bot-pilot/skills/qa-and-test-evidence/checks/test_structural.py

plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/demir-bot-evaluation.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/evidence.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/snapshot-testing.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/sources.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/swift-testing-patterns.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/test-design.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/ui-test-patterns.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/references/xctest-patterns.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/runner/README.md

plugins/demir-bot-pilot/skills/qa-and-test-evidence/runner/free_runner.py

plugins/demir-bot-pilot/skills/release-readiness-and-observability/SKILL.md

plugins/demir-bot-pilot/skills/release-readiness-and-observability/agents/openai.yaml

plugins/demir-bot-pilot/skills/release-readiness-and-observability/references/provenance.md

plugins/demir-bot-pilot/skills/requirements-and-traceability/LICENSE

plugins/demir-bot-pilot/skills/requirements-and-traceability/SKILL.md

plugins/demir-bot-pilot/skills/requirements-and-traceability/agents/openai.yaml

plugins/demir-bot-pilot/skills/requirements-and-traceability/references/requirements.md

plugins/demir-bot-pilot/skills/requirements-and-traceability/references/sources.md

plugins/demir-bot-pilot/skills/requirements-and-traceability/references/traceability.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/SKILL.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/agents/openai.yaml

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/app-store-review-compliance.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/apple-performance-analysis.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/cloudkit-sync.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/ios-accessibility-audit.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/ios-error-handling.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/ios-localization.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/ios-project-structure.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/ios-security-hardening.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/keychain-cryptokit.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/provenance.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/simulator-device-management.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/spm-dependency-management.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/swiftdata-migrations.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/swiftlint-swiftformat-ios.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/swiftui-navigation.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/testflight-preparation.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/xcode-cli-integration.md

plugins/demir-bot-pilot/skills/swiftui-performance-and-concurrency/references/xcodebuild-error-taxonomy.md

plugins/demir-bot-pilot/skills/youtube-learning/SKILL.md

plugins/demir-bot-pilot/skills/youtube-learning/agents/openai.yaml

plugins/demir-bot-pilot/skills/youtube-learning/references/provenance.md

plugins/demir-bot-pilot/skills/youtube-learning/references/providers.md

Evidence gaps and next eligible work

The remaining queue contains 80 sequential items, numbered 001-080. New 001 is Data and ML workflow depth (former 040). All 39 former A2 entries have moved to completed guidance above. Titles and source paths preserve identity; old labels inside plugin references remain historical. Renumbering does not create self-dependencies or mark deferred items active.

Select remaining work only when its stated need and access exist; A3 is optional rather than a mandatory gate before B/C. Current priorities may include bounded behavioral evaluation, reference/domain review and release evidence, but no campaign is activated by this document.

Remaining evidence gaps: the 65 core/A2 behavioral cases, fresh-task native discovery, technical-reference correctness across actual stack versions, live provider/project operations, installation/update/uninstall recovery, licensing/public redistribution and comparable cost baselines. The manual runner is available without extra API calls; enforced tool isolation remains unestablished. No full functionality or public-release readiness claim is made.

Number mapping: remaining current ID equals former ID minus 39. Former 001-039 are completed guidance and are not part of that arithmetic. Historical test identifiers such as B086 and original roadmap labels in retained evidence are unchanged.