

DIAGNOSTIC REPORT

REG. CODE : AZ110

NAME AND ADDRESS :**kritika karnani**

Chitrakoot Nagar Jaipur, 302021

Rajasthan

Phone No. : +91 95217 57787

email : kritikakarnani31@gmail.com

Under Pass, Delhi - Ajmer
Expressway, 200 Feet Bypass Rd,
near Gandhi Path, Chitrakoot Sector 3,
Vaishali Nagar,
Jaipur, Rajasthan 302021**PATIENT NAME :** Miss **kritika karnani****SEX :** **FEMALE****PATIENT ID :** **110-9810**

ACCESSION NO : 110-9810	AGE : 25 Years	DATE OF BIRTH : 25-12-1996
DRAWN : 13/06/2022	RECEIVED : 14/06/2022	REPORTED : 14/06/2022

REFERRING DOCTOR : DR. Amit Mishra

CLIENT PATIENT ID : DI :00110-9810

CLINICAL INFORMATION :

UHID:00110-98 REQNO - 150 / ct.

OPD- DL-DI Medical College Jaipur

Test Report Status : <u>Final</u>	RESULTS	Biological Reference Interval :Units
-----------------------------------	----------------	--------------------------------------

Interpretation :
Positive for COVID-19ORF lab : Detected CT Value : 26.58
N,S Gene : Detected CT Value : 27.55**SARS COV -2 REAL TIME PCR****Interpretation(s)**

SARS COV -2 REAL TIME PCR-

SARS-CoV-2, formerly known as 2019-nCoV, is the causative agent of the coronavirus disease 2019 (COVID-19). Main symptoms of the disease include fever, cough and shortness of breath. The virus is spread via person-to-person contact through respiratory droplets produced when a person coughs or sneezes. The SARS-CoV-2 RNA is generally detectable in nasopharyngeal/oropharyngeal swabs during the acute phase of infection. Positive results are indicative of active infection. Real Time PCR assay targets specific genes and can be used for diagnosis of SARS-CoV-2 virus infection which contributes to severe upper respiratory distress, complications

Interpretation:

Detected result is considered a positive test result for COVID-19. This indicates that RNA from SARS-CoV-2 was detected, and the patient is considered infected with the virus and presumed to be contagious.

Not Detected test result for this test means that SARS-CoV-2 RNA was not present in the specimen above the limit of detection.

Limitations:

- Negative results do not preclude COVID-19 and should not be used as the sole basis for patient management decisions. Negative results must be combined with clinical observations, patient history, and epidemiological information.
- Positive results but do not rule out bacterial infection or co-infection with other viruses.
- Optimum specimen types and timing for peak viral levels during infections caused by 2019-nCoV have not been determined. Collection of multiple specimens (types and time points) from the same patient may be necessary to detect the virus.
- If the virus mutates in the rRT-PCR target region, 2019-nCoV may not be detected or may be detected less predictably. Inhibitors or other types of interference may produce a false negative result.
- The performance of this test has not been established for monitoring treatment of 2019-nCoV infection.

Note: Test is performed using ICMR approved Kit.

****End Of Report****

Please visit <https://www.shalby.org/contact-us/jaipur-shalby-hospital/>
for related Test Information for this accession

Yours faithfully,
For Shalby LimitedJayesh Patel
Company Secretary & Compliance Officer

Encl.: as above

DIAGNOSTIC REPORT

REG. CODE : AZ110

NAME AND ADDRESS :**kritika karnani**Chitrakoot Nagar Jaipur, 302021
Rajasthan

Phone No. : +91 95217 57787

email : kritikakarnani31@gmail.com

Under Pass, Delhi - Ajmer
Expressway, 200 Feet Bypass Rd,
near Gandhi Path, Chitrakoot Sector 3,
Vaishali Nagar,
Jaipur, Rajasthan 302021SARS-CoV-2, Three Genes RT PCR : **Positive for COVID-19**

Scan to Validate

**CONDITIONS OF LABORATORY TESTING & REPORTING**

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
2. All Tests are performed and reported as per the turnaround time stated in the SRL Directory of services (DOS).
3. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
4. A requested test might not be performed if:
 - a. Specimen received is insufficient or inappropriate
 - b. Incorrect specimen type
 - c. Request for testing is withdrawn by the ordering doctor or patient
 - d. There is a discrepancy between the label on the specimen container and the name on the test requisition form
5. The results of a laboratory test are dependent on the quality of the sample as well as the assay technology.
6. Result delays could be because of uncontrolled circumstances. e.g. assay run failure.
7. Tests parameters marked by asterisks are excluded from the "scope" of NABL accredited tests. (If laboratory is accredited).
8. Laboratory results should be correlated with clinical information to determine Final diagnosis.

SRL Limited

Under Pass, Delhi - Ajmer Expressway, 200 Feet Bypass Rd, near Gandhi Path, Chitrakoot Sector 3, Vaishali Nagar, Jaipur, Rajasthan 302021