This is a sample of the report, but applicable for all homework.


112062542 賴琮翰 This is for double verification.

Don't copy the problem statement, just write the answer.

Please write down the question number in unit of sub-question.

Please write down the sub-question number even if you don't know how to solve it.

(2.1.1)



(2.1.2) 能保持原模型準確率的最小bit-width為18

bit: 14

bit-width range: (-8192, 8191)

Accuracy: 29.79%

bit: 16

bit-width range: (-32768, 32767)

Accuracy: 98.15%

bit: 18

bit-width range: (-131072, 131071)

Accuracy: 98.44000000000001%

bit: 20

bit-width range: (-524288, 524287)

Accuracy: 98.44000000000001%

bit: 22

bit-width range: (-2097152, 2097151)

Accuracy: 98.44000000000001%

bit: 24

bit-width range: (-8388608, 8388607)

Accuracy: 98.44000000000001%

bit: 26

bit-width range: (-33554432, 33554431)

Accuracy: 98.44000000000001%

bit: 28

bit-width range: (-134217728, 134217727)

Accuracy: 98.44000000000001%

bit: 30


bit-width range: (-536870912, 536870911)


Accuracy: 98.44000000000001%


bit: 32


bit-width range: (-2147483648, 2147483647)


Accuracy: 98.44000000000001%











	min	max	standard deviation	
C1	-60776	63250	14443.035626	
C3	-77393	35430	11192.060494	
C5	-30439	13239	5837.751351	
F6	-13418	18125	5422.936770	
output	-35112	7029	7704.879242	

(2.2.2)

	Bit-width		
C1	18		
C3	18		
C5	16		
F6	16		
output	16		

Accuracy: 98.44000000000001%

(3.1.1) 因為模型 quantize 成 8bit int,故乘法器固定為 8bits。Bmul=8 Badd 則跟各層的 minimum bit-width 有關,此題各層皆為 18

	迴圈次數
C1	470400
C3	960000
C5	192000
F6 40320	
output	3360

	Nadd	Nmul	Bmul	Smul	Badd	Sadd	Ew
C1	1411200	1411200	8	64	18	18	115718400
С3	2880000	2880000	8	64	18	18	236160000
C5	576000	576000	8	64	18	18	47232000
F6	40320	40320	8	64	18	18	3306240
output	3360	3400	8	64	18	18	276240

Etotal = 402692880

Con2d 運算需 3 次 mul + 3 次 add 迴圈次數 N*M*P*Q*R*S*C

```
for n in range(N):
   for m in range(out_channels):
      for p in range(P):
          for q in range(Q):
              x_{out}[n][m][p][q] = 0
               for r in range(kernel_size):
                  for s in range(kernel_size):
                      for c in range(C):
                          h = p*stride + r
                          w = q*stride + s
                          x_{out}[n][m][p][q] += x[n][c][h][w]*weights[m][c][r][s]
                          if (x_out[n][m][p][q] < psum_range[0]):</pre>
                            x_{out[n][m][p][q] = psum_range[0]
                          elif(x_out[n][m][p][q] > psum_range[1]):
                             x_{out}[n][m][p][q] = psum_range[1]
                          psum\_record\_list.\ append(x\_out[n][m][p][q])
```

Linear 運算最內圈迴圈需 1 次 mul + 1 次 add Output 層有 bias,每跑一次 HC 迴圈加一次 add 迴圈次數 H*C*W

Batch Size = 4

(3.1.2)

	迴圈次數
C1	470400
C3	960000
C5	192000
F6	40320
output	3360

	Nadd	Nmul	Bmul	Smul	Badd	Sadd	Ew
C1	1411200	1411200	8	64	18	18	115718400
C3	2880000	2880000	8	64	18	18	236160000
C5	576000	576000	8	64	16	16	46080000
F6	40320	40320	8	64	16	16	3225600
output	3360	3400	8	64	16	18	276240

Etotal = 401460240