Search
Datasets
Reports
Alerts
Dashboards
Modules

New Search

Save As | Create Table View | Close

```
index=_internal sourcetype=splunkd_access clientip="127.0.0.1" | stats count by status
```

Time range: Last 24 hours

✓ **62,067 events** (10/21/26 7:00:00.000 PM to 10/22/26 7:03:24.000 PM) No Event Sampling

Job | Policy-Based Pool | Smart Mode

Events | Patterns | **Statistics (8)** | Visualization

Show: 20 Per Page | Format | Preview: On

status	count
200	47593
201	1631
204	68
400	53
401	5071
403	1440
404	6065
503	146

New Search

Save As | Create Table View | Close

```
index=_internal sourcetype=splunkd_access uri="/services/auth/login?output_mode=json" | stats count by clientip | sort - count
```

Time range: Last 24 hours

✓ **4,156 events** (10/21/26 6:00:00.000 PM to 10/22/26 6:55:10.000 PM) No Event Sampling

Job | Policy-Based Pool | Smart Mode

Events | Patterns | **Statistics (1)** | Visualization

Show: 20 Per Page | Format | Preview: On

clientip	count
127.0.0.1	4156

Search | Splunk 10.6.1.0

prd-p-spggk.splunkcloud.com/en-US/app/search/search?q=search%20index%3D_internal%20sourcetype%3Dsplunkd_access%20uri%3D"%2Fservices%2Fauth%2Flogin%3Foutput_mode%3Djson"&display.page.search.mode=smart&dispatch.sample_ratio=1&workload_pool=&earliest=-24h%40h&latest=now&display.page.search.tab=events&dis...

Ask Gemini

Search

Datasets

Reports

Alerts

Dashboards

Modules

New Search

Save As | Create Table View | Close

```
index=_internal sourcetype=splunkd_access uri="/services/auth/login?output_mode=json"
```

Time range: Last 24 hours

✓ **4,144 events** (10/21/26 6:00:00.000 PM to 10/22/26 6:49:08.000 PM) No Event Sampling

Job | Policy-Based Pool | Smart Mode

Events (4,144) | Patterns | Statistics | Visualization

Timeline format | − Zoom Out | + Zoom to Selection | × Deselect | 1 hour per column



Format | Show: 20 Per Page | View: List

< Prev 1 2 3 4 5 6 7 8 ... Next >

< Hide Fields | All Fields

SELECTED FIELDS
a host 1
a source 1
a sourcetype 1

INTERESTING FIELDS
bytes 8
a clientip 1
date_hour 24
date_mday 2
date_minute 60
a date_month 1
date_second 5
a date_wday 2
date_year 1
date_zone 1
a eventtype 1
a file 1
a ident 1
a index 1
linecount 1
a method 1
a other 45
a output_mode 1
a punct 1
a referer 1
a req_time 100+
a root 1
spent 45
a splunk_server 1
status 1
timeendpos 1
timestartpos 1
a uri 1
a uri_path 1
a uri_query 1
a user 1
a useragent 1
a version 1

+ Extract New Fields

i	Time	Event
>	10/22/26 6:48:28.870 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:48:28.870 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 180 "-" "Go-http-client/1.1" - - - 21ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:48:26.903 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:48:26.903 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 180 "-" "Go-http-client/1.1" - - - 21ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:47:28.870 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:47:28.870 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 180 "-" "Go-http-client/1.1" - - - 15ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:47:26.899 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:47:26.899 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 180 "-" "Go-http-client/1.1" - - - 17ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:46:28.870 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:46:28.870 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 180 "-" "Go-http-client/1.1" - - - 11ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:46:26.899 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:46:26.899 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 180 "-" "Go-http-client/1.1" - - - 15ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:45:28.869 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:45:28.869 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 187 "-" "Go-http-client/1.1" - - - 17ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:45:26.901 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:45:26.901 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 187 "-" "Go-http-client/1.1" - - - 11ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:44:28.869 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:44:28.869 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 187 "-" "Go-http-client/1.1" - - - 11ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:44:26.900 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:44:26.900 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 187 "-" "Go-http-client/1.1" - - - 15ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:43:28.870 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:43:28.870 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 187 "-" "Go-http-client/1.1" - - - 21ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:43:26.898 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:43:26.898 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 187 "-" "Go-http-client/1.1" - - - 16ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:42:28.870 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:42:28.870 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 187 "-" "Go-http-client/1.1" - - - 17ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:42:26.903 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:42:26.903 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 187 "-" "Go-http-client/1.1" - - - 19ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:41:28.870 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:41:28.870 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 183 "-" "Go-http-client/1.1" - - - 18ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:41:26.899 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:41:26.899 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 183 "-" "Go-http-client/1.1" - - - 17ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:40:28.869 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:40:28.869 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 183 "-" "Go-http-client/1.1" - - - 16ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26	127.0.0.1 - internal_observability [22/Oct/2026:18:40:26.899 +0000] "POST /services/auth/login?output_mode=json HTTP/1.1" 200 183 "-" "Go-http-client/1.1" - - - 16ms

New Search

Save As | Create Table View | Close

```
index=_internal sourcetype=splunkd_access | stats count by uri | sort - count
```


Time range: Last 24 hours

✓ **63,623 events** (10/21/26 6:00:00.000 PM to 10/22/26 6:35:55.000 PM) No Event Sampling

Job | Policy-Based Pool | Smart Mode

Events | Patterns | Statistics (5,105) | **Visualization**

Chart: Pie Chart | Format | Trellis



uri	count
/services/server/info	5604
//services/server/info?output_mode=json	4425
/services/auth/login?output_mode=json	4118
/services/server/info?output_mode=json	3524
/services/configs/conf-server/teleport_supervisor?output_mode=json	2952
/services/kvstore/status?output_mode=json	2642
/oauth2/v1/token	1878
/services/metrics	1476
/services/properties/limits/federated_analytics?output_mode=json	1476
//services/cluster/config?output_mode=json	1476

Search | Splunk 10.6.1.0

prd-p-spggk.splunkcloud.com/en-US/app/search/search?q=search%20index%3D_internal%20sourcetype%3Dsplunkd_access%20%7C%20stats%20count%20by%20uri%20%7C%20sort%20-%20count&display.page.search.mode=smart&dispatch.sample_ratio=1&workload_pool=&earliest=-24h%40h&latest=now&display.page.search.tab=visualiza...

splunk> Cloud

Splunk Cloud Admin

Search

Datasets

Reports

Alerts

Dashboards

Modules

New Search

Save As | Create Table View | Close

```
index=_internal sourcetype=splunkd_access | stats count by uri | sort - count
```


Time range: Last 24 hours

✓ **63,623 events** (10/21/26 6:00:00.000 PM to 10/22/26 6:35:55.000 PM) No Event Sampling

Job | Policy-Based Pool | Smart Mode

Events | Patterns | Statistics (5,105) | Visualization

Chart: Pie Chart | Format | Trellis



uri	count
/services/server/info	5604
//services/server/info?output_mode=json	4425
/services/auth/login?output_mode=json	4118
/services/server/info?output_mode=json	3524
/services/configs/conf-server/teleport_supervisor?output_mode=json	2952
/services/kvstore/status?output_mode=json	2642
/oauth2/v1/token	1878
/services/metrics	1476
/services/properties/limits/federated_analytics?output_mode=json	1476
/services/cluster/config?output_mode=json	1476

Search
Datasets
Reports
Alerts
Dashboards
Modules

New Search

Save As | Create Table View | Close

```
index=_internal sourcetype=splunkd_access | stats count by uri | sort - count
```

Time range: Last 24 hours

✓ **63,623 events** (10/21/26 6:00:00.000 PM to 10/22/26 6:35:55.000 PM) No Event Sampling

Job | Policy-Based Pool | Smart Mode

Events | Patterns | **Statistics (5,105)** | Visualization

Show: 20 Per Page | Format | Preview: On

< Prev 1 2 3 4 5 6 7 8 ... Next >

uri	count
/services/server/info	5604
//services/server/info?output_mode=json	4425
/services/auth/login?output_mode=json	4118
/services/server/info?output_mode=json	3524
/services/configs/conf-server/teleport_supervisor?output_mode=json	2952
/services/kvstore/status?output_mode=json	2642
/oauth2/v1/token	1878
/services/metrics	1476
/services/properties/limits/federated_analytics?output_mode=json	1476
//services/cluster/config?output_mode=json	1475
//services/server/roles?output_mode=json	1475
//servicesNS/nobody/splunk_secure_gateway/storage/collections/data/instance_config?limit=0&output_mode=json	1475
//servicesNS/nobody/splunk_secure_gateway/storage/collections/data/meta/soc2_opt_in	1475
/services/authorization/roles	1475
/services/server/introspection/indexer	1475
/services/licenser/licenses?output_mode=json	1474
/services/server/health/splunkd/details?output_mode=json	1474
/services/server/introspection/indexer?output_mode=json	1474
/services/server/status/dispatch-artifacts?output_mode=json&count=-1	1474
/services/search/jobs?output_mode=json	1473

Search | Splunk 10.6.1.0

prd-p-spggk.splunkcloud.com/en-US/app/search/search?q=search%20index%3D_internal%20sourcetype%3Dsplunkd_access&sid=1792692242.12663&display.page.search.mode=smart&dispatch.sample_ratio=1&workload_pool=&earliest=-24h%40h&latest=now

splunk> Cloud

Splunk Cloud Admin

New Search

Save As | Create Table View | Close

index=_internal sourcetype=splunkd_access

Time range: Last 24 hours

✓ 62,399 events (10/21/26 6:00:00.000 PM to 10/22/26 6:04:02.000 PM) No Event Sampling

Job | Policy-Based Pool | Smart Mode

Events (62,399) Patterns Statistics Visualization

Timeline format | − Zoom Out | + Zoom to Selection | × Deselect

1 hour per column



Format | Show: 20 Per Page | View: List

Prev 1 2 3 4 5 6 7 8 ... Next >

Search
Datasets
Reports
Alerts
Dashboards
Modules

Hide Fields | All Fields

SELECTED FIELDS
a host 1
a source 1
a sourcetype 1

INTERESTING FIELDS
bytes 100+
a clientip 1
date_hour 24
date_mday 2
date_minute 60
a date_month 1
date_second 60
a date_wday 2
date_year 1
date_zone 1
a eventtype 1
a file 100+
a ident 1
a index 1
linecount 1
a method 2
a other 100+
a output_mode 1
a punct 100+
a referer 1
a req_time 100+
a root 3
spent 100+
a splunk_server 1
status 8
timeendpos 9
timestartpos 9
a uri 100+
a uri_path 100+
a uri_query 100+
a user 11
a useragent 10
a version 2

22 more fields
+ Extract New Fields

i	Time	Event
>	10/22/26 6:04:01.168 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:04:01.168 +0000] "GET /services/metrics HTTP/1.1" 200 122579 "-" "curl/7.81.0" "-" "1cb07d15-3ba4-4b39-bb2a-abb334d40004" - 21ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:04:01.129 PM	127.0.0.1 - sidecar_ipc_broker [22/Oct/2026:18:04:01.129 +0000] "GET /services/properties/server/ipc_broker/edge-processor-config%3Aedge-processor-config__control__plane%3Aaddress?output_mode=json HTTP/1.1" 404 123 "-" "Go-http-client/1.1" - - - 1ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:04:01.125 PM	127.0.0.1 - sidecar_ipc_broker [22/Oct/2026:18:04:01.125 +0000] "GET /services/properties/server/ipc_broker/edge-processor-config.edge-processor-config__control__plane.address?output_mode=json HTTP/1.1" 404 123 "-" "Go-http-client/1.1" - - - 0ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:04:01.121 PM	127.0.0.1 - sidecar_ipc_broker [22/Oct/2026:18:04:01.121 +0000] "GET /services/properties/server/ipc_broker/edge-processor-config.edge-processor-config__control__plane%3Aaddress?output_mode=json HTTP/1.1" 404 123 "-" "Go-http-client/1.1" - - - 0ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:04:01.118 PM	127.0.0.1 - sidecar_ipc_broker [22/Oct/2026:18:04:01.118 +0000] "GET /services/properties/server/ipc_broker/edge-processor-config%3Aedge-processor-config__control__plane.address?output_mode=json HTTP/1.1" 404 123 "-" "Go-http-client/1.1" - - - 0ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:04:01.116 PM	127.0.0.1 - sidecar_ipc_broker [22/Oct/2026:18:04:01.116 +0000] "GET /services/properties/server/ipc_broker/edge-processor-config%3Aedge-processor-config%3Aaddress?output_mode=json HTTP/1.1" 404 107 "-" "Go-http-client/1.1" - - - 0ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:04:01.113 PM	127.0.0.1 - sidecar_ipc_broker [22/Oct/2026:18:04:01.113 +0000] "GET /services/properties/server/ipc_broker/edge-processor-config.edge-processor-config.address?output_mode=json HTTP/1.1" 404 107 "-" "Go-http-client/1.1" - - - 0ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:04:01.109 PM	127.0.0.1 - sidecar_ipc_broker [22/Oct/2026:18:04:01.109 +0000] "GET /services/properties/server/ipc_broker/edge-processor-config.edge-processor-config%3Aaddress?output_mode=json HTTP/1.1" 404 107 "-" "Go-http-client/1.1" - - - 0ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:04:01.105 PM	127.0.0.1 - sidecar_ipc_broker [22/Oct/2026:18:04:01.105 +0000] "GET /services/properties/server/ipc_broker/edge-processor-config%3Aedge-processor-config.address?output_mode=json HTTP/1.1" 404 107 "-" "Go-http-client/1.1" - - - 2ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:03:58.870 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:03:58.870 +0000] "GET /services/server/status/dispatch-artifacts?output_mode=json&count=-1 HTTP/1.1" 200 1656 "-" "Go-http-client/1.1" - - - 21ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:03:58.870 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:03:58.870 +0000] "GET /services/server/introspection/indexer?output_mode=json HTTP/1.1" 200 974 "-" "Go-http-client/1.1" - - - 21ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:03:58.869 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:03:58.869 +0000] "GET /services/licenser/licenses?output_mode=json HTTP/1.1" 200 6224 "-" "Go-http-client/1.1" - - - 22ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access
>	10/22/26 6:03:58.869 PM	127.0.0.1 - internal_observability [22/Oct/2026:18:03:58.869 +0000] "GET /services/server/health/splunkd/details?output_mode=json HTTP/1.1" 200 1869 "-" "Go-http-client/1.1" - - - 21ms host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access

>	10/22/26 6:03:55.411 PM	127.0.0.1 - splunk-system-user [22/Oct/2026:18:03:55.411 +0000] "GET //services/server/info?output_mode=json HTTP/1.0" 200 2279 "-" "Python-httplib2/0.20.4 (gzip)" - - - 1ms
		host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access

>	10/22/26 6:03:55.407 PM	127.0.0.1 - splunk-system-user [22/Oct/2026:18:03:55.407 +0000] "GET //services/server/info?output_mode=json HTTP/1.0" 200 2279 "-" "Python-httplib2/0.20.4 (gzip)" - - - 1ms
		host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access

>	10/22/26 6:03:55.403 PM	127.0.0.1 - splunk-system-user [22/Oct/2026:18:03:55.403 +0000] "GET //servicesNS/nobody/splunk_secure_gateway/storage/collections/data/meta/soc2_opt_in HTTP/1.0" 404 140 "-" "Python-httplib2/0.20.4 (gzip)" - - - 2ms
		host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd_access.log sourcetype = splunkd_access

>	10/22/26	127.0.0.1 - splunk-system-user [22/Oct/2026:18:03:55.398 +0000] "GET //servicesNS/nobody/splunk_secure_gateway/storage/collections/data/instance_config?limit=0&output_mode=json HTTP/1.0" 200 3 "-" "Python-httplib2/0.20.4 (gzip)" - - - 2ms

New Search

Save As | Create Table View | Close

```
index=_internal log_level=ERROR | stats count by component | sort - count
```

Time range: Last 24 hours

✓ **9,047 events** (10/21/26 5:00:00.000 PM to 10/22/26 5:30:46.000 PM) No Event Sampling

Job | Policy-Based Pool | Smart Mode

Events | Patterns | **Statistics (9)** | Visualization

Show: 20 Per Page | Format | Preview: On

component	count
startup	5589
ScsConfig	3023
TcpInputProc	193
CalcFieldProcessor	60
SCSTokenHandler	51
HttpInputDataHandler	33
ChunkedExternProcessor	16
UiAuth	11
SearchMessages	6

Search | Splunk 10.6.1.0

prd-p-spggk.splunkcloud.com/en-US/app/search/search?q=search%20index%3D_internal%20log_level%3DERROR&sid=1792690019.12523&display.page.search.mode=smart&dispatch.sample_ratio=1&workload_pool=&earliest=-24h%40h&latest=now

splunk> Cloud

Splunk Cloud Admin

New Search

Save As | Create Table View | Close

```
index=_internal log_level=ERROR
```

Time range: Last 24 hours

✓ **8,970 events** (10/21/26 5:00:00.000 PM to 10/22/26 5:26:59.000 PM) No Event Sampling

Job | Policy-Based Pool | Smart Mode

Events (8,970) Patterns Statistics Visualization

Timeline format | − Zoom Out | + Zoom to Selection | × Deselect

1 hour per column



Format | Show: 20 Per Page | View: List

< Prev 1 2 3 4 5 6 7 8 ... Next >

Hide Fields | All Fields

SELECTED FIELDS
a host 1
a source 5
a sourcetype 5

INTERESTING FIELDS
a component 8
date_hour 24
date_mday 2
date_minute 60
a date_month 1
date_second 60
a date_wday 2
date_year 1
a date_zone 2
a event_message 100+
a eventtype 1
a index 1
line 1
linecount 1
a log_level 1
a message 8
a punct 21
a requestid 100+
a splunk_server 1
thread_id 41
a thread_name 7
timeendpos 3
timestartpos 2

18 more fields
+ Extract New Fields

i	Time	Event
>	10/22/26 5:26:54.021 PM	10-22-2026 17:26:54.021 +0000 ERROR ScsConfig [53437 AutomaticTrustBootstrapperThread] - Identity bridge bootstrap script failed. host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd.log sourcetype = splunkd
>	10/22/26 5:26:54.021 PM	10-22-2026 17:26:54.021 +0000 ERROR ScsConfig [53437 AutomaticTrustBootstrapperThread] - Vault script path is empty. Configure the scsTokenScriptPath setting in the [scs] stanza of server.conf. host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd.log sourcetype = splunkd
>	10/22/26 5:26:26.938 PM	10-22-2026 17:26:26.938 +0000 ERROR ScsConfig [1996996 TcpChannelThread] - Identity bridge bootstrap script failed. host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd.log sourcetype = splunkd
>	10/22/26 5:26:26.938 PM	10-22-2026 17:26:26.938 +0000 ERROR ScsConfig [1996996 TcpChannelThread] - Vault script path is empty. Configure the scsTokenScriptPath setting in the [scs] stanza of server.conf. host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd.log sourcetype = splunkd
>	10/22/26 5:26:25.991 PM	10-22-2026 17:26:25.991 +0000 ERROR ScsConfig [1996992 TcpChannelThread] - Identity bridge bootstrap script failed. host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd.log sourcetype = splunkd
>	10/22/26 5:26:25.991 PM	10-22-2026 17:26:25.991 +0000 ERROR ScsConfig [1996992 TcpChannelThread] - Vault script path is empty. Configure the scsTokenScriptPath setting in the [scs] stanza of server.conf. host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd.log sourcetype = splunkd
>	10/22/26 5:26:25.976 PM	{ [-] error: Unable to construct Endpoint Url, credentials missing hostname: si-i-0a32bbca0cb81ecd7 level: ERROR location: cloudstorage/subscription_plan_client.go:34 message: Failed to construct supported plan storage URL requestId: 19c3e138-bb34-4868-a9e8-0018a562f390 service: orchestrator time: 2026-10-22T17:26:25.976Z } Show as raw text host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/spl2-orchestrator.log sourcetype = node:sidecar:cmp_orchestrator
>	10/22/26 5:25:54.016 PM	10-22-2026 17:25:54.016 +0000 ERROR ScsConfig [53437 AutomaticTrustBootstrapperThread] - Identity bridge bootstrap script failed. host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd.log sourcetype = splunkd
>	10/22/26 5:25:54.016 PM	10-22-2026 17:25:54.016 +0000 ERROR ScsConfig [53437 AutomaticTrustBootstrapperThread] - Vault script path is empty. Configure the scsTokenScriptPath setting in the [scs] stanza of server.conf. host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd.log sourcetype = splunkd
>	10/22/26 5:24:54.013 PM	10-22-2026 17:24:54.013 +0000 ERROR ScsConfig [53437 AutomaticTrustBootstrapperThread] - Identity bridge bootstrap script failed. host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd.log sourcetype = splunkd
>	10/22/26 5:24:54.013 PM	10-22-2026 17:24:54.013 +0000 ERROR ScsConfig [53437 AutomaticTrustBootstrapperThread] - Vault script path is empty. Configure the scsTokenScriptPath setting in the [scs] stanza of server.conf. host = si-i-0a32bbca0cb81ecd7.prd-p-spggk.splunkcloud.com source = /opt/splunk/var/log/splunk/splunkd.log sourcetype = splunkd
>	10/22/26 5:24:35.005 PM	{ [-] error: Unable to construct Endpoint Url, credentials missing hostname: si-i-0a32bbca0cb81ecd7 level: ERROR location: cloudstorage/subscription_plan_client.go:34 message: Failed to construct supported plan storage URL