

Brass QC - SOP

Titan Track and Trace

1.Brass QC - Process Steps

- 1 Login to the application.
- 2 Navigate to the Brass QC module.
- 3 Review the Pick Table.
 - Displays lots with Lot Status = "Yet to Start".
- 4 Select the required lot and click the Action button to begin the Brass QC process.

2.Pick Table Headers

S.No	Last Updated	Plating Stock No	Action	Lot Qty	No. of Trays	Accept Qty
Reject Qty	Process Status	Lot Status	Current Stage	Tray Category / Capacity		
Polishing Stock No	Plating Color	Category	Type of Input	Polish Finish	Input Source	
Remarks						

3.Pick Table Details

Plating Stock No

- Hover over the stock number to view product images and information.
- Clicking the information navigates to the Visual Aid page.

Lot Qty

- Displays the total quantity available in the selected lot.

Accept Qty

- Initially displayed as 0.
- Updated dynamically as trays are accepted during processing.

Reject Qty

- Initially displayed as 0.
- Updated dynamically as trays are rejected.

Process Status

- Displays the current progress of the process.
- Shows **Q** (Quantity Check) and **QC** (Quality Check) completion status.

Remarks

- Users can enter remarks whenever required.

4.Action Validation

Before enabling the Accept and Reject buttons, the system validates the Lot Quantity.

5.Full Lot Processing

Accept

Fully accepts the selected lot.

Moved to → Brass Audit stage

Reject

Fully rejects the selected lot.

Moved to → IQF stage

6.Tray Scanning Methods

Existing trays can be scanned using any of the following methods:

- Scan the Tray ID using a barcode scanner.
- Enter the Tray ID manually.
- Tap/select the tray from the displayed tray list.

7.Reject Processing

- 1 **Enter the Reject Reason.**
- 2 **Enter the Rejected Quantity.**
- 3 **Review the Accept Tray and Reject Tray sections.**
 - The system automatically displays these as two separate sections.
- 4 **Continue in the Accept section.**
 - After completing the reject process, the cursor automatically moves to the Accept section for further processing.

8.Existing Tray Reuse Validation

- During tray scanning, the system checks whether an eligible existing tray can be reused.
- Existing trays can be reused only if their available quantity is 0.

If the tray contains any remaining quantity (greater than 0), the system does not allow it to be reused.

9.Draft Functionality

- Users can save the process as a Draft at any stage.
- The process can be resumed later from where it was left.

Until the process is completed, the selected lot is displayed with the Lot Status = "**Draft**".