					Control of the Contro		AUDIT NO.: 150/AUT/01/	.: ISO/AU I/UT/
							DEPARTMENT .	ENT · Mac
AUDITORS NAME: HUY COLHYO,	Dian San A.	Noyou	AUDITEE NAME: WIWW , Yo	Jayar.	TYPE : ISO	ISO 9001 So 14001 4	ISO 17025	\subseteq
* BY AUDITOR	DITOR		. В	BY DEPARTMENT .			BY AUDITOR	DR .
M NON-COMPLIANCE DETAILS	DOCUMENT SYST NUMBER / M A REFERENCE MACH	SYSTEM/ MAJOR/ M A N/ MINOR/ MACHINE OBSERV	ROOT CAUSE	CORRECTIVE ACTION PLAN AND PREVENTIVE ACTION	RESPON- SIBILITY COMPLETION	VERIFICATION	STATUS (CLOSED/	CLOSING REMA
1. Water'x Apa took as	WWW.	W. Milhar	Die Bellim tersoda	noc &-buat	John	Ime :	Classed	P. EMPL.
2. Dentilia Courtailor	,				,			
(Hark update.	8.1.4. Man	minor	Doc. Belum update.	Dire. 8 inpolete.	Jakor	Jone	clored	Tous
			i la		2000			
	·							
Signature								
	Auditee :		Department Head :					
C2 Of Cahyong	herter.		•					•
3 Alfora.							,	
	F						Page:	e: of

g			KATUMENT MBER /		ar. A			
•	Man Minor	1	KATEGORY SYSTEM/ M A N/ MACHINE		, hayou		~	
	Minor	Minor	MAJOR/ MINOR/ OBSERV					
2	Doc. B	Die Beu	ROO		AUDITEE NAME:			ATTACH
	Doc. Belum updops.	Die Bellim fersiela	ROOT CAUSE	ВҮ	Wiwm, you			MENT No.: CI
	Die 8 abyart.	Doc 8-buat	CORRECTIVE ACTION PLAN AND PREVENTIVE ACTION	BY DEPARTMENT .	John.			ATTACHMENT No.: CDC/R/A/07 (rev. 1)
	John .	North	RESPON- SIBILITY COMPLETION DATE		TYPE : Iso			
	Porc	Pone	VERIFICATION		ISO 9001 So 14001			
	Cox	Closed	STATUS (CLOSED/ OPEN)	BY AUDITOR	1SO 17025	DEPARTME	AUDIT No. :	DATE :
	Komplet	Closed Esmplif	CLOSING REMARKS AND EFFECTIVENESS OF IMPLEMENTION	Ä.	ISO 50001 V ISO 45	DEPARTMENT: Mech, Polling	AUDIT No.: ISO/ADT/01/2019/07	1 Hovember
٠	in the state of th	X X X X X X X X X X X X X X X X X X X	SIGNATURE/ DATE		ISO 45001/SMK3	BUILLE	,	2002

Page: of

Files C:\Backup\ISO-DOC\CDC\ISO-9001\engg\NCR-FC

וומוו ועומוויף ש

Me Han.

Department Head: