ATTACHMENT No.: CDC/R/A/07 (rev. 1)

	. ISPAT INDO								DATE	: 11-10-2	
0	N - COMPLIANCE REPORT								_	.: ISO/ADT/01/2019/	07
UDITORS NAME: YORN, PANUT, RUDIANTARA				AUDITEE NAME: Cetyo Daw.H. TYPE: 150 90			DEPARTMENT : CS 1 9001				
	BY AUDITOR				В	Y DEPARTMENT			BY AUDI	TOR	
ε		KATEGORY				STATE OF THE PARTY	RESPON-				
A .	NON-COMPLIANCE DETAILS	DOCUMENT NUMBER / REFERENCE	M A N/ MACHINE	MAJOR/ MINIOR/ OBSERV	ROOT CAUSE	CORRECTIVE ACTION PLAN AND PREVENTIVE ACTION	SIBILITY COMPLETION DATE	VERIFICATION	(CLOSED/ OPEN)	CLOSING REMARKS AND EFFECTIVENESS OF IMPLEMENTION	SIGNATURE/ DATE
2	IBPR UNTUK HYDRA- ULIK AREA MOHEN OI MUSUKAN KEDALAM SYSTEM				lapk wash danga form jong lama			ه (ر	Ched	rlo be numbered in next or dut	Par 19112
	IBPR UNTUR PROSES ALIGNMENT MOHON DIBURTHAN				Belun détambah bon untale proser aliquent	budah détaubah la ou dan déma- bulikan tersostem	09/22	ه (۱	chul	to be monthered under	Ru
74	MOHON DI MASUKAN KEDALAMI SYSTEMI	D.			1ADL Met masile boulnts form	braden dibuat bær dan dima- tulelean lee tisten	09/22	<i>د</i> لہ	Clred	to be broughoused an artificially	191172
ud	Signature tor: Auditee:				Department Head :		1				
2 3	Alan 11/22	y.			11/22			**	ä		

Rage: \ of 2.

ATTACHMENT No.: CDC/R/A/07 (rev. 1)

					ATTAONIMENT NO. OF	South and Trout II					
	T. ISPAT INDO								2012/11/12/22 237	11-10-20	
2	ON - COMPLIANCE REPORT									o. : ISO/ADT/01/2019/	07
_									DEPART	MENT: CSD	
0	ITORS NAME: YOAM, PANUT, R	ating 100	HRA		AUDITEE NAME: Letyp V	Law. H.	TYPE : ISO 90	01 150 14001 1	50 17025	ISO 50001 ISO	45001/5MK3
BY AUDITOR					BY DEPARTMENT			BY AUDITOR			
		К	KATEGORY				RESPON-				
	NON-COMPLIANCE DETAILS	DOCUMENT NUMBER / REFERENCE	M A N/ MACHINE	MAJOR/ MINOR/ OBSERV	ROOT CAUSE	CORRECTIVE ACTION PLAN AND PREVENTIVE ACTION	SIBILITY COMPLETION DATE	VERIFICATION	STATUS (CLOSED/ OPEN)	CLOSING REMARKS AND EFFECTIVENESS OF IMPLEMENTION	SIGNATURE DATE
•	Penilaian berkala terhadap kontraktar yang bekerju di cs belum dilakukan . Certification of Trane Equipment Hoise Crane . 1.5 and 2 ton have been expired on April 14.2022.				Below diep dak			ok oli	dred	to be promitted in ment ovalut	Real Anni
-	Signature				Department Head						
2	Auditee:	M	<u>-</u>	1)	Department Head:			9			

Page: 2 of 2