

Review and Consolidation (Exponents, Logs, & Surds) - I

Created: 11/07/2026

Student

Student: Nathaniel Juan Putra Winata Eng

Topic: Review and Consolidation (Exponents, Logs, & Surds)

Status: completed

Lesson Plan

Learning Objectives

- Simplify complex algebraic expressions by synthesizing the laws of exponents, logarithms, and surds.
- Solve multi-step equations where the variable exists in both exponential and logarithmic form.
- Evaluate the validity of algebraic manipulations to identify and rectify common misconceptions in transcendental functions.
- Transform expressions between exponential, radical, and logarithmic forms to optimize problem-solving efficiency.

Lesson Information

Lesson Sections

1. Spiral Review Warm-up (10 minutes)

Teacher Script:

Hi Nathaniel! Great to see you. We are heading into the 'Boss Level' of algebra today, combining everything you know about exponents, logs, and surds. But first, let's recalibrate your brain with four quick-fire challenges. Check the whiteboard for these 'Change of Base' and 'Log Property' tasks. I'll give you 2 minutes per set!

Activities:

- *Quick Solve 1 (Change of Base): Evaluate $\log_8(32)$.*
- *Quick Solve 2 (Change of Base): Simplify $(\log_3 5) * (\log_5 27)$.*
- *Quick Solve 3 (Properties): Write $2 \log x - 3 \log y$ as a single logarithm.*
- *Quick Solve 4 (Properties): Expand $\log(\sqrt{a^3/b})$.*

2. Introduction & Real-World Connection (5 minutes)

Teacher Script:

Nathaniel, have you ever wondered how high-end data encryption works? It relies on 'Discrete Logarithms.' In quantum computing, we manipulate states that follow exponential behavior, but we often need to transform them into logs to make the math manageable for hardware. Today, you are the system architect. You'll be merging these three mathematical 'languages'—Exponents, Logs, and Surds—to solve complex system protocols.

Activities:

- *Discussion on the relationship between exponential growth and logarithmic scales in technology.*

3. Review of Prior Knowledge (5 minutes)

Teacher Script:

Before we dive deep, let's look at the 'Trinity of Algebra.' An exponent is the power, a log is the search for that power, and a surd is the inverse of the power. Remember: $\log_b(x) = y$ is exactly the same as $b^y = x$. And $\sqrt{x}$ is $x^{(1/2)}$. We are going to use these interchangeably today. Does the link between $x^{(a/b)}$ and the b-th root of x^a feel solid?

Activities:

- *Matching game: Match the exponential form to its log and surd counterparts.*

4. Problem Introduction (10 minutes)

Teacher Script:

Now, let's look at a 'Hard' level problem. Imagine we have an equation: $2^{(2x+1)} - 5(2^x) + 2 = 0$. This looks like an exponent problem, but it's actually a quadratic in disguise. If we let $u = 2^x$, it changes the game. After solving for u , we'll need logs to find x . This is the synthesis I'm talking about. Let's break this Protocol down together.

Activities:

- *Deconstructing a disguised quadratic exponential equation.*
- *Discussing the use of 'u-substitution'.*

5. Guided Practice (15 minutes)

Teacher Script:

Let's work through this one. Simplify and solve for x : $\log_2(x) + \log_2(x-2) = 3$. Notice we have logs, but to solve it, we'll turn it into an exponent. Steps: 1. Combine logs. 2. Convert to exponent form. 3. Solve the quadratic. 4. Check for 'extraneous' solutions. Logs can't take negative inputs—that's a major trap!

Activities:

- *Solving $\log_2(x(x-2)) = 3 \rightarrow x^2 - 2x = 8$.*
- *Verifying solutions $x=4$ and $x=-2$ against the original domain.*

6. Independent Practice (15 minutes)

Teacher Script:

You're the Lead Architect now, Nathaniel. Here are three challenges involving logs of surds and nested exponents. Try to solve them on your end. I'm watching your screen—if you get stuck, I'll drop a 'hint bomb' in the chat. Focus on the base changes first!

Activities:

- Problem 1: Solve $3^{2x} - 10(3^x) + 9 = 0$.
- Problem 2: Simplify $[\log_a(\sqrt{b}) * \log_b(a^2)]$.
- Problem 3: Solve $\log_x(\sqrt{5}) = 1/4$.

7. Consolidation & Reflection (5 minutes)

Teacher Script:

Phenomenal work, Nathaniel. You successfully synthesized three distinct areas of algebra. Remember: when in doubt, change everything to the same base or switch to the exponential form. Your homework is ready. Please make sure to join <https://learn.algonova.id/login> and go to the lesson to submit your work. Tell me: what was the trickiest part of combining logs and surds today?

Activities:

- Recap of the 3 key rules for consolidation.
- Exit ticket: Identify the error in a pre-written 'bad' solution.

Homework

Medium Questions:

1. Simplify: $(2^3 * 2^x) / 4^{x-1}$.
2. Solve for x: $\log_5(x+1) + \log_5(x-1) = \log_5(8)$.
3. Express as a single power: $\sqrt{x^3} * x^{1/4}$.
4. Solve: $9^x = 27^{x-2}$.

Hard Questions:

1. Solve the equation: $4^x - 6(2^x) + 8 = 0$.
2. Solve for x given: $\log_{\sqrt{3}}(x) = 4$.
3. Find x if $\log_2(\log_3(x)) = 1$.
4. Simplify completely: $(\log_a c + \log_{a^2} c) / \log_a(\sqrt{c})$.
5. Solve the simultaneous equations: $2^x = 8^{y+1}$ and $\log_9(x) = 0.5 + \log_9(y)$.
6. If $a^2 + b^2 = 7ab$, prove that $\log((a+b)/3) = 0.5(\log a + \log b)$.

Answer Key:

M1: 2^{5-x} (Using $4=2^2$ and exponent subtraction)
 M2: $x=3$ ($x^2-1=8$, $x=3$; $x=-3$ is invalid)
 M3: $x^{7/4}$ ($3/2 + 1/4 = 7/4$)
 M4: $x=6$ ($3^{2x} = 3^{3x-6}$)
 H1: $x=1$, $x=2$ (Let $u=2^x$, $u^2-6u+8=0$, $u=2,4$)
 H2: $x=9$ ($(\sqrt{3})^4 = 3^2$)
 H3: $x=9$ ($\log_3(x)=2^1$, $x=3^2$)
 H4: 3 (Numerator becomes $1.5 \log_a c$, Denominator is $0.5 \log_a c$)
 H5: $x=6$, $y=1$ ($x=3y+3$ and $x=3\sqrt{y}$ -> solve system)
 H6: Proof based on $(a+b)^2 = a^2+b^2+2ab = 9ab$. Divide by 9, take logs.

Parent Reminder

Nathaniel's Math Mastery Update

Nathaniel tackled 'Synthesis of Exponents, Logs, and Surds' today—one of the most challenging crossovers in Grade 10 algebra. He worked on disguised quadratics and quantum-computing-inspired problems. To keep the momentum, please remind him to complete his consolidation homework at <https://learn.algonova.id/login>.