

Membongkar "Surds" Secara Visual - Bintang Nararya P

Created: 8/10/2026

Student

Student: Bintang Nararya P Y

Topic: Membongkar "Surds" Secara Visual

Status: completed

Lesson Plan

Learning Objectives

- Analyze specific errors in previous surd calculations using geometric area models.
- Represent irrational numbers (surds) as the side lengths of squares with non-perfect square areas.
- Construct a visual proof showing the relationship between square
- Evaluate personal levels of comprehension by identifying specific 'confusion points' during the visual derivation process.

Lesson Information

Lesson Sections

1. Spiral Review Warm-up (10 minutes)

Teacher Script:

Hi Bintang! Great to see you. We are going to start with a 'Power Sprint' to wake up those math muscles. We have two review missions. First, let's look at Business Place Value. Look at the whiteboard: If a company's revenue is 1,250,000,000, what is the value of the digit 2? Second, write that number in scientific notation. Now, let's pivot to our last session on Surds. If I have a square with an area of 25, what is the side length? What if the area is 2? Can you draw a rough square and label the side for Area = 2?

Activities:

- *Place Value Challenge: Identify digit values in billions.*
- *Scientific Notation conversion for business figures.*
- *Perfect square area vs. side length recall.*
- *Initial visualization of "2 on the virtual whiteboard.*

2. Introduction & Real-World Connection (5 minutes)

Teacher Script:

Bintang, imagine you are an architect designing a high-end minimalist plaza. You want a square garden with an area of exactly 7 square meters. You go to the hardware store for a border fence. The store asks: 'What is the exact side length?' You can't just say 2.6 or 2.64 because it's not exact. This is where 'Surds' come in. They are the 'hidden' lengths in nature and design that decimals can't perfectly capture. Today, we aren't just doing algebra; we are visualizing these lengths.

Activities:

- Discussion on the limitations of decimals in construction.
- Visualizing a square with Area = 7.

3. Review of Prior Knowledge (Error Analysis) (5 minutes)

Teacher Script:

I've pulled up your worksheet from last time. Look at the calculation for the area of two squares. Using our square logic, if we have two squares, does their side length just add up like that? Let's be detectives. We aren't looking for 'wrong' answers, we are looking for 'logic gaps'. Where do you think the visualization breaks down in that calculation?

Activities:

- Screen share of previous worksheet.
- Collaborative highlighting of error zones.
- Self-regulation check: Bintang identifies his own 'confusion level' on a scale of 1-5.

4. Problem Introduction: The Square Root Spiral (10 minutes)

Teacher Script:

Let's build a 'Root Spiral'. If we start with a right triangle with sides 1, 1 to find $\sqrt{2}$. We build a square off that hypotenuse, the area is 2. I want you to try drawing this. If I want a side length of $\sqrt{3}$, how can we use a triangle to find it? Watch how the geometry forces us to use surds. We can't write it as a simple fraction.

Activities:

- Drawing a right triangle with sides 1, 1 to find $\sqrt{2}$.
- Constructing a square of Area 2 using the hypotenuse.
- Extending the drawing to find $\sqrt{3}$.

5. Guided Practice: Comparing Areas (15 minutes)

Teacher Script:

Let's try a challenge. On the board, I have three squares. Square A (Area = 5), Square B (Area = 20), and Square C (Area = 45). Bintang, write the side length for each. Now, can you see how 4 squares of area 5 could fit inside a square of area 20? Can you see how 9 squares of area 5 could fit inside a square of area 45? Use your visualization to simplify the surds without using a calculator.

Activities:

- *Calculating side lengths of non-perfect squares.*
- *Visually simplifying " 20 into 2" 5 using a 2x2 grid of smaller squares.*
- *Applying the same logic to " 45 (3" 5).*

6. Independent Practice: The Architect's Challenge (15 minutes)

Teacher Script:

Now, you're the lead designer. You have a plot of land. Calculate the exact side lengths for areas 12, 27, and 75. Then, I want you to prove to me—using drawings—why " 12 + " 27 is stuck, remember our rule: identify the 'confusion point' immediately and let me know. Is it the multiplication or the drawing that's tricky?

Activities:

- *Simplifying " 12, " 27, and " 75 independently.*
- *Visual addition of surds (combining line segments).*
- *Error-check: verifying if " (12+27) equals " 12 + " 27 (Spoiler: It doesn't!)*

7. Consolidation & Reflection (5 minutes)

Teacher Script:

Amazing work today, Bintang. You navigated the hardest part of surds: seeing them as physical lengths rather than scary symbols. What was the 'Aha!' moment for you today? Was it the squares or the triangles? Before you go, remember to log in to <https://learn.algonova.id/login> to see your visual feedback and today's challenge set. See you next time!

Activities:

- *Reflective summary.*
- *Confidence rating.*

Homework

Medium Questions:

1. A square has an area of 50 sq units. Simplify its side length (using the square-factor method).
2. Draw a square with Area = 8. Show visually how its side length is twice the length of a square with Area = 2.
3. Simplify " 32 and " 18, then add them together.
4. Explain in one sentence why " 9 + " 16 does NOT equal " 25.

Hard Questions:

1. A rectangular business park has an area of 60 square kilometers. If the park is a perfect square, express the perimeter in simplest surd form.
2. Prove that a square with side length 3" 2 has the same area as a square with side length 2" 3 and 2.

3. Find the diagonal of a square whose area is 5. (Hint: Use Pythagorean theorem where sides are $\sqrt{5}$).
4. Simplify the expression $2\sqrt{27} + 3\sqrt{12} - \sqrt{75}$ and show each step.
5. Challenge: If a cube has a volume of 8, the side is 2. If a square has an area of 10, the side is $\sqrt{10}$. Which length is longer, and by how much? (Keep in mind $\sqrt{10} \approx 3.16$.)
6. Create a 'Surd Map': Draw three different sized squares that, when their side lengths are added, equal $10\sqrt{2}$.

Answer Key:

$\sqrt{50} = \sqrt{(25 \times 2)} = 5\sqrt{2}$
 $\sqrt{8} = 2\sqrt{2}$; $\sqrt{2}$ is the side of Area 2, so two of them equal $\sqrt{8}$.
 $\sqrt{32} = 4\sqrt{2}$, $\sqrt{18} = 3\sqrt{2}$. Sum = $7\sqrt{2}$.
 $\sqrt{3} + 4 = 7$, but $\sqrt{25} = 5$. 7 is not 5.
Side = $\sqrt{60} = 2\sqrt{15}$. Perimeter = $4 \times 2\sqrt{15} = 8\sqrt{15}$ km.
 $(3\sqrt{2})^2 = 9 \times 2 = 18$. Rectangle $9 \times 2 = 18$. Correct.
 $d^2 = (\sqrt{5})^2 + (\sqrt{5})^2 \rightarrow d^2 = 5 + 5 = 10$. $d = \sqrt{10}$.
 $2(3\sqrt{3}) + 3(2\sqrt{3}) - 5\sqrt{3} = 6\sqrt{3} + 6\sqrt{3} - 5\sqrt{3} = 7\sqrt{3}$.
 $\sqrt{2}$ vs $\sqrt{10}$. Since $2 = \sqrt{4}$, and $\sqrt{10} > \sqrt{4}$, $\sqrt{10}$ is longer by $(\sqrt{10} - \sqrt{2})$ units.
Example: Squares with areas 8, 18, and 50. Sides: $2\sqrt{2} + 3\sqrt{2} + 5\sqrt{2} = 10\sqrt{2}$.
REVIEW: Nilai Tempat & Bilangan Besar (Konteks: Bisnis) - Bintang Nararya P Y - Medium: Write 4.5 Billion in standard form. Answer: 4,500,000,000.
REVIEW: Nilai Tempat & Bilangan Besar (Konteks: Bisnis) - Bintang Nararya P Y - Medium: A company profit is 10^7 . How much is this in millions? Answer: 10 Million.
REVIEW: Nilai Tempat & Bilangan Besar (Konteks: Bisnis) - Bintang Nararya P Y - Hard: Compare 5.2×10^9 and 520,000,000. Which is larger? Answer: 5.2×10^9 (5.2 Billion vs 520 Million).
REVIEW: Nilai Tempat & Bilangan Besar (Konteks: Bisnis) - Bintang Nararya P Y - Hard: If a stock price drops by 10^3 IDR every day for 10^2 days, what is the total drop? Answer: 10^5 or 100,000 IDR.
REVIEW: Membongkar 'Surds' Secara Visual - Medium: If Area = 16, is side closer to 3 or 4? Answer: 4 (since $4^2 = 16$, $3^2 = 9$).
REVIEW: Membongkar 'Surds' Secara Visual - Medium: Identify the pattern. Answer: Addition of roots requires common radicands, result should be simplified.
REVIEW: Membongkar 'Surds' Secara Visual - Hard: Represent $\sqrt{20}$ as a 4x5 rectangle's diagonal? No, use a square of area 20. Answer: $2\sqrt{5}$.
REVIEW: Membongkar 'Surds' Secara Visual - Hard: Why does a square root of x squared equal x ? Answer: By definition of a square root, $(\sqrt{x})^2 = x$.

Parent Reminder

Today's Math Insight: Seeing the Unseen

Bintang did an excellent job today tackling 'Surds' (square roots). Instead of just memorizing formulas, he used geometry to visualize these irrational numbers as physical side lengths of squares. We also worked on 'error analysis' to build his confidence in catching mistakes early. Please remind him to log in to the portal for his architectural math challenge!