DAFTAR PUSTAKA

- [1] Abiodun, O., Jantan, A., Omolara, O., Dada, K., Umar, A., Linus, O., Arshad, H., Aminu Kazaure, A., Gana, U., dan Kiru, M. (2019). Comprehensive review of artificial neural network applications to pattern recognition. *IEEE Access*, PP:1–1.
- [2] Agostinelli, F., Hoffman, M., Sadowski, P., dan Baldi, P. (2014). Learning Activation Functions to Improve Deep Neural Networks. *arXiv e-prints*, page arXiv:1412.6830.
- [3] Cao, Z., Hidalgo Martinez, G., Simon, T., Wei, S., dan Sheikh, Y. A. (2019). Openpose: Realtime multi-person 2d pose estimation using part affinity fields. *IEEE Transactions on Pattern Analysis and Machine Intelligence*.
- [4] Chen, T., Fang, C., Shen, X., Zhu, Y., Chen, Z., dan Luo, J. (2020). Anatomy-aware 3D Human Pose Estimation in Videos. *arXiv e-prints*, page arXiv:2002.10322.
- [5] Felzenszwalb, P. dan Huttenlocher, D. (2005). Pictorial structures for object recognition. *International Journal of Computer Vision*, 61:55–79.
- [6] Gkioxari, G., Hariharan, B., Girshick, R., dan Malik, J. (2014). Using k-poselets for detecting people and localizing their keypoints. pages 3582–3589.
- [7] Guliyev, N. J. dan Ismailov, V. E. (2015). A single hidden layer feedforward network with only one neuron in the hidden layer can approximate any univariate function. *arXiv e-prints*, page arXiv:1601.00013.
- [8] He, K., Zhang, X., Ren, S., dan Sun, J. (2015). Deep Residual Learning for Image Recognition. *arXiv e-prints*, page arXiv:1512.03385.
- [9] Herculano-Houzel, S. (2009). The human brain in numbers: a linearly scaled-up primate brain. *Frontiers in Human Neuroscience*, 3:31.

- [10] Hinton, G. E. Rectified linear units improve restricted boltzmann machines vinod nair.
- [11] Ionescu, C., Papava, D., Olaru, V., dan Sminchisescu, C. (2014). Human3.6m: Large scale datasets and predictive methods for 3d human sensing in natural environments. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 36(7):1325–1339.
- [12] Kingma, D. P. dan Ba, J. (2014). Adam: A Method for Stochastic Optimization. *arXiv e-prints*, page arXiv:1412.6980.
- [13] Kratsios, A. (2019). The Universal Approximation Property: Characterizations, Existence, and a Canonical Topology for Deep-Learning. *arXiv e-prints*, page arXiv:1910.03344.
- [14] Martinez, J., Hossain, R., Romero, J., dan Little, J. J. (2017). A simple yet effective baseline for 3d human pose estimation. In *ICCV*.
- [15] Mehta, D., Sotnychenko, O., Mueller, F., Xu, W., Elgharib, M., Fua, P., Seidel, H.-P., Rhodin, H., Pons-Moll, G., dan Theobalt, C. (2019). XNect: Real-time Multi-Person 3D Motion Capture with a Single RGB Camera. arXiv e-prints, page arXiv:1907.00837.
- [16] Nwankpa, C., Ijomah, W., Gachagan, A., dan Marshall, S. (2018). Activation Functions: Comparison of trends in Practice and Research for Deep Learning. *arXiv e-prints*, page arXiv:1811.03378.
- [17] Paszke, A., Gross, S., Massa, F., Lerer, A., Bradbury, J., Chanan, G., Killeen, T., Lin, Z., Gimelshein, N., Antiga, L., Desmaison, A., Köpf, A., Yang, E., DeVito, Z., Raison, M., Tejani, A., Chilamkurthy, S., Steiner, B., Fang, L., Bai, J., dan Chintala, S. (2019). PyTorch: An Imperative Style, High-Performance Deep Learning Library. arXiv e-prints, page arXiv:1912.01703.
- [18] Ruder, S. (2016). An overview of gradient descent optimization algorithms. *arXiv e-prints*, page arXiv:1609.04747.

- [19] Rumelhart, D. E., Hinton, G. E., dan Williams, R. J. (1986). Learning Representations by Back-propagating Errors. *Nature*, 323(6088):533–536.
- [20] Sharma, V., Rai, S., dan Dev, A. (2012). A comprehensive study of artificial neural networks.
- [21] Torabi, M. dan Rao, J. (2013). Estimation of mean squared error of model-based estimators of small area means under a nested error linear regression model. *Journal of Multivariate Analysis*, 117:76 87.
- [22] You, K., Long, M., Wang, J., dan Jordan, M. I. (2019). How Does Learning Rate Decay Help Modern Neural Networks? *arXiv e-prints*, page arXiv:1908.01878.
- [23] Zhang, J. (2019). Basic Neural Units of the Brain: Neurons, Synapses and Action Potential. *arXiv e-prints*, page arXiv:1906.01703.
- [24] Zhou, X., Huang, Q., Sun, X., Xue, X., dan Wei, Y. (2017). Towards 3D Human Pose Estimation in the Wild: a Weakly-supervised Approach. *arXiv e-prints*, page arXiv:1704.02447.