
A
HPC CTX
$\mathbf{A} =$ 0 0 HPC
0 CTX
$= \sum_{i=1} \mathbf{m}_i \mathbf{n}_i^{\mathrm{T}}$
HPC
$\mathbf{p}_0$
CTX
$\mathbf{p}_1$
D
HPC CTX
$\mathbf{A} =$ 0 HPC
0 CTX
$= \sum_{i=1} \mathbf{k}_i \mathbf{k}_i^{\mathrm{T}}$
HPC
$\mathbf{p}_0$
CTX
$\mathbf{p}_1$
B
Not consolidated to CTX
Forgotten (decay in HPC)
HPC CTX HPC CTX
$\mathbf{p}_0$ $\mathbf{p}_1$
$\mathbf{n}$ Consolidated $\mathbf{m}$
E
Not consolidated to CTX
Stable engram (in HPC)
$\mathbf{k}$ $\mathbf{k}$
HPC CTX HPC CTX
$\mathbf{p}_0$ $\mathbf{p}_1$
$\mathbf{n}$ Consolidated $\mathbf{m}$
C
Pattern strength
$\parallel \mathbf{n}$
$\perp \mathbf{n}$
Time (in units of τ)
Consolidated
$\parallel \mathbf{m}$
$\perp \mathbf{m}$
Time (in units of τ)
F
Stable engram
$\parallel \mathbf{n}$
$\parallel \mathbf{k}$
Time (in units of τ)
Consolidated
$\parallel \mathbf{m}$
$\perp \mathbf{m}$
Time (in units of τ)



A
HPC CTX
A = 0 0 HPC
0 CTX
$= \sum_{i=1} \mathbf{m}_i \mathbf{n}_i^T$
HPC
$\mathbf{p}^0$
CTX
$\mathbf{p}^1$
B
Not consolidated to CTX
Forgotten (decay in HPC)
HPC CTX HPC CTX
$\mathbf{p}^0$
$\mathbf{p}^1$
n
Consolidated
m
C
Pattern strength
Consolidated
$\parallel \mathbf{n}$
$\perp \mathbf{n}$
$\parallel \mathbf{m}$
$\perp \mathbf{m}$
Time (in units of τ)
D
HPC CTX
A = 0 HPC
0 CTX
$= \sum_{i=1} \mathbf{k}_i \mathbf{k}_i^T$
E
Not consolidated to CTX
Stable engram (in HPC)
k
Consolidated
F
Stable engram
$\parallel \mathbf{k}$


A
D
HPC CTX
$\mathbf{A} =$
0 0
0
HPC
CTX
$= \sum_{i=1} \mathbf{m}_i \mathbf{n}_i^T$
$= \sum_{i=1} \mathbf{k}_i \mathbf{k}_i^T$
$\mathbf{p}^0$
$\mathbf{p}^1$
B
E
Not consolidated to CTX
Forgotten (decay in HPC)
Stable engram (in HPC)
k
n
Consolidated
m
C
F
Pattern strength
Time (in units of τ)
Consolidated
Stable engram
$\parallel \mathbf{n}$
$\perp \mathbf{n}$
$\parallel \mathbf{m}$
$\perp \mathbf{m}$
$\parallel \mathbf{k}$
0
1



A
HPC CTX
$\mathbf{A} = \begin{pmatrix} 0 & 0 \\ \blacksquare & 0 \end{pmatrix}$ HPC CTX
$\blacksquare = \sum_{i=1} \mathbf{m}_i \mathbf{n}_i^T$
HPC
$\mathbf{p}^0$
CTX
$\mathbf{p}^1$
D
HPC CTX
$\mathbf{A} = \begin{pmatrix} \blacksquare & 0 \\ \blacksquare & 0 \end{pmatrix}$ HPC CTX
$\blacksquare = \sum_{i=1} \mathbf{k}_i \mathbf{k}_i^T$
HPC
$\mathbf{p}^0$
CTX
$\mathbf{p}^1$
B
Not consolidated to CTX
Forgotten (decay in HPC)
HPC CTX
HPC CTX
$\mathbf{p}^0$
$\mathbf{p}^1$
$\mathbf{n}$
Consolidated
$\mathbf{m}$
E
Not consolidated to CTX
Stable engram (in HPC)
$\mathbf{k}$
$\mathbf{k}$
HPC CTX
HPC CTX
$\mathbf{p}^0$
$\mathbf{p}^1$
$\mathbf{n}$
Consolidated
$\mathbf{m}$
C
Pattern strength
1
0
$\parallel \mathbf{n}$
$\perp \mathbf{n}$
Time (in units of τ)
Consolidated
Pattern strength
1
0
$\parallel \mathbf{m}$
$\perp \mathbf{m}$
Time (in units of τ)
F
Stable engram
Pattern strength
1
0
$\parallel \mathbf{n}$
$\parallel \mathbf{k}$
Time (in units of τ)
Consolidated
Pattern strength
1
0
$\parallel \mathbf{m}$
$\perp \mathbf{m}$
Time (in units of τ)