parameter	UCI	BU	notes
			N.B. when the BU column is left empty, the value used is the same as the one listed in the UCI column
p.screen			**screen parameters**
distFromScreen_inCm:	75	75	
screenWidth_inPixels:	1280	1920	
screenHeight_inPixels:	1024	1080	
screenWidth_inCm:	40	50	
screenHeight_inCm:	30	30	
refreshRate_inHz:	60	120	
contrastResolution	0.0078		minimum possible contrast
p.stim			**general stimulus parameters**
apertureWidth_inDeg:	4		"aperture" refers to the gray circle in which the fixation cross and cues are displayed
fixationWidth_inDeg:	0.35		fixation cross width
cueWidth_inDeg:	0.1		cue with in degrees
cueLength_inDeg:	1		cue length in degrees
cueBuffer_inDeg:	0.5		distance b/t fixation center and cue edge
BGcolor:	127		background color when no line texture stim is shown
cueColorInactive:	0		color of inactive cues. Cues are inactive when drawn on the screen but not actively directing attention or response
cueColorActive:	255		color of active cues. Cues are active when directing attention (precue) or response (postcue)
p.stim.periph			**peripheral stimulus parameters**
stimDistFromCenter_inDeg:	5		distance from center of screen to center of peripheral stimulus
ovalMajorAxis_inDeg	5		length of the peripheral stimulus along its major axis (in degrees)
ovalMinorAxis_inDeg	5		length of the peripheral stimulus along its minor axis (in degrees)
circleWdith_inDeg	5		width of a circle whose area equals the area of the peripheral stimulus with major and minor axes as specified above (in degrees)
p.stim.gab			**peripheral grating and noise parameters**
gab.aperture	cosine'		grating aperture type
gab.apertureEdgeWidth_inDeg	0.5		grating aperture edge width (in degrees)
gab.apertureEdgeWidth_inPix	25		grating aperture edge width (in pixels)
gab.rad	100		grating radius (in pixels), equal to periph.circleWidth_inPix/2 - gab.apertureEdgeWidth_inPix
gab.noiseType	filteredSF'		type of noise, filtered around grating spatial frequency
gab.noiseContrast	0.5		noise contrast
gab.gratingSF	1		grating spatial frequency (in cycles per degree)
gab.orientation	[-45, 45]		list of possible grating orientations (in degrees)
gab.phase	0		grating phase
gab.gratingContrast_min	0.05		minimum possible grating contrast (for determining priors only)
gab.gratingContrast_max	0.2		maximum possible grating contrast (for determining priors only)
gab.contrastPrior_list	[0.044 0.082 0.098 0.112 0.127 0.146 0.270]		list of 7 possible grating contrasts. This is a pre-defined prior based on pilot data.
gab.contrast_list	individually thresholded		list of 7 possible grating contrasts. Before thresholding, this is a pre-defined prior based on pilot data. After thresholding, this list is updated based on QUEST results.
p.timing			**duration of each trial stage**
fixation1Dur_inSecs:	0.5		initial fixation. If eyetracking, this is the *minimum* duration of this trial stage (but may be longer depending on time needed for fixation acquisition)
fixation3Dur_inSecs:	0.15		next fixation stage (inactive cues appear)
precueDur_inSecs:	0.05		activation of the precue (active cue changes color)
prePeriphStimDur_inSecs:	0.25		next fixation stage (all cues return to inactive status)
periphStimDur_inSecs:	0.25		presentation of the peripheral noisy grating stimuli
fixation4Dur_inSecs:	0.25		next fixation stage (all peripheral stimuli removed, only fixation and inactive cues remain)
postcueDur_inSecs:	5		activation of the postcue (active cue changes color). This is the *maximum* duration for this trial stage; in practice, this trial stage ends as soon as the subject enters their response. If no response is entered within the maximum time limit, the trial stage ends automatically
ITIDur_inSecs:	0.5		time between keypress on trial N and onset of initial fixation for trial N+1
p.eyetracker.trial			**fixation acquisition prior to each trial**
fixationRadius_inDeg:	2		radius of the circle in which fixation must remain during fixation acquisition
fixationDur_inSecs:	0.5		length of time in which fixation must remain in the fixation region during fixation acquisition
timeoutDur_inSecs:	10		if fixation is not acquired within this time limit, the subject is shown a text prompt and fixation acquisition resets. After 2 consecutive timeouts, the subject is prompted to get the experimenter to help with eyetracker calibration
p.eyetracker.block			**fixation acquisition prior to each block (more stringent than pre-trial fixation)**
fixationRadius_inDeg:	1		radius of the circle in which fixation must remain during fixation acquisition
fixationDur_inSecs:	1		length of time in which fixation must remain in the fixation region during fixation acquisition
timeoutDur_inSecs:	10		if fixation is not acquired within this time limit, the subject is shown a text prompt and fixation acquisition resets. After 2 consecutive timeouts, the subject is prompted to get the experimenter to help with eyetracker calibration
p.kb			**keyboard entry of responses**
exitKey:	'ESCAPE'		key used to exit the experiment
respKeys:	{'1!' '2@' '3#' '8*' '9(' '0)' 'ESCAPE'}		valid keys for response entry during the experiment. Meanings of the keys are as follows:
			1 - saw grating, saw orientation, saw oriented -45 from vertical
			2 - saw grating, did not see orientation, guess oriented -45 from vertical
			3 - saw grating, did not see orientation, guess oriented -45 from vertical
			8 - saw grating, did not see orientation, guess oriented +45 from vertical
			9 - saw grating, did not see orientation, guess oriented +45 from vertical
			0 - saw grating, saw orientation, saw oriented +45 from vertical
p.auditoryFB			**auditory feedback during practice**
toneFreq:	[523, 784]		tone frequency (in Hz) following incorrect and correct responses, respectively
toneDur_inSecs:	0.25		tone duration in seconds
p.quest			**QUEST thresholding**
pThreshold:	0.75		target value of p(correct) for thresholding in the oval orientation discrimination task
tGuess:	-0.9208		initial guess of the line length threshold, based on previous pilot data collection
tGuessSD:	3		SD of tGuess, using default / recommended value
beta:	3.649		slope of the psychometric function, based on previous pilot data collection
delta:	0.039		fraction of trials on which the subject presses blindly (determines upper asymptote of the psychometric function). Based on previous pilot data collection
gamma:	0.5		chance rate of p(correct)
grain:	0.01		quantization (step size) of the internal table, using default / recommended value
range:	5		the intensity difference between the largest and smallest intensity that the internal table can store, using default / recommended value