

測試報告

號碼：CY/2011/61218

日期：2011/06/17

頁數：1 of 3

瑞康國際企業股份有限公司

台北市社中街434號



以下測試樣品係由客戶送樣，且由客戶聲稱並經客戶確認如下：

樣品名稱：心情抗菌砧板
樣品型號：ST-1206R
樣品材質：食品級PP原料
收件日期：2011/06/09
測試期間：2011/06/09 TO 2011/06/17

=====
測試需求：依據客戶指定，參考中華民國食品器具容器包裝衛生標準(99.11.22署授食字第0991303265號令修正)進行以下測試：
(1) 材質測試：鉛、鎘。
測試結果：請見下一頁。
結 論：根據客戶所提供的樣品，其測試結果符合中華民國食品器具容器包裝衛生標準(99.11.22署授食字第0991303265號令修正)。


James Lu / Supervisor
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory – Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試的樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司 | Chemical-Taipei 33 WuChyuan Road, Wuka Industrial Zone, New Taipei City, Taiwan / 新北市五股工業區五權路33號 +886 (02) 2299 3279 f +886 (02) 2299 3237 www.sgs.com