Product datasheet



Product features and benefits

- Lightweight and compact reflector lamps with ECG
- High luminance through very short arc and high pressure
- Produces brilliant light effects
- Stable light output over the entire lifetime
- Long lifetime
- Easy lamp replacement
- Approved by leading moving lighting fixture companies





Product datasheet

Technical data

General Product Information

Product number (Americas) 4062172392938	
Product name (Americas)	SIRIUS HRI 420W S 2/CS 1/SKU
Family brand	SIRIUS HRI
Category	CORE
Global order reference	SIRIUS HRI 420 W S

Electrical Data

Nominal wattage	420 W	
Nominal voltage	70.0 V	
Nominal current	5 A	

Photometric Data

Nominal luminous flux	21000 lm
Color temperature	7700 K
Color rendering index Ra	85
Working distance	34.4 mm

Physical Attributes & Dimensions

Lamp base	-
Diameter	58.0 mm
Length	72.0 mm
Product weight	130.00 g

Lifetime Data

Nominal lifetime	2500 hr

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Primary article identifier	4062172192682 4062172392938 4062172393225 4062172192705 4062172392891 4062172393201		
Declaration no. in SCIP database	No declarable substances contained		
Candidate list substance 1	No declarable substances contained		

Product datasheet

Safety advice

Because of their high luminance, UV radiation and high internal pressure during operation, SIRIUS HRI lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Appropriate filters must ensure that UV radiation is reduced to an acceptable level. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172192705	SIRIUS HRI 420 W S	Folding carton box 1	87 mm x 87 mm x 103 mm	0.78 dm³	178.00 g
4062172192712	SIRIUS HRI 420 W S	Shipping carton box 2	186 mm x 96 mm x 115 mm	2.05 dm³	402.00 g
4062172392938	SIRIUS HRI 420 W S	Folding carton box 1	87 mm x 87 mm x 103 mm	0.78 dm³	178.00 g
4062172392945	SIRIUS HRI 420 W S	Shipping carton box 2	186 mm x 96 mm x 115 mm	2.05 dm³	402.00 g
4062172393225	SIRIUS HRI 420 W S	Folding carton box 1	87 mm x 87 mm x 103 mm	0.78 dm³	178.00 g
4062172393232	SIRIUS HRI 420 W S	Shipping carton box 2	186 mm x 96 mm x 115 mm	2.05 dm³	402.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.