
Mulberry

Metal and Thermoplastic Wallplates
Weatherproof Boxes & Covers
Steel Box Covers
Conduit Bodies









Manufacturing quality products for the electrical industry

Inside This Catalog

Weatherproof Boxes, Covers & Accessories

1-Gang Deep Weatherproof Boxes	B5
1-Gang Self-Closing Covers	B13-14
1-Gang Weatherproof Boxes--Standard Depth	B4-5
2-Gang Deep Weatherproof Boxes	B7
2-Gang Self-Closing Covers	B15
2-Gang Weatherproof Boxes--Standard Depth	B6
3-Gang Deep Weatherproof Boxes	B7
3 to 6-Gang Self-Closing Covers	B16
4 inch Round Weatherproof Boxes & Extensions	B8
4 inch Round Weatherproof Covers	B17
Accessories & Replacement Parts	B29-31
Blank Covers	B21
Box Extensions & Flanged Take-Off Extensions	B9
Die-Cast Lampholders	B23
Flood Lighting Kits	B24
Garden Lights	B24
In-Use Covers	B10-12
Photocontrols	B25-28
Rectangular Covers	B18
Slip Fitters	B22
Swimming Pool Junction Boxes	B8
Toggle Switch Covers	B19-20

Steel Box Covers, Conduit Bodies & Accessories

3-1/2 & 4 inch Round & Octagon Shaped Covers	C3
4 inch & 4-11/16 inch Square Covers	C4
4 inch Square Covers, raised 1/2 inch	C9-10
4-11/16 inch Square Covers, raised 1/2 inch	C11
4 inch Square Device and Offset Covers	C5
4-11/16 inch Square Device Covers	C6
4 inch & 4-11/16 inch Square Tile Covers	C7
Conduit Bodies	C15-16
Conduit Body Covers & Gaskets	C17
Flat Gang Box Covers	C13
FS Covers	C12
Knockout Seals, Switch Box Supports & Nail Plates	C18
Reducing Washers	C14
Utility Covers	C8

Inside This Catalog

Metal & Thermoplastic Wallplates

Accessories	A84-88
Custom Plate Ordering Instructions	A89-91
Custom Silk-Screening & Engraving	A92
Datacom Telephone & Computer Plates	A67-71
Deep Plates	A64
Dimensions, Full Scale & By Style	A7-8
Emergency Plates & Covers	A80-82
Engraved & Silk-Screened Plates	A81-82, A92
GFCI & Isolated Ground	A82
Material Specifications	A9-10
Narrow Plates	A65-66
Oil & Gas Burner Plates	A80-81
Opening Selector Guide	A93-103
Painted Metal Wallplates—Standard Size	A11-22
Painted Metal Wallplates—Princess Size	A23-32
Painted Metal Wallplates—Oversize	A34-36
Painted Metal Wallplates—Maxi Size	A33
Recessed Home Entertainment Covers	A83
Stainless Steel, Chrome, Brass, Bronze & Aluminum Wallplates—Standard Size	A37-A46
Stainless Steel, Chrome & Brass Wallplates—Princess Size	A47-56
Stainless Steel, Chrome & Brass Wallplates—Oversize	A58-60
Stainless Steel & Chrome Wallplates—Maxi Size	A57
Thermoplastic Wallplates—Standard Size	A72-76
Thermoplastic Wallplates—Midi Size	A77-78
Thermoplastic Screwless Wallplates	A79
Unfinished Wallplates (Cold Rolled Steel)	A11-32
Wallplates with Classic Metal Finishes	A61-63
Wallplate Color Guide	A5-6

Index

Numeric Product Index

About Us







Since 1926 Mulberry has been an industry leader supplying the electrical trade with an extensive line of wallplates, box covers, weatherproof, and conduit bodies. We are dedicated to manufacturing quality electrical products in the USA; almost all of our products are made here to assure customers of consistent quality and availability. Many of our products have innovations and features that have become industry standards.

As a family company, we pride ourselves on our product quality, broad selection and close customer relationships. Over 8,000 items, including many that our competitors consider custom, are in stock at our NJ factory or our regional warehouses.

Our mission is to offer distributors, contractors, and end-users the highest quality product, competitively priced and ready for quick delivery.


We look forward to working with you and hope to hear from you soon!












Over 90 Years of Quality and Service



One of the most comprehensive weatherproof lines in the industry, with most items manufactured in the USA. Choose from more than 250 items, many available in grey, white, bronze and green. Highest quality casting and tapping, plus a superior powder coat finish.



All of our box covers, reducing washers and nail plates are USA-made. Over 300 different covers. Our 4 inch square raised covers are available with a smooth powder coat finish to prevent oxidation and possible rust.



A full line of die-cast aluminum and malleable iron conduit bodies, as well as SLBs and moguls. Our die-cast conduit bodies are available as either threaded or set-screw or a combination threaded/set-screw, either unassembled or assembled with matching cover and neoprene gasket.



Mulberry offers an extensive wallplate selection in 40 materials and finishes – painted metal, stainless steel, brass, bronze, chrome, aluminum and unbreakable thermoplastic.

We make over 7000 different wallplates in hundreds of openings and combinations.

Most items US-made and most in stock.

Mulberry Weatherproof

When U.S.-made weatherproof products are specified for the job or needed to meet an ARRA requirement, make Mulberry your first choice!

Practically every weatherproof product described in this catalog is manufactured right here in the USA!

In addition, we offer:

- Superior quality casting, tapping and finishing
- The industry's most comprehensive weatherproof line, with over 350 items in stock and ready for immediate shipment
- Special configurations and colors
- Unique product features such as the attached rotating lugs on our 1-gang weatherproof boxes that are designed to speed installation



Quality products designed to protect wiring devices, switches and other electrical connections from dirt, dust and moisture. Choose from a wide assortment of:

- Boxes
- In-Use Covers
- Covers
- Lampholders
- Photocontrols

Made in the USA

Mulberry Single Gang Box

The most versatile weatherproof box in the industry

WEATHERPROOF BOXES

Superior Quality • U.S. Made • ARRA Compliant

Rotating Lugs
Permanently Attached Lugs rotate for maximum mounting versatility– available when needed or out of the way when not.

Heavy-Duty Mounting Straps
Reinforced and securely fastened mounting straps provide the most durable design in the industry.

Patented mounting design allows strap to exceed all applicable UL pull-tests.
(U.S. Patent No. 7,232,951)

Permanently Attached Lugs
No more detachable lugs!

Never drop, lose or install a lug again.

Speeds installation!

Superior Powder Finish
State-of-the-art powder coat paint finish assures maximum weatherability.

Available in Gray, White, Bronze or Black.



Cat. No. 30203

Easy Access Ground Screw
Tapped ground screw hole conveniently located along the surface of our mounting strap provides easier ground screw installation.

Made in the USA

Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Mulberry

1-Gang Boxes

Suitable for wet locations


- *For use in branch circuit wiring in wet, damp or dry locations.*
- *All 1-gang boxes available with or without mounting lugs.*
- *When lugs are made available, they are permanently attached and swivel for maximum mounting versatility.*
- *Pre-tapped ground screw hole is easily accessible and located along the surface of the mounting strap.*
- *Heavy duty mounting straps exceed all UL pull-tests.*
- *Made from heavy-duty die-cast aluminum; .094 inches thick.*
- *4.5 in. high x 2.75 in. wide x 2.0 in. deep.*
- *Superior powder coat finish assures maximum weatherability.*
- *Ground screw and 2 close-up plugs come with each box.*
- *UL Listed, NEMA 3R Rated.*
- *All of the boxes on pages B4 and B5 are made in the U.S.A.*




Made in the USA

With Permanently Attached Mounting Lugs











Catalog No.	No. Outlets	Location	Hub Size	Color	Lugs	Cubic Capacity	Carton Quantity	Weight per 100 units
30203	3	1 in each end, 1 in back	1/2”	Gray	Yes	18.3	25	52 lbs.
30203B	3	1 in each end, 1 in back	1/2”	Black	Yes	18.3	25	52 lbs.
30203W	3	1 in each end, 1 in back	1/2”	White	Yes	18.3	25	52 lbs.
30203Z	3	1 in each end, 1 in back	1/2”	Bronze	Yes	18.3	25	52 lbs.
30206	3	1 in each end, 1 in back	3/4”	Gray	Yes	18.3	25	60 lbs.
30206W	3	1 in each end, 1 in back	3/4”	White	Yes	18.3	25	60 lbs.
30206Z	3	1 in each end, 1 in back	3/4”	Bronze	Yes	18.3	25	60 lbs.
30209	4	2 in 1 end, 1 in the other, 1 in back	1/2”	Gray	Yes	18.0	25	60 lbs.
30209W	4	2 in 1 end, 1 in the other, 1 in back	1/2”	White	Yes	18.0	25	60 lbs.
30209Z	4	2 in 1 end, 1 in the other, 1 in back	1/2”	Bronze	Yes	18.0	25	60 lbs.
30212	4	2 in 1 end, 1 in the other, 1 in back	3/4”	Gray	Yes	18.0	25	58 lbs.
30212W	4	2 in 1 end, 1 in the other, 1 in back	3/4”	White	Yes	18.0	25	58 lbs.
30212Z	4	2 in 1 end, 1 in the other, 1 in back	3/4”	Bronze	Yes	18.0	25	58 lbs.
30215	5	2 in each end, 1 in back	1/2”	Gray	Yes	18.0	25	60 lbs.
30215W	5	2 in each end, 1 in back	1/2”	White	Yes	18.0	25	60 lbs.
30215Z	5	2 in each end, 1 in back	1/2”	Bronze	Yes	18.0	25	60 lbs.
30218	5	2 in each end, 1 in back	3/4”	Gray	Yes	18.0	25	56 lbs.
30221	5	1 in each end, 1 each side,1 in back	1/2”	Gray	Yes	18.0	25	60 lbs.
30224	5	1 in each end, 1 each side,1 in back	3/4”	Gray	Yes	18.0	25	58 lbs.
30227	6	1 in each end,2 in 1 side, 1 in other side, 1 in back	1/2”	Gray	Yes	18.0	25	62 lbs.
30228	6	1 in each end, 2 in 1 side, 1 in other side, 1 in back	3/4”	Gray	Yes	18.0	25	58 lbs.


Mulberry


Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

1-Gang Boxes

Suitable for wet locations

Without Mounting Lugs







Catalog No.	No. Outlets	Location	Hub Size	Color	Lugs	Cubic Capacity	Carton Quantity	Weight per 100 units
30201	3	1 in each end, 1 in back	1/2"	Gray	No	18.3	25	52 lbs.
30201B	3	1 in each end, 1 in back	1/2"	Black	No	18.3	25	52 lbs.
30201W	3	1 in each end, 1 in back	1/2"	White	No	18.3	25	52 lbs.
30201Z	3	1 in each end, 1 in back	1/2"	Bronze	No	18.3	25	52 lbs.
30204	3	1 in each end, 1 in back	3/4"	Gray	No	18.3	25	60 lbs.
30204W	3	1 in each end, 1 in back	3/4"	White	No	18.3	25	60 lbs.
30204Z	3	1 in each end, 1 in back	3/4"	Bronze	No	18.3	25	60 lbs.
30207	4	2 in 1 end, 1 in the other, 1 in back	1/2"	Gray	No	18	25	60 lbs.
30207W	4	2 in 1 end, 1 in the other, 1 in back	1/2"	White	No	18	25	60 lbs.
30207Z	4	2 in 1 end, 1 in the other, 1 in back	1/2"	Bronze	No	18	25	60 lbs.
30210	4	2 in 1 end, 1 in the other, 1 in back	3/4"	Gray	No	18	25	58 lbs.
30210W	4	2 in 1 end, 1 in the other, 1 in back	3/4"	White	No	18	25	58 lbs.
30210Z	4	2 in 1 end, 1 in the other, 1 in back	3/4"	Bronze	No	18	25	58 lbs.
30213	5	2 in each end, 1 in back	1/2"	Gray	No	18	25	60 lbs.
30213W	5	2 in each end, 1 in back	1/2"	White	No	18	25	60 lbs.
30213Z	5	2 in each end, 1 in back	1/2"	Bronze	No	18	25	60 lbs.
30216	5	2 in each end, 1 in back	3/4"	Gray	No	18	25	56 lbs.
30219	5	1 in each end, 1 each side, 1 in back	1/2"	Gray	No	18	25	60 lbs.
30222	5	1 in each end, 1 each side, 1 in back	3/4"	Gray	No	18	25	58 lbs.
30226	6	1 in each end, 2 in 1 side, 1 in other side, 1 in back	1/2"	Gray	No	18	25	62 lbs.

1-Gang Deep Boxes

Suitable for wet locations



- *For use in branch circuit wiring in wet, damp or dry locations.*
- *Made from heavy duty die-cast aluminum, .094" thick.*
- *4.5 in. high x 2.75 in. wide x 2.625 in. deep.*
- *Superior powder coat finish assures maximum weatherability.*
- *Detachable lugs, 2 close-up plugs and self-tapping ground screw included.*
- *c-UL-us listed for use in the United States and Canada.*
- *NEMA 3R Rated.*
- *All of the boxes on this page are made in the U.S.A.*







Catalog No.	No. Outlets	Location	Hub Size	Color	Cubic Capacity	Carton Quantity	Weight per 100 units
30583	3	1 in each end, 1 in back	1/2"	Gray	24.0	10	90 lbs.
30584	3	1 in each end, 1 in back	3/4"	Gray	24.0	10	90 lbs.
30589	3	1 in each end, 1 in back	1"	Gray	24.0	10	90 lbs.
30586	4	2 in 1 end, 1 in the other, 1 in back	1/2"	Gray	24.0	10	90 lbs.
30587	4	2 in 1 end, 1 in the other, 1 in back	3/4"	Gray	24.0	10	90 lbs.

2-Gang Lug Boxes

Suitable for wet locations



- *For use in branch circuit wiring in wet, damp or dry locations.*
- *Made from heavy-duty die-cast aluminum; .094 inches thick.*
- *4.5 in. high x 4.5 in. wide x 2.0 in. deep.*
- *Superior powder coat finish assures maximum weatherability.*
- *Detachable lugs, 2 close-up plugs and self-tapping ground screw included.*
- *c-UL-us listed for use in the United States and Canada.*
- *NEMA 3R Rated.*
- *All of the 2-gang boxes on this page are made in the U.S.A.*

	Catalog No.	No. Outlets	Location	Hub Size	Color	Cubic Capacity	Carton Quantity	Weight per 100 units
	**30233**	3	1 in each end, 1 in back	1/2”	Gray	30.5”	10	110 lbs.
	30233W	3	1 in each end, 1 in back	1/2”	White	30.5”	10	110 lbs.
	30233Z	3	1 in each end, 1 in back	1/2”	Bronze	30.5”	10	110 lbs.
	30236	3	1 in each end, 1 in back	3/4”	Gray	30.5”	10	110 lbs.
	30236W	3	1 in each end, 1 in back	3/4”	White	30.5”	10	110 lbs.
	30236Z	3	1 in each end, 1 in back	3/4”	Bronze	30.5”	10	110 lbs.
	30267	3	1 in each end, 1 in back	1”	Gray	30.5”	10	110 lbs.
	30267W	3	1 in each end, 1 in back	1”	White	30.5”	10	110 lbs.
	30267Z	3	1 in each end, 1 in back	1”	Bronze	30.5”	10	110 lbs.
	**30239**	4	2 in one end, 1 in other end, 1 in back	1/2”	Gray	30.5”	10	110 lbs.
	30239W	4	2 in one end, 1 in other end, 1 in back	1/2”	White	30.5”	10	110 lbs.
	30239Z	4	2 in one end, 1 in other end, 1 in back	1/2”	Bronze	30.5”	10	110 lbs.
	30242	4	2 in one end, 1 in other end, 1 in back	3/4”	Gray	30.5”	10	110 lbs.
	**30245**	5	2 in each end, 1 in back	1/2”	Gray	30.5”	10	110 lbs.
	30245W	5	2 in each end, 1 in back	1/2”	White	30.5”	10	110 lbs.
	30245Z	5	2 in each end, 1 in back	1/2”	Bronze	30.5”	10	110 lbs.
	**30248**	5	2 in each end, 1 in back	3/4”	Gray	30.5”	10	110 lbs.
	30251	5	1 in each end, 1 in each side, 1 in back	1/2”	Gray	30.5”	10	110 lbs.
	30254	5	1 in each end, 1 in each side, 1 in back	3/4”	Gray	30.5”	10	110 lbs.
	30270	5	1 in each end, 1 in each side, 1 in back	1”	Gray	30.5”	10	110 lbs.
	**30257**	6	2 in one end, 1 in other end, 1 in each side, 1 in back	1/2”	Gray	30.5”	10	110 lbs.
	30260	6	2 in one end, 1 in other end, 1 in each side, 1 in back	3/4”	Gray	30.5”	10	110 lbs.
	**30263**	7	2 in each end, 1 in each side, 1 in back	1/2”	Gray	30.5”	10	110 lbs.
	30266	7	2 in each end, 1 in each side, 1 in back	3/4”	Gray	30.5”	10	110 lbs.
	**30269**	7	3 in each end, 1 in back	1/2”	Gray	30.5”	10	110 lbs.
	30272	7	3 in each end, 1 in back	3/4”	Gray	30.5”	10	110 lbs.

Mulberry


Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

2-Gang Deep Boxes

Suitable for wet locations



- *For use in branch circuit wiring in wet, damp or dry locations.*
- *Made from heavy-duty die-cast aluminum; .094 inches thick.*
- *4.5 in. high x 4.5 in. wide x 2.625 in. deep.*
- *Superior powder coat finish assures maximum weatherability.*
- *Detachable lugs, 2 close-up plugs and self-tapping ground screw included.*
- *c-UL-us listed for use in the United States and Canada.*
- *NEMA 3R Rated.*
- *All of the boxes on this page are made in the U.S.A.*



Catalog No.	No. Outlets	Location	Hub Size	Color	Cubic Capacity	Carton Quantity	Weight per 100 units
30593	5	2 in each end, 1 in back	1/2”	Gray	37.3”	10	130 lbs.
30595	5	2 in each end, 1 in back	3/4”	Gray	37.3”	10	130 lbs.
30596	5	2 in each end, 1 in back	1”	Gray	37.3”	10	130 lbs.
30597	7	2 in each end, 1 in each side, 1 in back	1/2”	Gray	37.3”	10	130 lbs.
30598	7	2 in each end, 1 in each side, 1 in back	3/4”	Gray	37.3”	10	130 lbs.
30599	7	2 in each end, 1 in each side, 1 in back	1”	Gray	37.3”	10	130 lbs.

3-Gang Deep Boxes

Suitable for wet locations



- *For use in branch circuit wiring in wet, damp or dry locations.*
- *Made from heavy-duty die-cast aluminum; .094 inches thick.*
- *4.5 in. high x 6.375 in. wide x 2.625 in. deep.*
- *Superior powder coat finish assures maximum weatherability.*
- *Detachable lugs, 2 close-up plugs and self-tapping ground screw included.*
- *c-UL-us listed for use in the United States and Canada.*
- *NEMA 3R Rated.*
- *All of the boxes on this page are made in the U.S.A.*



Catalog No.	No. Outlets	Location	Hub Size	Color	Cubic Capacity	Carton Quantity	Weight per 100 units
30601	7	3 in each end, 1 in back	3/4”	Gray	59.8”	10	150 lbs.
30603	7	3 in each end, 1 in back	1”	Gray	59.8”	10	150 lbs.

4” Round Boxes and Extensions

Suitable for wet locations



- *For use in branch circuit wiring in wet, damp or dry locations.*
- *Boxes and extensions 1-1/2” deep.*
- *All round boxes have 5 outlets; extensions have 4.*
- *Made from heavy-duty die-cast aluminum; .094 inches thick.*
- *Superior powder coat finish assures maximum weatherability.*
- *Boxes supplied with 4 close-up plugs and #10 green ground screw.*
- *Extensions supplied with gasket, 4 close-up plugs, 2 stainless steel mounting screws, and #10 green ground screw.*
- *c-UL-us listed for use in the United States and Canada.*
- *All round boxes and extensions are made in the U.S.A.*







Catalog No.	Location	Hub Size	Color	Cubic Capacity	Box only or w/Gasket & Cover	Carton Quantity	Weight per 100 units
30316	4 in sides end 1 in back	1/2”	Gray	15.3”	Box	10	70 lbs.
30316B	4 in sides end 1 in back	1/2”	Black	15.3”	Box	10	70 lbs.
30316W	4 in sides end 1 in back	1/2”	White	15.3”	Box	10	70 lbs.
30316Z	4 in sides end 1 in back	1/2”	Bronze	15.3”	Box	10	70 lbs.
30318	4 in sides end 1 in back	1/2”	Gray	15.3”	With gasket & cover	10	80 lbs.
30318W	4 in sides end 1 in back	1/2”	White	15.3”	With gasket & cover	10	80 lbs.
30318Z	4 in sides end 1 in back	1/2”	Bronze	15.3”	With gasket & cover	10	80 lbs.
30326	4 in sides end 1 in back	3/4”	Gray	15.3”	Box	10	70 lbs.
30326W	4 in sides end 1 in back	3/4”	White	15.3”	Box	10	70 lbs.
30326Z	4 in sides end 1 in back	3/4”	Bronze	15.3”	Box	10	70 lbs.
30328	4 in sides end 1 in back	3/4”	Grey	15.3”	With gasket & cover	10	84 lbs.
30328W	4 in sides end 1 in back	3/4”	White	15.3”	With gasket & cover	10	84 lbs.
30328Z	4 in sides end 1 in back	3/4”	Bronze	15.3”	With gasket & cover	10	84 lbs.
30333	4 in sides	1/2”	Gray	15.3”	Box extension	10	60 lbs.
30335	4 in sides	3/4”	Gray	15.3”	Box extension	10	60 lbs.

Swimming Pool Junction Boxes

- *Meet NEC Article 680 requirements.*
- *Solid brass base and specially formulated gasket.*
- *Lexan 503® nonconductive, watertight cover, UV-stabilized.*
- *Four grounding posts (green screws).*
- *Continuous sealing ridge keeps interior dry.*
- *Four brass mounting screws; hardware included.*



Catalog No.	No./Hub Sizes	Cubic Capacity	Carton Quantity	Weight per 100 units
30385	3-1/2” hubs	22.0”	12	155 lbs.
30387	2-3/4” hubs, 1-1” hub	22.0”	12	155 lbs.
30389	3-3/4” hubs	22.0”	12	155 lbs.


Mulberry

Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Box Extensions

Suitable for wet locations

- *Fit all universal-type 1 and 2-gang weatherproof boxes.*
- *Made from heavy-duty die-cast aluminum; .094 inches thick.*
- *Superior powder coat finish assures maximum weatherability.*
- *Gasket and mounting screws included.*
- *Nos. 30230, 30287, 30295 and 30296 each come with 2 close-up plugs.*
- *c-UL-us listed for use in the United States and Canada.*
- *All box extensions on this page are made in the U.S.A.*



Catalog No.	No. of Gangs	Dimensions	Outlets	Color	Cubic Capacity	Carton Quantity	Weight per 100 units
30229	1	2.75" x 4.5" x 1.0"	None	Gray	9.3"	25	28 lbs.
30229W	1	2.75" x 4.5" x 1.0"	None	White	9.3"	25	28 lbs.
30229Z	1	2.75" x 4.5" x 1.0"	None	Bronze	9.3"	25	28 lbs.
30273	2	4.5" x 4.5" x 1.0"	None	Gray	16.3"	10	50 lbs.
30273W	2	4.5" x 4.5" x 1.0"	None	White	16.3"	10	50 lbs.
30273Z	2	4.5" x 4.5" x 1.0"	None	Bronze	16.3"	10	50 lbs.
30230	1	2.75" x 4.5" x 1.25"	Four 1/2" outlets, 2 in each end	Gray	9.5"	25	54 lbs.
30287	1	2.75" x 4.5" x 1.25"	Four 3/4" outlets, 2 in each end	Gray	9.5"	25	55 lbs.
30295	1	2.75" x 4.5" x 1.25"	Six 1/2" outlets, 2 in each end and 1 in each side	Gray	9.5"	25	52 lbs.
30296	1	2.75" x 4.5" x 1.25"	Six 3/4" outlets, 2 in each end and 1 in each side	Gray	9.5"	25	44 lbs.

Flanged Style Take-Off Extensions

Suitable for wet locations

- *Provide an additional 10 cubic inches.*
- *Allow take-off in up to four directions for lighting, outlets, or switches.*
- *Made from heavy duty die-cast aluminum.*
- *Superior powder coat finish assures maximum weatherability.*
- *2 close-up plugs, gaskets, and mounting screws included.*
- *c-UL-us listed for use in the United States and Canada.*



Catalog No.	No. of Outlets	Cubic Capacity	Carton Quantity	Weight per 100 units
30274	Four 1/2" outlets, 2 in each end	10.0"	10	70 lbs.
30288	Four 3/4" outlets, 2 in each end	10.0"	10	70 lbs.
30275	Six 1/2" outlets, 2 in each end and 1 in each side	10.0"	10	70 lbs.
30289	Six 3/4" outlets, 2 in each end and 1 in each side	10.0"	10	70 lbs.

Weathersafe® III Extra-Duty In-Use Covers



Clear | White | Gray | Bronze

c UL us

Testing/Code Compliance: *All WeatherSafe® III covers comply with the 2014 NEC Article 406.9 (B) (1) Extra Duty requirements. They are UL Listed and meet the requirements for a NEMA 3R rating.*

Horizontal/Vertical Orientation: *These 1- gang in-use covers mount horizontally or vertically, allowing you to stock fewer SKUs (our 2-gang in-use cover mounts vertically only).*

Snap-On Inserts: *Our 1-gang in-use cover comes with an individual duplex and an individual GFI snap-on insert. Plus, another insert for either a toggle or three single receptacle sizes (1-1/4", 1-3/8" and 1-9/16" in diameter). Easy to attach.*

Our 2-gang in-use WeatherSafe® provides up to 31 configurations.

Meets "Extra Duty" NEC Code requirement!



with easy to attach snap-on inserts

Cat. No.	Gang	Depth	Openings	Description	Color
30981	1	2-3/4"	Duplex, GFI, Toggle, 1-1/4", 1-3/8" and 1-9/16" round openings.	1-gang in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	Clear/Gray Base
30981W	1	2-3/4"	Duplex, GFI, Toggle, 1-1/4", 1-3/8" and 1-9/16" round openings.	1-gang in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	White
30981Z	1	2-3/4"	Duplex, GFI, Toggle, 1-1/4", 1-3/8" and 1-9/16" round openings.	1-gang in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	Bronze
30981G	1	2-3/4"	Duplex, GFI, Toggle, 1-1/4", 1-3/8" and 1-9/16" round openings.	1-gang in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	Gray
30984	1	3-1/4"	Duplex, GFI, Toggle, 1-1/4", 1-3/8" and 1-9/16" round openings.	1-gang deep in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	Clear/Gray Base
30982	2	2-3/4"	(2) Duplex, (2) GFI, (2) Toggle, 1-1/4", 1-3/8" and 1-9/16" round openings. Plus, (1) 2-gang insert with Toggle, 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16", 2-1/8", 2-1/4" and 2-7/16" round openings.	2-gang in-use cover, Extra-Duty; combination vertical orientation, with seven inserts.	Clear/Gray Base

Mulberry

Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Expandable Extra-Duty In-Use Covers



30983G

Clear



30983W

White



30983Z

Bronze

- *Meets or exceeds all NEC requirements for an Extra-Duty rating.*
- *Mounts either horizontally or vertically.*
- *Made of durable, UV-stabilized, high-impact polycarbonate.*
- *Low-profile design; cover expands up to 3 inches.*
- *Up to 24 configurations available.*
- *Comes with an adhesive backed gasket and mounting hardware.*
- *Lockable hasp protects against electrical accidents or tampering.*
- *Accommodates up to 12 AWG cords.*

Cat. No.	Gang	Depth	Openings	Description	Color
30983G	1	1-3/4" to 3"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings.	1-gang low profile, expandable in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	Clear/Gray Base
30983W	1	1-3/4" to 3"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings.	1-gang low profile, expandable in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	White
30983Z	1	1-3/4" to 3"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings.	1-gang low profile, expandable in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	Bronze
30988	2	1-3/4" to 3"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings. Plus, (1) 2-gang insert with Toggle, 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16", 2-1/8", 2-1/4" and 2-7/16" round openings.	2-gang low profile, expandable in-use cover, Extra-Duty; combination horizontal/vertical orientation, with seven inserts.	Gray

Die-Cast Aluminum Extra-Duty In-Use Covers



30985
1-Gang Vertical

30986
1-Gang Horizontal

30987
1-Gang Deep

30989
2-Gang

- *Heavy-duty die-cast aluminum construction.*
- *Superior powder coat finish assures maximum weatherability.*
- *Meets or exceeds all NEC requirements for Extra-Duty rating.*
- *NEMA 3R rated.*
- *Comes with an adhesive backed gasket and mounting hardware.*
- *Lockable hasp protects against electrical accidents or tampering.*
- *Accommodates up to 12 AWG cords.*

Cat. No.	Gang	Depth	Openings	Description	Color
30985	1	3-1/2"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings.	1-gang die-cast aluminum in-use cover, standard depth, Extra-Duty, vertical orientation, with three inserts.	Gray
30986	1	3-1/2"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings.	1-gang die-cast aluminum in-use cover, standard depth, Extra-Duty, horizontal orientation, with three inserts.	Gray
30987	1	4-3/4"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings.	1-gang die-cast aluminum in-use cover, deep, Extra-Duty, vertical orientation, with three inserts.	Gray
30989	2	3-1/2"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings. Plus, (1) 2-gang insert with Toggle, 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16", 2-1/8", 2-1/4" and 2-7/16" round openings.	2-gang die-cast aluminum in-use cover, standard depth, Extra-Duty, vertical orientation, with seven inserts.	Gray

Mulberry
Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Self-Closing 1-Gang Covers





- *Made from heavy-duty die-cast zinc.*
- *Choice of either horizontal or vertical orientation.*
- *Superior powder coat finish assures maximum weatherability.*
- *Comes with stainless steel mounting screws and heavy-duty gasket.*
- *Covers with duplex openings will accept all standard duplex recepticles and similar combination devices.*
- *Single recepticle covers will accept all standard recepticles and similar combination devices.*
- *UL Listed, CSA Certfied (unless otherwise indicated).*
- *All covers on this page are made in the U.S.A..*





Catalog No.	Opening	Orientation	Color	Carton Quantity	Weight per 100 units
30451†	GFI	Horizontal	Gray	25	44 lbs.
30451W†	GFI	Horizontal	White	25	44 lbs.
30451Z†	GFI	Horizontal	Bronze	25	44 lbs.
30501†	Duplex	Horizontal	Gray	25	40 lbs.
30501U†	Duplex	Horizontal	Natural Cast	25	40 lbs.
30501W†	Duplex	Horizontal	White	25	40 lbs.
30501Z†	Duplex	Horizontal	Bronze	25	40 lbs.
30505	1.405” Single	Horizontal	Gray	25	30 lbs.
30505W	1.405” Single	Horizontal	White	25	30 lbs.
30505Z	1.405” Single	Horizontal	Bronze	25	30 lbs.
30507†	1.620”	Horizontal	Gray	25	30 lbs.
30509	1.405” Single	Vertical	Gray	25	30 lbs.
30509W	1.405” Single	Vertical	White	25	30 lbs.
30509Z	1.405” Single	Vertical	Bronze	25	30 lbs.
30550*	Duplex	Vertical	Gray	25	36 lbs.
30550W*	Duplex	Vertical	White	25	36 lbs.
30550Z*	Duplex	Vertical	Bronze	25	36 lbs.
30552*	1.405” Single	Vertical	Gray	25	36 lbs.
30552W*	1.405” Single	Vertical	White	25	36 lbs.
30552Z*	1.405” Single	Vertical	Bronze	25	36 lbs.
30554*	GFI	Vertical	Gray	25	36 lbs.
30554W*	GFI	Vertical	White	25	36 lbs.
30554Z*	GFI	Vertical	Bronze	25	36 lbs.

***** Solid aluminum base plate with heavy-duty die-cast lid.
† 30451, 30507 & 30501 are c-UL-us for use in the United States and Canada.

Vertical Self-Closing Covers with Lock Hasps





- *Made from heavy duty die-cast aluminum, .094" thick, with stainless steel hinge springs, mounting screws and hinge pin.*
- *Comes with a durable heavy-duty universal gasket.*
- *Superior powder coat finish assures maximum weatherability.*
- *Lock hasp inner diameter 1/4".*
- *UL Listed, CSA Certified.*
- *Specials available upon request (for 1-gang custom cover, please use No. 30560).*
- *All covers on this page are made in the USA. The plug-in receptable that is supplied with our 30513 cover, however, are made offshore.*

Made in the USA

	Catalog No.	Opening/Description	Mounting	Carton Quantity	Weight per 100 units
	**30522 30522W 30522Z**	All duplex receptacles and combination devices (Also available in white & bronze)	Standard	25	48 lbs.
	**30523**	All duplex receptacles and combination devices	4-screw (FS)	25	48 lbs.
	**30525**	Standard single receptacles (1.405" diam.)	Standard	25	48 lbs.
	**30526**	Standard single receptacles (1.405" diam.)	4-screw (FS)	25	48 lbs.
	**30528**	20A and 30A TL receptacles (1.625" diam.)	Standard	25	48 lbs.
	**30529**	20A and 30A TL receptacles (1.625" diam.)	4-screw (FS)	25	48 lbs.
	**30531**	30A 3- and 4-wire TL receptacles (1.75" diam.)	Standard	25	48 lbs.
	**30532**	30A 3- and 4-wire TL receptacles (1.75" diam.)	4-screw (FS)	25	48 lbs.
	**30534**	30A and 50A range/dryer receptacles (2.125" diam.)	Standard	25	48 lbs.
	**30535**	30A and 50A range/dryer receptacles (2.125" diam.)	4-screw (FS)	25	48 lbs.
	**30537 30537W 30537Z**	GFI receptacles (Also available in white & bronze)	Standard	25	48 lbs.
	**30538**	GFI receptacles	4-screw (FS)	25	48 lbs.

Motor Base Receptacle and Self-closing cover for Mobile Homes

Catalog No.	Opening/Description	Carton Quantity	Weight per 100 units
30513	Horizontal self-closing cover No. 30507 with 2-screw mounting. Comes with receptacle rated at 15A-125V; with male device 30-wire U ground parallel blades.	25	45 lbs.

Mulberry

Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Self-Closing 2 - Gang Device Covers




- *Solid aluminum base plate with rugged die-cast lids.*
- *Comes with stainless steel mounting screws and a heavy-duty universal gasket.*
- *Superior powder coat finish assures maximum weatherability.*
- *The broadest selection of opening combinations in the industry.*
- *UL Listed and CSA Certified for use in the United States and Canada.*
- *Custom covers available up to 10-gang in gray, white or bronze with other opening combinations. (For a special 2-gang cover, use No. 30450; for 3-gang, use No. 30460.)*
- *All of the covers on this page are made in the U.S.A.*

	Catalog No.	Opening/Description	Carton Quantity	Weight per 100 units
	30458 30458W 30458Z	2 gang duplex: for all duplex receptacles and combination devices (Also available in white and bronze)	10	70 lbs.
	30461 30461W 30461Z	2 gang single receptacle: for all 1.405" singles and toggle switches (Also available in white and bronze)	10	70 lbs.
	30452 30452W 30452Z	2 gang GFI: for all block-style GFI and duplex receptacles (Also available in white and bronze)	10	70 lbs.
	30426	2 gang blank/toggle: one side blank, 1 for toggle	10	50 lbs.
	30427	2 gang blank/duplex: one side blank, 1 for duplex receptacle	10	50 lbs.
	30428	2 gang single receptacle/blank: 1 for 1.405" single receptice, 1 side blank	10	50 lbs.
	30429	2 gang blank/GFI: 1 side blank, 1 for GFI receptacle	10	50 lbs.
	30468	2 gang duplex/single: for duplex, and single receptacle or switch	10	70 lbs.
	30472	2 gang duplex/GFI: for duplex, and block-style GFI or duplex	10	70 lbs.
	30470	2 gang single/GFI: for single receptacle, and block-style GFI or duplex	10	70 lbs.
	30457	2 gang switch/GFI: for toggle switch, and block-style GFI or duplex	10	70 lbs.
	30456	2 gang toggle/duplex: for switch, and duplex. Mounting hardware included	10	80 lbs.
	30455	2 gang toggle/duplex: for single pole switch and duplex Switch (rating 5A-250V, 10A-125V) and receptacle (15A-125V) included	10	80 lbs.
	30495	2 gang toggle/single: for switch, and pilot light. Mounting hardware included and red jewel installed	10	80 lbs.

Self-Closing 3 - Gang Device Covers

- *Solid aluminum base plate with die-cast lids.*
- *Comes with stainless steel mounting screws and a heavy-duty universal gasket.*
- *Superior powder coat finish assures maximum weatherability.*
- *UL Listed and CSA Certified for use in the United States and Canada.*
- *Custom covers available for up to 10-gang with other opening combinations. (For a special 2-gang cover, use No. 30450; for 3-gang, use No. 30460)*
- *All of the covers on this page are U.S.-made.*

	Catalog No.	Opening/Description	Carton Quantity	Weight per 100 units
	**30464**	3 gang duplex: for all duplex receptacles and combination devices	10	100 lbs.
	30465	3 gang single receptacle: for all 1.405" singles and toggle switches	10	110 lbs.
	**30473 30473W 30473Z**	3 gang GFI: for all block-style GFI and duplex receptacles (Also available in white and bronze)	10	100 lbs.
	**30466**	3 gang 2 duplex/single: for 2 duplexes, and single receptacle or switch	10	100 lbs.
	**30467**	3 gang duplex/2 single: for duplex, and 2 single receptacles or switches	10	110 lbs.
	**30475**	3 gang 2 single/GFI: for 2 singles or switches, and 1 block-style receptacle	10	100 lbs.
	**30477**	3 gang single/2 GFI: for single or switch, and 2 block-style receptacles	10	100 lbs.
	**30479**	3 gang 2 toggle/duplex: for 2 switches, and one duplex receptacle. Mounting hardware included	10	80 lbs.

Self-Closing 4, 5 and 6 - Gang Device Covers

	Catalog No.	Opening/Description	Color	Carton Quantity	Weight per 100 units
	**30404**	4-gang GFI: for all block-style GFI and duplex openings	Gray	1	100 lbs.
	30404W	4-gang GFI: for all block-style GFI and duplex openings	White	1	110 lbs.
	30404Z	4-gang GFI: for all block-style GFI and duplex openings	Bronze	1	110 lbs.
	30405	5-gang GFI: for all block-style GFI and duplex openings	Gray	1	100 lbs.
	**30405W**	5-gang GFI: for all block-style GFI and duplex openings	White	1	110 lbs.
	30405Z	5-gang GFI: for all block-style GFI and duplex openings	Bronze	1	100 lbs.
	30406	6-gang GFI: for all block-style GFI and duplex openings	Gray	1	100 lbs.
	**30406W**	6-gang GFI: for all block-style GFI and duplex openings	White	1	100 lbs.
	30406Z	6-gang GFI: for all block-style GFI and duplex openings	Bronze	1	100 lbs.

Mulberry
Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

4” Round Covers

Suitable for wet locations

- *Made from rugged die-cast zinc.*
- *Blank covers (30381 Series) made from heavy-duty stamped aluminum.*
- *Superior powder coat paint finish provides maximum weatherability.*
- *Choice of either gray, black, white or bronze finish in 1, 2 or 3 hole configurations.*
- *All round covers come with a gasket and stainless steel mounting screws.*
- *3-hole covers include 1 close-up plug.*
- *All of the covers on this page are U.S.-made.*



Made in the USA

c UL us










Catalog No.	Outlets	Color	Carton Quantity	Weight per 100 units
30367	One ½” tapped hole	Gray	25	36 lbs.
30367B	One ½” tapped hole	Black	25	36 lbs.
30367W	One ½” tapped hole	White	25	36 lbs.
30367Z	One ½” tapped hole	Bronze	25	36 lbs.
30372	Two ½” tapped holes	Gray	25	32 lbs.
30372B	Two ½” tapped holes	Black	25	32 lbs.
30372W	Two ½” tapped holes	White	25	32 lbs.
30372Z	Two ½” tapped holes	Bronze	25	32 lbs.
30377	Three ½” tapped holes	Gray	25	36 lbs.
30377B	Three ½” tapped holes	Black	25	36 lbs.
30377W	Three ½” tapped holes	White	25	36 lbs.
30377Z	Three ½” tapped holes	Bronze	25	36 lbs.
30381	Blank cover	Natural Aluminum	100	17 lbs.
30381W	Blank cover	White	100	17 lbs.
30381Z	Blank cover	Bronze	100	17 lbs.


Rectangular Covers


Suitable for wet locations



- *Made from rugged die-cast zinc.*
- *Superior powder coat paint finish provides maximum weatherability.*
- *Choice of either gray, black, white or bronze finish in 1, 2 or 3 hole configurations.*
- *Rectangular covers come with a gasket and stainless steel mounting screws.*
- *3-hole covers include 1 close-up plug.*
- *All of the covers on this page are U.S.-made.*







Catalog No.	Outlets	Color	Carton Quantity	Weight per 100 units
30351	One ½" tapped hole	Gray	25	28 lbs.
30351B	One ½" tapped hole	Black	25	28 lbs.
30351W	One ½" tapped hole	White	25	28 lbs.
30351Z	One ½" tapped hole	Bronze	25	28 lbs.
30356	Two ½" tapped holes	Gray	25	32 lbs.
30356B	Two ½" tapped holes	Black	25	32 lbs.
30356W	Two ½" tapped holes	White	25	32 lbs.
30356Z	Two ½" tapped holes	Bronze	25	32 lbs.
30361	Three ½" tapped holes	Gray	25	32 lbs.
30361B	Three ½" tapped holes	Black	25	32 lbs.
30361W	Three ½" tapped holes	White	25	32 lbs.
30361Z	Three ½" tapped holes	Bronze	25	32 lbs.

Toggle Switch Covers

Suitable for wet locations




- *Solid aluminum base plate, .040" thick, with rugged die-cast switch handles.*
- *Comes with stainless steel mounting screws and a heavy-duty universal gasket.*
- *Superior powder coat finish assures maximum weatherability.*
- *UL Listed and CSA Certified for use in the United States and Canada.*
- *Covers with single-pole and double-pole switches are embossed with 'ON/OFF'.*
- *Covers without switches or those with 3-way toggle switches are blank.*
- *Custom covers from 6- to 10-gang are available; consult factory.*
- *All toggle switch covers are made and assembled in the U.S.A. (Toggle switches, however, are made offshore).*
- *For replacement switches, please see Page B30.*

Catalog No.	No. of Gangs	Description	Color	Mounting	Carton Quantity	Weight per 100 units
30480	1	Toggle switch cover with standard single-pole toggle switch (15A-125V)	Gray	Standard	25	40 lbs.
30480W	1	Toggle switch cover with standard single-pole toggle switch (15A-125V)	White	Standard	25	40 lbs.
30480Z	1	Toggle switch cover with standard single-pole toggle switch (15A-125V)	Bronze	Standard	25	40 lbs.
30488	1	Toggle switch cover only	Gray	Standard	25	18 lbs.
30488W	1	Toggle switch cover only	White	Standard	25	18 lbs.
30488Z	1	Toggle switch cover only	Bronze	Standard	25	18 lbs.
30481	1	Toggle switch cover with standard single-pole toggle switch (15A-125V)	Gray	4-screw (FS)	25	40 lbs.
30489	1	Toggle switch cover only	Gray	4-screw (FS)	25	18 lbs.
30482	1	Toggle switch cover with single-pole toggle switch (20A-120/277VAC)	Gray	Standard	25	32 lbs.
30483	1	Toggle switch cover with single-pole toggle switch (20A-120/277VAC)	Gray	4-screw (FS)	25	32 lbs.
30490	1	Toggle switch cover with double-pole toggle switch (15A-120VAC)	Gray	Standard	25	40 lbs.
30494	1	Toggle switch cover with double-pole toggle switch (15A-120VAC)	Gray	4-screw (FS)	25	40 lbs.
30486	1	Toggle switch cover with double-pole toggle switch (20A-120/277VAC)	Gray	Standard	25	32 lbs.

Toggle Switch Covers

Suitable for wet locations




Made in the USA


These covers can be used with any toggle switch.
All parts, including spacers, are supplied with each switch.
Strap "ears" must be cut off prior to mounting on plate.

















Catalog No.	No. of Gangs	Description	Color	Mounting	Carton Quantity	Weight per 100 units
30487	1	Toggle switch cover with double-pole toggle switch (20A-120/277VAC)	Gray	4-screw (FS)	25	32 lbs.
30484	1	Toggle switch cover with a three-way toggle switch (15A-125V)	Gray	Standard	25	32 lbs.
30485	1	Toggle switch cover with a three-way toggle switch (15A-125V)	Gray	4-screw (FS)	25	32 lbs.
30492	2	Toggle switch cover with 2 single-pole toggle switches (15A-125V)	Gray	Standard	10	50 lbs.
30496	2	Cover only for 2 standard toggle switches	Gray	Standard	10	40 lbs.
30493	2	Toggle switch cover with 2 three-way toggle switches (15A-125V)	Gray	Standard	10	50 lbs.
30497	3	Toggle switch cover with 3 single-pole toggle switches (15A-125V)	Gray	Standard	10	110 lbs.
30499	3	Cover only for 3 standard toggle switches	Gray	Standard	10	90 lbs.
30498	3	Toggle switch cover with 3 three-way toggle switches (15A-125V)	Gray	Standard	10	110 lbs.
30474	4	Toggle switch cover with 4 single-pole toggle switches (15A-125V)	Gray	Standard	10	150 lbs.
30478	4	Cover only for 4 standard toggle switches	Gray	Standard	10	100 lbs.
30491	5	Cover only for 5 standard toggle switches	Gray	Standard	1	100 lbs.

Mulberry
Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Blank Covers


Suitable for wet locations





- *Choice of anodized aluminum or brass - each .040 inches thick.*
- *Gasket and stainless steel mounting screws included.*
- *UL Listed and CSA Certified.*
- *Custom covers available from 4 to 10 gang; please consult factory.*
- *All covers on this page are U.S.-made.*











Catalog No.	Gangs	Mounting	Material	Color	Carton Quantity	Box Quantity	Weight per 100 units
30278	1	Standard	.040" Aluminum	Natural Aluminum	20	200	9 lbs.
30278W	1	Standard	.040" Aluminum	White	20	200	9 lbs.
30278Z	1	Standard	.040" Aluminum	Bronze	20	200	9 lbs.
30279	1	4-screw (FS)	.040" Aluminum	Natural Aluminum	20	200	9 lbs.
30277	1	Standard	.040" Brass	Gray	20	200	21 lbs.
30283	2	Standard	.040" Aluminum	Natural Aluminum	10	100	15 lbs.
30283W	2	Standard	.040" Aluminum	White	10	100	15 lbs.
30283Z	2	Standard	.040" Aluminum	Bronze	10	100	15 lbs.
30282	2	Standard	.040" Brass	Gray	10	100	33 lbs.
30284	3	Standard	.040" Aluminum	Natural Aluminum	5	50	25 lbs.
30286	3	Standard	.040" Brass	Gray	5	50	40 lbs.

Slip Fitters

- *Cast aluminum.*
- *Three set screws included to provide secure fit.*
- *Cast 2" nipple.*
- *Weather- and corrosion- resistant.*
- *UL Listed.*



Catalog No.	Color	Carton Quantity	Weight per 100 units
30346	For 1½" - 2" pipe	10	40 lbs.

Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Die-Cast Lampholders

Suitable for wet locations

- *Heavy duty die-cast housing with porcelain socket and internal heat resistant gasket.*
- *Up to 150 watts maximum; medium base PAR 38 and R-40 lamps.*
- *With pre-wired high temperature lead wire; 6 inches in length.*
- *With 1/2 inch NPT threaded stem, locknut included.*
- *Adjustable swivel with positive locking screw allows lampholder to be aimed in the desired position.*



Catalog No.	Color	Carton Quantity	Weight per 100 units
30001	Gray	36	39 lbs.
30001W	White	36	39 lbs.
30001Z	Bronze	36	39 lbs.

Exterior gasket No. 30698 can be used with this lampholder.

Lampholder with Exterior Neoprene Gasket



Catalog No.	Color	Carton Quantity	Weight per 100 units
30015	Gray	36	50 lbs.
30015W	White	36	50 lbs.
30015Z	Bronze	36	50 lbs.

Hooded Lampholder

- *One-piece lampholder and hood of heavy-duty die-cast aluminum.*
- *Adjustable swivel with positive locking screw allows lampholder to be aimed in the desired position.*
- *Up to 150 watts maximum; medium base PAR 38 and R-40 lamps.*
- *With 1/2" NPT threaded stem, locknut included.*
- *10" lead wire.*
- *UL Listed.*



Catalog No.	Color	Carton Quantity	Weight per 100 units
30060	Gray	6	105 lbs.
30060W	White	6	105 lbs.
30060Z	Bronze	6	105 lbs.

Floodlighting Kits

Suitable for wet locations

30141: one 30001 lampholder and one round 30367 cover with one hole.
30142: two 30001 lampholders and one round 30377 cover with three holes.

- *Made from heavy-duty die-cast zinc; .094 inches thick.*
- *Durable powder coat paint finish.*
- *High temperature lead wire; 6 inches in length.*
- *Adjustable swivel allows lampholder(s) to be aimed in the desired position.*
- *Gasket and mounting hardware included.*
- *Assembled in the U.S.A.*



Catalog No.	Color	Carton Quantity	Weight per 100 units
30141	Gray	10	80 lbs.
30141W	White	10	80 lbs.
30141Z	Bronze	10	80 lbs.
30142	Gray	10	120 lbs.
30142W	White	10	120 lbs.
30142Z	Bronze	10	120 lbs.

For replacement parts, please see page B31.

Garden Lights

Attractive weatherproof garden lights provide low-level lighting for pathways, terraces, stairways, low plantings, and gardens. They enhance landscaping, as well as provide safety and security. Their high-quality components, die-cast construction, and UV-resistant powder finish assure years of trouble-free service.



- *UL Listed for wet locations.*
- *Fully assembled, wired and ready to install.*
- *½" NPT hub for ½" conduit mount.*
- *3-wire 12" leads.*
- *Plastic socket.*
- *Heavy duty die-cast housing.*
- *Gasketed, vapor-tight, heat-resistant clear glass globe.*
- *UV-resistant baked powder polyester textured finish.*
- *Made in the U.S.A.*

Catalog No.	No. of Tiers	Color	Dimensions	Maximum Wattage	Carton Quantity	Weight per 100 units
30113	3	Green	7" H, 6" diam.	75	6	300 lbs.
30113B	3	Black	7" H, 6" diam.	75	6	300 lbs.
30113Z	3	Bronze	7" H, 6" diam.	75	6	300 lbs.
30114	4	Green	9" H, 6" diam.	100	6	375 lbs.
30114B	4	Black	9" H, 6" diam.	100	6	375 lbs.
30114Z	4	Bronze	9" H, 6" diam.	100	6	375 lbs.

Mulberry
Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Direct Wire-in Photo Controls With Fixed or Swivel Mounting

Suitable for wet locations

- *High impact polycarbonate housing.*
- *Turn on between 1 and 5 foot candles.*
- *Turn on / turn off ratio: 1:5.*
- *Single-pole, single-throw switching.*
- *Minimum time delay: 15 seconds.*
- *Contact position at night normally closed.*
- *External slide clip allows light level adjustment.*
- *With ½" -14 threaded stem. Fits ½" knockout.*
- *With 6" color-coded lead wire.*
- *Temperature range: -40˚F (-40˚C) to 149˚F (65˚C).*



Durable Construction

Durable polycarbonate housing with ½" threaded stem easily mounts to a standard weatherproof box with a ½" outlet. Ideal for wall packs and other types of security and area lighting. All controls come with locknut, rubber gasket and easy-to-read instructions.

Positive Snap Action Switch

A dependable bi-metal switch provides positive on/off switching. Built-in time delay prevents accidental turn off that may result from stray automobile headlights, lightning flashes or any momentary brightness. Switch contacts are normally closed and, should they fail, remain in an ON position.

Catalog No.	Base	Voltage	Tungsten (watts)	Ballast (volt amps)	Carton Quantity	Weight per 100 units
30825	Fixed	120	2000	1900	10	30 lbs.
30830	Fixed	208-277	2000	1900	10	30 lbs.
30832*	Fixed	480	2000	1900	10	30 lbs.
30847*	Fixed	120	3000	2900	10	40 lbs.
30826	Swivel	120	2000	1900	10	30 lbs.

**All of the above items are both UL Listed and CSA Approved, except Catalog Nos. 30847 and 30832.*

NOTE: See Basic Wiring Diagram on the following page.

Direct Wire-in Photo Controls - "Button" Type

Suitable for wet locations


- *Threaded stem, ¾" in length, with a ⅜"-18 thread.*
- *Turn on between 1 and 5 foot candles.*
- *Turn on / turn off ratio: 1:5.*
- *Single-pole, single-throw switching.*
- *Built-in time delay prevents any false switching at night due to any momentary flashes of light.*
- *Contact position at night normally closed.*
- *With 6" color-coded lead wire.*
- *Temperature range: -40˚F (-40˚C) to 149˚F (65˚C).*



Durable, Weatherproof Construction

Durable polycarbonate housing is weatherproof and corrosion resistant.
The polycarbonate case and lens are sonically welded in place to seal out moisture.


Ideal for wall packs and post lamps. All units come with locknut, rubber gasket and easy-to-read instructions.



With Anodized Aluminum Wall Plate & Gasket No. 30855

Catalog No.	Voltage	Tungsten (watts)	Ballast (volt amps)	Carton Quantity	Weight per 100 units
30850	120	1800	1100	10	16 lbs.
30853	208-277	1200	1100	10	20 lbs.
30855	120	1800	1100	10	30 lbs.

Basic Wiring Diagram



Mulberry
Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Locking-Type Photo Controls

Suitable for wet locations



- *UV-stabilized polycarbonate housing color-coded for voltage identification.*
- *Meet NEMA standards for locking-type devices.*
- *With solid brass plug blades to provide greater electrical dependability and maximum resistance to corrosion.*
- *Minimum turn on: 5 foot candles; maximum turn off: 15 foot candles.*
- *With ½" cadmium sulfide cell.*
- *Built-in time delay prevents any false switching at night due to light from vehicles, lightning, etc.*
- *Normally closed contact position at night.*
- *Temperature range: -40˚F (-40˚C) to 149˚F (65˚C).*
- *Dimensions: 2¾" high, 3" in diameter.*
- *UL Listed for use in the United States and Canada.*


Catalog No.	Voltage	Tungsten (watts)	Ballast (volt amps)	Carton Quantity	Weight per 100 units
30834	120	1000	1800	10	30 lbs.
30837	208-277	1000	1800	10	30 lbs.
30842	480	1000	1800	10	30 lbs.
30844	120-277	1000	1800	10	30 lbs.

Mounting Bracket

Catalog No.	Voltage	Tungsten (watts)	Ballast (volt amps)	Carton Quantity	Weight per 100 units
30862*	*(locking-type receptacle with L-shaped mounting bracket)*			12	67 lbs.
30846**	*(shorting cap)*			10	20 lbs.

**UL Recognized Component.*

*** Shorting cap keeps lights on at all times unless turned off from a remote location.*





Shorting Cap

Direct Wire-in Photo Controls
Pencil Type -- Swivel Mount

Suitable for wet locations



- *High impact polycarbonate enclosure.*
- *Swivel adjustable 180˚.*
- *Single-pole single-throw switching.*
- *Standard turn on at 1.5 foot candle.*

Durable Polycarbonate Construction

Suitable For Wet Locations
Polycarbonate housing is weatherproof and corrosion resistant. 180 degree swivel with end light sensing allows almost any outdoor installation.

Photocell

½" cadmium sulfide cell is calibrated to turn outdoor lighting on at 1.5 foot candle (dusk). The off/on ratio is 5:1. Both cell and protective window are UV-stabilized to assure greater cell life.

Positive Snap Action Switch

A dependable bi-metal switch provides positive on/off switching. Built-in time delay prevents accidental turn off that may result from stray automobile headlights, lightning flashes or any momentary brightness. Switch contacts are normally closed and, should they fail, remain in an ON position.

Temperature Range

Operating ambient temperature range between -40˚F (-40˚C) and 149˚F (65˚C).

Catalog No.	Voltage	Tungsten (watts)	Ballast (volt amps)	Carton Quantity	Weight per 100 units
30820	120	1800	1100	10	20 lbs.
30821*	208-277	1200	1100	10	20 lbs.

**Not certified. Note: CSA International (cCSAus) tests to applicable U.S. and Canadian standards including ANSI, UL and CSA.*

Guarantee–All Photo Controls

All photo controls sold by Mulberry, except our locking-type models, are guaranteed against defects in parts or manufacture for five (5) years from the date of shipment. Locking-type controls (30834, 30837, 30842 and 30844) are guaranteed for three (3) years. It is understood that the voltage and/or wattage rating of the unit have not been exceeded, and that the unit has undergone no physical abuse.

Mulberry cannot assume responsibility for units damaged by voltage surges or lightning. Defective units will be credited or replaced under the Guarantee if returned to factory with shipping charges both ways paid by customer.
All Direct Wire-in Photo Controls that are returned must have a minimum of 6" leads for testing.

The foregoing defines Mulberry's sole liability, and in no event shall Mulberry be responsible for labor charges arising from the changing of defective photo controls or parts or, except as herein provided, for any damage, consequential or otherwise, of any nature whatsoever.

Mulberry
Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Accessories and Replacement Parts

Suitable for wet locations

Closure Plugs


Catalog No.	Description	Color	Material
30290	1/2" closure plug	Gray	Zinc
30290W	1/2" closure plug	White	Polycarbonate
30290Z	1/2" closure plug	Bronze	Polycarbonate
30291	1/2" closure plug	Gray	Polycarbonate
30292	3/4" closure plug	Gray	Zinc
30292W	3/4" closure plug	White	Polycarbonate
30292Z	3/4" closure plug	Bronze	Polycarbonate
30293	3/4" closure plug	Gray	Polycarbonate
30294	1" closure plug	Gray	Zinc
30294W	1" closure plug	White	Zinc
30294Z	1" closure plug	Bronze	Zinc

All plugs made in the U.S.A.




Stainless Steel Screws

Catalog No.	Description	Length
40225	Oval head, slotted 6 x 32 thread	1/2"
40235	Oval head, slotted 6 x 32 thread	1"
40245	Oval head, slotted 6 x 32 thread	1½"
40255	Oval head, slotted 6 x 32 thread	2"



Tamper Proof Screws

Catalog No.	Description	Length
40261	Chrome plated brass, spanner oval head, 6 x 32 thread	1/2"
40304	Chrome plated brass, spanner oval head, 6 x 32 thread	1"
40271	Chrome plated brass, spanner oval head, 6 x 32 thread	1½"
40276	Chrome plated brass, spanner oval head, 6 x 32 thread	2"



Special Screwdriver

Catalog No.	Description
40299	For spanner head tamperproof screws.



Ground Screws

Catalog No.	Description	Length
40319	Green plated 10-32 self tapping	3/4"
40320	Green plated 10-32 regular	3/4"



Accessories and Replacement Parts

Suitable for wet locations


Spacers (Ferrules)

Catalog No.	Description
40495	For spacing standard switches when used with weatherproof switch covers.



Switches / Toggle

Catalog No.	Description
40501	Single pole 15A/120 volt switch
40502	Single pole 20A/120/277 volt switch
40503	3-way 15A/120 volt switch
40504	Two pole 20A-120/277 volt switch



Motor Base Receptacle


Catalog No.	Description
40507	Single Motor Base receptacle for mobile homes. With male device 3-wire U ground parallel blades. Rated at 15A-125V. 10A/125 volt switch



Spikes

- *Die-cast zinc.*
- *½" male/female thread.*
- *Made in the U.S.A.*

Catalog No.	Description	Carton Quantity	Weight per 100 units
30297	Male spike 7" long; screws into any ½" tapped hole	25	8 lbs.
30298	Female spike	25	12 lbs.




Mulberry

Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com


Accessories and Replacement Parts

Suitable for wet locations


Lampholder Replacement Parts



Inside Gasket **No. 30697**



Outside Gasket **No. 30698**




Porcelain Socket **No. 40505**


Gaskets

1 Gang switch
1 Gang blank
1 Gang single receptacle
1 Gang telephone

USE




30671



2 Gang blank
2 Gang switch
2 Gang duplex receptacle
2 Gang single receptacle
2 Gang, 1 switch & 1 duplex receptacle
2 Gang, 1 single & 1 duplex receptacle

USE




30672



1 Gang duplex receptacle
1 Gang skeleton (For GFI receptacles)
1 Gang louver


USE



30661

3 Gang switch
3 Gang blank

USE



30673



4" Round Catalog No. **30690**
(2½" inner diameter)

Replacement Parts for Garden Lights



3 Tier Glass
No. 40513

- *Made in the U.S.A.*



4 Tier Glass
No. 40514

- *Made in the U.S.A.*

Plastic Receptacle for Garden Light **No. 40509**

Mulberry Steel Box Covers & Conduit Bodies

When U.S.-made steel box covers are specified for a job or needed to meet an ARRA requirement, make Mulberry your first choice!

With the exception of our knock-out seals and our conduit bodies, every steel item in this section is manufactured right here in the USA!

In addition, we offer:

- Superior stamping, tapping and finishing
- Smooth powder paint finish on 4 inch raised covers
- Special openings and combinations available for most covers
- Excellent service — local stock, fast turnaround, and quick delivery from our factory and regional warehouses




Round & Square Flat Covers
Device Covers
Square Raised Covers
FS Covers
Gang Box Covers
Die-Cast & Malleable Iron Conduit Bodies
Knockout Seals
Reducing Washers
Nail Plates

Made in the USA

Mulberry 4 Inch Square Raised Covers

Superior Quality • U.S. Made

11401



11410

11402

- Over 20 different openings and configurations available
- Depressed corners for easier mounting
- Gray powder coat finish helps prevent oxidation and possible rust
- Covers with duplex openings come with additional screw holes and mounting hardware to meet the latest NEC requirements
- Made in the USA

Round and Octagon Box Covers

3-1/2" and 4"



No. 11001



No. 11003



No. 11101



No. 11103



No. 11108



No. 11124

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
3 1/2" ROUND FLAT			
11001	Blank	100	17 lbs.
11002†	Bushed Hole (.4375" dia.)	100	17 lbs.
11003	1/2" Knockout	100	17 lbs.
11006	Single Receptacle	100	14 lbs.
11008	Toggle	100	16 lbs.
4" ROUND FLAT/OCTAGON			
11101	Blank**	100	21 lbs.
11102†	Bushed Hole (.4375" dia.)**	100	21 lbs.
11103	1/2" Knockout**	100	21 lbs.
11104†	Spider**	100	18 lbs.
11105*	Duplex Receptacle	100	19 lbs.
11106	Single Receptacle	100	20 lbs.
11108	Toggle	100	23 lbs.
11109	TL Receptacle (1.5937" dia.)	100	20 lbs.
4" ROUND RAISED			
11121	Blank	100	29 lbs.
11122†	Bushed Hole (.4375"dia.)	100	29 lbs.
11123†	1/2" Knockout	100	29 lbs.
11124	Opening (ears tapped, 2-3/4" between device centers, raised 5/8")	100	19 lbs.
11125	Opening (ears tapped, 2-3/4" between device centers, raised 1/2")	100	18 lbs.

***** Octagon.*

**Not C-UL-US Listed.*

†To be discontinued when stock exhausted.


Made in the USA

Mulberry

Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Square Covers

4” and 4-11/16”



No. 11201 | No. 11203 | No. 11214 | No. 11301 | No. 11303 | No. 11315


Catalog No.	Description	Carton Quantity	Weight Per 100 Units
4” SQUARE FLAT			
11201	Blank	50	29 lbs.
11202†	Bushed Hole (.4375” dia.)	100	29 lbs.
11203	1/2” Knockout	100	28 lbs.
4” SQUARE RAISED			
11211	Blank, Raised 5/8”	100	36 lbs.
11212	Bushed Hole (.4375” dia., raised 5/8”)	100	38 lbs.
11214	3” Opening (ears tapped, 2-3/4” between device centers, raised 5/8”)	100	26 lbs.
11215	3” Opening (ears tapped, 2-3/4” between device centers, raised 1/2”)	100	22 lbs.
11216	3” Opening (ears tapped, 2-3/4” between device centers, raised 3/4”)	50	30 lbs.
4-11/16” SQUARE FLAT			
11301	Blank	50	40 lbs.
11303	1/2” Knockout	50	39 lbs.
4-11/16” SQUARE FLAT			
11311	Blank, Raised 5/8”	25	50 lbs.
11314	3” Opening (ears tapped, 2-3/4” between device centers, raised 5/8”)	25	38 lbs.
11315	4” Opening (ears tapped, 3-1/2” between device centers, raised 5/8”)	25	30 lbs.

†To be discontinued when stock exhausted.

Made in the USA

Square Device and Offset Covers

4”



No. 11221 No. 11224 No. 11226 No. 11232 No. 11235 No. 11238 No. 11239 No. 11245 No. 11248

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
1 DEVICE — 4” SQUARE (SQUARE DRAWN)			
11221	Flat	100	17 lbs.
11222	Raised 1/8”	100	17 lbs.
11223	Raised 1/4”	100	18 lbs.
11224	Drywall 1/4”	100	25 lbs.
11225	Raised 3/8”	100	19 lbs.
11226	Raised 1/2”	100	22 lbs.
11227	Raised 5/8”	50	25 lbs.
11228	Raised 3/4”	50	28 lbs.
11230	Raised 1”	25	33 lbs.
11231	Raised 1-1/4”	25	38 lbs.
11232*	Raised 1-1/2 ”	25	41 lbs.
2 DEVICES — 4” SQUARE			
11235	Flat	100	12 lbs.
11236	Raised 1/8”	50	13 lbs.
11237	Raised 1/4”	50	13 lbs.
11238	Drywall 1/4”	50	18 lbs.
11239	Raised 3/8”	50	16 lbs.
11240	Raised 1/2”	50	18 lbs.
11241	Raised 5/8”	50	21 lbs.
11242	Raised 3/4”	50	24 lbs.
11244	Raised 1”	25	30 lbs.
11245	Raised 1-1/4”	25	35 lbs.
OFFSET COVERS — 4” SQUARE			
11248*	Flat	100	22 lbs.
11249*	Raised 1/8”	100	21 lbs.
11250*	Raised 1/4”	100	22 lbs.
11251*	Raised 1/2”	100	25 lbs.
11252*	Raised 3/4”	25	30 lbs.
11253*	Raised 1”	25	33 lbs.

**Not square drawn.*


Made in the USA

Mulberry

Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Square Device Covers

4-11/16”




No. 11321




No. 11326




No. 11331



No. 11335



No. 11340




No. 11345

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
1 DEVICE — 4-11/16” SQUARE (SQUARE DRAWN)			
11321	Flat	50	31 lbs.
11323	Raised 1/4”	50	31 lbs.
11326	Raised 1/2”	50	34 lbs.
11327	Raised 5/8”	50	36 lbs.
11328	Raised 3/4”	50	38 lbs.
11330	Raised 1”	25	44 lbs.
11331*	Raised 1-1/4”	25	48 lbs.
2 DEVICES — 4-11/16” SQUARE			
11335	Flat	50	23 lbs.
11337	Raised 1/4”	50	24 lbs.
11340	Raised 1/2”	50	29 lbs.
11341	Raised 5/8”	25	32 lbs.
11342	Raised 3/4”	25	35 lbs.
11344	Raised 1”	25	46 lbs.
11345	Raised 1-1/4”	25	43 lbs.

Not square drawn.

Tile Type Device Covers

4" and 4-11/16"



No. 11261 No. 11266 No. 11271 No. 11276 No. 11361 No. 11366 No. 11371

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
1 DEVICE — 4" SQUARE			
11261	Raised 1/2"	25	31 lbs.
11262	Raised 3/4"	25	36 lbs.
11263	Raised 1"	25	41 lbs.
11264	Raised 1-1/4"	25	45 lbs.
11265	Raised 1-1/2"	25	51 lbs.
11266	Raised 2"	25	60 lbs.
2 DEVICES — 4" SQUARE			
11271	Raised 1/2"	25	27 lbs.
11272	Raised 3/4"	25	33 lbs.
11273	Raised 1"	25	40 lbs.
11274	Raised 1-1/4"	25	45 lbs.
11275	Raised 1-1/2"	25	51 lbs.
11276	Raised 2"	20	63 lbs.
1 DEVICE — 4-11/16" SQUARE			
11361	Raised 1/2"	25	40 lbs.
11362	Raised 3/4"	25	45 lbs.
11363	Raised 1"	25	51 lbs.
11364	Raised 1-1/4"	25	55 lbs.
11365	Raised 1-1/2"	25	45 lbs.
11366	Raised 2"	25	70 lbs.
2 DEVICES — 4-11/16" SQUARE			
11371	Raised 1/2"	25	36 lbs.
11372	Raised 3/4"	25	43 lbs.
11373	Raised 1"	25	49 lbs.
11374	Raised 1-1/4"	25	55 lbs.
11375	Raised 1-1/2"	25	62 lbs.
11376	Raised 2"	20	76 lbs.

Made in the USA


Mulberry

Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Utility Covers

4-3/32" x 2-7/32"

- **Galvanized steel, smooth finish.**
- **Special utility covers available in stainless steel and painted metal (please use item no. 10011).**



No. 10001 | No. 10002 | No. 10003 | No. 10004 | No. 10005 | No. 10006 | No. 10008 | No. 10013 | No. 10021 | No. 10016

Catalog No.	Description	Box Quantity	Carton Quantity	Weight Per 100 Units
10001	Blank	25	250	10 lbs.
10002	Duplex	25	250	7 lbs.
10003	Single Receptacle	25	250	8 lbs.
10004	Toggle	25	250	9 lbs.
10005	1/2" Knockout	25	250	9 lbs.
10006*†	3 Device Interchangeable with strap	20	200	16 lbs.
10008*	Bushed Telephone 5/8" ID	20	200	11 lbs.
10009	1.620" dia. 20A TL Receptacle	25	250	8 lbs.
10010	1.730" dia. 30A TL Receptacle	25	250	8 lbs.
10013	GFCI Receptacle (Box mounting 3.281")	25	250	7 lbs.
10021*	Appliance Switch (.4687" dia.)	25	250	9 lbs.
10016	Rectangular cover for small handy box (3.7813 x 1.5938", fits Appleton 4SS, Raco 640)	25	250	12 lbs.

***Painted with a baked cadilite finish.**

***†To be discontinued when stock exhausted.**

Finished Covers

4”

- **Fully depressed corners for easier, faster mounting.**
- **Additional screwholes on duplex receptacles to meet NEC requirement.**
- **Also available unfinished in galvanized steel. Add suffix “U”.**
- **Special 4” raised covers available (please use item no. 11441).**


No. 11401



No. 11402


No. 11403



No. 11410


No. 11411



No. 11412


No. 11413


No. 11414


No. 11415


No. 11421



No. 11422

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
11400	Blank	50	38 lbs.
11401	1 Toggle	50	39 lbs.
11402	1 Duplex	50	35 lbs.
11403	1 Single Receptacle	50	36 lbs.
11410	2 Toggle Switches	50	38 lbs.
11411	2 Duplex Receptacles	50	31 lbs.
11412	2 Single Receptacles	50	34 lbs
11413	Toggle / Duplex	50	35 lbs.
11414	Toggle / Single Receptacle	50	36 lbs.
11415	Duplex / Single Receptacle	50	32 lbs
11421	1.620” dia. 20A TL Receptacle	50	35 lbs.
11422	2.125” dia. Range/Dryer Receptacle For Leviton nos. 278 and 279	50	33 lbs.


Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Finished Covers


4”




No. 11423




No. 11424




No. 11425



No. 11426




No. 11427




No. 11428




No. 11429




No. 11432




No. 11433



No. 11435



No. 11436




No. 11442

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
11423	2.480” dia. Power Outlet	50	30 lbs.
11424	2.165” dia. Power Outlet	50	33 lbs.
11425	1.730” dia. TL Receptacle	50	35 lbs.
11426	2.625” dia. Power Outlet	50	29 lbs.
11427	2.275” dia. Power Outlet	50	32 lbs.
11428	2.255” dia. Power Outlet for P&S Nos. 5740, 5744, 5750, 5754, etc.	50	33 lbs.
11429	1 Duplex / 1 20A TL Receptacle	50	32 lbs.
11432	1 GFCI Receptacle*	50	33 lbs.
11433	2 GFCI Receptacles*	50	27 lbs.
11435	1 Duplex / 1 GFCI Receptacle*	50	27 lbs.
11436	1 Toggle Switch / 1 GFCI Receptacle*	50	35 lbs.
11442	1 GFCI Receptacle* / 1 Single Receptacle	50	35 lbs.


Strap “ears” must be cut off prior to mounting on plate. GFCIs are box mounting, 3.281”.

Finished Covers

4-11/16”



No. 11501 No. 11502 No. 11503 No. 11510 No. 11511 No. 11512 No. 11513 No. 11514



No. 11515 No. 11521 No. 11522 No. 11523 No. 11524 No. 11525 No. 11526 No. 11532

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
11500	Blank	25	53 lbs.
11501	Toggle	25	51 lbs.
11502	Duplex	25	48 lbs.
11503	1 Single Receptacle	25	50 lbs.
11510	2 Toggle Switches	25	52 lbs.
11511	2 Duplex Receptacles	25	45 lbs.
11512	2 Single Receptacles	25	49 lbs.
11513	Toggle / Duplex	25	47 lbs.
11514	Toggle / Single Receptacle	25	52 lbs.
11515	Duplex / Single Receptacle	25	46 lbs.
11521	1.620” dia. 20A TL Receptacle	25	49 lbs.
11522	2.125” dia. Range/ Dryer Receptacle	25	47 lbs.
11523	2.480” dia. Power Outlet	25	45 lbs.
11524	2.165” dia. Power Outlet	25	46 lbs.
11525	1.730” dia. Power Outlet	25	48 lbs.
11526	2.625” dia. Power Outlet	25	43 lbs.
11527	2.275” dia. Power Outlet	25	46 lbs.
11528	2.255” dia. Power Outlet	25	48 lbs.
11529	2 1.620” dia. 20A TL Receptacles	25	46 lbs.
11532	1 GFCI Receptacle	25	47 lbs.
11533	2 GFCI Receptacles	25	40 lbs.
11535	1 Duplex / 1 GFCI Receptacle	25	45 lbs.
11536	1 Toggle Switch / 1 GFCI Receptacle	25	47 lbs.
11538	Duplex / 1.620” dia. TL Receptacle	25	46 lbs.

- **Additional screwholes meet NEC requirement and mount to ears on any box.**
- **Also available unfinished in galvanized steel. Add suffix “U”.**
- **Special 4-11/16” raised covers available (please use item no. 11541).**

Made in the USA

Mulberry

Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

FS Type Covers

1 - 3 Gangs

- **Raised, rounded edge for use with FS fittings with raised lip on top, except Crouse Hinds.**
- **Special FS covers available in stainless steel or aluminum (please use item nos. 11641-11643 for 1-3 gangs).**


No. 11600


No. 11601


No. 11602


No. 11603


No. 11605


No. 11606


No. 11607

Catalog No.	Description	Box Quantity	Carton Quantity	Weight Per 100 Units
1 GANG				
11600	Blank	20	200	14 lbs.
11601	Toggle	20	200	16 lbs.
11602	Duplex	20	200	13 lbs.
11603	Single Receptacle	20	200	13 lbs.
11605	1.620” dia. TL Receptacle	20	200	14 lbs.
11606	1.730” dia. TL Receptacle	20	200	12 lbs.
11607	2.125” dia. Range/Dryer Rcpt.	20	200	11 lbs
11608	GFCI Receptacle (2 screw)	20	200	12 lbs.
11609	GFCI Receptacle (4 screw)	20	200	13 lbs.
2 GANGS				
11611	2 Blank	10	100	22 lbs.
11612	2 Toggle Switches	10	100	21 lbs.
11613	2 Duplex Receptacles	10	100	17 lbs.
11614	2 Single Receptacles	10	100	20 lbs.
11615	Toggle / Duplex	10	100	23 lbs.
11616	Toggle / Single Receptacle	10	100	21 lbs.
11618	2.125” dia. Range/Dryer Rcpt.	10	100	19 lbs.
11620	2 GFCI Receptacles	10	100	15 lbs.
11621	Switch / GFCI Receptacle	10	100	19 lbs.
3 GANGS				
11622	3 Blank	10	100	33 lbs.
11623	3 Toggle Switches	10	100	31 lbs.
11624	3 Duplex Receptacles	10	100	24 lbs.
11625	2 Toggle / 1 Duplex Receptacle	10	100	34 lbs.
11626	2 Toggle / 1 Single Receptacle	10	100	35 lbs.
11628	2 1.620” dia. TL Receptacles	10	100	20 lbs.
11629	2 1.730” dia. TL Receptacles	10	100	19 lbs.
11630	3 GFCI Receptacles	10	100	27 lbs.



Flat Gang Box Covers

2 - 10 Gangs


- Devices spaced 1-13/16” between centers.
- All gang box covers 4-11/16” high.
- Individually packaged.
- Special covers available (please use item nos. 10142-10150 for 2-10 gangs).



No. 10092



No. 10103



No. 10095



No. 10090

Catalog No.	Description	Width	Weight Per 100 Units
BLANKS			
10082	2 Gang Blank	7”	58 lbs.
10083	3 Gang Blank	8-7/8”	68 lbs.
10084	4 Gang Blank	10-5/8”	86 lbs.
10085	5 Gang Blank	12-7/16”	107 lbs.
10086	6 Gang Blank	14-1/4”	117 lbs.
10087	7 Gang Blank	16-1/16”	137 lbs.
10088	8 Gang Blank	17-15/16”	150 lbs.
10089	9 Gang Blank	19-3/4”	170 lbs.
10090	10 Gang Blank	21-9/16”	182 lbs.
SWITCHES			
10092	2 Gang Switch	7”	56 lbs.
10093	3 Gang Switch	8-7/8”	66 lbs.
10094	4 Gang Switch	10-5/8”	87 lbs.
10095	5 Gang Switch	12-7/16”	103 lbs.
10096	6 Gang Switch	14-1/4”	113 lbs.
10097	7 Gang Switch	16-1/16”	132 lbs.
10098	8 Gang Switch	17-15/16”	146 lbs.
10099	9 Gang Switch	19-3/4”	154 lbs.
10100	10 Gang Switch	21-9/16”	173 lbs.
COMBINATIONS AND DUPLEX RECEPTACLES			
10103	3 Gang: 2 Switch, 1 Duplex	8-7/8”	62 lbs.
10104	4 Gang: 3 Switch, 1 Duplex	10-5/8”	83 lbs.
10105	5 Gang: 4 Switch, 1 Duplex	12-7/16”	93 lbs.
10111	3 Gang: 1 Switch, 2 Duplex	8-7/8”	59 lbs.
10122	2 Gang Duplex Receptacle	7”	47 lbs.
10123	3 Gang Duplex Receptacle	8-7/8”	54 lbs.
10124	4 Gang Duplex Receptacle	10-5/8”	71 lbs.
10125	5 Gang Duplex Receptacle	12-7/16”	79 lbs.
10126	6 Gang Duplex Receptacle	14-1/4”	88 lbs.
10127	7 Gang Duplex Receptacle	16-1/16”	99 lbs.
10128	8 Gang Duplex Receptacle	17-15/16”	105 lbs.
10129	9 Gang Duplex Receptacle	19-3/4”	120 lbs.
10130	10 Gang Duplex Receptacle	21-9/16”	137 lbs.
GFCI RECEPTACLES			
10132	2 Gang GFCI	7”	47 lbs.
10133	3 Gang GFCI	8-7/8”	54 lbs.
10134	4 Gang GFCI	10-5/8”	71 lbs.

Made in the USA

Mulberry

Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Reducing Washers

1/2" x 1/4" — 4" x 3-1/2"



- Raised flanges to fit snugly into box knockout.
- Minimum order: box quantity.


Catalog No.	Description	Box Quantity	Carton Quantity	Weight Per 100 Units
40001	1/2" x 15/32"	250	2500	.9 lbs.
40002	1/2" x 1/4"	250	2500	.9 lbs.
40003	1/2" x 3/8"	250	2500	.9 lbs.
40005	3/4" x 1/2"	250	2500	1.6 lbs.
40006	1" x 1/2"	250	2500	1.6 lbs.
40007	1" x 3/4"	250	2500	1.4 lbs.
40008	1-1/4" x 1/2"	100	1000	3 lbs.
40009	1-1/4" x 3/4"	100	1000	3 lbs.
40010	1-1/4" x 1"	100	1000	3 lbs.
40011	1-1/2" x 1/2"	100	1000	5 lbs.
40012	1-1/2" x 3/4"	100	1000	5 lbs.
40013	1-1/2" x 1"	100	1000	4 lbs.
40014	1-1/2" x 1-1/4"	100	1000	3 lbs.
40015	2" x 1/2"	50	500	10 lbs.
40016	2" x 3/4"	50	500	9 lbs.
40017	2" x 1"	50	500	8 lbs.
40018	2" x 1-1/4"	50	500	7 lbs.
40019	2" x 1-1/2"	50	500	6 lbs.
40020	2-1/2" x 1/2"	25	250	10 lbs.
40021	2-1/2" x 3/4"	25	250	8 lbs.
40022	2-1/2" x 1"	25	250	9 lbs.
40023	2-1/2" x 1-1/4"	25	250	8 lbs.
40024	2-1/2" x 1-1/2"	25	250	7 lbs.
40025	2-1/2" x 2"	25	250	5 lbs.
40026	3" x 1/2"	25	250	21 lbs.
40027	3" x 3/4"	25	250	20 lbs.
40028	3" x 1"	25	250	20 lbs.
40029	3" x 1-1/4"	25	250	18 lbs.
40030	3" x 1-1/2"	25	250	19 lbs.
40031	3" x 2"	25	250	15 lbs.
40032	3" x 2-1/2"	25	250	13 lbs.
40033	3-1/2" x 1/2"	10	100	35 lbs.
40034	3-1/2" x 3/4"	10	100	35 lbs.
40035	3-1/2" x 1"	10	100	33 lbs.
40036	3-1/2" x 1-1/4"	10	100	32 lbs.
40037	3-1/2" x 1-1/2"	10	100	30 lbs.
40038	3-1/2" x 2"	10	100	28 lbs.
40039	3-1/2" x 2-1/2"	10	100	24 lbs.
40040	3-1/2" x 3"	10	100	18 lbs.
40041	4" x 1/2"	20	100	42 lbs.
40042	4" x 3/4"	20	100	42 lbs.
40043	4" x 1"	20	100	41 lbs.
40044	4" x 1-1/4"	20	100	36 lbs.
40045	4" x 1-1/2"	20	100	37 lbs.
40046	4" x 2"	20	100	34 lbs.
40047	4" x 2-1/2"	20	100	31 lbs.
40048	4" x 3"	20	100	25 lbs.
40049	4" x 3-1/2"	20	100	20 lbs.

40001 fits McGill canopy switch. *40002 fits standard canopy switch.*

Conduit Bodies

Unassembled • Assembled • Threaded • Set-Screw • Combination Threaded/Set-Screw





Smooth, corrosion resistant electrostatic powder coating.

Seamless die-cast aluminum construction.

Cubic capacity and UL listing clearly marked.

Smooth, uniform NPT threads for quick installation.



Neoprene rubber gasket.

Combination Phillips/slotted screws.

Screws and retaining washer already installed.

Choice of either a galvanized steel or aluminum cover.

Conduit Bodies

Unassembled • Assembled • Threaded • Set-Screw • Combination Threaded/Set-Screw

Applications:

- Attach to either Rigid conduit or EMT when it is necessary to correct or change the direction of conduit runs.
- Provide access to conductors when wire pulling, splicing or for maintenance.
- Make 90 degree bends in conduit runs.

Features:

- Available unassembled (body only) or pre-assembled with neoprene rubber gasket and a choice of either a steel or aluminum cover.
- Choice of LB, LL, LR, C, T and TB configurations — most available from 1/2 inch to 4 inch trade sizes.
- Die-cast conduit bodies come threaded (for rigid conduit or IMC), set-screw (for EMT) or combination threaded/set-screw (for rigid, IMC or EMT) and cast from high strength, corrosion and weather resistant aluminum alloy.
- Malleable iron conduit bodies are available unassembled and made from high strength malleable iron, zinc plated.
- All conduit bodies have smooth, tapered NPT threaded hubs.
- Moguls and SLBs also available.
- UL Listed, CSA Approved.

Conduit Bodies

Threaded, Combo and Set Screw Bodies and Kits

Hub Size	Unassembled (body only) Catalog No. Threaded	Set Screw	Combination	Assembled (with cover and gasket) Catalog No. Threaded	Set Screw	Combination	Box Quantity	Carton Quantity
LB								
1/2”	11801	11851	13801	12801	12851	14801	10	50
3/4”	11802	11852	13802	12802	12852	14802	10	50
1”	11803	11853	13803	12803	12853	14803	5	25
1-1/4”	11804	11854	13804	12804	12854	14804	—	2
1-1/2”	11805	11855	13805	12805	12855	14805	—	2
2”	11806	11856	13806	12806	12856	14806	—	1
2-1/2”				12807	12857		—	1
3”				12808	12858		—	1
3-1/2”				12809	12859		—	1
4”				12810	12860		—	1
LL								
1/2”	11811	11861	13811	12811	12861	14811	10	50
3/4”	11812	11862	13812	12812	12862	14812	10	50
1”	11813	11863	13813	12813	12863	14813	5	25
1-1/4”	11814	11864	13814	12814	12864	14814	—	2
1-1/2”	11815	11865	13815	12815	12865	14815	—	2
2”	11816	11866	13816	12816	12866	14816	—	1
2-1/2”				12817			—	1
3”				12818			—	1
3-1/2”				12819			—	1
4”				12820			—	1
LR								
1/2”	11821	11871	13821	12821	12871	14821	10	50
3/4”	11822	11872	13822	12822	12872	14822	10	50
1”	11823	11873	13823	12823	12873	14823	5	25
1-1/4”	11824	11874	13824	12824	12874	14824	—	2
1-1/2”	11825	11875	13825	12825	12875	14825	—	2
2”	11826	11876	13826	12826	12876	14826	—	1
2-1/2”				12827			—	1
3”				12828			—	1
3-1/2”				12829			—	1
4”				12830			—	1
C								
1/2”	11831	11881	13831	12831	12881	14831	10	50
3/4”	11832	11882	13832	12832	12882	14832	10	50
1”	11833	11883	13833	12833	12883	14833	5	25
1-1/4”	11834	11884	13834	12834	12884	14834	—	2
1-1/2”	11835	11885	13835	12835	12885	14835	—	2
2”	11836	11886	13836	12836	12886	14836	—	1
2-1/2”				12837			—	1
3”				12838			—	1
T								
1/2”	11841	11891	13841	12841	12891	14841	10	50
3/4”	11842	11892	13842	12842	12892	14842	10	50
1”	11843	11893	13843	12843	12893	14843	5	25
1-1/4”	11844	11894	13844	12844	12894	14844	—	2
1-1/2”	11845	11895	13845	12845	12895	14845	—	2
2”	11846	11896	13846	12846	12896	14846	—	1
2-1/2”				12847			—	1
3”				12848			—	1
TB								
1/2”	11921			12921			10	50
3/4”	11922			12922			10	50
1”	11923			12923			5	25
1-1/4”	11924			12924			—	2
1-1/2”	11925			12925			—	2
2”	11926			12926			—	1













For weights, please see price sheet or call Customer Service.

Mulberry

Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Conduit Bodies

Malleable Iron Conduit Bodies, SLBs and Moguls

Malleable Iron

- Threaded body for use with Rigid or IMC
- Zinc plated malleable iron
- NPT threaded hubs
- Suitable for use in concrete

LB



Hub Size	Unassembled Threaded (body only)	Box Quantity	Carton Quantity
1/2”	17801	10	50
3/4”	17802	10	50
1”	17803	5	25
1-1/4”	17804	—	2
1-1/2”	17805	—	2
2”	17806	—	1
2-1/2”	17807	—	1
3”	17808	—	1
3-1/2”	17809	—	1
4”	17810	—	1

LL



Hub Size	Unassembled Threaded (body only)	Box Quantity	Carton Quantity
1/2”	17811	10	50
3/4”	17812	10	50
1”	17813	5	25
1-1/4”	17814	—	2
1-1/2”	17815	—	2
2”	17816	—	1
2-1/2”	17817	—	1
3”	17818	—	1
3-1/2”	17819	—	1
4”	17820	—	1

LR



Hub Size	Unassembled Threaded (body only)	Box Quantity	Carton Quantity
1/2”	17821	10	50
3/4”	17822	10	50
1”	17823	5	25
1-1/4”	17824	—	2
1-1/2”	17825	—	2
2”	17826	—	1
2-1/2”	17827	—	1
3”	17828	—	1
3-1/2”	17829	—	1
4”	17830	—	1

C



Hub Size	Unassembled Threaded (body only)	Box Quantity	Carton Quantity
1/2”	17831	10	50
3/4”	17832	10	50
1”	17833	5	25
1-1/4”	17834	—	2
1-1/2”	17835	—	2
2”	17836	—	1
2-1/2”	17837	—	1
3”	17838	—	1
3-1/2”	17839	—	1
4”	17840	—	1

T



Hub Size	Unassembled Threaded (body only)	Box Quantity	Carton Quantity
1/2”	17841	10	50
3/4”	17842	10	50
1”	17843	5	25
1-1/4”	17844	—	2
1-1/2”	17845	—	2
2”	17846	—	1
2-1/2”	17847	—	1
3”	17848	—	1
3-1/2”	17849	—	1
4”	17850	—	1

Aluminum SLBs and Moguls



SLBs

Catalog No.	Hub Size	Box Quantity	Carton Quantity
11901	1/2”	10	50
11902	3/4”	10	50
11903	1”	5	25
11904	1-1/4”	—	1
11905	1-1/2”	—	1
11906	2”	—	1




MOGUL CONDUIT BODIES

Catalog No.	Hub Size	Box Quantity	Carton Quantity
11914	1-1/4”		5
11915	1-1/2”		2
11916	2”		2
11917	2-1/2”		1
11918	3”		1
11919	3-1/2”		1
11920	4”		1

Complete with Cover, Gasket and Screws

Conduit Body Covers and Gaskets

Oval-Round Form 35 Series, from 1/2" to 4" Size



No. 11699 No. 11720

- Choice of galvanized steel, aluminum or malleable iron covers.
- Screws and washers come already mounted.
- Full size gaskets are made of neoprene rubber.
- For use with all standard conduit bodies, except Crouse-Hinds and 2-1/2 and 3 inch sizes and 3-1/2 and 4 inch size for Red Dot.
- UL Listed 2-1/2 and 3 inch sizes.

GALVANIZED STEEL — 1/2" - 4"

Catalog No.	Description	Box Quantity	Carton Quantity
11699	Blank, 1/2"	25	250
11700	Blank, 3/4"	25	250
11701	Blank, 1"	20	200
11702	Blank, 1-1/4"—1-1/2"	—	25
11703	Blank, 2"	—	25
11704	Blank, 2-1/2"—3"	—	25
11705	Blank, 3-1/2"—4"	—	25

ALUMINUM — 1/2" - 4"

11710	Blank, 1/2"	25	250
11711	Blank, 3/4"	25	250
11712	Blank, 1"	20	200
11713	Blank, 1-1/4"—1-1/2"	—	25
11714	Blank, 2"	—	25
11715	Blank, 2-1/2"—3"	—	25
11716	Blank, 3-1/2"—4"	—	25

MALLEABLE IRON — 1/2" - 4"

11730	Blank, 1/2"	25	250
11731	Blank, 3/4"	25	250
11732	Blank, 1"	20	200
11733	Blank, 1-1/4"—1-1/2"	—	25
11734	Blank, 2"	—	25
11735	Blank, 2-1/2"—3"	—	25
11736	Blank, 3-1/2"—4"	—	25


GASKETS — 1/2" - 4"

11720	Full, 1/2"	100	1000
11721	Full, 3/4"	100	1000
11722	Full, 1"	50	500
11723	Full, 1-1/4"—1-1/2"	—	600
11724	Full, 2"	—	400
11725	Full, 2-1/2"—3"	—	200
11726	Full, 3-1/2"—4"	—	150

Mulberry


Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

Knockout Seals, Switchbox Supports, and Nail Plates



No. 40111

No. 40470



No. 40465



No. 40490



No. 40492

Catalog No.	Description	Box Quantity	Carton Quantity	Weight Per 100 Units
CLOSED TYPE KNOCKOUT SEALS; BRIGHT ZINC PLATED STEEL				
40111	1/2”	100	1000	1.5 lbs.
40112	3/4”	100	1000	1.8 lbs.
40113	1”	50	500	2 lbs.
40114	1-1/4”	50	500	3 lbs.
40115	1-1/2”	50	500	4 lbs.
40116	2”	25	250	6 lbs.
SWITCH BOX SUPPORTS				
40490	Standard	50 pairs	500 pairs	3 lbs.
40492	Long Legs	50 pairs	500 pairs	3 lbs.
NAIL PLATES (.062” THICK STEEL)				
40465	1-15/16” x 3-7/16” Self-nailing	–	200	12 lbs.
40470	1-1/2” x 3” 4 nail holes	–	200	8 lbs.

Mulberry Wallplates

When U.S. made wallplates are specified for the job or needed to meet an ARRA requirement, make Mulberry your first choice!

Every metal wallplate in this catalog is manufactured right here in the USA!

In addition, we offer:

- More than 7,000 different wallplates, with most in stock
- The industry's widest variety of materials, openings, combinations and colors
- A choice of over 40 painted metal, stainless steel, brass and other metal finishes
- Plus, our unbreakable thermoplastic wallplates available in 4 colors
- Standard metal wallplate configurations from 1 to 10-gang and thermoplastic from 1 to 6 gang
- In-house engraving and silk-screening capability
- Custom wallplates available in special sizes or with custom openings or markings



Unsurpassed Quality, Selection & Service!

Mulberry Wallplates



Features and Benefits:

Painted Metal Wallplates

- Made from the finest steel alloy and then painted with a superior powder coat finish to assure durability.
- Durable paint finish helps prevent chipping and scratching.
- Can be re-painted to match a new room decor.
- Come with standard slotted 6-32 oval head metal screws in a matching paint finish.
- Available in a variety of shapes and sizes — Standard, Princess, Oversize and Maxi sizes.
- Princess shaped plates have rounded corners which help prevent wall damage and are also 1/2 inch taller in height to help cover any gaps or holes between sheetrock and an existing electrical box.
- UL Listed and made in the U.S.A.

Stainless Steel, Brass, Bronze, Aluminum & Chrome Wallplates

- Ideal for residential, commercial and institutional applications.
- Specification-grade, non-magnetic 304 type stainless steel available in either a Satin or Mirror Polish finish.
- Standard 430 type stainless steel also has excellent non-corrosive properties.
- Brass made from a 70/30 alloy is .040 inches thick and avilable with either a Satin or Mirror finish.
- UL Listed and made in the U.S.A.

Thermoplastic Wallplates

- Made from rugged thermoplastic resin, Mulberry wallplates will not crack during installation or after many years of use.
- Will not fade or warp due to UV light or humidity.
- Resists grease, oils and solvents.
- Flexible design fits over uneven wall surfaces.
- C-UL-us Listed.

Inside Our Metal and Thermoplastic Wallplate Section

Accessories	A84-88
Custom Plate Ordering Instructions	A89-91
Custom Silk-Screening & Engraving	A92
Datacom Telephone & Computer Plates	A67-71
Deep Plates	A64
Dimensions, Full Scale & By Style	A7-8
Emergency Plates & Covers	A80-82
Engraved & Silk-Screened Plates	A81-82, A92
GFCI & solated round	A81
Material Specifications	A9-10
Narrow Plates	A65-66
Oil & Gas Burner Plates	A80-81
Opening Selector Guide	A93-103
Painted Metal Wallplates—Standard Size	A11-22
Painted Metal Wallplates—Princess Size	A23-32
Painted Metal Wallplates—Oversize	A34-36
Painted Metal Wallplates—Maxi Size	A33
Recessed Home Entertainment Covers	A83
Stainless Steel, Chrome, Brass, Bronze & Aluminum Wallplates—Standard Size	A37-A46
Stainless Steel, Chrome & Brass Wallplates—Princess Size	A47-56
Stainless Steel, Chrome & Brass Wallplates—Oversize	A58-60
Stainless Steel & Chrome Wallplates—Maxi Size	A57
Thermoplastic Wallplates—Standard Size	A72-76
Thermoplastic Wallplates—Midi Size	A77-78
Thermoplastic Screwless Wallplates	A79
Unfinished Wallplates (Cold Rolled Steel)	A11-32
Wallplates with Classic Metal Finishes	A61-63
Wallplate Color Guide	A5-6



With the exception of our Thermoplastic Wall Plate Series, all of the wall plates in this catalog are made in the U.S.A. and comply with the Buy America Act. For more information or documentation, contact us.

Mulberry Wallplates

Standard Size


83


93, 97, 70


68


95


99


98

85

84

44

86


82


58


51


88


87


94


65


66


69


64


220


221


222


214


215

32


34


33


36


38

Wallplates Color Guide

Princess Size


73


54


57, 53


76


75

79


74


78


43


218


225

Standard Size - Steel

44	Almond Semi-Gloss (44000)
51	Red Semi-Gloss (51000)
58	Gray Semi-Gloss (58000)
64	Polished Brass (64000)
65	Bank Bronze (65000)
66	Satin Bronze (66000)
68	Stainless Steel-304 Type-Mirror (68000)
69	Statuary Bronze (69000)
70	Stainless Steel-304 Type (93000)
82	Brown Semi-Gloss (82000)
83	Polished Chrome (83000)
84	Ivory Semi-Gloss (84000)
85	White Wrinkle (85000)
86	White Semi-Gloss (86000)
87	Black Matte (87000)
88	Aluminum Painted Steel (88000)
93	Stainless Steel-304 Type (93000)
94	Satin Brass (94000)
95	Clear Anodized Aluminum (95000)
96	Satin Brass-.060" (96000)
97	Stainless Steel-430 Type (97000)
98	Brown Wrinkle (98000)
99	Ivory Wrinkle (99000)
214	Hammered Copper (21400)
215	Hammered Black (21500)
220	Regal Black (22000)
221	Regal Copper (22100)
222	Regal Gold (22200)


Princess Size - Steel

43	Almond Wrinkle
53	Stainless Steel-304 Type (93000)
54	Satin Brass (54000)
57	Stainless Steel-430 Type (97000)
73	Polished Chrome (73000)
74	Ivory Semi-Gloss (74000)
75	White Wrinkle (75000)
76	White Semi-Gloss (76000)
78	Brown Wrinkle (78000)
79	Ivory Wrinkle (79000)
218	Polished Brass over steel (21800)
225	Brushed Brass over steel (22500)

Standard & Midi Size - Thermoplastic

32	White Thermoplastic (32000)
33	Light Almond Thermoplastic (33000)
34	Ivory Thermoplastic (34000)
36	Red Thermoplastic (36000)
38	Brown Thermoplastic (38000)


Full Scale Dimensions




STANDARD TOLERANCE ±0.0313”

Screw Hole Dimensions

Standard Size



Examples:



Blank

Toggle Single Receptacle

Interchangeable (Despard) GFI

Refer to the dimensional drawings within our Opening Selector Guide

Dimensions by Style

Standard Shape

1	gang	4.5” x 2.75”
2	gang	4.5” x 4.562”
3	gang	4.5” x 6.375”
4	gang	4.5” x 8.187”
5	gang	4.5” x 10.00”
6	gang	4.5” x 11.812”
7	gang	4.5” x 13.625”
8	gang	4.5” x 15.437”
9	gang	4.5” x 17.25”
10	gang	4.5” x 19.062”
11	gang	4.5” x 20.875”
12	gang	4.5” x 22.687”
13	gang	4.5” x 24.50”
14	gang	4.5” x 26.312”
15	gang	4.5” x 28.125”
16	gang	4.5” x 29.937”
17	gang	4.5” x 31.875”
18	gang	4.5” x 33.687”
19	gang	4.5” x 35.50”
20	gang	4.5” x 37.312”

Jumbo / Oversize (SL)

1	gang	5.5” x 3.50”
2	gang	5.5” x 5.50”
3	gang	5.5” x 7.50”
4	gang	5.5” x 9.50”
5	gang	5.5” x 11.50”
6	gang	5.5” x 13.50”
7	gang	5.5” x 15.50”
8	gang	5.5” x 17.50”

Dimensions for Deep and Narrow Plates see Pages A64 - A66.

Princess Shape (PRL)

1	gang	5” x 2.75”
2	gang	5” x 4.562”
3	gang	5” x 6.375”
4	gang	5” x 8.187”
5	gang	5” x 10.00”
6	gang	5” x 11.812”

Maxi Shape (MP)

1	gang	5” x 3.50”

Thermoplastic Standard Size

1	gang	4.5” x 2.76”
2	gang	4.5” x 4.57”
3	gang	4.5” x 6.38”
4	gang	4.5” x 8.19”
5	gang	4.5” x 10.03”
6	gang	4.5” x 11.81”

Thermoplastic Midi Size


1	gang	4.88” x 3.11”
2	gang	4.88” x 4.92”
3	gang	4.88” x 6.77”
4	gang	4.88” x 8.58”


STANDARD TOLERANCE ±0.0313”

Note: Standard Size and Jumbo/Oversize plates (beveled edge) can be made available in custom sizes. Princess and Maxi Shape plates, as well as thermoplastic plates, are only available up to 6 gangs.

Material Specifications

S - Standard Shape





P - Princess Shape

Steel (Prepared to Underwriters Laboratories, Inc. specifications)	**Finish**	**Shape**	**Thickness**	**Finish Designator**	**Catalog Page**
Almond (ALM)	smooth semi-gloss	S	.030	44000	A11-22
Almond Wrinkle (DA-PRL)	hard baked wrinkle	P	.030	43000	A23-32
Aluminum Paint (CDA)	smooth semi-gloss	S	.030	88000	A11-22
Black Paint (BL)	matte	S	.030	87000	A11-22
Brown Paint (BK)	smooth semi-gloss	S	.030	82000	A11-22
Brown Paint (DB)	hard baked wrinkle	S	.030	98000	A11-22
Brown Paint (DB-PRL)	hard baked wrinkle	P	030	78000	A23-32
Chrome Plate (CA)	mirror polish	S	.030	83000	A37-46
Chrome Plate (CA-PRL)	mirror polish	P	.030	73000	A47-56
Gray	smooth semi-gloss	S	.030	58000	A11-22
Ivory (IA)	smooth semi-gloss	S	.030	84000	A11-22
Ivory (IA-PRL)	smooth semi-gloss	P	.030	74000	A23-32
Ivory (DI)	hard baked wrinkle	S	.030	99000	A11-22
Ivory (DI-PRL)	hard baked wrinkle	P	.030	79000	A23-32
Red (RA)	smooth semi-gloss	S	.030	51000	A11-22
White (WA)	smooth semi-gloss	S	.030	86000	A11-22
White (WA-PRL)	smooth semi-gloss	P	.030	76000	A23-32
White (DW)	hard baked wrinkle	S	.030	85000	A11-22
White (DW-PRL)	hard baked wrinkle	P	.030	75000	A23-32
Hammered Copper	textured / matte	S	.030	21400	A61-63
Hammered Black	textured / matte	S	.030	21500	A61-63
Regal Black	textured / matte	S	.030	22000	A61-63
Regal Copper	textured / matte	S	.030	22100	A61-63
Regal Gold	textured / matte	S	.030	22200	A61-63
Zinc Coat (AUNF)	unfinished	S	.030	89000	A11-22
Zinc Coat (AUNF-PRL)	unfinished	P	.030	80000	A23-32

Material Specifications

Stainless Steel

Grade	Finish	Shape	Thickness	U.S. Bureau Standards Symbol	Finish Designator	Catalog Page
*Type 304 (304SS)	#4 Fine Satin	S	.030	US #32D	93000	A37-46
*Type 304 (304SS-PRL)	#4 Fine Satin	P	.030	US #32D	53000	A47-56
*Type 304 (304-6SS)	#4 Fine Satin	S	.060	US #32D	70000	A37-46
*Type 304 (304SP)	Mirror Polish	S	.030	US #32	68000	A37-46
Type 430 (SS)	#4 Fine Satin	S	.030	US #32	97000	A37-46
Type 430 (SS-PRL)	#4 Fine Satin	P	.030	US #32D	57000	A47-56

** 304 Stainless steel is a specification grade that consists of 18% chromium and 8% nickel. It is non-magnetic and corrosion resistant. It is ideal for hospitals, schools and other public institutions, as well as computer rooms.*

Aluminum

Clear Anodized (4AA)	Matte, Smooth	S	.040	-	95000	A37-46

Brass & Bronze*


Statuary Bronze Dark (4DBR)	Antique finish over solid brass	S	.040	US #20	69000	A37-46
Bank Bronze Medium (4ABR)	Antique finish over solid brass	S	.040	US #108	65000	A37-46
Satin Brass (4BB) (solid brass)	Satin #4 Polish	S	.040	US #4	94000	A37-46
Satin Brass (4BB-PRL) (solid brass)	Satin #4 Polish	P	.040	US #4	54000	A47-56
Satin Brass (6BB) (solid brass)	Satin #4 Polish	S	.060	US #4	96000	A37-46
Satin Bronze (4SBR)	Satin #4 Polish	S	.040	US #10	66000	A37-46
Polished Brass (4PB) (solid brass)	Mirror Finish	S	.040	US #3	64000	A37-46
Polished Brass (plated steel)	Mirror Finish	P	.040	-	21800	A47-56
Satin Brass (plated steel)	Satin #4 Polish	P	.040	-	22500	A47-56

** Lacquered to prevent oxidation*


Thermoplastic

Light Almond	33000	A72-79
Ivory	34000	A72-79
Red	36000	A72-79
White	32000	A72-79
Brown	38000	A72-76

PAINTED METAL
Standard Size




UL Listed unless marked with an asterisk (*)



	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
1-Toggle Switch (1T)	86071	85071	84071	99071	82071	98071	44071	87071	58071	51071	88071	89071
2-Toggle Switch (2T)	86072	85072	84072	99072	82072	98072	44072	87072	58072	51072	88072	89072
3-Toggle Switch (3T)	86073	85073	84073	99073	82073	98073	44073	87073	58073	51073	88073	89073
4-Toggle Switch (4T)	86074	85074	84074	99074	82074	98074	44074	87074	58074	51074	88074	89074
5-Toggle Switch (5T)	86075	85075	84075	99075	82075	98075	44075	87075	58075	51075	88075	89075
6-Toggle Switch (6T)	86076	85076	84076	99076	82076	98076	44076	87076	58076	51076	88076	89076
7-Toggle Switch (7T)	86077	85077	84077	99077	82077	98077	44077	87077	58077	51077	88077	89077
8-Toggle Switch (8T)	86078	85078	84078	99078	82078	98078	44078	87078	58078	51078	88078	89078
9-Toggle Switch (9T)	86079	85079	84079	99079	82079	98079	44079	87079	58079	51079	88079	89079
10-Toggle Switch (10T)	86080	85080	84080	99080	82080	98080	44080	87080	58080	51080	88080	89080
1-Duplex (10DR)	86101	85101	84101	99101	82101	98101	44101	87101	58101	51101	88101	89101
2-Duplex (20DR)	86102	85102	84102	99102	82102	98102	44102	87102	58102	51102	88102	89102

PAINTED METAL
Standard Size


PAINTED METAL WALLPLATES - STANDARD SIZE



	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
3-Duplex (30DR)	86103	85103	84103	99103	82103	98103	44103	87103	58103	51103	88103	89103
4-Duplex (40DR)	86104	85104	84104	99104	82104	98104		87104	58104	51104	88104	89104
5-Duplex (50DR)	86105	85105	84105	99105	82105	98105		87105	58105	51105	88105	89105
6-Duplex (60DR)	86106	85106	84106	99106	82106	98106		87106	58106	51106	88106	89106
1-Single Recept. (1.405”) (10R)	86091	85091	84091	99091	82091	98091	44091	87091	58091	51091	88091	89091
2-Single Recept. (1.405”) (20R)	86092	85092	84092	99092	82092	98092		87092	58092	51092	88092	89092
3-Single Recept. (1.405”) (30R)	86093	85093	84093	99093	82093	98093		87093	58093	51093	88093	89093
1-Blank / Mounting Strap (Device Mntg. 2.375”) (1BDE)	86121	85121	84121	99121	82121	98121		87121	58121	51121	88121	89121
2-Blank / Mounting Straps (Device Mntg. 2.375”) (2BDE)	86122	85122	84122	99122	82122	98122		87122	58122	51122	88122	89122
3-Blank / Mounting Straps (Device Mntg. 2.375”) (3BDE)	86123	85123	84123	99123	82123	98123		87123	58123	51123	88123	89123
1-Blank (Box Mntg. 3.281”) (1B)	86151	85151	84151	99151	82151	98151	44151	87151	58151	51151	88151	89151
2-Blank (Box Mntg. 3.281”) (2B)	86152	85152	84152	99152	82152	98152	44152	87152	58152	51152	88152	89152
3-Blank (Box Mntg. 3.281”) (3B)	86153	85153	84153	99153	82153	98153	44153	87153	58153	51153	88153	89153

Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com


PAINTED METAL
Standard Size



	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
4 Blanks (Box Mntg. 3.281”) (4B)	86154	85154	84154	99154	82154	98154		87154	58154	51154	88154	89154
5 Blanks (Box Mntg. 3.281”) (5B)	86155	85155	84155	99155	82155	98155		87155	58155	51155	88155	89155
6 Blanks (Box Mntg. 3.281”) (6B)	86156	85156	84156	99156	82156	98156		87156	58156	51156	88156	89156
7 Blanks (Box Mntg. 3.281”) (7B)	86157	85157	84157	99157	82157	98157		87157	58157	51157	88157	89157
8 Blanks (Box Mntg. 3.281”) (8B)	86158	85158	84158	99158	82158	98158		87158	58158	51158	88158	89158
9 Blanks (Box Mntg. 3.281”) (9B)	86159	85159	84159	99159	82159	98159		87159	58159	51159	88159	89159
10 Blanks (Box Mntg. 3.281”) (10B)	86160	85160	84160	99160	82160	98160		87160	58160	51160	88160	89160
Block Duplex/ GFI Recept. (SRM)	86401	85401	84401	99401	82401	98401	44401	87401	58401	51401	88401	89401
2 Block Duplex/ GFI Recept. (2SRM)	86402	85402	84402	99402	82402	98402	44402	87402	58402	51402	88402	89402
3 Block Duplex/ GFI Recept. (3SRM)	86403	85403	84403	99403	82403	98403	44403	87403	58403	51403	88403	89403
4 Block Duplex/ GFI Recept. (4SRM)	86404	85404	84404	99404	82404	98404	44404	87404	58404	51404	88404	89404
5 Block Duplex/ GFI Recept. (5SRM)	86405	85405	84405	99405	82405	98405	44405	87405	58405	51405	88405	89405
6 Block Duplex/ GFI Recept. (6SRM)	86406	85406	84406	99406	82406	98406	44406	87406	58406	51406	88406	89406


PAINTED METAL

Standard Size



	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
7 Block Duplex/ GFI Recept. (7SRM)	86407	85407	84407	99407	82407	98407	44407	87407	58407	51407	88407	89407
8 Block Duplex/ GFI Recept. (8SRM)	86408	85408	84408	99408	82408	98408	44408	87408	58408	51408	88408	89408
9 Block Duplex/ GFI Recept. (9SRM)	86409	85409	84409	99409	82409	98409	44409	87409	58409	51409	88409	89409
10 Block Duplex/ GFI Recept. (10SRM)	86410	85410	84410	99410	82410	98410	44410	87410	58410	51410	88410	89410
One 5/8” ID Phone (Box Mntg. 3.281”) (01)	86201	85201	84201	99201	82201	98201		87201	58201	51201	88201	89201
Two 5/8” ID Phone (Box Mntg. 3.281”) (02)	86202	85202	84202	99202	82202	98202		87202	58202	51202	88202	89202
One 5/8” ID Phone with Metal Bushing (Box Mntg. 3.281”) (61)	86591	85591	84591	99591	82591	98591		87591	58591	51591	88591	89591
One Phone .5” Phone w/ .375 ID Grommet & Mounting Strap (Device Mntg. 2.375”)	86181	85181	84181	99181	82181	98181		87181	58181	51181	88181	89181
One Phone 1.405” w/ 1” ID Plastic Bushing (Box Mntg. 3.281”)(71)	86581	85581	84581	99581	82581	98581		87581	58581	51581	88581	89581
One .875” ID Hole (Box Mntg. 3.281”)(X78)	86480		84480	99480	82480							
One 20A TL Recept. w/ 1.620” ID hole (3R)	86111	85111	84111	99111	82111	98111		87111	58111	51111	88111	89111
Two 20A TL Recepts. w/ 1.620” ID hole (23R)	86113	85113	84113	99113	82113	98113		87113	58113	51113	88113	89113


PAINTED METAL
Standard Size



	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
One 30A 3 & 4 Wire TL Recept. with 1.730” ID Hole (3330R)	86229	85229	84229	99229	82229	98229		87229	58229	51229	88229	89229
30/50A 3 Wire Range/Dryer Recept. with 2.125” ID Hole (3D)	86221	85221	84221	99221	82221	98221		87221	58221	51221	88221	89221
30/50A 3 Wire Range/Dryer Recept. w/ 2.125” ID Hole 2 gang plate (23D)	86222	85222	84222	99222	82222	98222		87222	58222	51222	88222	89222
30/50A 3 Wire Range/Dryer Recept. with 2.125” ID Hole (N23D)	86227	85227	84227	99227	82227	98227		87227	58227	51227	88227	89227
30/50/60A 3 & 4 Wire Recepts. with 2.480” ID Hole (5R)	86223	85223	84223	99223	82223	98223		87223	58223	51223	88223	89223
30/50A 3 & 4 Wire Range/Dryer Recept. 2.165” ID Hole (5RR)	86224	85224	84224	99224	82224	98224		87224	58224	51224	88224	89224
30/50/60A 4 Wire Recepts. With 2.625” ID Hole (L5R)	86225	85225	84225	99225	82225	98225		87225	58225	51225	88225	89225
30/50/60A 4 Wire Offset Recepts. 2.275” ID Hole (N5RR)	86226	85226	84226	99226	82226	98226		87226	58226	51226	88226	89226
30/50/60A 4 Wire Receptacles 2.255” ID Hole (P5R)	86228	85228	84228	99228	82228	98228		87228	58228	51228	88228	89228
Louver, Horizontal (Device Mntg. 2.375”) (LH)	86630	85630	84630	99630	82630	98630	44630	87630	58630	51630	88630	89630
Louver, Vertical (Device Mntg. 2.375”) (LV)	86631	85631	84631	99631	82631	98631	44631	87631	58631	51631	88631	89631
2 Louvers (Device Mntg. 2.375”) (2LV)	86632	85632	84632	99632	82632	98632		87632	58632	51632	88632	89632


PAINTED METAL

Standard Size



	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
Interchangeable 1 Hole Horizontal (71A)	86011X	85011X	84011X	99011X	82011X	98011X		87011X	58011X	51011X	88011X	89011X
Interchangeable 1 Hole per gang, Horizontal (72A)	86012X	85012X	84012X	99012X	82012X	98012X		87012X	58012X	51012X	88012X	89012X
Interchangeable 2 Holes (71B)	86021X	85021X	84021X	99021X	82021X	98021X		87021X	58021X	51021X	88021X	89021X
Interchangeable 2 Holes per gang (72B)	86022X	85022X	84022X	99022X	82022X	98022X		87022X	58022X	51022X	88022X	89022X
Interchangeable 2 Holes per gang (73B)	86023X	85023X	84023X	99023X	82023X	98023X		87023X	58023X	51023X	88023X	89023X
Interchangeable 3 Holes (71C)	86031X	85031X	84031X	99031X	82031X	98031X		87031X	58031X	51031X	88031X	89031X
Interchangeable 3 Holes per gang (72C)	86032X	85032X	84032X	99032X	82032X	98032X		87032X	58032X	51032X	88032X	89032X
Interchangeable 1 Hole Vertical (71G)	86041X	85041X	84041X	99041X	82041X	98041X		87041X	58041X	51041X	88041X	89041X
Interchangeable 1 HoleHorizontal, 2 Holes (71A-71B)	86052X	85052X	84052X	99052X	82052X	98052X		87052X	58052X	51052X	88052X	89052X
Toggle Switch, Interchangeable 2 Holes (1T-71B)	86062X	85062X	84062X	99062X	82062X	98062X		87062X	58062X	51062X	88062X	89062X
Toggle Switch, Interchangeable 3 Holes (1T-71C)	86132X	85132X	84132X	99132X	82132X	98132X		87132X	58132X	51132X	88132X	89132X
Duplex Recept., Interchangeable 2 Holes (10DR-71B)	86142X	85142X	84142X	99142X	82142X	98142X		87142X	58142X	51142X	88142X	89142X


PAINTED METAL
Standard Size



	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
Duplex Recept., Interchangeable 3 Holes (10DR-71C)	86172X	85172X	84172X	99172X	82172X	98172X		87172X	58172X	51172X	88172X	89172X
Toggle Switch, Single Recept. (1.405” ID Hole) (1T-10R)	86512	85512	84512	99512	82512	98512		87512	58512	51512	88512	89512
Toggle Switch, 5/8” ID Phone (Box Mntg. 3.281”) (1T-01)	86472	85472	84472	99472	82472	98472		87472	58472	51472	88472	89472
Toggle Switch, Blank (Box Mntg. 3.281”) (1T-1B)	86522	85522	84522	99522	82522	98522		87522	58522	51522	88522	89522
Toggle Switch, Block Duplex/GFI Receptacle (1T-SRM)	86432	85432	84432	99432	82432	98432	44432	87432	58432	51432	88432	89432
Toggle Switch, Duplex Recept. (1T-10DR)	86532	85532	84532	99532	82532	98532	44532	87532	58532	51532	88532	89532
Duplex Recpt., Blank (Box Mntg. 3.281”) (10DR-1B)	86542	85542	84542	99542	82542	98542		87542	58542	51542	88542	89542
Duplex Recept., 5/8” ID Phone (Box Mntg. 3.281) (10DR-01)	86582	85582	84582	99582	82582	98582		87582	58582	51582	88582	89582
Duplex Recept., Single Recept. (1.405” ID Hole) (10DR-10R)	86572	85572	84572	99572	82572	98572		87572	58572	51572	88572	89572
Duplex Recept., Block Duplex/GFI Recept. (10DR-SRM)	86672	85672	84672	99672	82672	98672	44672	87672	58672	51672	88672	89672
1 Blank (Box Mntg. 3.281”) 20A TL Recept. 1.620” ID Hole (1B-3R)	86360		84360	99360								
Duplex Recept., 20A TL Recept. (1.620” ID Hole) (10DR-3R)	86390	85390	84390	99390	82390	98390		87390	58390	51390	88390	89390
Duplex Recept., 30A Range/Dryer Recept. (2.125” ID Hole) (10DR-3D)	86180	85180	84180	99180	82180	98180		87180	58180	51180	88180	89180


PAINTED METAL
Standard Size

PAINTED METAL WALLPLATES - STANDARD SIZE



	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
Single Recept. (1.405” ID Hole) Blank (Box Mntg. 3.281”) (10R-1B)	86552	85552	84552	99552	82552	98552		87552	58552	51552	88552	89552
Single Recept. (1.405” ID Hole) Block Duplex/GFI Recept. (10R-SRM)	86442		84442	99442								
Block Duplex/GFI Recept., Blank (Box Mntg. 3.281”) (SRM-1B)	86422	85422	84422	99422	82422	98422		87422	58422	51422	88422	89422
Toggle Switch, Centered 2 Gang Plate (1T-2G)	86772	85772	84772	99772	82772	98772		87772	58772	51772	88772	89772
Duplex Recept., Centered 2 Gang Plate (10DR-2G)	86773	85773	84773	99773	82773	98773		87773	58773	51773	88773	89773
Single Recept. (1.405” ID Hole), Centered 2 Gang Plate (10R-2G)	86774	85774	84774	99774	82774	98774		87774	58774	51774	88774	89774
5/8” ID Phone (Box Mntg. 3.281) Centered 2 Gang Plate (01-2G)	86775	85775	84775	99775	82775	98775		87775	58775	51775	88775	89775
Block Duplex/GFI Recept. Centered 2-Gang Plate (SRM-2G)	86777		84777	99777				87777				
20A TL Recept. 1.620” ID Hole Centered 2-Gang Plate (3R-2G)	86778		84778	99778								
2 Toggle Switches, Duplex Receptacle (2T-10DR)	86543	85543	84543	99543	82543	98543	44543	87543	58543	51543	88543	89543
2 Toggle Switches, Blank (Box Mntg. 3.281”) (2T-1B)	86533	85533	84533	99533	82533	98533		87533	58533	51533	88533	89533
2 Toggle Switches, Block Duplex/GFI Recept. (2T-SRM)	86443	85443	84443	99443	82443	98443		87443	58443	51443	88443	89443
2 Toggle Switches, Single Recept. (1.405” ID Hole) (2T-10R)	86523			99523		98523						


PAINTED METAL
Standard Size



	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
Toggle Switch, 2 Single Recepts. (1.405” ID Hole) (1T-20R)	86563			99563		98563						
Toggle Switch, 2 Block Duplex/GFI Recepts. (1T-2SRM)	86453	85453	84453	99453	82453	98453		87453	58453	51453	88453	89453
Toggle Switch, 2 Blanks (Box Mntg. 3.281”) (1T-2B)	86133	85133	84133	99133	82133	98133		87133	58133	51133	88133	89133
Toggle Switch, 2 Duplex Recepts. (1T-20DR)	86553	85553	84553	99553	82553	98553		87553	58553	51553	88553	89553
Toggle Switch, Block Duplex, Duplex Recept. (1T-SRM-10DR)	86503	85503	84503	99503	82503	98503		87503	58503	51503	88503	89503
Duplex Recept., 2 Blanks (Box Mntg. 3.281”) (10DR-2B)	86423	85423	84423	99423	82423	98423		87423	58423	51423	88423	89423
Blank (Box Mntg. 3.281”), Toggle Switch, Blank (Box Mntg. 3.281”) (1B-1T-1B)	86173			99173		98173						
Toggle Switch, Blank (Box Mntg. 3.281”) Toggle Switch (1T-1B-1T)	86433			99433		98433						
Duplex Recept., Blank (Box Mntg 3.281”), Duplex Recept. (10DR-1B-10DR)	86513			99513		98513						89513
Blank (Box Mntg. 3.281”) Duplex Recept., Blank (Box Mntg. 3.281”) (1B-10DR-1B)	86193	85193	84193	99193	82193	98193		87193	58193	51193	88193	89193
Blank (Box Mntg. 3.281”) 2 Duplex Recept. (1B-20DR)	86163	85163	84163	99163	82163	98163		87163	58163	51163	88163	89163
Single Recept. (1.405” ID Hole) 2 Recepts. (10R-20DR)	86593	85593	84593	99593	82593	98593		87593	58593	51593	88593	89593
Toggle Switch, Blank (Box Mntg. 3.281”), Duplex Recept. (1T-1B-10DR)	86233	85233	84233	99233	82233	98233		87233	58233	51233	88233	89233


PAINTED METAL
Standard Size





PAINTED METAL WALLPLATES - STANDARD SIZE



	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
2 Block Duplex/GFI Recepts., Blank (Box Mntg. 3.281”) (2SRM-1B)	86343		84343	99343								
Block Duplex/GFI., 2 Blanks (Box Mntg. 3.281”) (SRM-2B)	86383		84383	99383								
2 Duplex Recepts., Block Duplex/GFI Recept. (20DR-SRM)	86673		84673	99673								
Duplex Recept., 2 Block Duplex/GFI Recepts. (10DR-2SRM)	86683		84683	99683								
3 Toggle Switches, Duplex Recept. (3T-10DR)	86554	85554	84554	99554	82554	98554	44554	87554	58554	51554	88554	89554
3 Toggle Switches, Block Duplex/GFI Recept. (3T-SRM)	86454	85454	84454	99454	82454	98454		87454	58454	51454	88454	89454
Toggle Switch, 3 Block Duplex/GFI Recept. (1T-3SRM)	86654		84654	99654								
3 Toggle Switches, Blank (Box Mngt. 3.281”) (3T-1B)	86544	85544	84544	99544	82544	98544		87544	58544	51544	88544	89544
2 Toggle Switches, 2 Duplex Recepts. (2T-20DR)	86564	85564	84564	99564	82564	98564		87564	58564	51564	88564	89564
2 Toggle Switches, 2 Blanks (Box Mntg. 3.281”) (2T-2B)	86574	85574	84574	99574	82574	98574		87574	58574	51574	88574	89574
Toggle Switch, 3 Duplex Recepts. (1T-30DR)	86584	85584	84584	99584	82584	98584		87584	58584	51584	88584	89584
Blank (Box Mntg. 3.281”), 2 Toggle Switches, Blank (Box Mntg. 3.281”) (1B-2T-1B)	86374			99374		98374						
2 Duplex, Recepts., 2 Blanks (Box Mntg. 3.281”) (20DR-2B)	86164	85164	84164	99164	82164	98164		87164	58164	51164	88164	89164


PAINTED METAL
Standard Size




	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
 Blank (Box Mntg. 3.281”), 2 Duplex Recepts., Blank (Box Mntg. 3.281”) (1B-20DR-1B)	86194			99194		98194						
 3 Block Duplex/ GFI Recepts., Blank (Box Mntg. 3.281”) (3SRM-1B)	86324		84324	99324								
 2 Block Duplex/GFI Recepts., 2 Blanks (Box Mntg. 3.281”) (2SRM-2B)	86344		84344	99344								
 Block Duplex/GFI Recept., 3 Blanks (Box Mntg. 3.281”) (SRM-3B)	86384		84384	99384								
 2 Toggle Switches, 2 Block Duplex/ GFI Recepts. (2T-2SRM)	86664		84664	99664								
 3 Duplex Recepts., Block Duplex/GFI Recept. (30DR-SRM)	86674		84674	99674								
 Duplex Recept., 3 Block Duplex/GFI Recepts. (10DR-3SRM)	86684		84684	99684								
 2 Duplex Recepts., 2 Block Duplex/GFI Recepts. (20DR-2SRM)	86694		84694	99694								
 4 Toggle Switches, Duplex Recept. (4T-10DR)	86565	85565	84565	99565	82565	98565		87565	58565	51565	88565	89565
 3 Toggle Switches, 2 Block Duplex/ GFI Recepts. (3T-2SRM)	86455		84455	99455								
 4 Toggle Switches, Block Duplex/GFI Recept., (4T-SRM)	86465	85465	84465	99465	82465	98465		87465	58465	51465	88465	89465
 4 Toggle Switches, Blank (Box Mntg. 3.281”) (4T-1B)	86555		84555	99555		98555						
 3 Toggle Switches, 2 Duplex Recepts. (3T-20DR)	86575	85575	84575	99575	82575	98575		87575	58575	51575	88575	89575


PAINTED METAL

Standard Size




	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
 Toggle Switch, 4 Block Duplex/GFI Recepts. (1T-4SRM)	86655		84655	99655								
 2 Toggle Switches, 3 Block Duplex/GFI Recepts. (2T-3SRM)	86665		84665	99665								
 5 Toggle Switches, Blank (Box Mntg. 3.281”) (5T-1B)	86416			99416		98416						
 5 Toggle Switches, Block Duplex/GFI Recept. (5T-SRM)	86476		84476	99476								
 4 Toggle Switches, 2 Block Duplex/GFI Recepts. (4T-2SRM)	86506		84506	99506								
 Toggle Switch, 5 Block Duplex/GFI Recepts. (1T-5SRM)	86656		84656	99656								
 5 Toggle Switches, Duplex (5T-10DR)	86576	85576	84576	99576	82576	98576		87576	58576	51576	88576	89576
 4 Toggle Switches, 2 Duplex Recepts. (4T-20DR)	86196		84196	99196		98196						

PAINTED METAL
Princess Size




UL Listed unless marked with an asterisk (*)



	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
1-Toggle Switch (1T)	76071	75071	74071	79071	78071	43071	80071
2-Toggle Switch (2T)	76072	75072	74072	79072	78072	43072	80072
3-Toggle Switch (3T)	76073	75073	74073	79073	78073	43073	80073
4-Toggle Switch (4T)	76074	75074	74074	79074	78074		80074
5-Toggle Switch (5T)	76075	75075	74075	79075	78075		80075
6-Toggle Switch (6T)	76076	75076	74076	79076	78076		80076
1-Duplex (10DR)	76101	75101	74101	79101	78101	43101	80101
2-Duplex (20DR)	76102	75102	74102	79102	78102	43102	80102
3-Duplex (30DR)	76103	75103	74103	79103	78103		
4-Duplex (40DR)	76104	75104	74104	79104	78104		
5-Duplex (50DR)	76105	75105	74105	79105	78105		
6-Duplex (60DR)	76106	75106	74106	79106	78106		

PAINTED METAL


Princess Size



	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
1 Single Recept. (1.405”) (10R)	76091	75091	74091	79091	78091	43091	80091
2 Single Recept. (1.405”) (20R)	76092	75092	74092	79092	78092		
1 Blank with Mounting Strap (Device Mntg. 2.375”) (1BDE)	76121	75121	74121	79121	78121		
2 Blanks with Mounting Straps (Device Mntg. 2.375”) (2BDE)	76122	75122	74122	79122	78122		
3 Blanks with mounting Straps (Device Mntg. 2.375”) (3BDE)	76123	75123	74123	79123	78123		
1 Blank (Box Mntg. 3.281”) (1B)	76151	75151	74151	79151	78151	43151	80151
2 Blanks (Box Mntg. 3.281”) (2B)	76152	75152	74152	79152	78152	43152	80152
3 Blanks (Box Mntg. 3.281”) (3B)	76153	75153	74153	79153	78153		
4 Blanks (Box Mntg. 3.281”) (4B)	76154	75154	74154	79154	78154		
5 Blanks (Box Mntg. 3.281”) (5B)	76155	75155	74155	79155	78155		
6 Blanks (Box Mntg. 3.281”) (6B)	76156	75156	74156	79156	78156		

PAINTED METAL


Princess Size



	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
Block Duplex/GFI Recept. (SRM)	76401	75401	74401	79401	78401	43401	80401
2 Block Duplex/GFI Recepts. (2SRM)	76402	75402	74402	79402	78402	43402	80402
3 Block Duplex/GFI Recepts. (3SRM)	76403	75403	74403	79403	78403	43403	80403
4 Block Duplex/GFI Recepts. (4SRM)	76404	75404	74404	79404	78404		80404
5 Block Duplex/GFI Recepts. (5SRM)	76405	75405	74405	79405	78405		80405
6 Block Duplex/GFI Recepts. (6SRM)	76406	75406	74406	79406	78406		80406
One 5/8” ID Phone (Box Mntg. 3.281”) (01)	76201	75201	74201	79201	78201		80201
Two 5/8” ID Phones (Box Mntg. 3.281”) (02)	76202	75202	74202	79202	78202		
One 5/8” ID Phone with Metal Bushing (Box Mntg. 3.281”) (61)	76591	75591	74591	79591	78591		
One .5” with .375” ID Grommet and Mounting Strap (Device Mntg. 2.375”)	76181	75181	74181	79181	78181		
One Phone 1.405” with 1” ID Plastic Bushing (Box Mntg. 3.281”) (71)	76581	75581	74581	79581	78581		
One 0.875” ID Hole (Box Mntg. 3.281”) (X78)	76480			79480			
One 20A TL Recept. 1.620” ID Hole (3R)	76111	75111	74111	79111	78111		


PAINTED METAL

Princess Size



	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
Two 20A TL Recepts. 1.620 ID Hole (23R)	76113	75113	74113	79113	78113		
One 30A 3 & 4 Wire TL Recept. 1.730 ID Hole (3330R)	76229	75229	74229	79229	78229		
30/50A Wire Range/Dryer Recpt. 2.125” ID Hole (3D)	76221	75221	74221	79221	78221		
30/50A 3 Wire Range/Dryer Recept. 2.125” ID Hole 2 gang Plate (23D)	76222	75222	74222	79222	78222		
30/50A 3 Wire Range/Dryer Recept. 2.125” ID Hole (N23D)	76227	75227	74227	79227	78227		
30/50/60A 4 Wire Recepts. 2.480” Hole (5R)	76223	75223	74223	79223	78223		
30/50A 3 & 4 Wire Range/Dryer Recept. 2.165” ID Hole (5RR)	76224	75224	74224	79224	78224		
30/50/60A 4 Wire Recepts. with 2.625” ID Hole (L5R)	76225	75225	74225	79225	78225		
30/50/60A 4 Wire Offset Recepts. 2.275” ID Hole (N5RR)	76226	75226	74226	79226	78226		
30/50/60A 4 Wire Recepts. 2.255” ID Hole (P5R)	76228	75228	74228	79228	78228		
Louver, Horizontal (Device Mntg. 2.375”) (LH)	76630	75630	74630	79630	78630		
Louver, Vertical (Device Mntg. 2.375”) (LV)	76631	75631	74631	79631	78631		
2 Louvers, Vertical (Device Mntg. 2.375”) (2LV)	76632	75632	74632	79632	78632		


PAINTED METAL
Princess Size



	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
Interchangeable 1 Hole, Horizontal (71A)	76011X	75011X	74011X	79011X	78011X		
Interchangeable 1 Hole per Gang Horizontal (72A)	76012X	75012X	74012X	79012X	78012X		
Interchangeable 2 Holes, (71B)	76021X	75021X	74021X	79021X	78021X		
Interchangeable 2 Holes per Gang (72B)	76022X	75022X	74022X	79022X	78022X		
Interchangeable 2 Holes per Gang (73B)	76023X	75023X	74023X	79023X	78023X		
Interchangeable 3 Holes, (71C)	76031X	75031X	74031X	79031X	78031X		
Interchangeable 3 Holes per Gang (72C)	76032X	75032X	74032X	79032X	78032X		
Interchangeable 1 Hole, Vertical (71G)	76041X	75041X	74041X	79041X	78041X		
Interchangeable 1 Hole, Horizontal, 2 holes (71A-71B)	76052X	75052X	74052X	79052X	78052X		
Toggle Switch, Interchangeable 2 Holes, (1T-71B)	76062X	75062X	74062X	79062X	78062X		
Toggle Switch, Interchangeable 3 Holes, (1T-71C)	76132X	75132X	74132X	79132X	78132X		
Duplex Recept., Interchangeable 2 Holes, (10DR-71B)	76142X	75142X	74142X	79142X	78142X		
Duplex Recept., Interchangeable 3 Holes, (10DR-71C)	76172X	75172X	74172X	79172X	78172X		


PAINTED METAL

Princess Size



	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
Toggle Switch, Duplex Recept. (1T-10DR)	76532	75532	74532	79532	78532	43532	80532
Toggle Switch, Single Recept. (1.405” ID Hole) (1T-10R)	76512	75512	74512	79512	78512		
Toggle Switch, 5/8” ID Phone (Box Mntg. 3.281”) (1T-01)	76472	75472	74472	79472	78472		
Toggle Switch, Blank (Box Mntg. 3.281”) (1T-1B)	76522	75522	74522	79522	78522		
Toggle Block Duplex/GFI Recept. (1T-SRM)	76432	75432	74432	79432	78432	43432	
Duplex Recept., Blank (Box Mntg. 3.281”) (10DR-1B)	76542	75542	74542	79542	78542		
Duplex Recept., 5/8” ID Phone (Box Mntg. 3.281”) (10DR-01)	76582	75582	74582	79582	78582		
Duplex Recept., Single Recept. (1.405” ID Hole) (10DR-10R)	76572	75572	74572	79572	78572		
Duplex Recept., Block Duplex/GFI Recept. (10DR-SRM)	76672	75672	74672	79672	78672		
One Blank (Box Mntg. 3.281”), 20A TL Recept. 1.620” ID Hole (1B-3R)	76360			79360			
Duplex Recept., 20A TL Recept. (1.620” ID Hole) (10DR-3R)	76390	75390	74390	79390	78390		
Duplex Recept., 30A Range/Dryer Recept. (2.125” ID Hole) (10DR-3D)	76180	75180	74180	79180	78180		
Single Recept., 20A TL Recept. (1.405” ID Hole) Blank (Box Mntg. 3.281”) (10R-1B)	76552	75552	74552	79552	78552		


PAINTED METAL
Princess Size



	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
Single Recept. (1.405” ID Hole) Block Duplex/GFI Recept. (10R-SRM)	76442			79442			
Block Duplex/GFI Recept., Blank (Box Mntg. 3.281”) (SRM-1B)	76422	75422	74422	79422	78422		
Toggle Switch, Centered 2 Gang Plate (1T-2G)	76772	75772	74772	79772	78772		
Duplex Recept., Centered 2 Gang Plate (10DR-2G)	76773	75773	74773	79773	78773		
Single Recept., Centered, 2 Gang Plate (1.405” ID Hole) (10R-2G)	76774	75774	74774	79774	78774		
5/8” ID Phone (Box Mntg. 3.281”), Centered 2 Gang Plate (01-2G)	76775	75775	74775	79775	78775		
Block Duplex/GFI Recept. Centered 2-Gang Plate (SRM-2G)	76777			79777			
2 Toggle Switches, Duplex Recept. (2T-10DR)	76543	75543	74543	79543	78543		80543
2 Toggle Switches, Blank (Box Mntg. 3.281”) (2T-1B)	76533	75533	74533	79533	78533		
2 Toggle Switches, Block Duplex/GFI Recept. (2T-SRM)	76443	75443	74443	79443	78443	43443	
Toggle Switch, 2 Block Duplex/GFI Recepts. (1T-2SRM)	76453	75453	74453	79453	78453		
Toggle Switch, 2 Blanks (Box Mntg. 3.281”) (1T-2B)	76133	75133	74133	79133	78133		
Toggle Switch, 2 Duplex Recepts. (1T-20DR)	76553	75553	74553	79553	78553		

PAINTED METAL


Princess Size






	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
Toggle Switch, Block Duplex/GFI Recept., Duplex Recept. (1T-SRM-10DR)	76503	75503	74503	79503	78503		
Duplex Recept., 2 Blanks (Box Mntg. 3.281”) (10DR-2B)	76423	75423	74423	79423	78423		
Blank (Box Mntg. 3.281”), Duplex Recept., Blank (Box Mntg. (3.281”) (1B-10DR-1B)	76193	75193	74193	79193	78193		
Blank (Box Mntg. 3.281”), 2 Duplex Recepts. (1B-20DR)	76163	75163	74163	79163	78163		
Single Recept. (1.405” ID Hole) 2 Duplex Recepts. (10R-20DR)	76593	75593	74593	79593	78593		
Toggle Switch, Blank (Box Mntg. 3.281”), Duplex Recept. (1T-1B-10DR)	76233	75233	74233	79233	78233		
2 Block Duplex/GFI Recepts., Blank (Box Mntg. 3.281”) (2SRM-1B)	76343			79343			
Block Duplex/GFI Recepts., 2 Blanks (Box Mntg. 3.281”) (SRM-2B)	76383			79383			
2 Duplex Recepts., Block Duplex/GFI Recept. (20DR-SRM)	76673			79673			
Duplex Recept., 2 Block Duplex/GFI Recepts., (10DR-2SRM)	76683			79683			
3 Toggle Switches, Duplex Recept. (3T-10DR)	76554	75554	74554	79554	78554		
3 Toggle Switches, Block Duplex/GFI (3T-SRM)	76454	75454	74454	79454	78454		
Toggle Swtich, 3 Block Duplex/GFI Recepts. (1T-3SRM)	76654			79654			

Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com


PAINTED METAL
Princess Size





	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
 3 Toggle Switches, Blank (Box Mntg. 3.281”) (3T-1B)	76544	75544	74544	79544	78544		
 2 Toggle Switches, 2 Duplex Recepts. (2T-20DR)	76564	75564	74564	79564	78564		
 2 Toggle Switches, 2 Blanks (Box Mntg. 3.281”) (2T-2B)	76574	75574	74574	79574	78574		
 Toggle Switch, 3 Duplex Switches (1T-30DR)	76584	75584	74584	79584	78584		
 2 Duplex Recepts., 2 Blanks (Box Mntg. 3.281”) (20DR-2B)	76164	75164	74164	79164	78164		
 3 Block Duplex/GFI Recepts., Blank (Box Mntg. 3.281”) (3SRM-1B)	76324			79324			
 2 Block Duplex/GFI Recepts., 2 Blanks (Box Mntg. 3.281”) (2SRM-2B)	76344			79344			
 Block Duplex/GFI Recepts., 3 Blanks (Box Mntg. 3.281”) (SRM-3B)	76384			79384			
 2 Toggle Switches, 2 Block Duplex/GFI Recepts. (2T-2SRM)	76664			79664			
 3 Duplex Recepts., Block Duplex/GFI Recept. (30DR-SRM)	76674			79674			
 Duplex Recept., 3 Block Duplex/GFI Recepts. (10DR-3SRM)	76684			79684			
 2 Duplex Recepts., 2 Block Duplex/GFI Recepts. (20DR-2SRM)	76694			79694			


PAINTED METAL


Princess Size



	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
 4 Toggle Switches, Duplex Recept. (4T-10DR)	76565	75565	74565	79565	78565		
 3 Toggle Switches, 2 Block Duplex/GFI Recepts. (3T-2SRM)	76455			79455			
 4 Toggle Switches, Block Duplex/GFI Recepts. (4T-SRM)	76465	75465	74465	79465	78465		
 4 Toggle Switches, 1 Blank (Box Mntg. 3.281”) (4T-1B)	76555			79555			
 3 Toggle Switches, 2 Duplex Recepts. (3T-20DR)	76575	75575	74575	79575	78575		
 Toggle Switch, 4 Block Duplex/GFI Recepts. (1T-4SRM)	76655			79655			
 2 Toggle Switches, 3 Block Duplex/GFI Recept. (2T-3SRM)	76665			79665			
 5 Toggle Switches, Duplex Recept. (5T-10DR)	76576	75576	74576	79576	78576		
 4 Toggle Switches, 2 Duplex Recepts. (4T-20DR)	76196			79196			
 5 Toggle Switches, Block Duplex/GFI Recept. (5T-SRM)	76476			79476			
 4 Toggle Switches, 2 Block Duplex/GFI Recepts. (4T-2SRM)	76506			79506			
 Toggle Switch, 5 Block Duplex/GFI Recepts. (1T-5SRM)	76656			79656			

PAINTED METAL
Maxi Plates






	White Semi-Gloss (ALM-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DW-PRL)	Brown Wrinkle (DB-PRL)
1-Toggle Switch (1T-MP)	76771	75771	74771	79771	78771
1-Duplex (10DR-MP)	76701	75701	74701	79701	78701
1 Single Recept. (1.405”) (10R-MP)	76791	75791	74791	79791	78791
1-Blank (Box Mntg. 3.281”) (1B-MP)	76751	75751	74751	79751	78751
One 5/8” ID Phone (Box Mntg.3.281”) (01-MP)	76750	75750	74750	79750	78750
30/50A 3 Wire Range/Dryer Recept. 2.125” ID Hole (3D-MP	76787	75787	74787	79787	78787
Block Duplex/GFI Recept. (SRM-MP)	76761	75761	74761	79761	78761


Note: Maxi (oversized) wallplates are only available in 1-gang. If you require larger gang sizes that also have a Princess shape (rounded corners), please refer to pages 22 to 32

PAINTED METAL

Jumbo/Oversize




UL Listed unless marked with an asterisk (*)



	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)
1 Toggle Switch (1T-SL)	86871	85871	84871	99871	82871	98871
2 Toggle Switches (2T-SL)	86872	85872	84872	99872	82872	98872
3 Toggle Switches (3T-SL)	86873	85873	84873	99873	82873	98873
4 Toggle Switches (4T-SL)	86874	85874	84874	99874	82874	98874
5 Toggle Switches (5T-SL) 1 Duplex* Receptacle (5T-SL)	86875	85875	84875	99875	82875	98875
1 Duplex Receptacle (10DR-SL)	86801	85801	84801	99801	82801	98801
2 Duplex Receptacles (20DR-SL)	86802	85802	84802	99802	82802	98802
1 Single Recept. (1.405”) (10R-SL)	86891	85891	84891	99891	82891	98891
1 Blank (Box Mntg. 3.281”) (1B-SL)	86851	85851	84851	99851	82851	98851
2 Blanks (Box Mntg. 3.281”) (2B-SL)	86852	85852	84852	99852	82852	98852
3 Blanks (Box Mntg. 3.281”) (3B-SL)	86853	85853	84853	99853	82853	98853
4 Blanks (Box Mntg. 3.281”) (4B-SL)	86854		84854	99854		
5 Blanks (Box Mntg. 3.281”) (5B-SL)	86855		84855	99855		


PAINTED METAL
Jumbo/Oversize



	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)
One 5/8” ID Phone (Box Mntg. 3.281”) (01-SL)	86861	85861	84861	99861	82861	98861
One Phone with .375” ID Grommet and Mounting Strap (Device Mntg. 2.375”)	86881	85881	84881	99881	82881	98881
30/50A 3 Wire Range/ Dryer Recept. 2.125” ID Hole (3D-SL)	86847	85847	84847	99847	82847	98847
30/50A 3 Wire Range/ Recept. 2.125” ID Hole 2 Gang Plate (23D-SL)	86937	85937	84937	99937	82937	98937
Block Duplex/GFI Recept. (SRM-SL)	86834	85834	84834	99834	82834	98834
2 Block Duplex/ GFI Recepts. (2SRM-SL)	86835	85835	84835	99835	82835	98835
3 Block Duplex/ GFI Recepts. (3SRM-SL)	86836		84836	99836		
4 Block Duplex/ GFI Recepts. (4SRM-SL)	86837		84837	99837		
5 Block Duplex/ GFI Recepts. (5SRM-SL)	86838		84838	99838		
Interchangeable 1 Hole Horizontal (71A-SL)	86911X	85911X	84911X	99911X	82911X	98911X
Interchangeable 2 Holes Horizontal (71B-SL)	86921X	85921X	84921X	99921X	82921X	98921X
Interchangeable 3 Holes Horizontal (71C-SL)	86931X	85931X	84931X	99931X	82931X	98931X
Toggle Switch, Duplex Recept. (1T-10DR-SL)	86832	85832	84832	99832	82832	98832

PAINTED METAL


Jumbo/Oversize




	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)
Toggle Switch, Block Duplex/GFI Recept. (1T-SRM-SL)	86865	85865	84865	99865	82865	98865
Duplex Recept., Single Recept. (1.405” ID Hole) (10DR-10R-SL)	86842	85842	84842	99842	82842	98842
Duplex Recept., Block Duplex/GFI Recept. (10DR-SRM-SL)	86862		84862	99862		
Toggle Switch, Centered 2 Gang Plate (1T-2G-SL)	86971	85971	84971	99971	82971	98971
Duplex Recept., Centered 2 Gang Plate (10DR-2G-SL)	86901	85901	84901	99901	82901	98901
Single Recept., Centered 2 Gang Plate (1.405” ID Hole) (10R-2G-SL)	86991	85991	84991	99991	82991	98991
Block Duplex/GFI Recept. Centered 2 Gang Plate (SRM-2G-SL)	86934		84934	99934		
2 Toggle Switches, Duplex Receptacle (2T-10DR-SL)	86843	85843	84843	99843	82843	98843
2 Toggle Switches, Block Duplex/GFI Recept. (2T-SRM-SL)	86883	85883	84883	99883	82883	98883
Toggle Switch, 2 Duplex Recepts. (1T-20DR-SL)	86863	85863	84863	99863	82863	98863
3 Toggle Swiches, Duplex Recept. (3T-10DR-SL)	86844	85844	84844	99844	82844	98844
3 Toggle Switches, Block Duplex/GFI Recept. (3T-SRM-SL)	86884		84884	99884		

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME

Standard Size




UL Listed unless marked with an asterisk (*)



	Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030” (302SS)	Stainless Steel Type 304 Mirror .030” (302SP)	Stainless Steel Type 304 Satin .060” (302-6SS)	Stainless Steel Type 430 Satin .030” (SS)	Statuary Bronze-Dark .040” (4DBR)	Bank Bronze-Medium .040” (4ABR)	Satin Brass .040” (4BB)	Satin Brass .060” (6BB)	Satin Bronze .040” (4SBR)	Polished Brass-Mirror .040” (4PB)
1-Toggle Switch (1T)	83071	95071	93071	68071	70071	97071	69071	65071	94071	96071	66071	64071
2-Toggle Switch (2T)	83072	95072	93072	68072	70072	97072	69072	65072	94072	96072	66072	64072
3-Toggle Switch (3T)	83073	95073	93073	68073	70073	97073	69073	65073	94073	96073	66073	64073
4-Toggle Switch (4T)	83074	95074	93074	68074	70074	97074	69074	65074	94074	96074	66074	64074
5-Toggle Switch (5T)	83075	95075	93075	68075	70075	97075	69075	65075	94075	96075	66075	64075
6-Toggle Switch (6T)	83076	95076	93076	68076	70076	97076	69076	65076	94076	96076	66076	64076
7-Toggle Switch (7T)	83077	95077	93077	68077		97077	69077	65077	94077		66077	64077
8-Toggle Switch (8T)	83078	95078	93078	68078		97078	69078	65078	94078		66078	64078
9-Toggle Switch (9T)	83079	95079	93079	68079		97079	69079	65079	94079		66079	64079
10-Toggle Switch (10T)	83080	95080	93080	68080		97080	69080	65080	94080		66080	64080
1-Duplex Receptacle (10DR)	83101	95101	93101	68101	70101	97101	69101	65101	94101	96101	66101	64101
2-Duplex Receptacles (20DR)	83102	95102	93102	68102	70102	97102	69102	65102	94102	96102	66102	64102

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME


Standard Size



	Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030” (302SS)	Stainless Steel Type 304 Mirror .030” (302SP)	Stainless Steel Type 304 Satin .060” (302-6SS)	Stainless Steel Type 430 Satin .030” (SS)	Statuary Bronze-Dark .040” (4DBR)	Bank Bronze-Medium .040” (4ABR)	Satin Brass .040” (4BB)	Satin Brass .060” (6BB)	Satin Bronze .040” (4SBR)	Polished Brass-Mirror .040” (4PB)
3-Duplex (30DR)	83103	95103	93103	68103	70103	97103	69103	65103	94103	96103	66103	64103
4-Duplex (40DR)	83104	95104	93104	68104	70104	97104	69104	65104	94104	96104	66104	64104
5-Duplex (50DR)	83105	95105	93105	68105	70105	97105	69105	65105	94105	96105	66105	64105
6-Duplex (60DR)	83106	95106	93106	68106	70106	97106	69106	65106	94106	96106	66106	64106
1-Single Recept. (1.405”) (10R)	83091	95091	93091	68091	70091	97091	69091	65091	94091	96091	66091	64091
2-Single Recept. (1.405”) (20R)	83092	95092	93092	68092	70092	97092	69092	65092	94092	96092	66092	64092
3-Single Recept. (1.405”) (30R)	83093	95093	93093	68093	70093	97093	69093	65093	94093	96093	66093	64093
1-Blank / Mounting Strap (Device Mntg. 2.375”) (1BDE)	83121	95121	93121	68121	70121	97121	69121	65121	94121	96121	66121	64121
2-Blank / Mounting Straps (Device Mntg. 2.375”) (2BDE)	83122	95122	93122	68122	70122	97122	69122	65122	94122	96122	66122	64122
3-Blank / Mounting Straps (Device Mntg. 2.375”) (3BDE)	83123	95123	93123	68123	70123	97123	69123	65123	94123	96123	66123	64123
1-Blank (Box Mntg. 3.281”) (1B)	83151	95151	93151	68151	70151	97151	69151	65151	94151	96151	66151	64151
2-Blank (Box Mntg. 3.281”) (2B)	83152	95152	93152	68152	70152	97152	69152	65152	94152	96152	66152	64152
3-Blank (Box Mntg. 3.281”) (3B)	83153	95153	93153	68153	70153	97153	69153	65153	94153	96153	66153	64153

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME


Standard Size



	Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030” (302SS)	Stainless Steel Type 304 Mirror .030” (302SP)	Stainless Steel Type 304 Satin .060” (302-6SS)	Stainless Steel Type 430 Satin .030” (SS)	Statuary Bronze-Dark .040” (4DBR)	Bank Bronze-Medium .040” (4ABR)	Satin Brass .040” (4BB)	Satin Brass .060” (6BB)	Satin Bronze .040” (4SBR)	Polished Brass-Mirror .040” (4PB)
4 Blanks (Box Mntg. 3.281”) (4B)	83154	95154	93154	68154	70154	97154	69154	65154	94154	96154	66154	64154
5 Blanks (Box Mntg. 3.281”) (5B)	83155	95155	93155	68155		97155	69155	65155	94155		66155	64155
6 Blanks (Box Mntg. 3.281”) (6B)	83156	95156	93156	68156		97156	69156	65156	94156		66156	64156
7 Blanks (Box Mntg. 3.281”) (7B)	83157	95157	93157	68157		97157	69157	65157	94157		66157	64157
8 Blanks (Box Mntg. 3.281”) (8B)	83158	95158	93158	68158		97158	69158	65158	94158		66158	64158
9 Blanks (Box Mntg. 3.281”) (9B)	83159	95159	93159	68159		97159	69159	65159	94159		66159	64159
10 Blanks (Box Mntg. 3.281”) (10B)	83160	95160	93160	68160		97160	69160	65160	94160		66160	64160
Block Duplex/ GFI Recept. (SRM)	83401	95401	93401	68401	70401	97401	69401	65401	94401	96401	66401	64401
2 Block Duplex/ GFI Recept. (2SRM)	83402	95402	93402	68402	70402	97402	69402	65402	94402	96402	66402	64402
3 Block Duplex/ GFI Recept. (3SRM)	83403	95403	93403	68403	70403	97403	69403	65403	94403	96403	66403	64403
4 Block Duplex/ GFI Recept. (4SRM)	83404	95404	93404	68404	70404	97404	69404	65404	94404	96404	66404	64404
5 Block Duplex/ GFI Recept. (5SRM)	83405	95405	93405	68405	70405	97405	69405	65405	94405	96405	66405	64405
6 Block Duplex/ GFI Recept. (6SRM)	83406	95406	93406	68406	70406	97406	69406	65406	94406	96406	66406	64406

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME


Standard Size



	Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030” (302SS)	Stainless Steel Type 304 Mirror .030” (302SP)	Stainless Steel Type 304 Satin .060” (302-6SS)	Stainless Steel Type 430 Satin .030” (SS)	Statuary Bronze-Dark .040” (4DBR)	Bank Bronze-Medium .040” (4ABR)	Satin Brass .040” (4BB)	Satin Brass .060” (6BB)	Satin Bronze .040” (4SBR)	Polished Brass-Mirror .040” (4PB)
7 Block Duplex/ GFI Recept.	83407	95407	93407	68407		97407	69407	65407	94407		66407	64407
8 Block Duplex/ GFI Recept.	83408	95408	93408	68408		97408	69408	65408	94408		66408	64408
9 Block Duplex/ GFI Recept.	83409	95409	93409	68409		97409	69409	65409	94409		66409	64409
10 Block Duplex/ GFI Recept.	83410	95410	93410	68410		97410	69410	65410	94410		66410	64410
One 5/8” ID Phone (Box Mntg. 3.281”) (01)	83201	95201	93201	68201	70201	97201	69201	65201	94201	96201	66201	64201
Two 5/8” ID Phone (Box Mntg. 3.281”) (02)	83202	95202	93202	68202	70202	97202	69202	65202	94202	96202	66202	64202
One 5/8” ID Phone with Metal Bushing (Box Mntg. 3.281”) (61)	83591	95591	93591	68591	70591	97591	69591	65591	94591	96591	66591	64591
One Phone .5” with .375 ID Grommet & Mounting Strap (Device Mntg. 2.375”)	83181	95181	93181	68181	70181	97181	69181	65181	94181	96181	66181	64181
One Phone 1.405” w/ 1” ID Plastic Bushing (Box Mntg. 3.281”)(71)	83581	95581	93581	68581	70581	97581	69581	65581	94581	96581	66581	64581
One 20A TL Recept. w/ 1.620” ID hole (3R)	83111	95111	93111	68111	70111	97111	69111	65111	94111	96111	66111	64111
Two 20A TL Recepts. w/ 1.620” ID hole (23R)	83113	95113	93113	68113	70113	97113	69113	65113	94113	96113	66113	64113

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME


Standard Size



	Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030” (302SS)	Stainless Steel Type 304 Mirror .030” (302SP)	Stainless Steel Type 304 Satin .060” (302-6SS)	Stainless Steel Type 430 Satin .030” (SS)	Statuary Bronze-Dark .040” (4DBR)	Bank Bronze-Medium .040” (4ABR)	Satin Brass .040” (4BB)	Satin Brass .060” (6BB)	Satin Bronze .040” (4SBR)	Polished Brass-Mirror .040” (4PB)
One 30A 3 & 4 Wire TL Recept. with 1.730” ID Hole (3330R)	83229	95229	93229	68229	70229	97229	69229	65229	94229	96229	66229	64229
30/50A 3 Wire Range/Dryer Recept. with 2.125” ID Hole (3D)	83221	95221	93221	68221	70221	97221	69221	65221	94221	96221	66221	64221
30/50A 3 Wire Range/Dryer Recept. w/ 2.125” ID Hole 2 gang plate (23D)	83222	95222	93222	68222	70222	97222	69222	65222	94222	96222	66222	64222
30/50A 3 Wire Range/Dryer Recept. with 2.125” ID Hole (N23D)	83227	95227	93227	68227	70227	97227	69227	65227	94227	96227	66227	64227
30/50A 3 & 4 Wire Range/Dryer Recept. with 2.1625” (offset) ID Hole (5RR)	83224	95224	93224		70224	97224	69224	65224	94224	96224	66224	64224
30/50/60A 3 & 4 Wire Recepts. with 2.480” ID Hole (5R)	83223	95223	93223	68223	70223	97223	69223	65223	94223	96223	66223	64223
30/50/60A 4 Wire for Leviton 278 & 279 Recepts. 2.625” ID Hole next (L5R)	83225	95225	93225	68225	70225	97225	69225	65225	94225	96225	66225	64225
30/50/60A 4 Wire Offset Recepts. 2.275” ID Hole (N5RR)	83226	95226	93226	68226	70226	97226	69226	65226	94226	96226	66226	64226
30/50/60A 4 Wire Receptacles 2.255” ID Hole (P5R)	83228	95228	93228	68228	70228	97228	69228	65228	94228	96228	66228	64228
Louver, Horizontal (Device Mntg. 2.375”) (LH)	83630	95630	93630	68630		97630	69630	65630	94630		66630	64630
Louver, Vertical (Device Mntg. 2.375”) (LV)	83631	95631	93631	68631		97631	69631	65631	94631		66631	64631
2 Louvers (Device Mntg. 2.375”) (2LV)	83632	95632	93632	68632		97632	69632	65632	94632		66632	64632

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME


Standard Size



	Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030” (302SS)	Stainless Steel Type 304 Mirror .030” (302SP)	Stainless Steel Type 304 Satin .060” (302-6SS)	Stainless Steel Type 430 Satin .030” (SS)	Statuary Bronze-Dark .040” (4DBR)	Bank Bronze-Medium .040” (4ABR)	Satin Brass .040” (4BB)	Satin Brass .060” (6BB)	Satin Bronze .040” (4SBR)	Polished Brass-Mirror .040” (4PB)
Interchangeable 1 Hole Horizontal (71A)	83011X	95011X	93011X	68011X	70011X	97011X	69011X	65011X	94011X	96011X	66011X	64011X
Interchangeable 1 Hole per gang, Horizontal (72A)	83012X	95012X	93012X	68012X	70012X	97012X	69012X	65012X	94012X	96012X	66012X	64012X
Interchangeable 2 Holes (71B)	83021X	95021X	93021X	68021X	70021X	97021X	69021X	65021X	94021X	96021X	66021X	64021X
Interchangeable 2 Holes per gang (72B)	83022X	95022X	93022X	68022X	70022X	97022X	69022X	65022X	94022X	96022X	66022X	64022X
Interchangeable 2 Holes per gang (73B)	83023X	95023X	93023X	68023X	70023X	97023X	69023X	65023X	94023X	96023X	66023X	64023X
Interchangeable 3 Holes (71C)	83031X	95031X	93031X	68031X	70031X	97031X	69031X	65031X	94031X	96031X	66031X	64031X
Interchangeable 3 Holes per gang (72C)	83032X	95032X	93032X	68032X	70032X	97032X	69032X	65032X	94032X	96032X	66032X	64032X
Interchangeable 1 Hole Vertical (71G)	83041X	95041X	93041X	68041X	70041X	97041X	69041X	65041X	94041X	96041X	66041X	64041X
Interchangeable 1 HoleHorizontal, 2 Holes (71A-71B)	83052X	95052X	93052X	68052X	70052X	97052X	69052X	65052X	94052X	96052X	66052X	64052X
Toggle Switch, Interchangeable 2 Holes (1T-71B)	83062X	95062X	93062X	68062X	70062X	97062X	69062X	65062X	94062X	96062X	66062X	64062X
Toggle Switch, Interchangeable 3 Holes (1T-71C)	83132X	95132X	93132X	68132X	70132X	97132X	69132X	65132X	94132X	96132X	66132X	64132X
Duplex Recept., Interchangeable 2 Holes (10DR-71B)	83142X	95142X	93142X	68142X	70142X	97142X	69142X	65142X	94142X	96142X	66142X	64142X

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME


Standard Size



	Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030” (302SS)	Stainless Steel Type 304 Mirror .030” (302SP)	Stainless Steel Type 304 Satin .060” (302-6SS)	Stainless Steel Type 430 Satin .030” (SS)	Statuary Bronze-Dark .040” (4DBR)	Bank Bronze-Medium .040” (4ABR)	Satin Brass .040” (4BB)	Satin Brass .060” (6BB)	Satin Bronze .040” (4SBR)	Polished Brass-Mirror .040” (4PB)
Duplex Recept., Interchangeable 3 Holes (10DR-71C)	83172X	95172X	93172X	68172X	70172X	97172X	69172X	65172X	94172X	96172X	66172X	64172X
Toggle Switch, Single Recept. (1.405” ID Hole) (1T-10R)	83512	95512	93512	68512	70512	97512	69512	65512	94512	96512	66512	64512
Toggle Switch, 5/8” ID Phone (Box Mntg. 3.281”) (1T-01)	83472	95472	93472	68472	70472	97472	69472	65472	94472	96472	66472	64472
Toggle Switch, Blank (Box Mntg. 3.281”) (1T-1B)	83522	95522	93522	68522	70522	97522	69522	65522	94522	96522	66522	64522
Toggle Switch, Block Duplex/GFI Receptacle (1T-SRM)	83432	95432	93432	68432	70432	97432	69432	65432	94432	96432	66432	64432
Toggle Switch, Duplex Recept. (1T-10DR)	83532	95532	93532	68532	70532	97532	69532	65532	94532	96532	66532	64532
Duplex Recpt., Blank (Box Mntg. 3.281”) (10DR-1B)	83542	95542	93542	68542	70542	97542	69542	65542	94542	96542	66542	64542
Duplex Recept., 5/8” ID Phone (Box Mntg. 3.281) (10DR-01)	83582	95582	93582	68582	70582	97582	69582	65582	94582	96582	66582	64582
Duplex Recept., Single Recept. (1.405” ID Hole) (10DR-10R)	83572	95572	93572	68572	70572	97572	69572	65572	94572	96572	66572	64572
Duplex Recept., Block Duplex/GFI Recept. (10DR-SRM)	83672	95672	93672	68672	70672	97672	69672	65672	94672	96672	66672	64672
Duplex Recept., 20A TL Recept. (1.620” ID Hole) (10DR-3R)	83390	95390	93390	68390	70390	97390	69390	65390	94390	96390	66390	64390
Duplex Recept., 30A Range/Dryer Recept. (2.125” ID Hole) (10DR-3D)	83180	95180	93180	68180	70180	97180	69180	65180	94180	96180	66180	64180
One Blank (Box Mntg. 3.281”), 20A TL Recept. (1.620 ID Hole) (1B-3R)			93360			97360						

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME


Standard Size



	Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030” (302SS)	Stainless Steel Type 304 Mirror .030” (302SP)	Stainless Steel Type 304 Satin .060” (302-6SS)	Stainless Steel Type 430 Satin .030” (SS)	Statuary Bronze-Dark .040” (4DBR)	Bank Bronze-Medium .040” (4ABR)	Satin Brass .040” (4BB)	Satin Brass .060” (6BB)	Satin Bronze .040” (4SBR)	Polished Brass-Mirror .040” (4PB)
Single Recept. (1.405” ID Hole) Blank (Box Mntg. 3.281”) (10R-1B)	83552	95552	93552	68552	70552	97552	69552	65552	94552	96552	66552	64552
Block Duplex/GFI Recept., Blank (Box Mntg. 3.281”) (SRM-1B)	83422	95422	93422	68422	70422	97422	69422	65422	94422	96422	66422	64422
Toggle Switch, Centered 2 Gang Plate (1T-2G)	83772	95772	93772	68772	70772	97772	69772	65772	94772	96772	66772	64772
Duplex Recept., Centered 2 Gang Plate (10DR-2G)	83773	95773	93773	68773	70773	97773	69773	65773	94773	96773	66773	64773
Single Recept. (1.405” ID Hole), Centered 2 Gang Plate (10R-2G)	83774	95774	93774	68774	70774	97774	69774	65774	94774	96774	66774	64774
5/8” ID Phone (Box Mntg. 3.281) Centered 2 Gang Plate (01-2G)	83775	95775	93775	68775	70775	97775	69775	65775	94775	96775	66775	64775
Block Duplex/GFI Recept., Centered 2 Gang Plate(SRM-2G)			93777			97777						
2 Toggle Switches, Duplex Receptacle (2T-10DR)	83543	95543	93543	68543	70543	97543	69543	65543	94543	96543	66543	64543
2 Toggle Switches, Blank (Box Mntg. 3.281”) (2T-1B)	83533	95533	93533	68533	70533	97533	69533	65533	94533	96533	66533	64533
2 Toggle Switches, Block Duplex/GFI Recept. (2T-SRM)	83443	95443	93443	68443	70443	97443	69443	65443	94443	96443	66443	64443
Toggle Switch, 2 Block Duplex/GFI Recepts. (1T-2SRM)	83453	95453	93453	68453	70453	97453	69453	65453	94453	96453	66453	64453
Toggle Switch, 2 Blanks (Box Mntg. 3.281”) (1T-2B)	83133	95133	93133	68133	70133	97133	69133	65133	94133	96133	66133	64133
Toggle Switch, 2 Duplex Recepts. (1T-SRM-10DR)	83553	95553	93553	68553	70553	97553	69553	65553	94553	96553	66553	64553
Toggle Switch, Block Duplex/GFI Recept., Duplex Recept. (1T-SRM-10DR)	83503	95503	93503	68503	70503	97503	69503	65503	94503	96503	66503	64503

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME


Standard Size



	Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030” (302SS)	Stainless Steel Type 304 Mirror .030” (302SP)	Stainless Steel Type 304 Satin .060” (302-6SS)	Stainless Steel Type 430 Satin .030” (SS)	Statuary Bronze-Dark .040” (4DBR)	Bank Bronze-Medium .040” (4ABR)	Satin Brass .040” (4BB)	Satin Brass .060” (6BB)	Satin Bronze .040” (4SBR)	Polished Brass-Mirror .040” (4PB)
Duplex Recept., 2 Blanks (Box Mntg. 3.281”) (10DR-2B)	83423	95423	93423	68423	70423	97423	69423	65423	94423	96423	66423	64423
Blank (Box Mntg. 3.281”) Duplex Recept., Blank (Box Mntg. 3.281”) (1B-10DR-1B)	83193	95193	93193	68193	70193	97193	69193	65193	94193	96193	66193	64193
Blank (Box Mntg. 3.281”) 2 Duplex Recepts. (1B-20DR)	83163	95163	93163	68163	70163	97163	69163	65163	94163	96163	66163	64163
Single Recept. (1.405” ID Hole) 2 Duplex Recepts. (10R-20DR)	83593	95593	93593	68593	70593	97593	69593	65593	94593	96593	66593	64593
Toggle Switch, Blank (Box Mntg. 3.281”), Duplex Recept. (1T-1B-10DR)	83233	95233	93233	68233	70233	97233	69233	65233	94233	96233	66233	64233
2 Block Duplex/GFI Recepts., Blank (Box Mntg. 3.281” (2SRM-1B)			93343			97343						
Block Duplex/GFI Recepts., 2 Blanks (Box Mntg. 3.281” (SRM-2B)			93383			97383						
3 Toggle Switches, Duplex Recept. (3T-10DR)	83554	95554	93554	68554	70554	97554	69554	65554	94554	96554	66554	64554
3 Toggle Switches, Block Duplex/GFI Recept. (3T-SRM)	83454	95454	93454	68454	70454	97454	69454	65454	94454	96454	66454	64454
Toggle Switch, 3 Block Duplex/GFI Recept. (1T-3SRM)			93654			97654						
3 Toggle Switches, Blank (Box Mntg. 3.281”) (3T-1B)	83544	95544	93544	68544	70544	97544	69544	65544	94544	96544	66544	64544
2 Toggle Switches, 2 Duplex Recepts. (2T-20DR)	83564	95564	93564	68564	70564	97564	69564	65564	94564	96564	66564	64564
2 Toggle Switches, 2 Blanks (Box Mntg. 3.281”) (2T-2B)	83574	95574	93574	68574	70574	97574	69574	65574	94574	96574	66574	64574

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME

Standard Size




	Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030” (302SS)	Stainless Steel Type 304 Mirror .030” (302SP)	Stainless Steel Type 304 Satin .060” (302-6SS)	Stainless Steel Type 430 Satin .030” (SS)	Statuary Bronze-Dark .040” (4DBR)	Bank Bronze-Medium .040” (4ABR)	Satin Brass .040” (4BB)	Satin Brass .060” (6BB)	Satin Bronze .040” (4SBR)	Polished Brass-Mirror .040” (4PB)
Toggle Switch, 3 Duplex Recepts. (1T-30DR)	83584	95584	93584	68584	70584	97584	69584	65584	94584	96584	66584	64584
2 Duplex, Recepts., 2 Blanks (Box Mntg. 3.281”) (20DR-2B)	83164	95164	93164	68164	70164	97164	69164	65164	94164	96164	66164	64164
4 Toggle Switches, Duplex Recept. (4T-10DR)	83565	95565	93565	68565	70565	97565	69565	65565	94565	96565	66565	64565
4 Toggle Switches, Block Duplex/GFI Recept. (4T-SRM)	83465	95465	93465	68465	70465	97465	69465	65465	94465	96465	66465	64465
3 Toggle Switches, 2 Duplex Recepts. (3T-20DR)	83575	95575	93575	68575	70575	97575	69575	65575	94575	96575	66575	64575
5 Toggle Switches, Duplex Recept. (5T-10DR)	83576	95576	93576	68576	70576	97576	69576	65576	94576	96576	66576	64576

STAINLESS STEEL, BRASS, & CHROME

Princess Size




UL Listed unless marked with an asterisk (*)



	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030”) (302SS-PRL)	Stainless Steel Type 430 Satin (.030”) (SS-PRL)	Satin Brass .040” (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
1-Toggle Switch (1T)	73071	53071	57071	54071	21871	22571
2-Toggle Switch (2T)	73072	53072	57072	54072	21872	22572
3-Toggle Switch (3T)	73073	53073	57073	54073	21873	22573
4-Toggle Switch (4T)	73074	53074	57074	54074		
5-Toggle Switch (5T)	73075	53075	57075	54075		
6-Toggle Switch (6T)	73076	53076	57076	54076		
1-Duplex Receptacle (10DR)	73101	53101	57101	54101	21801	22501
2-Duplex Receptacle (20DR)	73102	53102	57102	54102	21802	22502
3-Duplex Receptacle (30DR)	73103	53103	57103	54103		
4-Duplex Receptacle (40DR)	73104	53104	57104	54104		
5-Duplex Receptacle (50DR)	73105	53105	57105	54105		
6-Duplex Receptacle (60DR)	73106	53106	57106	54106		

STAINLESS STEEL, BRASS, & CHROME


Princess Size






	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030”) (302SS-PRL)	Stainless Steel Type 430 Satin (.030”) (SS-PRL)	Satin Brass .040” (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
1 Single Recept. (1.405”) (10R)	73091	53091	57091	54091	21891	22591
2 Single Recepts. (1.405”) (20R)	73092	53092	57092	54092		
1 Blank with Mounting Strap (Device Mntg. 2.375”) (1BDE)	73121	53121	57121	54121		
2 Blanks with Mounting Strap (Device Mntg. 2.375”) (2BDE)	73122	53122	57122	54122		
3 Blanks with mounting Strap (Device Mntg. 2.375”) (3BDE)	73123	53123	57123	54123		
1 Blank (Box Mntg. 3.281”) (1B)	73151	53151	57151	54151	21851	22551
2 Blanks (Box Mntg. 3.281”) (2B)	73152	53152	57152	54152	21852	22552
3 Blanks (Box Mntg. 3.281”) (3B)	73153	53153	57153	54153		
4 Blanks (Box Mntg. 3.281”) (4B)	73154	53154	57154	54154		
5 Blanks (Box Mntg. 3.281”) (5B)	73155	53155	57155	54155		
6 Blanks (Box Mntg. 3.281”) (6B)	73156	53156	57156	54156		
Block Duplex/GFI Recept. (SRM)	73401	53401	57401	54401	21835	22535

STAINLESS STEEL, BRASS, & CHROME


Princess Size



	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030”) (302SS-PRL)	Stainless Steel Type 430 Satin (.030”) (SS-PRL)	Satin Brass .040” (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
 2 Block Duplex/GFI Recepts. (2SRM)	73402	53402	57402	54402	21836	22536
 3 Block Duplex/GFI Recepts. (3SRM)	73403	53403	57403	54403	21837	22537
 4 Block Duplex/GFI Recepts. (4SRM)	73404	53404	57404	54404		
 5 Block Duplex/GFI Recepts. (5SRM)	73405	53405	57405	54405		
 6 Block Duplex/GFI Recepts. (6SRM)	73406	53406	57406	54406		
 One 5/8” ID Phone (Box Mntg. 3.281”) (01)	73201	53201	57201	54201		
 Two 5/8” ID Phones (Box Mntg. 3.281”) (02)	73202	53202	57202	54202		
 One 5/8” ID Phone with Metal Bushing (Box Mntg. 3.281”) (61)	73591	53591	57591	54591		
 One .5” with .375” ID Grommet and Mounting Strap (Device Mntg. 3.281”)	73181	53181	57181	54181		
 One Phone 1.405” with 1” ID Plastic Bushing (Box Mntg. 3.281”) (71)	73581	53581	57581	54581		

STAINLESS STEEL, BRASS, & CHROME


Princess Size



	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030”) (302SS-PRL)	Stainless Steel Type 430 Satin (.030”) (SS-PRL)	Satin Brass .040” (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
One 20A TL Recept. 1.620” ID Hole (3R)	73111	53111	57111	54111		
Two 20A TL Recepts. 1.620” ID Hole Must Use 3 Gang Plate (23R)	73113	53113	57113	54113		
One 30A 3 & 4 Wire TL Recept. 1.730” ID Hole (3330R)	73229	53229	57229	54229		
30/50A 3 Wire Range/Dryer Recpt. 2.125” ID Hole (3D)	73221	53221	57221	54221	21825	22525
30/50A 3 Wire Range/Dryer Recept. 2.125” ID Hole 2 gang Plate (23D)	73222	53222	57222	54222	21826	22526
30/50A 3 Wire Range/Dryer Recept. 2.125” ID Hole (N23D)	73227	53227	57227	54227		
30/50/60A 3 & 4 Wire Recepts. 2.480” ID Hole (5R)	73223	53223	57223	54223		
30/50A 3 & 4 Wire Range Range/Dryer Recept. with 2.165” ID Hole (5RR)	73224	53224	57224	54224		
30/50/60A 4 Wire Recepts. with 2.625” ID Hole (L5R)	73225	53225	57225	54225		
30/50/60A 4 Wire Offset Recepts. 2.275” ID Hole (N5RR)	73226	53226	57226	54226		
30/50/60A 4 Wire Recepts. 2.255” ID Hole (P5R)	73228	53228	57228	54228		

STAINLESS STEEL, BRASS, & CHROME


Princess Size



	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030”) (302SS-PRL)	Stainless Steel Type 430 Satin (.030”) (SS-PRL)	Satin Brass .040” (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
Louver, Horizontal (Device Mntg. 2.375”) (LH)	73630	53630	57630	54630		
Louver, Vertical (Device Mntg. 2.375”) (LV)	73631	53631	57631	54631		
2 Louvers (Device Mntg. 2.375”) (2LV)	73632	53632	57632	54632		
Interchangeable 1 Hole Horizontal (71A)	73011X	53011X	57011X	54011X		
Interchangeable 1 Hole per Gang, Horizontal (72A)	73012X	53012X	57012X	54012X		
Interchangeable 2 Holes (71B)	73021X	53021X	57021X	54021X		
Interchangeable 2 Holes Per Gang (72B)	73022X	53022X	57022X	54022X		
Interchangeable 2 Holes Per Gang (73B)	73023X	53023X	57023X	54023X		
Interchangeable 3 Holes (71C)	73031X	53031X	57031X	54031X		
Interchangeable 3 Holes Per Gang (72C)	73032X	53032X	57032X	54032X		

STAINLESS STEEL, BRASS, & CHROME


Princess Size



	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030”) (302SS-PRL)	Stainless Steel Type 430 Satin (.030”) (SS-PRL)	Satin Brass .040” (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
Interchangeable 1 Hole Vertical (71G)	73041X	53041X	57041X	54041X		
Interchangeable 1 Hole Horizontal, 2 Holes (71A-71B)	73052X	53052X	57052X	54052X		
Toggle Switch, Interchangeable 2 Holes (1T-71B)	73062X	53062X	57062X	54062X		
Toggle Switch, Interchangeable 3 Holes (1T-71C)	73132X	53132X	57132X	54132X		
Duplex Recept., Interchangeable 2 Holes (10DR-71B)	73142X	53142X	57142X	54142X		
Duplex Recept., Interchangeable 3 Holes (10DR-71C)	73172X	53172X	57172X	54172X		
Toggle Switch, Single Recept. (1.405” ID Hole) (1T-10R)	73512	53512	57512	54512		
Toggle Switch, 5/8” ID Phone (Box Mntg. 3.281”) (1T-01)	73472	53472	57472	54472		
Toggle Swich, Blank (Box Mntg.3.281”) (1T-1B)	73522	53522	57522	54522		
Toggle Swich, Block Duplex/GFI Recept. (1T-SRM)	73432	53432	57432	54432	21887	22587
Toggle Switch, Duplex Recept. (1T-10DR)	73532	53532	57532	54532	21832	22532
Duplex Recept., Blank (Box Mntg. 3.281”) (10DR-1B)	73542	53542	57542	54542		

STAINLESS STEEL, BRASS, & CHROME


Princess Size





	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030”) (302SS-PRL)	Stainless Steel Type 430 Satin (.030”) (SS-PRL)	Satin Brass .040” (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
 Duplex Recept., 5/8” ID Phone (Box Mntg. 3.281”) (10DR-01)	73582	53582	57582	54582		
 Duplex Recept., Single Recept. (1.405” ID Hole) (10DR-10R)	73572	53572	57572	54572		
 Duplex Recept., Block Duplex/GFI Recept. (10DR-SRM)	73672	53672	57672	54672		
 Duplex Recept., 20A TL Recept. (1.620” ID Hole) (10DR-3R)	73390	53390	57390	54390		
 Duplex Recept., 30A Range/Dryer Recept. (2.125” ID Hole) (10DR-3D)	73180	53180	57180	54180		
 Single Recept. (1.405” ID Hole) Blank (Box Mntg. 3.281”) (10R-1B)	73552	53552	57552	54552		
 Block Duplex/GFI Recept., Blank (Box Mntg. 3.281”) (SRM-1B)	73422	53422	57422	54422		
 Toggle Switch, Centered 2 Gang Plate (1T-2G)	73772	53772	57772	54772		

STAINLESS STEEL, BRASS, & CHROME


Princess Size





	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030”) (302SS-PRL)	Stainless Steel Type 430 Satin (.030”) (SS-PRL)	Satin Brass .040” (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
 Duplex Recept., Centered 2 Gang Plate (10DR-2G)	73773	53773	57773	54773		
 Single Recept. (1.405” ID Hole), Centered 2 Gang Plate (10R-2G)	73774	53774	57774	54774		
 5/8” ID Phone (Box Mntg. 3.281”) Centered 2 Gang Plate (01-2G)	73775	53775	57775	54775		
 2 Toggle Switches, Duplex Receptacle (2T-10DR)	73543	53543	57543	54543	21843	22543
 2 Toggle Switches, Blank (Box Mntg. 3.281”) (2T-1B)	73533	53533	57533	54533		
 2 Toggle Switches, Block Duplex/GFI Recept. (2T-SRM)	73443	53443	57443	54443		
 Toggle Switch, 2 Block Duplex/GFI Recepts. (1T-2SRM)	73453	53453	57453	54453		
 Toggle Switch, 2 Blanks (Box Mntg. 3.281”) (1T-2B)	73133	53133	57133	54133		
 Toggle Switch,2 Duplex Recepts. (1T-20DR)	73553	53553	57553	54553		
 Toggle Switch, Block Duplex/GFI Recept., Duplex (1T-SRM-10DR)	73503	53503	57503	54503		

STAINLESS STEEL, BRASS, & CHROME


Princess Size



	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030”) (302SS-PRL)	Stainless Steel Type 430 Satin (.030”) (SS-PRL)	Satin Brass .040” (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
 Duplex Recept., 2 Blanks (Box Mntg. 3.281”) (10DR-2B)	73423	53423	57423	54423		
 Blank (Box Mntg. 3.281”) Duplex Recept., Blank (Box Mntg. 3.281”) (1B-10DR-1B)	73193	53193	57193	54193		
 Blank (Box Mntg. 3.281”) 2 Duplex Recepts. (1B-20DR)	73163	53163	57163	54163		
 Single Recept. (1.405” ID Hole) 2 Duplex Recepts. (10R-20DR)	73593	53593	57593	54593		
 Toggle Switch, Blank (Box Mntg. 3.281”), Duplex Recept. (1T-1B-10DR)	73233	53233	57233	54233		
 3 Toggle Switches, Duplex Recept. (3T-10DR)	73554	53554	57554	54554		
 3 Toggle Switches, Block Duplex/GFI Recept. (3T-SRM)	73454	53454	57454	54454		
 3 Toggle Switches, Blank (Box Mntg. 3.281”) (3T-1B)	73544	53544	57544	54544		
 2 Toggle Switches, 2 Duplex Recepts. (2T-20DR)	73564	53564	57564	54564		
 2 Toggle Switches, 2 Blanks (Box Mntg. 3.281”) (2T-2B)	73574	53574	57574	54574		

STAINLESS STEEL, BRASS, & CHROME

Princess Size




	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030”) (302SS-PRL)	Stainless Steel Type 430 Satin (.030”) (SS-PRL)	Satin Brass .040” (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
 Toggle Switch, 3 Duplex Recepts. (1T-30DR)	73584	53584	57584	54584		
 2 Duplex, Recepts., 2 Blanks (Box Mntg. 3.281”) (20DR-2B)	73164	53164	57164	54164		
 4 Toggle Switches, Duplex Recept. (4T-10DR)	73565	53565	57565	54565		
 4 Toggle Switches, Block Duplex/GFI Recept., (4T-SRM)	73465	53465	57465	54465		
 3 Toggle Switches, 2 Duplex Recepts. (3T-20DR)	73575	53575	57575	54575		
 5 Toggle Switches, Duplex Recept. (5T-10DR)	73576	53576	57576	54576		

STAINLESS STEEL & CHROME

Maxi Plates





	Chrome Plated Mirror Polished Steel (CA)	Stainless Steel Type 304 Satin .030” (302SS)	Stainless Steel Type 430 Satin .030” (SS)
1-Toggle Switch (1T-MP)	73771	53771	57771
1- Duplex (10DR-MP)	73701	53701	57701
1 Single Recept. (1.405”)(10R-MP)	73791		
1-Blank (Box Mntg. 3.281”) (1B-MP)	73751	53751	57751
One 5/8” ID Phone (Box Mntg. 3.281”) (01-MP)	73750		
30/50A 3 Wire Range/Dryer Recept. 2.125” ID Hole (3D-MP)	73787		
Block Duplex/GFI Recept. (SRM-MP)	73761	53761	57761


NOTE: Maxi (oversized) wallplates are only available in 1-gang. If you require larger gang sized that also have a Princess shape (rounded corners), please refer to pages 49-58

STAINLESS STEEL, BRASS, ALUMINUM & CHROME

Jumbo/Oversize




UL Listed unless marked with an asterisk (*)



	Chrome Plated Mirror Finish (CA)	Stainless Steel Type 304 Satin (.030”)	Satin Brass .040” (4BB)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 430 Satin (.030”)	Polished Brass Mirror (0.40”) (4PB)
1 Toggle Switch (1T-SL)	83871	93871	94871	95871	97871	64871
2 Toggle Switches (2T-SL)	83872	93872	94872	95872	97872	64872
3 Toggle Switches (3T-SL)	83873	93873	94873	95873	97873	64873
4 Toggle Switches (4T-SL)		93874	94874	95874	97874	
5 Toggle Switches (5T-SL)		93875	94875	95875	97875	
1 Duplex Receptacle (10DR-SL)	83801	93801	94801	95801	97801	64801
2 Duplex Receptacle (20DR-SL)	83802	93802	94802	95802	97802	64802
1 Single Receptacle (10R-SL)	83891	93891	94891	95891	97891	64891
1 Blank (Box Mntg. 3.281”) (1B-SL)	83851	93851	94851	95851	97851	64851
2 Blanks (Box Mntg. 3.281”) (2B-SL)	83852	93852	94852	95852	97852	64852
3 Blanks (Box Mntg. 3.281”) (3B-SL)	83853	93853	94853	95853	97853	64853
4 Blanks (Box Mntg. 3.281”) (4B-SL)		93854			97854	
5 Blanks (Box Mntg. 3.281”) (5B-SL)		93855			97855	
One 5/8” ID Phone (Box Mntg. 3.281”) (01-SL)	83861	93861	94861	95861	97861	64861

STAINLESS STEEL, BRASS, ALUMINUM & CHROME


Jumbo/Oversize




	Chrome Plated Mirror Finish (CA)	Stainless Steel Type 304 Satin (.030”)	Satin Brass .040” (4BB)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 430 Satin (.030”)	Polished Brass Mirror (0.40”) (4PB)
One Phone with .375” ID Grommet and Mounting Strap (Device Mntg. 2.375”)	83881	93881	94881	95881	97881	
30/50 A 3 Wire Range/Dryer Recept. 2.125” ID Hole (3D-SL)	83847	93847	94847	95847	97847	
30/50 A 3 Wire Range/Dryer Recept. 2.125” ID Hole 2 Gang Plate (23D-SL)	83937	93937	94937	95937	97937	
Block Duplex/GFI Recept. (SRM-SL)	83834	93834	94834	95834	97834	64834
2 Block Duplex/GFI Recepts. (2SRM-SL)	83835	93835	94835	95835	97835	64835
3 Block Duplex/GFI Recepts. (3SRM-SL)	83836	93836			97836	
4 Block Duplex/GFI Recepts. (4SRM-SL)		93837			97837	
5 Block Duplex/GFI Recepts. (5SRM-SL)		93838			97838	
Interchangeable 1 Hole Horizontal (71A-SL)	83911X	93911X	94911X	95911X	97911X	
Interchangeable 2 Holes Horizontal (71B-SL)	83921X	93921X	94921X	95921X	97921X	
Interchangeable 3 Holes Horizontal (71C-SL)	83931X	93931X	94931X	95931X	97931X	
Toggle Switch, Duplex Recept. (1T-10DR-SL)	83832	93832	94832	95832	97832	64832
Toggle Switch, Block Duplex/GFI Recept. (1T-SRM-SL)	83865	93865	94865	95865	97865	64865

STAINLESS STEEL, BRASS, ALUMINUM & CHROME

Jumbo/Oversize



	Chrome Plated Mirror Finish (CA)	Stainless Steel Type 304 Satin (.030”)	Satin Brass .040” (4BB)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 430 Satin (.030”)	Polished Brass Mirror (0.40”) (4PB)
 Duplex Recept., Single Recept. (1.405” ID Hole) (10DR-10R-SL)	83842	93842	94842	95842	97842	64842
 Duplex Recept. Block Duplex/GFI Recept. (10DR-SRM-SL)		93862			97862	
 Toggle Switch, Centered 2 Gang Plate (1T-2G-SL)	83971	93971	94971	95971	97971	
 Duplex Recept., Centered 2 Gang Plate (10DR-2G-SL)	83901	93901	94901	95901	97901	
 Single Recept., Centered 2 Gang Plate (1.405” ID Hole) (10R-2G-SL)	83991	93991	94991	95991	97991	
 Block/GFI Recept. Centered 2 Gang Plate (SRM-2G-SL)		93934			97934	
 2 Toggle Switches, Duplex Receptacle (2T-10DR-SL)	83843	93843	94843	95843	97843	64843
 2 Toggle Switches, Block Duplex/GFI Recept. (2T-SRM-SL)	83883	93883	94883	95883	97883	64883
 Toggle Switch, 2 Duplex Recepts. (1T-20DR-SL)	83863	93863	94863	95863	97863	64863
 3 Toggle Switches, Duplex Recept. (3T-10DR-SL)	83844	93844	94844	95844	97844	
 3 Toggle Switches, Block/GFI Recept. (3T-SRM-SL)		93884			97884	

CLASSIC METAL FINISHES

- Choose from 8 vintage wallplate finishes
- U.S. made from the finest steel alloy

Standard Size




Hammered Black 215



Regal Black 220



Regal Gold 222



Hammered Copper 214



Regal Copper 221

Princess Size



Polished Chrome (plated steel) 217



Polished Brass (plated steel) 218




Brushed Brass (plated steel) 225

NOTE: 1 to 3-gang wall plates with Classic Finishes are also available on POP cards. Consult factory.

CLASSIC METAL FINISHES


Standard Size



	Hammered Copper (HC) Steel Matte Painted	Hammered Black (HWI) Steel Matte Painted	Regal Black (RLB) Steel Matte Painted	Regal Copper (RLC) Steel Matte Painted	Regal Gold (RLG) Steel Matte Painted
1-Toggle Switch	21471	21571	22071	22171	22271
2-Toggle Switches	21472	21572	22072	22172	22272
3-Toggle Switches	21473	21573	22073	22173	22273
1-Duplex Receptacle	21401	21501	22001	22101	22201
2 Duplex Receptacles	21402	21502	22002	22102	22202
1 Single Recept. (1.405”)	21491	21591	22091	22191	22291
1 Blank (Box Mntg 3.281”)	21451	21551	22051	22151	22251
2 Blanks (Box Mntg 3.281”)	21452	21552	22052	22152	22252
One 1/2” ID Phone/TV (Box Mntg 3.281”)	21450	21550	22050	22150	22250
30/50A 3 Wire Range/ Dryer Recept. 2.125” ID Hole	21425	21525	22025	22125	22225
30/50A 3 Wire Range/ Dryer Recept. 2.125” ID Hole 2 Gang Plate	21426	21526	22026	22126	22226
Block Duplex/ GFI Recept.	21435	21535	22035	22135	22235
2 Block Duplex/ GFI Recepts.	21436	21536	22036	22136	22236
3 Block Duplex/ GFI Recepts.	21437	21537	22037	22137	22237
Toggle Switch, Duplex Recept.	21432	21532	22032	22132	22232
Toggle Switch, Block Duplex/ GFI Recept.	21487	21587	22087	22187	22287
2 Toggle Switches, Duplex Receptacle	21443	21543	22043	22143	22243

CLASSIC METAL FINISHES

Princess Size



	Polished Chrome-Plate-Steel (PCS-PRL)	Polished Brass-Plated Steel (PBS-PRL)	Brushed Brass-Plated Steel (SBS-PRL)
1-Toggle Switch	21771	21871	22571
2-Toggle Switches	21772	21872	22572
3-Toggle Switches	21773	21873	22573
1-Duplex Receptacle	21701	21801	22501
2 Duplex Receptacles	21702	21802	22502
1 Single Recept. (1.405”)	21791	21891	22591
1 Blank (Box Mntg 3.281”)	21751	21851	22551
2 Blanks (Box Mntg 3.281”)	21752	21852	22552
One 1/2” ID Phone/TV (Box Mntg 3.281”)	21750	21850	22550
30/50A 3 Wire Range/ Dryer Recept. 2.125” ID Hole	21725	21825	22525
30/50A 3 Wire Range/ Dryer Recept. 2.125” ID Hole 2 Gang Plate	21726	21826	22526
Block Duplex/ GFCI Recept.	21735	21835	22535
2 Block Duplex/ GFCI Recepts.	21736	21836	22536
3 Block Duplex/ GFCI Recepts.	21737	21837	22537
Toggle Switch, Duplex Recept.	21732	21832	22532
Toggle Switch, Block Duplex/ GFCI Recept.	21787	21887	22587
2 Toggle Switches, Duplex Receptacle	21743	21843	22543

DEEP PLATES

Available in 9/16 and 3/8 inch depths



9/16”



Ideal for use where box extends out from wall. Single gang only, no bevel, 90 degree return.

	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Wrinkle (DB)	Satin Brass .030” (4BB)	Stainless Steel Type 430 Satin .030” (SS)
 1 Toggle Switch (1T-GP)	86752	85752	84752	99752	98752	94752	97752
 1 Duplex Receptacle (10DR-GP)	86753	85753	84753	99753	98753	94753	97753
 1 Single Receptacle (1.405”) (10R-GP)	86754	85754	84754	99754	98754	94754	97754
 1 Blank (Box Mntg. 3.281) (1B-GB)	86755	85755	84755	99755	98755	94755	97755



3/8”

Ideal for use where box extends out from wall. With bevel edge.
(Custom sizes and openings available; consult factory).


 1 Toggle Switch (1T-NGP)	86821	85821	84821	99821	98821	94821	97821
 2 Toggle Switches (2T-NGP)	86824	85824	84824	99824	98824	94824	97824
 3 Toggle Switches (3T-NGP)	86828	85828	84828	99828	98828	94828	97828
 1 Duplex Receptacle (10DR-NGP)	86822	85822	84822	99822	98822	94822	97822
 2 Duplex Receptacles (20DR-NGP)	86826	85826	84826	99826	98826	94826	97826
 1 Single Receptacle (1.405”) (10R-NGP)	86823	85823	84823	99823	98823	94823	97823
 1 Blank (Box Mntg. 3.281”) (1B-NGP)	86831	85831	84831	99831	98831	94831	97831
 2 Blanks (Box Mntg. 3.281”) (2B-NGP)	86827	85827	84827	99827	98827	94827	97827
 Block Duplex/ GFI Recept. (Box Mntg. 3.821”) (SRM-BS-NGP)	86820	85820	84820	99820	98820	94820	97820
 Toggle Switch, Duplex Receptacle (1T-10DR-NGP)	86825	85825	84825	99825	98825	94825	97825
 2 Toggle Switches, Duplex Recept. (2T-10DR-NGP)	86829	85829	84829	99829	98829	94829	97829

NARROW PLATES

Available in 1-1/2, 1-3/4, 2 and 2-1/4 inch widths and in 4-1/2 inches, 6-1/8 and 8-1/8 inch heights.

Ideal for curtain walls, moveable office partitions, trailers, mobile homes, marine installations, narrow door and window mullions.

1 Toggle Switch



1.5 in. width pictured above

1 Duplex Receptacle



1.75 in. width pictured above

1 Blank


(Box Mounting 3.281")



2 in. width pictured above

5/8" ID phone opening

(Box Mounting 3.281")



2.25 in. width pictured above

Interchangeable 1 Hole vertical

(Device mounting 2.375")
Use 40484 (M1657) mounting strap



1.5 in. width pictured above

Interchangeable 1 Hole vertical

(Interchangeable mounting 3.812")
Use 40475 (M1347) mounting strap



1.5 in. width pictured above


	Aluminum-Clear Anodized .040" (4AA)	Stainless Steel Type 302 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
1.5 inches wide (1T-NP15)	95066	93066	97066
1.75 inches wide (1T-NP175)	95067	93067	97067
2 inches wide (1T-NP2)	95068	93068	97068
2.25 inches wide (1T-NP225)	95069	93069	97069
1.75 inches wide (10DR-NP175)	95057	93057	97057
2 inches wide (10DR-NP2)	95058	93058	97058
2.25 inches wide (10DR-NP225)	95059	93059	97059
1.5 inches wide (1B-NP15)	95256	93256	97256
1.75 inches wide (1B-NP175)	95257	93257	97257
2 inches wide (1B-NP2)	95258	93258	97258
2.25 inches wide (1B-NP225)	95259	93259	97259
1.5 inches wide (01-NP15)	95246	93246	97246
1.75 inches wide (01-NP175)	95247	93247	97247
2 inches wide (01-NP2)	95248	93248	97248
2.25 inches wide (01-NP225)	95249	93249	97249
1.5 inches wide (71GDE-NP15)	95146	93146	97146
1.75 inches wide (71GDE-NP175)	95147	93147	97147
2 inches wide (71GDE-NP2)	95148	93148	97148
2.25 inches wide (71GDE-NP225)	95149	93149	97149
1.5 inches wide (71G-NP15)	95136	93136	97136
1.75 inches wide (71G-NP175)	95137	93137	97137
2 inches wide (71G-NP2)	95138	93138	97138
2.25 inches wide (71G-NP225)	95139	93139	97139

NARROW PLATES

Available in 1-1/2, 1-3/4, 2 and 2-1/4 inch widths and in 4-1/2 inches, 6-1/8 and 8-1/8 inch heights.

Ideal for curtain walls, moveable office partitions, trailers, mobile homes, marine installations, narrow door and window mullions.

	Aluminum-Clear Anodized (5AA)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
Interchangeable 1 Hole Horizontal (Interchangeable mounting 3.812") Use 40476 (M1348) mounting strap			
1.75 inches wide (71A-NP175)	95347	93347	97347
2 inches wide (71A-NP2)	95348	93348	97348
2.25 inches wide (71A-NP225)	95349	93349	97349
Interchangeable 2 Hole Horizontal (Interchangeable mounting 3.812") Use 40476 (M1348) mounting strap			
1.75 inches wide (71B-NP175)	95167	93167	97167
2 inches wide (71B-NP2)	95168	93168	97168
2.25 inches wide (71B-NP225)	95169	93169	97169
Interchangeable 3 Hole Horizontal (Interchangeable mounting 3.812") Use 40476 (M1348) mounting strap			
1.75 inches wide (71C-NP175)	95177	93177	97177
2 inches wide (71C-NP2)	95178	93178	97178
2.25 inches wide (71C-NP225)	95179	93179	97179
Interchangeable 2 Hole Vertical (M1652) **6.125 inches high** (Screw holes spaced 4.375" between centers)			
1.75 inches wide x 6.125" high	95197	93197	97197
Interchangeable 3 Hole Vertical (M1653) **8.125 inches high** (Screw holes spaced 6.375" between centers)			
1.75 inches wide x 8.125" high	95237	93237	97237



MOUNTING STRAPS



DATACOM *Telephone & Computer*

Standard Size



NOTE: Other finishes available.

Choose the appropriate 2 digit finish from our Wall Plate Color Guide and add the appropriate 3 digit suffix found in the columns below. For mounting straps and grommets, see our Accessories pages.

	White Semi-Gloss (WA)	Ivory Wrinkle (DI)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
3/8" ID Grommet with Mounting Strap (Device mntg. 2.375")	86181	99181	93181	97181
5/8" ID Hole (Box mntg. 3.281") (01)	86201	99201	93201	97201
5/8" ID Hole, 2 Gang Plate with Mounting Straps (Device mntg. 2.375") (01-2BDS)	86715	99715	93715	97715
5/8" ID Hole 2 Gang Plate (Box mntg. 3.281") (01-2BBS)	86705	99705	93705	97705
1/2" ID Rubber Grommet Split Plate (Box mntg. 3.281")	86421	99421	93421	97421
1/2" ID Rubber Grommet 2 Gang Split Plate with Mounting Straps (Device mntg. 2.375")	86380	99380	93380	97380
5/8" ID Metal Grommet (Box mntg. 3.281") (61)	86591	99591	93591	97591
5/8" ID Metal Grommet 2 Gang Plate (Box mntg. 3.281") (61-2BBS)	86707	99707	93707	97707
3/4" ID Plastic Bushing (Box mntg. 3.281")	86461	99461	93461	97461
1" ID Plastic Grommet (Box mntg. 3.281") (71)	86581	99581	93581	97581

DATACOM *Telephone & Computer*

Standard Size

	White Semi-Gloss (WA)	Ivory Wrinkle (DI)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
 1" ID Rubber Grommet Split Plate (Box mntg. 3.281")	86625	99625	93625	97625
 1"ID Rubber Grommet 2 Gang Split Plate (Box mntg. 3.281")	86626	99626	93626	97626
 1" ID Plastic Grommet 2 Gang Plate (Box mntg. 3.281") (71-2BBS)	86706	99706	93706	97706
 Square Hole for Plug Type Jack (Device mntg. 2.375") (1W)	86191	99191	93191	97191
 1/2" Knockout (Actual 0.875" ID) (Box mntg. 3.281") (31)	86171	99171	93171	97171
 1-1/4" ID Hole for Western Elec. #548A (Device mntg. 2.375") (081)	86661	99661	93661	97661
 1-1/4" ID Hole for Western Elec. #548A (Box mntg. 3.281") (81)	86651	99651	93651	97651
 1-1/4" ID Hole for Telephone Jack (1.875 Screw Spacing)	86661A	99661A	93661A	97661A
 1-1/4" ID Hole for Telephone Jack (1.875 Screw Spacing)	86661B	99661B	93661B	97661B
 Cutout for 4 or 6 Wire Modular Connector (.542" x .762") (Box mntg. 3.281") (RJ11)	86467	99467	93467	97467
 Cutouts for two 4 or 6 Wire Modular Connectors (.542" x .762") (Box mntg. 3.281") (RJ11)	86468	99468	93468	97468
 Cutouts for three 4 or 6 Wire Modular Connectors (.542" x .762") (Box mntg. 3.281") (RJ11)	86469	99469	93469	97469

DATACOM *Telephone & Computer*

Standard Size

	White Semi-Gloss (WA)	Ivory Wrinkle (DI)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
 Cutouts for four 4 or 6 Wire Modular Connectors (.542" x .762") (Box mntg. 3.281")(RJ11)	86486	99486	93486	97486
 Cutout for one 8 Wire Modular Connector (Cat 5/6) (.580" x .770") (Box mntg. 3.281")(RJ45)	86477	99477	93477	97477
 Cutouts for two 8 Wire Modular Connectors (Cat 5/6) (.580" x .770") (Box mntg. 3.281")(RJ45)	86478	99478	93478	97478
 Cutouts for three 8 Wire Modular Connectors (Cat 5/6) (.580" x .770") (Box mntg. 3.281")(RJ45)	86479	99479	93479	97479
 Cutouts for four 8 Wire Modular Connectors (Cat 5/6) (.580" x .770") (Box mntg. 3.281")(RJ45)	86487	99487	93487	97487
 Cutout for Tandem 8 Wire Modular Connectors (Box mntg. 3.281")	86508	99508	93508	97508
 3/8" ID Hole (Box mntg. 3.281")	86696	99696	93696	97696
 Two 3/8" ID Holes on 1-1/2" Centers (Box mntg. 3.281")	86520	99520	93520	97520
 1/2" ID Hole (Box mntg. 3.281") (21)	86381	99381	93381	97381
 Two 1/2" ID Holes on 1-1/2" Centers (Box mntg. 3.281")	86510	99510	93510	97510
 1/2" "D" Hole for Coaxial Connector (Box mntg. 3.281")	86431	99431	93431	97431

DATACOM *Telephone & Computer*

Standard Size


	White Semi-Gloss (WA)	Ivory Wrinkle (DI)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
 Two 1/2" "D" Holes on 1-1/2" Centers for Coaxial Connector (Box mntg. 3.281")	86551	99551	93551	97551
 25/32" Hole for Bulkhead Connector (Box mntg. 3.281")	86411	99411	93411	97411
 "D" Hole for Twin Axial Bulkhead Connectors (Box mntg. 3.281")	86475	99475	93475	97475
 "D" Hole for 2 Twin Axial Bulkhead Connectors (Box mntg. 3.281")	86483	99483	93483	97483
 Cutout for 9 Pin Connector (Box mntg. 3.281")	86278	99278	93278	97278
 Cutout for 15 Pin Connector (Box mntg. 3.281")	86308	99308	93308	97308
 Cutout for One RS232 25 Pin Connector (Box mntg. 3.281")	86261	99261	93261	97261
 Cutouts for Two RS232 25 Pin Connectors (Box mntg. 3.281")	86262	99262	93262	97262
 Cutout for One RS232 25 Pin Connector and One 1/2" "D" Hole (Box mntg. 3.281")	86446	99446	93446	97446
 Cutout for One RS232 25 Pin Connector and Two 1/2" "D" Holes (Box mntg. 3.281")	86448	99448	93448	97448
 Cutouts for One RS232 Connector with One 6 Wire Mondular Connector (RJ11)	86320	99320	93320	97320
 Cutout for 50 Pin Connector (Box mntg. 3.281") (DB50)	86297	99297	93297	97297
 50 Pair Telco Data Transmission Connector	86466	99466	93466	97466




	White Semi-Gloss (WA)	Ivory Wrinkle (DI)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
 Cutout for IBM type Data Connector (Box mntg. 3.281")	86557	99557	93557	97557
 Cutout for IBM type Data Connector (Box mntg. 3.281")	86558	99558	93558	97558
 Cutout for IBM type Data Connector & 6 Wire Modular Connector (Box mntg. 3.281") (RJ11)	86568	99568	93568	97568
 Cutout for IBM type Data Connector & Two 6 Wire Modular Connectors (Box mntg. 3.281") (RJ11)	86569	99569	93569	97569

POLYCARBONATE

Standard Size


c UL us
Listed
Listed unless marked with an asterisk (*)






	White	Light Almond	Ivory	Red	Brown
 1-Toggle Switch (1T)	32071	33071	34071	36071	38071
 2-Toggle Switch (2T)	32072	33072	34072	36072	38072
 3-Toggle Switch (3T)	32073	33073	34073		
 4-Toggle Switch (4T)	32074	33074	34074		
 5-Toggle Switch (5T)	32075	33075	34075		
 6-Toggle Switch (6T)	32076	33076	34076		
 1-Duplex Receptacle (10DR)	32101	33101	34101	36101	38101
 2-Duplex Receptacles (20DR)	32102	33102	34102	36102	38102
 3-Duplex Receptacles (30DR)	32103	33103	34103		
 4-Duplex Receptacles (40DR)	32104				
 1 Single Receptacle (1.405”) (10R)	32091	33091	34091	36091	
 2 Single Receptacles (1.405”) (20R)	32092	33092	34092	36092	

POLYCARBONATE

Standard Size




	White	Light Almond	Ivory	Red	Brown
 1 Blank (Box Mntg. 3.281”) (1B)	32151	33151	34151		38151
 2 Blank (Box Mntg. 3.281”) (2B)	32152	33152	34152		38152
 3 Blank (Box Mntg. 3.281”) (3B)	32153	33153	34153		
 4 Blank (Box Mntg. 3.281”) (4B)	32154				
 One 20A TL Receptacle (1.620” ID Hole) (3R)	32111	33111	34111	36111	
 30/50A 3 Wire Range/Dryer Receptacle (2.125” ID Hole) (3D)	32221	33221	34221		
 30/50A 3 Wire Range/Dryer Receptacle (2.125” ID Hole) (N23D)	32227	33227	34227		
 30/50/60A 3 Wire Receptacles (2.625” ID Hole) (L5R)	32225	33225	34225		
 One 1/2” ID Phone (Box mntg. 3.281”) (21)	32381	33381	34381		

THERMOPLASTIC WALLPLATES - STANDARD SIZE

POLYCARBONATE


Standard Size




	White	Light Almond	Ivory	Red	Brown
One 5/8” ID Phone (Box Mntg. 3.281”) (01*)	32201	33201	34201		
One Phone 1.405” w/ 1” ID Plastic Bushing (Box Mntg. 3.281”)(71)*	32581	33581	34581		
Block Duplex/ GFI Recept. (SRM)	32401	33401	34401	36401	38401
2 Block Duplex/ GFI Recept. (SRM)	32402	33402	34402	36402	38402
3 Block Duplex/ GFI Recept. (SRM)	32403	33403	34403		
4 Block Duplex/ GFI Recept. (SRM)	32404	33404	34404		
5 Block Duplex/ GFI Recept. (SRM)	32405	33405	34405		
6 Block Duplex/ GFI Recept. (SRM)	32406	33406	34406		
Toggle Switch, Duplex Receptacle (1T-10DR)	32532	33532	34532		

POLYCARBONATE

Standard Size









	White	Light Almond	Ivory	Red	Brown
 Duplex Recept., Block Duplex/GFI Recept. (10DR-SRM)	32672	33672	34672	36672	
 Toggle Switch, Block Duplex/GFI Receptacle (1T-SRM)	32432	33432	34432	36432	
 Toggle Switch, Blank (Box Mntg. 3.281”) (1T-1B)	32522	33522	34522		
 Duplex Recept., Blank (Box Mntg. 3.281”) (10DR-1B)	32542	33542	34542		
 Block Duplex/GFI Recept., Blank (Box Mntg. 3.281”) (SRM-1B)	32422	33422	34422		
 Duplex Recept., Single Recept. (1.405” ID Hole) (10DR-10R)	32572	33572	34572		
 Toggle Switch, Single Recept. (1.405” ID Hole) (1T-10R)	32512	33512	34512	36512	
 Single Recept. (1.405” ID Hole) Blank (Box Mntg. 3.281”) (10R-1B)	32552	33552	34552		
 Single Recept. (1.405” ID Hole) Block Duplex/GFI Recept. (10R-SRM)	32442	33442	34442	36442	
 2 Toggle Switches, Duplex Receptacle (2t-10DR)	32543	33543	34543		

THERMOPLASTIC WALLPLATES - STANDARD SIZE

POLYCARBONATE


Standard Size



	White	Light Almond	Ivory	Red	Brown
 Toggle Switch, 2 Block Duplex/GFI Recepts. (1T-2SRM)	32453	33453	34453		
 2 Toggle Switches, Block Duplex/GFI Recept. (2T-SRM)	32443	33443	34443		
 2 Duplex Recepts., Block Duplex/GFI Recept. (20DR-SRM)	32673	33673	34673		
 3 Duplex Recepts., Block Duplex/GFI Recept. (30DR-SRM)	32674				
 Duplex Recept., 2 Block Duplex/GFI Recepts., (10DR-2SRM)	32683	33683	34683		
 3 Toggle Switches, Block Duplex/GFI Recept. (3T-SRM)	32454	33454	34454		
 Toggle Switch, 3 Block Duplex/GFI Recept. (1T-3SRM)	32654	33654	34654		
 2 Toggle Switches, 2 Block Duplex/GFI Recepts. (2T-2SRM)	32664	33664	34664		
 4 Toggle Switches, Block Duplex/GFI Recept. (4T-SRM)	32465	33465	34465		

POLYCARBONATE


Midi Size



	White	Light Almond	Ivory
1-Toggle Switch (1T-MIDI)	32871	33871	34871
2-Toggle Switch (2T-MIDI)	32872	33872	34872
3-Toggle Switch (3T-MIDI)	32873	33873	34873
4-Toggle Switch (4T-MIDI)	32874	33874	34874
1-Duplex Receptacle (10DR-MIDI)	32801	33801	34801
2-Duplex Receptacles (20DR-MIDI)	32802	33802	34802
Block Duplex/ GFI Recept. (SRM-MIDI)	32834	33834	34834
2 Block Duplex/ GFI Recept. (SRM-MIDI)	32835	33835	34835
3 Block Duplex/ GFI Recept. (SRM-MIDI)	32836	33836	34836
4 Block Duplex/ GFI Recept. (SRM-MIDI)	32837	33837	34837
1 Blank (Box Mntg. 3.281”) (1B-MIDI)	32851	33851	34851

POLYCARBONATE


Midi Size



	White	Light Almond	Ivory
 2 Blank (Box Mntg. 3.281”) (2B-MIDI)	32852	33852	34852
 1 Single Receptacle (1.405”) (1B-MIDI)	32891	33891	34891
 Toggle Switch, Duplex Receptacle (1T-10DR-MIDI)	32832	33832	34832
 Toggle Switch, Block Duplex/GFI Receptacle (1T-SRM-MIDI)	32865	33865	34865
 Duplex Recept., Block Duplex/GFI Recept. (10DR-SRM-MIDI)	32862	33862	34862
 2 Toggle Switches, Block Duplex/GFI Recept. (2T-SRM-MIDI)	32883	33883	34883

POLYCARBONATE

Standard Size — Decorator Screwless Wall Plates




- Provides a clean, seamless look.
- Available in White or Light Almond from 1 to 5-gang.
- Two-piece screwless wall plate and sub plate allow for quick and easy installation.
- An extra 1/8 inch in width and height than standard size wall plates (helps cover any wall imperfections).

c UL us
Listed
Listed unless marked with an asterisk (*)

	White	Light Almond
 1 Gang Screwless Wall Plate Block Duplex/GFI Recept.	35401	37401
 2 Gang Screwless Wall Plate Block Duplex/GFI Recepts.	35402	37402
 3 Gang Screwless Wall Plate Block Duplex/GFI Recepts.	35403	37403
 4 Gang Screwless Wall Plate Block Duplex/GFI Recepts.	35404	37404
 5 Gang Screwless Wall Plate Block Duplex/GFI Recepts.	35405	37405

EMERGENCY, OIL & GAS BURNER, GFCI, ISOLATED GROUND

Plates & Covers



OIL BURNER



Description	Cat. No.
1-Gang Oil Burner Wall Plate (Red with Silk Screened white letters) (SO)	41001
2-Gang Oil Burner Wall Plate (Red with Silk Screened white letters) (2SO)	41002
3-Gang Oil Burner Wall Plate (Red with Silk Screened white letters) (3SO)	41003
4-Gang Oil Burner Wall Plate (Red with Silk Screened white letters) (4SO)	41015
1-Gang Oversize Oil Burner Wall Plate (Red with Silk Screened white letters) (SO-SL)	41004
Utility/Handy Box Oil Burner Cover (Red with Silk Screened white letters) (UO)	41005
4 Inch Square Oil Burner Cover raised 1/2 inch (Red with Silk Screened white letters)(190)	41006

GAS BURNER



Description	Cat. No.
1-Gang Gas Burner Wall Plate (Red with Silk Screened white letters) (SG)	41020
2-Gang Gas Burner Wall Plate (Red with Silk Screened white letters) (2SG)	41021
3-Gang Gas Burner Wall Plate (Red with Silk Screened white letters) (3SG)	41022
4-Gang Gas Burner Wall Plate (Red with Silk Screened white letters) (4SG)	41017
1-Gang Oversize Gas Burner Wall Plate (Red with Silk Screened white letters) (SO-SL)	41023
Utility/Handy Box Gas Burner Cover (Red with Silk Screened white letters) (UG)	41024
4 Inch Square Gas Burner Cover raised 1/2 inch (Red with Silk Screened white letters)	41025

EMERGENCY, OIL & GAS BURNER, GFCI, ISOLATED GROUND

Plates & Covers

OIL BURNER

	Description	Cat. No.
	4 Inch Square Oil Burner Cover raised 1/2 inch (Red with Silk Screened white letters) (192O)	41009
	3.5 Inch Round Oil Burner Cover (Red with Silk Screened white letters) (30C)	41011
	4 Inch Round Oil Burner Cover (Red with Silk Screened white letters) (40C)	41012

GAS BURNER

	Description	Cat. No.
	4 Inch Square Gas Burner Cover raised 1/2 inch (Red with Silk Screened white letters) (192G)	41026
	3.5 Inch Round Gas Burner Cover (Red with Silk Screened white letters) (3GC)	41027
	4 Inch Round Gas Burner Cover (Red with Silk Screened white letters) (4GC)	41028


Material, Lettering / Opening, Text	Red Painted Metal White 1/4" Silk Screening	Red Thermo-Plastic White 1/4" Silk Screening	Type 302 .030 SS Painted Red White Fill 1/4" Engraving
 1-Gang Wall Plate, Toggle opening, "Emergency Switch/On-Off"	41052		
 Utility/Handy Box Toggle Switch "Emergency Switch/ On-Off"	41055		
 1-Gang Wall Plate, Toggle opening, "Emergency"		42071	41241
 2-Gang Wall Plate, Toggle opening, "Emergency"	41056	42072	41243
 1-Gang Wall Plate, Duplex opening, "Emergency"	41057	42101	41240

Material, Lettering / Opening, Text	Red Painted Metal White 1/4" Silk Screening	Red Thermo-Plastic White 1/4" Silk Screening	Type 302 .030 SS Painted Red White Fill 1/4" Engraving
 2-Gang Wall Plate, 2 Duplex openings, "Emergency"	41058	42102	41242
 1-Gang Wall Plate, Single receptacle opening "Emergency "	41059	42091	41245
 1-Gang Wall Plate, Block Duplex/GFI receptacle opening, "Emergency"		42035	41244
 2-Gang Wall Plate, 2 Block Duplex/GFI receptacle openings, "Emergency"		42036	

EMERGENCY, OIL & GAS BURNER PLATES

EMERGENCY, GFCI, ISOLATED GROUND

Plates & Covers



Material, Lettering / Opening, Text	Yellow #13655 Federal Color Std. 595A Black 1/4" Silk Screening	Type 304 .030 SS Black 1/4" Silk Screening	Type 304 .030 SS Red 1/4" Silk Screening	Type 304 .030 SS Red Fill 1/4" Engraving	Type 304 .030 SS Black Fill 1/4" Engraving	Ivory Thermo-Plastic Black 1/4" Silk Screening
1-Gang Wall Plate, Toggle opening, "Emergency Switch/On-Off"	41110					
1-Gang Wall Plate, Toggle opening, "Emergency/On-Off"		41113	41112			
1-Gang Wall Plate, Toggle opening, "Emergency"				41211		
2-Gang Wall Plate, 2 Toggle openings, "Emergency"		41114		41213		
1-Gang Wall Plate, Duplex opening, "Emergency"	41101	41117	41116	41210		
Horizontal Duplex				41217		
2-Gang Wall Plate, 2 Duplex openings, "Emergency"	41102	41118	41115	41212		
1-Gang Wall Plate, Single receptacle opening, "Emergency"				41215		
1-Gang Wall Plate, Block Duplex/GFI receptacle opening, "Emergency"				41214		
2-Gang Wall Plate, Block Duplex/GFI receptacle openings, "Emergency"				41216		
1-Gang Wall Plate, Duplex opening, "GFCI Protected"		41137			41220	42112
1-Gang Wall Plate, Block Duplex/GFI receptacle opening, "GFCI Protected"		41134			41224	42111
1-Gang Wall Plate, Duplex opening, "Isolated Ground"					41231	
1-Gang Wall Plate, Single Receptacle opening, "Isolated Ground"					41235	
1-Gang Wall Plate, Block Duplex/GFI opening, "Isolated Ground"					41234	

RECESSED WALLPLATES
FOR FLUSH-TO-THE-WALL APPLICATIONS




Home Entertainment Covers

Ideal for wall mounted flat panel televisions. Easily mounts to a 1 or 2-gang plastic or metal outlet box. Receptacles and connectors included



Plug-In Receptacle

Size	**1-gang**
Components	**15 amp plug-in receptacle**
Smooth White	**40550**
Smooth Ivory	**40555**
Stainless Steel	**40560**



HDMI

Size	**1-gang**
Components	**HDMI, female/female**
Smooth White	**40565**
Smooth Ivory	**40568**
Stainless Steel	**40571**



Cat 6 and F-Connector*

Size	**2-gang**
Components	**15 amp plug-in receptacle** **Cat 6 and F-Type Connector**
Smooth White	**40552**
Smooth Ivory	**40557**
Stainless Steel	**40562**




Cat 6 Connectors*

Size	**2-gang**
Components	**15 amp plug-in receptacle** **Two (2) Cat 6 Connectors**
Smooth White	**40553**
Smooth Ivory	**40558**
Stainless Steel	**40563**



Plug-In Receptacles*

Size	**1-gang**
Components	**(2) 15 amp plug-in receptacles**
Smooth White	**40574**
Smooth Ivory	**40576**
Stainless Steel	**40578**





F-Connector*

Size	**2-gang**
Components	**15 amp plug-in receptacle** **F-Type Connector**
Smooth White	**40551**
Smooth Ivory	**40556**
Stainless Steel	**40561**



HDMI*

Size	**2-gang**
Components	**15 amp plug-in receptacle** **HDMI, female/female**
Smooth White	**40566**
Smooth Ivory	**40569**
Stainless Steel	**40572**



HDMI (not recessed)

Size	**1-gang**
Components	**HDMI, female/female**
Smooth White	**86458**
Smooth Ivory	**84458**
Stainless Steel	**97458**



1.375" Opening*

Size	**2-gang**
Components	**15 amp plug-in receptacle** **1.375 Feed-Thru Opening**
Smooth White	**40567**
Smooth Ivory	**40570**
Stainless Steel	**40573**



ACCESSORIES

Standard Clock Hanger



Hang electric clocks from a recessed 1-gang wall plate that comes with a UL Listed single receptacle. Receptacle has three lead wires, each 6 inches in length, and is rated at 15 amps at 125 volts. Comes with a sturdy clock hanger hook.

Painted Steel


White Semi-Gloss Painted Steel (3WIHPWA)	White Wrinkle Painted Steel (3WIHPDW)	Ivory Semi-Gloss Painted Steel (3WIHPIA)	Ivory Wrinkle Painted Steel (3WIHPDI)	Brown Wrinkle Painted Steel (3WIHPDB)	Aluminum Painted Steel (3WIHPSL)
40582	40583	40581	40585	40584	40586

For related items, see Page 83.

Stainless Steel, Aluminum, Chrome, Brass & Bronze

304 Type Stainless Steel Satin Finish (3WIHP302SS)	430 Type Stainless Steel Satin Finish (3WIHPSS)	Aluminum Clear Anodized (3WIHP4AA)	Chrome Plated Steel Polished (3WIHPCA)	Solid Brass Satin Finish US#4 (3WIHP4BB)
40591	40590	40588	40589	40592

Energy-Saving Insulating Gaskets



Comply With Current Code Requirements

Mulberry's energy saving gaskets prevent the loss of heat and cold through outlets and switches located on outside walls. Constructed of UL Listed cross-link, close cell polyethylene insulating foam, they are available for single gang switch and duplex receptacles. UL Listed as fire-retardant. Easy to install, they can be ganged by trimming or overlapping.



40671

1 Toggle Switch



40601

1 Duplex Receptacle



40635

1 GFI Receptacle

Box: 50 Carton: 500

ACCESSORIES

Black Nylon Telephone Bushings



Catalog No.	Fits Hole Size	Inside Dia.
40447	.500"	.375"
40448	.625"	.500"
40449	.875"	.750"
40450	1.375"	1.000"

Black Vinyl Telephone Bushings



Catalog No.	Fits Hole Size	Inside Dia.
40451	.375"	.250"
40452	.500"	.375"
40453	.625"	.500"
40454	.875"	.750"
40455	1.375"	1.000"

Pilot Light Jewels (Bull's Eyes)

Round Fits Single Receptacle Hole (1.375" - 1.405" diam.)



Catalog No.	Color
40540 (RBA)	Amber
40541 (RBG)	Green
40542 (RBR)	Red
40543 (RBW)	White

Rectangular Fits Toggle Switch Hole (.406" x .925")



Catalog No.	Color
40546 (TBA)	Amber
40547 (TBG)	Green
40548 (TBR)	Red
40549 (TBW)	White

Mounting Straps



40481



40475



40484



40487

Catalog No.
40481 (Y40)
40480 (AYP)
40475 (M1347)

Catalog No.
40484 (M1657)
40487 (M1663)

Replacement Gaskets



1 gang switch



1 gang blank



1 gang single receptacle



1 gang telephone



1 gang duplex receptacle



1 gang duplex skeleton (for GFI receptacles)




1 gang louver

USE



30671

USE



30661



2 gang blank



2 gang switch



2 gang duplex receptacle



2 gang single receptacle



2 gang, 1 switch & 1 duplex receptacle



2 gang, 1 single & 1 duplex receptacle




3 gang switch




3 gang blank

USE



30672

USE



30673

ACCESSORIES

Screws

Standard Slotted 6-32 Oval Head



	5/16”	1/2”	1”	1-1/2”	2”
Almond Semi-Gloss (Painted Steel) (ALM)		40226			
Black Matte (Painted Steel) (BK)	40207	40229	40236	40246	40256
Brass (Solid-Spec. Grade)	40208	40227			
Brass (Plated Steel) (BS)	40201	40220	40230	40240	40250
Bronze - US #10 Solid-Spec. Grade (BZS)		40228			
Brown Semi-Gloss (Painted Steel) (DB)	40203	40222	40232	40242	40252
Nickel (Plated Steel)	40202	40221	40231	40241	40251
Ivory Semi-Gloss (Painted Steel) (DI)	40204	40223	40233	40243	40253
Red Semi-Gloss (Painted Steel) (RS)		40218			
White Semi-Gloss (Painted Steel) (WS)	40205	40224	40234	40244	40254
Stainless Steel (Type 304 Spec. Grade non-magnetic) (XS)	40206	40225	40235		

Plastic Slotted 6-32 Oval Head



	5/16”	1/2”	1”	1-1/2”	2”
Brown	--	40294	--	--	--
Ivory	--	40295	--	--	--
White	--	40296	--	--	--

Spanner Head Tamperproof 6-32 Oval Head



	1/2”	1”	1-1/2”	2”
Brass (Solid-Spec. Grade) (SBS)	40260	40305	40270	40275
Bronze (US#10 Solid-Spec. Grade) (SBZS)	40262	40306	40272	40277
Nickel (Plated Steel)	40261	40304	40271	40276

Rosette Head 6-32

Screwdrivers




40299

Spanner Head (SSD)

ACCESSORIES

Ceiling Outlet Blankup Canopies



	Ivory Semi-Gloss Painted Steel (IA)	White Semi-Gloss Painted Steel (WA)	Sprayed Brass Matte Painted Steel (BA)	Aluminum (.040") Satin Finish (SAL)	Stainless Steel (Type 430) Satin Finish (SS)
Flat .15" deep – 5" diameter Two 8-32 x 7/8" screws, screw holes – 3-1/2" cc (Fits 4" Round Box)		40430			40428
Flat .15" deep – 5" diameter Two 8-32 x 7/8" screws, screw holes – 2-3/4" cc (Fits 3-1/4" Round Box)		40431			40429
Flat .15" deep – 5" diameter Screw Hole in Center (Fits 3-1/4" and 4" Round Box). Supplied with universal strap and 3 screws		40435			
Standard 1.875" deep – 5" diameter With Kit* (K5) *Kit includes 1/8" x 2" plated nipple, 1/8" nut and matching canopy and knob	40416	40418	40415	40417	
Shallow 1.375" deep – 5" diameter With Kit* (KSS) *Kit includes 1/8" x 2" plated nipple, 1/8" nut and matching canopy and knob	40402	40404	40401	40403	
Modern .75" deep – 5" diameter With Kit* (K4M) *Kit includes 1/8" x 2" plated nipple, 1/8" nut and matching canopy and knob	40409	40411	40408	40410	
Oversize 1.625" deep – 5" diameter With Kit* (K5M) *Kit includes 1/8" x 2" plated nipple, 1/8" nut and matching canopy and knob	40423	40425	40422	40424	
Plastic Knobs (painted) Threaded for 1/8" pipe	40443	40442	40441	40445	



40482
Fixture Canopy Crossbar with Ground Screw

ACCESSORIES

Lockout Bracket

Ideal for any application where it is necessary to prevent unauthorized use of a toggle switch. Turn lockout bracket with identification letter 'T' upright to prevent turn on; turn upside down to prevent turn off. Can be used with any standard toggle wallplate and toggle switch.



Lockout Bracket with 304-type stainless steel wallplate

Cat. No. 40483



Lockout Bracket Kit with bracket made of 304 stainless steel, two tamperproof screws and spanner bit.

Cat. No. 40486

Switch Guard

Switch Guard mounts right over a standard toggle switch and can protect against accidental turn on or turn off. Made of 304-type stainless steel.



Wallplate not included


Cat. No. 40460

ORDERING INSTRUCTIONS FOR CUSTOM PLATES

- Standard and Princess
- Jumbo/Oversize
- Maxi
- Narrow
- Special Sizes

Custom Standard, Princess, Maxi, Jumbo or Narrow Size Plates

Example: 5 Gang Standard Size Wallplate with Toggle/Louver/Single Receptacle/Blank/Dryer Openings made of Satin Brass



Step 1: Select Wallplate Finish

Find the wallplate finish in our Material Specification Table on Pages A9 and A10. (Custom colors are also available; consult factory.)

	Finish	Shape	Thickness	US Bureau of Standards Symbols	Finish Designator
Satin Brass (4BB)	Satin #4 Polish	S	.40	US #4	94000

Step 2: Select the Gang Size Suffix

Gang Size	Standard Size 4.5 in. high	Princess Size 5.0 in. high	Maxi Size 5.0 in. high	Jumbo Size 5.5 in. high
	Suffix	Suffix	Suffix	Suffix
1-gang	001	001	741	811
2-gang	002	002	n/a	812
3-gang	003	003	n/a	813
4-gang	004	004	n/a	814
5-gang	005	005	n/a	815
6-gang	006	006	n/a	816
7-gang	007	n/a	n/a	consult factory
8-gang	008	n/a	n/a	consult factory
9-gang	009	n/a	n/a	consult factory
10-gang	010	n/a	n/a	consult factory

Narrow Size	
Dimensions	Suffix
(4.5" x 1.5"W)	425
(4.5" x 1.75"W)	426
(4.5" x 2.0"W)	427
(4.5" x 2.25"W)	428
(6.125" x 1.75"W)	429
(8.125" x 1.75"W)	430

Add Gang Size to Finish Prefix

94000
+005
94005 **Custom Wallplate Prefix**


ORDERING INSTRUCTIONS FOR CUSTOM PLATES

- Standard and Princess
- Jumbo/Oversize
- Maxi
- Narrow
- Special Sizes

Custom Standard, Princess, Maxi, Jumbo or Narrow Size Plates (continued)

Step 3: Add Opening Numbers

Find Opening Number(s) in Opening Selector Guide, Pages A93 to A103.



Step 4: Create Ordering Number

94005 — 071 — 631 — 091 — 151 — 221

Custom Wallplate Prefix — Custom Opening Suffix

QUANTITY — Always indicate the number of custom wallplates required, particularly when there are several plates with the identical gang size, material and openings.

PRICING — Please contact the factory for pricing. Feel free to send your requirements to our fax number below or to customerservice@mulberrymetal.com. We will confirm your requirements and, in most cases, provide you with a detailed drawing.

DELIVERY — Allow 2 to 3 weeks when ordering.


RETURNS — Please order with care since custom items can not be exchanged or returned for credit.

ORDERING INSTRUCTIONS FOR CUSTOM PLATES

Custom Special Size Plates

Example: **All custom orders and requests for quotation for wallplates with dimensions other than shown in this catalog must be accompanied by a clear sketch that includes the following dimensions (A, B, C & D).**

Example:



STEP 1 – Select the wallplate finish. Find the wallplate finish in our Material Specification Table on Pages A9 and A10. (Custom colors are also available; consult factory.).

STEP 2 – Specify the size of the custom plate, as well as the location(s) of opening(s).

STEP 3 – Add desired opening(s). Find the opening number(s) in our Opening Selector Guide on Pages A93 to A103.

STEP 4 – Select Standard (approximately 45^0) or Bevel Edge. Please Specify.

Contact Factory for Pricing. Allow 4 to 5 weeks for delivery. Custom items may not be exchanged or returned for credit.

CUSTOM ENGRAVING AND SILK SCREENING



Engraving

The most durable method of custom marking. The wallplate surface is deeply etched and the resultant 'grooves' are paint filled. The marking is below the surface of the wallplate so the plate is protected from frequent and rough contact. Ideal for hospitals, schools and other public institutions.

Letter Size: 1/8, 3/16, 1/4 and 3/8 inch sizes available. (Consult factory for other sizes.)

Color: Black, Red and White filled letters are standard. Other colors are available; consult factory.

Material: Brushed or polished stainless steel; brass or bronze; thermoplastic; anodized aluminum. Chrome and painted cold-rolled steel wallplates are not recommended since cutting into steel may result in rust. If colored plates are required, we recommend using painted stainless steel or plastic material. (Galvanized steel raised box covers and many of our weatherproof items can also be engraved. Consult factory.)

Art: A sketch of the wallplate along with the engraved layout is required.

ORDERING CHECKLIST

1. Letter Size - If not specified, height of letters will be chosen to best fit space.
2. Color - Specify one of the above paint fills.
3. Material - See above – only brass, bronze and polished stainless steel, thermoplastic and anodized aluminum can be engraved
4. Sketch of plates and engraved layout is required.
5. Availability - small quantities 4 to 5 weeks. Allow 5 to 6 weeks for larger quantities.
6. Engraved plates are not returnable for credit.
7. Minimum order: 1 piece.

Silk Screening

The 'silk screen' is the best method of marking plates when there is a large quantity of wallplates or when complex designs are required. A photo negative of the desired marking is made for each group of plates and is then transferred onto a porous screen held to a frame. A special ink is then squeezed through the screen onto the surface of successive wallplates to produce the desired copy.

Letter Size: If not specified, the height of letters will be selected to best fit space.

Color: Black, Red and White lettering is standard. Other colors available; consult factory.

Material: Smooth painted cold-rolled steel, brushed stainless steel, brushed brass or bronze, anodized aluminum or thermoplastic wallplates.


Art: Photo reproducible artwork is required where trademarks or complex designs are to be silk screened.

ORDERING CHECKLIST

1. Letter Size - If not specified, height of letters will be chosen to best fit space.
2. Color - Specify one of the above paint fills.
3. Material - Only satin finish, smooth painted plates and polycarbonate plates may be silk screened.
4. Sketch is required to show layout. Photo reproducible artwork is required where trademarks or complex designs are to be screened
5. Minimum order: while silk screening is ideally suited for 50 or more wallplates, as few as 10 pcs. may be practical, in some cases, when there are many identical characters required for the same wallplate.


- Availability - Small quantities 4 to 5 weeks. Allow 5 to 6 weeks for larger quantities. Silk screened wallplates are not returnable for credit.

OPENING SELECTOR GUIDE FOR CUSTOM PLATES




One Interchangeable Device Opening

011X (71A)




Two Interchangeable Device Openings

021X (71B)




Three Interchangeable Device Openings

031X (71C)




One Interchangeable Device Vertical Opening

041X (71G)




Toggle Switch

071 (1T)




Standard Push Button

081 (1P)




Single Recept.

091 (10R)




Duplex Recept.

101 (10DR)




20A TL Receptacle

111 (3R)




Two 20A TL Receptacles

113 (23R)



Blank, Device Mntg.


121 (1B-DE)



Two Insulated Interchangeable Recepts.


141 (71V)

OPENING SELECTOR GUIDE FOR CUSTOM PLATES




Tel. 908.688.8850 • Fax. 908.688.7294 • www.MulberryMetal.com

OPENING SELECTOR GUIDE FOR CUSTOM PLATES




30/50A Range/Dryer Recept.

227 (N23D)




30/50/60A 4 Wire Range Recept.

228 (F9R)




30A 3 & 4 Wire TL Recept.

229 (3330R)




25 Pin Connector

261




262




One Device Low Voltage Horizontal

271 (RP71A)




9 Pin Connector.

278




One Device Low Voltage Vertical

281 (RP71G)




Two Devices Low Voltage Horizontal

291 (RP71B)




50 Pin Connector (DB50)

297



Three Devices Low Voltage Horizontal


301 (RP71C)




15 PIN CONNECTOR

308

OPENING SELECTOR GUIDE FOR CUSTOM PLATES




311 (RPS71A)




Lock Switch D opening .340 x .375"

314




Lock Switch Double-D opening .312 x .375"

315




Two Devices Spec. Grade Low Voltage

321 (RPS71B)




37 Pin Connector

327 (DB37)




331 (RPS71C)




Leviton Centura Switch

341 (CS)




Appliance Switch

351 (A)




One Interchangeable Device Opening, Offset

358 (71AX)




Two Interchangeable Device Openings, Offset

359 (71BX)



Theiler F-touch Rocker Switch


361




Oil Tight Pushbutton

364


OPENING SELECTOR GUIDE FOR CUSTOM PLATES




Fasco Snap-In Rocker Switch **366**




Momentary Contact, Offset Push Button **369** (MC)




Leviton Rocker Switch **371** (LRX)




1/2" Diameter Opening Box Mounting **381** (21)




Leviton Centura Duplex Switch **391** (CD)




Block Duplex/GFI Recept. **401** (SRM)




Bulkhead Connector **411**




Low Voltage **417**




Low Voltage **418**



Low Voltage **419**




Low Voltage **420**




Coaxial Connector BNC **431**


OPENING SELECTOR GUIDE FOR CUSTOM PLATES



OPENING SELECTOR GUIDE FOR CUSTOM PLATES




OPENING SELECTOR GUIDE FOR CUSTOM PLATES




Key Switch
Double-D opening
.67 x .75"

528




3/4" Diameter
Opening
Box Mounting

530
(X75)




Slot for Razor
Blades

550
(RBB)




Coaxial
Connector
BNC

551




IBM Type
Data Connector

557




Biplex /
Triplex

561
(SLR)




Telephone
1" Inner Diameter
Plastic Grommet

581




Telephone Opening
With Metal Bushing

591
(61)




Long Toggle
DPDT

600
(LT)




"Somfy"
Rocker
Switch

601




Blank,
Interchangeable
Mounting

611




620


OPENING SELECTOR GUIDE FOR CUSTOM PLATES




OPENING SELECTOR GUIDE FOR CUSTOM PLATES




For Mntg. Emergency Ltg. Head **671** (13/32 SQ)




Large Block Opening **687**




688




3/4" Diameter / F Connector Opening Box Mounting **696**




FS Blank **699**




Block Duplex / GFI Recept. Box Mounting **716** (SRM-IBS)




Rocker Switch **718**




Two "Somfy" Rocker Switches **721**




Rocker Switches **731**



Snap-in Rocker Switch **738**




Toggle Switch Centered 2 Gang **772** (1T-2G)




Duplex Recept Centered 2 Gang **773** (10DR-2G)

OPENING SELECTOR GUIDE FOR CUSTOM PLATES




Single Recept.
Centered 2 Gang

774
(10R-2G)




Telephone
Centered 2 Gang

775
(01-2G)




Blank,
Centered 2 Gang

776
(1B-2G)




Block Duplex/GFI
Recept., Centered
2 Gang

777
(SRM-2G)




20A 4 WIRE TL
Recept., Centered
2 Gang


778
(1R-2G)



993



994



995

WEATHERPROOF PRODUCT LIST

30001, W, Z	B23
30015, W, Z	B23
30060, W, Z	B23
30113, B, Z	B24
30114, B, Z	B24
30141 B, W, Z	B24
30142, B, W, Z	B24
30201, B, W, Z	B5
30203, B, W, Z	B4
30204, W, Z	B5
30206, W, Z	B4
30207, W, Z	B5
30209, W, Z	B4
30210, W, Z	B5
30212, W, Z	B4
30213, W, Z	B5
30215, W, Z	B4
30216	B5
30218	B4
30219	B5
30221	B4
30222	B5
30224	B4
30226	B5
30227	B4
30228	B4
30229, W, Z	B9
30230	B9
30233,W, Z	B6
30236, W, Z	B6
30239, W, Z	B6
30242	B6
30245, W, Z	B6
30248	B6
30251	B6
30254	B6
30257	B6
30260	B6
30263	B6
30266	B6
30267, W, Z	B6
30269	B6
30270	B6
30272	B6
30273, W, Z	B9
30274	B9
30275	B9
30277	B21
30278, W, Z	B21
30279	B21
30282	B21
30283, W, Z	B21
30284	B21
30286	B21
30287	B9
30288	B9
30289	B9
30290, W, Z	B29
30291	B29
30292, W, Z	B29
30293	B29
30294, W, Z	B29
30295	B9
30296	B9
30297	B30
30298	B30
30316, B, W, Z	B8
30318, W, Z	B8
30326, W, Z	B8
30328, W, Z	B8
30333	B8
30335	B8
30346	B22
30351, B, W, Z	B18
30356, B, W, Z	B18
30361, B, W, Z	B18
30367, B, W, Z	B17
30372, B, W, Z	B17
30377, B, W, Z	B17
30381, W, Z	B17
30385	B8
30387	B8
30389	B8
30404, W, Z	B16
30405, W, Z	B16
30406, W, Z	B16
30426	B15
30427	B15
30428	B15
30429	B15
30450	custom item
30451, W, Z	B13
30452, W, Z	B15
30455	B15
30456	B15
30457	B15
30458,W, Z	B15
30460	B15
30461, W, Z	B15
30464	B16
30465	B16
30466	B16
30467	B16
30468	B15
30470	B15
30472	B15
30473, W, Z	B16
30474	B20
30475	B16
30477	B16
30478	B20
30479	B15
30480, W, Z	B19
30481	B19
30482	B19
30483	B19
30484	B20
30485	B20
30486	B19
30487	B20
30488, W, Z	B19
30489	B19
30490	B19
30491	B20
30492	B20
30493	B20
30494	B19
30495	B15
30496	B20
30497	B20
30498	B20
30499	B20
30501, W, Z	B13
30501U	B13
30505, W, Z	B13
30507	B13
30509, W, Z	B13
30513	B14
30522, W, Z	B14
30523	B14
30525	B14
30526	B14
30528	B14
30531	B14
30532	B14
30534	B14
30535	B14
30537, W, Z	B14
30538	B14
30550, W, Z	B13
30552, W, Z	B13
30554, W, Z	B13
30560	custom item
30583	B5
30584	B5
30586	B5
30587	B5
30589	B5
30593	B7
30595	B7
30596	B7
30597	B7
30598	B7
30599	B7
30601	B7
30603	B7
30661	B31
30671	B31
30672	B31
30673	B31
30690	B31
30697	B31
30698	B31
30820	B28
30821	B28
30825	B25
30826	B25
30830	B25
30832	B25
30834	B27
30837	B27
30842	B27
30844	B27
30846	B27
30847	B25
30850	B26
30853	B26
30855	B26
30862	B27
30981, W, Z, G	B10
30982	B10
30983G, W, Z	B11
30984	B10
30985	B12
30986	B12
30987	B12
30988	B11
30989	B12
40319	B29
40320	B29
40495	B30
40501	B30
40502	B30
40503	B30
40504	B30
40505	B31
40507	B30
40509	B31
40513	B31
40514	B31
40225-40299	B29

STEEL BOX COVERS & CONDUIT BODIES PRODUCT LIST

10001	C8	11224	C5	11411	C9	11702	C17	11876	C15
10002	C8	11225	C5	11412	C9	11703	C17	11881	C15
10003	C8	11226	C5	11413	C9	11704	C17	11882	C15
10004	C8	11227	C5	11414	C9	11705	C17	11883	C15
10005	C8	11228	C5	11415	C9	11710	C17	11884	C15
10006	C8	11230	C5	11421	C9	11711	C17	11885	C15
10008	C8	11231	C5	11422	C9	11712	C17	11886	C15
10009	C8	11232	C5	11423	C10	11713	C17	11891	C15
10010	C8	11235	C5	11424	C10	11714	C17	11892	C15
10013	C8	11236	C5	11425	C10	11715	C17	11893	C15
10016	C8	11237	C5	11426	C10	11716	C17	11894	C15
10021	C8	11238	C5	11427	C10	11720	C17	11895	C15
10082	C13	11239	C5	11428	C10	11721	C17	11896	C15
10083	C13	11240	C5	11429	C10	11722	C17	11901	C16
10084	C13	11241	C5	11432	C10	11723	C17	11902	C16
10085	C13	11242	C5	11433	C10	11724	C17	11903	C16
10086	C13	11244	C5	11435	C10	11725	C17	11904	C16
10087	C13	11245	C5	11436	C10	11726	C17	11905	C16
10088	C13	11248	C5	11442	C11	11730	C17	11906	C16
10089	C13	11249	C5	11500	C11	11731	C17	11914	C16
10090	C13	11250	C5	11501	C11	11732	C17	11915	C16
10092	C13	11251	C5	11502	C11	11733	C17	11916	C16
10093	C13	11252	C5	11503	C11	11734	C17	11917	C16
10094	C13	11253	C5	11510	C11	11735	C17	11918	C16
10095	C13	11261	C7	11511	C11	11736	C17	11919	C16
10096	C13	11262	C7	11512	C11	11801	C15	11920	C16
10097	C13	11263	C7	11513	C11	11802	C15	11921	C15
10098	C13	11264	C7	11514	C11	11803	C15	11922	C15
10099	C13	11265	C7	11515	C11	11804	C15	11923	C15
10100	C13	11266	C7	11521	C11	11805	C15	11924	C15
10103	C13	11271	C7	11522	C11	11806	C15	11925	C15
10104	C13	11272	C7	11523	C11	11811	C15	11926	C15
10105	C13	11273	C7	11524	C11	11812	C15	12801	C15
10111	C13	11274	C7	11525	C11	11813	C15	12802	C15
10122	C13	11275	C7	11526	C11	11814	C15	12803	C15
10123	C13	11276	C7	11527	C11	11815	C15	12804	C15
10124	C13	11301	C4	11528	C11	11816	C15	12805	C15
10125	C13	11303	C4	11529	C11	11821	C15	12806	C15
10126	C13	11311	C4	11532	C11	11822	C15	12807	C15
10127	C13	11314	C4	11533	C11	11823	C15	12808	C15
10128	C13	11315	C4	11535	C11	11824	C15	12809	C15
10129	C13	11321	C6	11536	C11	11825	C15	12810	C15
10130	C13	11323	C6	11538	C11	11826	C15	12811	C15
11001	C3	11326	C6	11600	C12	11831	C15	12812	C15
11002	C3	11327	C6	11601	C12	11832	C15	12813	C15
11003	C3	11328	C6	11602	C12	11833	C15	12814	C15
11006	C3	11330	C6	11603	C12	11834	C15	12815	C15
11008	C3	11331	C6	11605	C12	11835	C15	12816	C15
11009	C3	11335	C6	11606	C12	11836	C15	12817	C15
11101	C3	11337	C6	11607	C12	11841	C15	12818	C15
11102	C3	11340	C6	11608	C12	11842	C15	12819	C15
11103	C3	11341	C6	11609	C12	11843	C15	12820	C15
11104	C3	11342	C6	11611	C12	11844	C15	12821	C15
11105	C3	11344	C6	11612	C12	11845	C15	12822	C15
11106	C3	11345	C6	11613	C12	11846	C15	12823	C15
11108	C3	11361	C7	11614	C12	11851	C15	12824	C15
11121	C3	11362	C7	11615	C12	11852	C15	12825	C15
11122	C3	11363	C7	11616	C12	11853	C15	12826	C15
11123	C3	11364	C7	11618	C12	11854	C15	12827	C15
11124	C3	11365	C7	11620	C12	11855	C15	12828	C15
11125	C3	11366	C7	11621	C12	11856	C15	12829	C15
11201	C4	11371	C7	11622	C12	11861	C15	12830	C15
11202	C4	11372	C7	11623	C12	11862	C15	12831	C15
11203	C4	11373	C7	11624	C12	11863	C15	12832	C15
11211	C4	11374	C7	11625	C12	11864	C15	12833	C15
11212	C4	11375	C7	11626	C12	11865	C15	12834	C15
11214	C4	11376	C7	11628	C12	11866	C15	12835	C15
11215	C4	11400	C9	11629	C12	11871	C15	12836	C15
11216	C4	11401	C9	11630	C12	11872	C15	12837	C15
11221	C5	11402	C9	11699	C17	11873	C15	12838	C15
11222	C5	11403	C9	11700	C17	11874	C15	12841	C15
11223	C5	11410	C9	11701	C17	11875	C15	12842	C15

STEEL BOX COVERS & CONDUIT BODIES PRODUCT LIST

12843	C15	12922	C15	14811	C15	17830	C16	40022	C14
12844	C15	12923	C15	14812	C15	17831	C16	40023	C14
12845	C15	12924	C15	14813	C15	17832	C16	40024	C14
12846	C15	12925	C15	14814	C15	17833	C16	40025	C14
12847	C15	12926	C15	14815	C15	17834	C16	40026	C14
12848	C15	13801	C15	14816	C15	17835	C16	40027	C14
12851	C15	13802	C15	14821	C15	17836	C16	40028	C14
12852	C15	13803	C15	14822	C15	17837	C16	40029	C14
12853	C15	13804	C15	14823	C15	17838	C16	40030	C14
12854	C15	13805	C15	14824	C15	17839	C16	40031	C14
12855	C15	13806	C15	14825	C15	17840	C16	40032	C14
12856	C15	13811	C15	14826	C15	17841	C16	40033	C14
12857	C15	13812	C15	14831	C15	17842	C16	40034	C14
12858	C15	13813	C15	14832	C15	17843	C16	40035	C14
12859	C15	13814	C15	14833	C15	17844	C16	40036	C14
12860	C15	13815	C15	14834	C15	17845	C16	40037	C14
12861	C15	13816	C15	14835	C15	17846	C16	40038	C14
12862	C15	13821	C15	14836	C15	17847	C16	40039	C14
12863	C15	13822	C15	14841	C15	17848	C16	40040	C14
12864	C15	13823	C15	14842	C15	17849	C16	40041	C14
12865	C15	13824	C15	14843	C15	17850	C16	40042	C14
12866	C15	13825	C15	14844	C15	40001	C14	40043	C14
12871	C15	13826	C15	14845	C15	40002	C14	40044	C14
12872	C15	13831	C15	14846	C15	40003	C14	40045	C14
12873	C15	13832	C15	17801	C16	40005	C14	40046	C14
12874	C15	13833	C15	17802	C16	40006	C14	40047	C14
12875	C15	13834	C15	17803	C16	40007	C14	40048	C14
12876	C15	13835	C15	17804	C16	40008	C14	40049	C14
12881	C15	13836	C15	17805	C16	40009	C14	40111	C18
12882	C15	13841	C15	17806	C16	40010	C14	40112	C18
12883	C15	13842	C15	17809	C16	40011	C14	40113	C18
12884	C15	13843	C15	17810	C16	40012	C14	40114	C18
12885	C15	13844	C15	17821	C16	40013	C14	40115	C18
12886	C15	13845	C15	17822	C16	40014	C14	40116	C18
12891	C15	13846	C15	17823	C16	40015	C14	40465	C18
12892	C15	14801	C15	17824	C16	40016	C14	40470	C18
12893	C15	14802	C15	17825	C16	40017	C14	40490	C18
12894	C15	14803	C15	17826	C16	40018	C14	40492	C18
12895	C15	14804	C15	17827	C16	40019	C14		
12896	C15	14805	C15	17828	C16	40020	C14		
12921	C15	14806	C15	17829	C16	40021	C14		

METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

21401 - 21402	A62	21825 -21826	A63	22225 - 22226	A62	32422	A75	32852	A78
21425 - 21426	A62	21832 - 21837	A63	22232 - 22237	A62	32432	A75	32862	A78
21432 - 21437	A62	21843	A63	22243	A62	32442	A75	32865	A78
21443	A62	21850 - 21852	A63	22250 - 22252	A62	32443	A76	32871 - 32874	A77
21450 - 21452	A62	21871 - 21873	A63	22271 - 22273	A62	32453	A76	32883	A78
21471 - 21473	A62	21887	A63	22287	A62	32454	A76	33071 - 33076	A72
21487	A62	21891	A63	22291	A62	32512	A75	33091 - 33092	A72
21491	A62	22001 - 22002	A62	22501 - 22502	A63	32522	A75	33101 - 33103	A72
21501 - 21502	A62	22025 - 22026	A62	22525 -22526	A63	32532	A74	33111	A73
21525 - 21526	A62	22032 - 22037	A62	22543	A63	32542	A75	33151 - 33153	A73
21532 - 21537	A62	22043	A62	22550 - 22552	A63	32543	A75	33201	A74
21543	A62	22050 - 22052	A62	22571 - 22573	A63	32552	A75	33221 - 33227	A73
21571 - 21573	A62	22071 - 22073	A62	23532 - 22537	A63	32572	A75	33381	A73
21587	A62	22087	A62	22587	A63	32581	A74	33401 - 33406	A74
21591	A62	22091	A62	22591	A63	32654	A76	33422	A75
21701 - 21702	A63	22101 - 22102	A62	32071 - 32076	A72	32664	A76	33432	A75
21725 -21726	A63	22125 - 22126	A62	32091 - 32092	A72	32672	A75	33442	A75
21732 - 21737	A63	22132 - 22137	A62	32101 - 32104	A72	32673	A76	33443	A76
21743	A63	22143	A62	32111	A73	32674	A76	33453	A76
21750 - 21752	A63	22150 - 22152	A62	32151 - 32154	A73	32683	A76	33454	A76
21771 - 21773	A63	22171 - 22173	A62	32201	A74	32801 - 32802	A77	33512	A75
21787	A63	22187	A62	32221 - 32227	A73	32832	A78	33522	A75
21791	A63	22191	A62	32381	A73	32834 - 32837	A77	33532	A74
21801 - 21802	A63	22201 - 22202	A62	32401 - 32406	A74	32851	A77	33542	A75

METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

33543 A75
33552 A75
33572 A75
33581 A74
33654 A76
33664 A76
33672 A75
33673 A76
33674 A76
33683 A76
33801 - 33802 A77
33832 A78
33834 - 33837 A77
33851 A77
33852 A78
33862 A78
33865 A78
33871 - 33874 A77
33883 A78
34071 - 34076 A72
34091 - 34092 A72
34101 - 34103 A72
34111 A73
34151 - 34153 A73
34201 A74
34221 - 34227 A73
34381 A73
34401 - 34406 A74
34422 A75
34432 A75
34442 A75
34443 A76
34453 A76
34454 A76
34512 A75
34522 A75
34532 A74
34542 A75
34543 A75
34552 A75
34572 A75
34581 A74
34654 A76
34664 A76
34672 A75
34673 A76
34674 A76
34683 A76
34801 - 34802 A77
34832 A78
34834 - 34837 A77
34851 A77
34852 A78
34862 A78
34865 A78
34871 - 34874 A77
34883 A78
35401 - 35405 A79
36071 - 36072 A72
36091 - 36092 A72
36101 - 36102 A72
36111 A73
36401 - 36402 A74
36432 A75
36442 A75
36512 A75
36672 A75
37401 - 37405 A79
40201 - 40306 A86
40401 - 40445 A87
40447 - 40455 A85
40460 A88
40475 - 40481 A85
40482 A87
40483 A88
40484 A85
40486 A88
40487 - 40549 A85
40550 - 40578 A83
40581 - 40671 A84
41001 - 41006 A80
41009 - 41012 A81
41015 - 41025 A80
41026 - 41059 A81
41101 - 41235 A82
41240 - 41245 A81
43071 - 43073 A23
43091 A24
43101 - 43102 A23
43151 - 43152 A24
43401 - 43403 A25
43432 A28
43443 A29
43532 A28
44071 - 44080 A11
44091 A12
44101 - 44102 A11
44103 A12
44151 - 44153 A12
44401 - 44406 A13
44407 - 44410 A14
44432 A17
44532 A17
44543 A18
44554 A20
44630 A15
44631 A15
44672 A17
51011X - 51062X A16
51071 - 51080 A11
51091 - 51093 A12
51101 - 51102 A11
51103 - 51106 A12
51111 - 51113 A14
51121 - 51123 A12
51132X - 51142X A16
51133 A18
51151 - 51153 A12
51154 - 51160 A13
51163 A19
51164 A20
51172X A17
51180 A17
51181 A14
51193 A19
51201 - 51202 A14
51221 - 51229 A15
51390 A17
51401 - 51406 A13
51407 - 51410 A14
51422 A18
51423 A19
51432 A17
51443 A18
51453 A19
51454 A20
51465 A21
51472 A17
51503 A19
51512 A17
51522 A17
51532 A17
51533 A18
51542 A17
51543 A18
51544 A20
51552 A18
51553 A19
51554 A20
51564 A20
51565 A21
51572 A17
51574 A20
51575 A21
51576 A22
51581 A14
51582 A17
51584 A20
51591 A14
51593 A19
51630 - 51632 A15
51672 A17
51772 - 51775 A18
53011X - 53032X A51
53041X - 53172X A52
53071 - 53076 A47
53091 - 53092 A48
53101 - 53106 A47
53111 A50
53113 A50
53121 - 53123 A48
53133 A54
53151 - 53156 A48
53163 A55
53164 A56
53180 A53
53181 A49
53193 A55
53201 - 53202 A49
53221 - 53229 A50
53233 A55
53390 A53
53401 - 53406 A49
53422 A53
53423 A55
53432 A52
53443 A54
53453 A54
53454 A55
53465 A56
53472 A52
53503 A54
53512 A52
53522 A52
53532 A52
53533 A54
53542 A52
53543 A54
53544 A55
53552 A53
53553 A54
53554 A55
53564 A55
53565 A56
53572 A53
53574 A55
53575 - 53576 A56
53581 A49
53582 A53
53584 A56
53591 A49
53593 A55
53630 - 53632 A51
53672 A53
53701 A57
53751 A57
53761 A57
53771 A57
53772 A53
53773 - 53775 A54
54011X - 54032X A51
54041X - 54172X A52
54071 - 54076 A47
54091 - 54092 A48
54101 - 54106 A47
54111 A50
54121 - 54123 A48
54133 A54
54151 - 54156 A48
54163 A55
54164 A56
54180 A53
54181 A49
54193 A55
54201 - 54202 A49
54221 - 54229 A50
54233 A55
54390 A53
54401 - 54406 A49
54422 A53
54423 A55
54432 A52
54443 A54
54453 A54
54454 A55
54465 A56
54472 A52
54503 A54
54512 A52
54522 A52
54532 A52
54533 A54
54542 A52
54543 A54
54544 A55
54552 A53
54553 A54
54554 A55
54564 A55
54565 A56
54572 A53
54574 A55
54575 - 54576 A56
54581 A49
54582 A53
54584 A56
54591 A49
54593 A55
54630 - 54632 A51
54672 A53
54701 A57
54751 A57
54761 A57
54771 A57
54772 A53
54773 - 54775 A54
57011X - 57032X A51
57041X - 57172X A52
57071 - 57076 A47
57091 - 57092 A48
57101 - 57106 A47
57111 A50
57113 A50
57121 - 57123 A48
57133 A54
57151 - 57156 A48
57163 A55
57164 A56
57180 A53
57181 A49
57193 A55
57201 - 57202 A49
57221 - 57229 A50
57233 A55
57390 A53
57401 A48
57402 - 57406 A49
57422 A53
57423 A55
57432 A52
57443 A54
57453 A54
57454 A55
57465 A56
57472 A52
57503 A54
57512 A52
57522 A52
57532 A52
57533 A54
57542 A52
57543 A54
57544 A55
57552 A53
57553 A54
57554 A55
57564 A55
57565 A56
57572 A53
57574 A55
57575 - 57576 A56
57581 A49
57582 A53
57584 A56
57591 A49
57593 A55
57630 - 57632 A51
57672 A53
57701 A57
57751 A57
57761 A57
57771 A57
57772 A53
57773 - 57775 A54
58011X - 58142X A16
58071 - 58080 A11
58091 - 58093 A12
58101 - 58102 A11
58103 - 58106 A12
58111 A14
58113 A14
58121 - 58123 A12
58132X - 58142X A16
58133 A19
58151 - 58153 A12
58154 - 58160 A13

INDEX

METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

58163	A19	64407 - 64410	A40	65423	A45	66533	A44	68575 - 68576	A46
58164	A20	64422	A44	65432	A43	66542	A43	68581	A40
58172X	A17	64423	A45	65443	A44	66543	A44	68582	A43
58180	A17	64432	A43	65453	A44	66544	A45	68584	A46
58181	A14	64443	A44	65454	A45	66552	A44	68591	A40
58193	A19	64453	A44	65465	A46	66553	A44	68593	A45
58201 - 58202	A14	64454	A45	65472	A43	66554	A45	68630 - 68632	A41
58221 - 58229	A15	64465	A46	65503	A44	66564	A45	68672	A43
58233	A19	64472	A43	65512	A43	66565	A46	68772 - 68775	A44
58390	A17	64503	A44	65522	A43	66572	A43	69011X - 69062X	A42
58401 - 58410	A14	64512	A43	65532	A43	66574	A45	69071 - 69080	A37
58422	A18	64522	A43	65533	A44	66575 - 66576	A46	69091 - 69093	A38
58423	A19	64532	A43	65542	A43	66581	A40	69101 - 69102	A37
58432	A17	64533	A44	65543	A44	66582	A43	69103 - 69106	A38
58443	A18	64542	A43	65544	A45	66584	A46	69111	A40
58453	A19	64543	A44	65552	A44	66591	A40	69113	A40
58454	A20	64544	A45	65553	A44	66593	A45	69121 - 69123	A38
58465	A21	64552	A44	65554	A45	66630 - 66632	A41	69132X	A42
58472	A17	64553	A44	65564	A45	66672	A43	69133	A44
58503	A19	64554	A45	65565	A46	66772 - 66775	A44	69142X	A42
58512	A17	64564	A45	65572	A43	68011X - 68062X	A42	69151 - 69153	A38
58522	A17	64565	A46	65574	A45	68071 - 68080	A37	69154 - 69160	A39
58532	A17	64572	A43	65575 - 65576	A46	68091 - 68093	A38	69163	A45
58533	A18	64574	A45	65581	A40	68101 - 68102	A37	69164	A46
58542	A17	64575 - 64576	A46	65582	A43	68103 - 68106	A38	69172X	A43
58543	A18	64581	A40	65584	A46	68111	A40	69180	A43
58544	A20	64582	A43	65591	A40	68113	A40	69181	A40
58552	A18	64584	A46	65593	A45	68121 - 68123	A38	69193	A45
58553	A19	64591	A40	65630 - 65632	A41	68132X	A42	69201 - 69202	A40
58554	A20	64593	A45	65672	A43	68133	A44	69221 - 69229	A41
58564	A20	64630 - 64632	A41	65772 - 65775	A44	68142X	A42	69233	A45
58565	A21	64672	A43	66011X - 66062X	A42	68151 - 68153	A38	69390	A43
58572	A17	64772 - 64775	A44	66071 - 66080	A37	68154 - 68160	A39	69401 - 69406	A39
58574	A20	64801 - 64802	A58	66091 - 66093	A38	68163	A45	69407 - 69410	A40
58575	A21	64832 - 64835	A59	66101 - 66102	A37	68164	A46	69422	A44
58576	A22	64842 - 64843	A60	66103 - 66106	A38	68172X	A43	69423	A45
58581	A14	64851 - 64853	A58	66111	A40	68180	A43	69432	A43
58582	A17	64861	A58	66113	A40	68181	A40	69443	A44
58584	A20	64863	A60	66121 - 66123	A38	68193	A45	69453	A44
58591	A14	64865	A59	66132X	A42	68201 - 68202	A40	69454	A45
58593	A19	64871 - 64873	A58	66133	A44	68221 - 68229	A41	69465	A46
58630 - 58632	A15	64883	A60	66142X	A42	68233	A45	69472	A43
58672	A17	64891	A58	66151 - 66153	A38	68390	A43	69503	A44
58772 - 58775	A18	65011X - 65062X	A42	66154 - 66160	A39	68401 - 68406	A39	69512	A43
64011X - 64062X	A42	65071 - 65080	A37	66163	A45	68407 - 68410	A40	69522	A43
64071 - 64080	A37	65091 - 65093	A38	66164	A46	68422	A44	69532	A43
64091 - 64093	A38	65101 - 65102	A37	66172X	A43	68423	A45	69533	A44
64101 - 64102	A37	65103 - 65106	A38	66180	A43	68432	A43	69542	A43
64103 - 64106	A38	65111	A40	66181	A40	68443	A44	69543	A44
64111	A40	65113	A40	66193	A45	68453	A44	69544	A45
64113	A40	65121 - 65123	A38	66201 - 66202	A40	68454	A45	69552	A44
64121 - 64123	A38	65132X	A42	66221 - 66229	A41	68465	A46	69553	A44
64132X	A42	65133	A44	66233	A45	68472	A43	69554	A45
64133	A44	65142X	A42	66390	A43	68503	A44	69564	A45
64142X	A42	65151 - 65153	A38	66401 - 66406	A39	68512	A43	69565	A46
64151 - 64153	A38	65154 - 65160	A39	66407 - 66410	A40	68522	A43	69572	A43
64154 - 64160	A39	65163	A45	66422	A44	68532	A43	69574	A45
64163	A45	65164	A46	66423	A45	68533	A44	69575 - 69576	A46
64164	A46	65172X	A43	66432	A43	68542	A43	69581	A40
64172X	A43	65180	A43	66443	A44	68543	A44	69582	A43
64180	A43	65181	A40	66453	A44	68544	A45	69584	A46
64181	A40	65193	A45	66454	A45	68552	A44	69591	A40
64193	A45	65201 - 65202	A40	66465	A46	68553	A44	69593	A45
64201 - 64202	A40	65221 - 65229	A41	66472	A43	68554	A45	69630 - 69632	A41
64221 - 64229	A41	65233	A45	66503	A44	68564	A45	69672	A43
64233	A45	65390	A43	66512	A43	68565	A46	69772 - 69775	A44
64390	A43	65401 - 65410	A40	66522	A43	68572	A43	70011X - 70062X	A42
64401 - 64406	A39	65422	A44	66532	A43	68574	A45	70071 - 70076	A37

METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

70091 - 70093	A38
70101 - 70102	A37
70103 - 70106	A38
70111	A40
70113	A40
70121 - 70123	A38
70132X	A42
70133	A44
70142X	A42
70151 - 70153	A38
70154	A39
70163	A45
70164	A46
70172X	A43
70180	A43
70181	A40
70193	A45
70201 - 70202	A40
70221 - 70229	A41
70233	A45
70390	A43
70401 - 70406	A39
70422	A44
70423	A45
70432	A43
70443	A44
70453	A44
70454	A45
70465	A46
70472	A43
70503	A44
70512	A43
70522	A43
70532	A43
70533	A44
70542	A43
70543	A44
70544	A45
70552	A44
70553	A44
70554	A45
70564	A45
70565	A46
70572	A43
70574	A45
70575 - 70576	A46
70581	A40
70582	A43
70584	A46
70591	A40
70593	A45
70672	A43
70772 - 70775	A44
73011X - 73032X	A51
73041X - 73172X	A52
73071 - 73076	A47
73091 - 73092	A48
73101 - 73106	A47
73111	A50
73113	A50
73121 - 73123	A48
73133	A54
73151 - 73156	A48
73163	A55
73164	A56
73180	A53
73181	A49
73193	A55
73201 - 73202	A49
73221 - 73229	A50
73233	A55
73390	A53
73401	A48
73402 - 73406	A49
73422	A53
73423	A55
73432	A52
73443	A54
73453	A54
73454	A55
73465	A56
73472	A52
73503	A54
73512	A52
73522	A52
73532	A52
73533	A54
73542	A52
73543	A54
73544	A55
73552	A53
73553	A54
73554	A55
73564	A55
73565	A56
73572	A53
73574	A55
73575 - 73576	A56
73581	A49
73582	A53
73584	A56
73591	A49
73593	A55
73630 - 73632	A51
73672	A53
73701	A57
73751	A57
73761	A57
73771	A57
73772	A53
73773 - 73775	A54
74011X - 74172X	A27
74071 - 74076	A23
74091 - 74092	A24
74101 - 74106	A23
74111	A25
74113	A26
74121 - 74123	A24
74133	A29
74151 - 74156	A24
74163	A30
74164	A31
74180	A28
74181	A25
74193	A30
74201 - 74202	A25
74221 - 74229	A26
74233	A30
74390	A28
74401 - 74406	A25
74422	A29
74423	A30
74432	A28
74443	A29
74453	A29
74454	A30
74465	A32
74472	A28
74503	A30
74512	A28
74522	A28
74532	A28
74533	A29
74542	A28
74543	A29
74544	A31
74552	A28
74553	A29
74554	A30
74564	A31
74565	A32
74572	A28
74574	A31
74575 - 74576	A32
74581	A25
74582	A28
74584	A31
74591	A25
74593	A30
74630 - 74632	A26
74672	A28
74701	A33
74750	A33
74751	A33
74761	A33
74771	A33
74773 - 74775	A29
74787	A33
74791	A33
75011X - 75172X	A27
75071 - 78076	A23
75091 - 75092	A24
75101 - 75106	A23
75111	A25
75113	A26
75121 - 75123	A24
75133	A29
75151 - 75156	A24
75163	A30
75164	A31
75180	A28
75181	A25
75193	A30
75201 - 75202	A25
75221 - 75229	A26
75233	A30
75390	A28
75401 - 75406	A25
75422	A29
75423	A30
75432	A28
75443	A29
75453	A29
75454	A30
75465	A32
75472	A28
75503	A30
75512	A28
75522	A28
75532	A28
75533	A29
75542	A28
75543	A29
75544	A31
75552	A28
75553	A29
75554	A30
75564	A31
75565	A32
75572	A28
75574	A31
75575 - 75576	A32
75581	A25
75582	A28
75584	A31
75591	A25
75593	A30
75630 - 75632	A26
75672	A28
75701	A33
75750	A33
75751	A33
75761	A33
75771	A33
75772 - 75775	A29
75787	A33
75791	A33
76011X - 76172X	A27
76071 - 76076	A23
76091 - 76092	A24
76101 - 76106	A23
76111	A25
76113	A26
76121 - 76123	A24
76133	A29
76151 - 76156	A24
76163	A30
76164	A31
76180	A28
76181	A25
76193	A30
76196	A32
76201 - 76202	A25
76221 - 76229	A26
76233	A30
76324	A31
76343	A30
76344	A31
76360	A28
76383	A30
76384	A31
76390	A28
76401 - 76406	A25
76422	A29
76423	A30
76432	A28
76442 - 76443	A29
76453	A29
76454	A30
76455	A32
76465	A32
76472	A28
76476	A32
76480	A25
76503	A30
76506	A32
76512	A28
76522	A28
76532	A28
76533	A29
76542	A28
76543	A29
76544	A31
76552	A28
76553	A29
76554	A30
76555	A32
76564	A31
76565	A32
76572	A28
76574	A31
76575 - 76576	A32
76581	A25
76582	A28
76584	A31
76591	A25
76593	A30
76630 - 76632	A26
76654	A30
76656	A32
76664	A31
76665	A32
76672	A28
76673	A30
76674	A31
76683	A30
76684	A31
76694	A31
76701	A33
76750	A33
76751	A33
76761	A33
76771	A33
76772 - 76775	A29
76787	A33
76791	A33
78011X - 78172X	A27
78091 - 75092	A24
78101 - 78106	A23
78111	A25
78113	A26
78121 - 78123	A24
78133	A29
78151 - 78156	A24
78163	A30
78164	A31
78180	A28
78181	A25
78193	A30
78201 - 78202	A25
78221 - 78229	A26
78233	A30
78390	A28
78401 - 78406	A25
78422	A29
78423	A30
78432	A28
78443	A29
78453	A29
78454	A30
78465	A32
78472	A28
78503	A30
78512	A28
78522	A28
78532	A28
78533	A29
78542	A28
78543	A29
78544	A31
78552	A28
78553	A29
78554	A30
78564	A31
78565	A32
78572	A28
78574	A31
78575 - 78576	A32
78581	A25
78582	A28
78584	A31
78591	A25
78593	A30
78630 - 78632	A26
78672	A28
78701	A33
78750	A33

INDEX

METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

78751	A33	79673	A30	82591	A14	83582	A43	84544	A20
78761	A33	79674	A31	82593	A19	83584	A46	84552	A18
78771	A33	79683	A30	82630 - 82632	A15	83591	A40	84553	A19
78772 - 78775	A29	79684	A31	82772 - 82775	A18	83593	A45	84554	A20
78787	A33	79694	A31	82801 - 82802	A34	83630 - 83632	A41	84555	A21
78791	A33	79701	A33	82832	A35	83672	A43	84564	A20
79011X - 79172X	A27	79750	A33	82834 - 82835	A35	83772 - 83775	A44	84565	A21
79071 - 79076	A23	79751	A33	82842 - 82844	A36	83801 - 83802	A58	84572	A17
79091 - 79092	A24	79761	A33	82847	A35	83832 - 83836	A59	84574	A20
79101 - 79106	A23	79771	A33	82851 - 82853	A34	83842 - 83844	A60	84575	A21
79111	A25	79772 - 79775	A29	82861	A35	83847	A59	84576	A22
79113	A26	79787	A33	82863	A36	83851 - 83853	A58	84581	A14
79121 - 79123	A24	79791	A33	82865	A36	83861	A58	84582	A17
79133	A29	80071 - 80076	A23	82871 - 82875	A34	83863	A60	84584	A20
79151 - 79156	A24	80091	A24	82881	A35	83865	A59	84591	A14
79163	A30	80101 - 80102	A23	82883	A36	83871 - 83875	A58	84593	A19
79164	A31	80151 - 80152	A24	82891	A34	83881	A59	84630 - 84632	A15
79180	A28	80401 - 80406	A25	82901	A36	83883	A60	84654	A20
79181	A25	80201	A25	82911X - 82931X	A35	83891	A58	84655	A22
79193	A30	80532	A28	82937	A35	83901	A60	84656	A22
79196	A32	80543	A29	82971	A36	83911X - 83931X	A59	84664	A21
79201 - 79202	A25	82011X - 82142X	A16	82991	A36	83937	A59	84665	A22
79221 - 79229	A26	82071 - 82080	A11	83011X - 83062X	A42	83971	A60	84672	A17
79233	A30	82091 - 82093	A12	83071 - 83080	A37	83991	A60	84673	A20
79324	A31	82101 - 82102	A11	83091 - 83093	A38	84011X - 84142X	A16	84674	A21
79343	A30	82103 - 82106	A12	83101 - 83102	A37	84071 - 84080	A11	84683	A20
79401 - 79406	A25	82111	A14	83103 - 83106	A38	84091 - 84093	A12	84684	A21
79344	A31	82113	A14	83111	A40	84101 - 84102	A11	84694	A21
79360	A28	82121 - 82123	A12	83113	A40	84103 - 84106	A12	84752 - 84755	A64
79383	A30	82133	A19	83121 - 83123	A38	84111 - 84113	A14	84772 - 84778	A18
79384	A31	82151 - 82160	A13	83132X	A42	84121 - 84123	A12	84801 - 84802	A34
79390	A28	82163	A19	83133	A44	84133	A19	84820 - 84831	A64
79422	A29	82164	A20	83142X	A42	84151 - 84153	A12	84832	A35
79423	A30	82172X	A17	83151 - 83153	A38	84154 - 84160	A13	84834 - 84838	A35
79432	A28	82180	A17	83154 - 83160	A39	84163	A19	84842 - 84844	A36
79442 - 79443	A29	82181	A14	83163	A45	84164	A20	84847	A35
79453	A29	82193	A19	83164	A46	84172X	A17	84851 - 84855	A34
79454	A30	82201 - 82202	A14	83172X	A43	84180	A17	84861	A35
79455	A32	82221 - 82229	A15	83180	A43	84181	A14	84862	A36
79465	A32	82233	A19	83181	A40	84193	A19	84863	A36
79472	A28	82390	A17	83193	A45	84196	A22	84865	A36
79476	A32	82401 - 82406	A13	83201 - 83202	A40	84201 - 84202	A14	84871 - 84875	A34
79480	A25	82407 - 82410	A14	83221 - 83229	A41	84221 - 84229	A15	84881	A35
79503	A30	82422	A18	83233	A45	84233	A19	84883	A36
79506	A32	82423	A19	83390	A43	84324	A21	84884	A36
79512	A28	82432	A17	83401 - 83406	A39	84343	A20	84891	A34
79522	A28	82443	A18	83407 - 83410	A40	84344	A21	84901	A36
79532	A28	82453	A19	83422	A44	84360	A17	84911X - 84931X	A35
79533	A29	82454	A20	83423	A45	84383	A20	84934	A36
79542	A28	82465	A21	83432	A43	84384	A21	84937	A35
79543	A29	82472	A17	83443	A44	84390	A17	84971	A36
79544	A31	82480	A14	83453	A44	84401 - 84406	A13	84991	A36
79552	A28	82503	A19	83454	A45	84407 - 84410	A14	85011X - 85142X	A16
79553	A29	82512	A17	83465	A46	84422	A18	85071 - 85080	A11
79554	A30	82522	A17	83472	A43	84423	A19	85091 - 85093	A12
79555	A32	82532	A17	83503	A44	84432	A17	85101 - 85102	A11
79564	A31	82533	A18	83512	A43	84442 - 84443	A18	85103 - 85106	A12
79565	A32	82542	A17	83522	A43	84453	A19	85111	A14
79572	A28	82543	A18	83532	A43	84454	A20	85113	A14
79574	A31	82544	A20	83533	A44	84455	A21	85121 - 85123	A12
79575 - 79576	A32	82552	A18	83542	A43	84465	A21	85132X - 85142X	A16
79581	A25	82553	A19	83543	A44	84472	A17	85133	A19
79582	A28	82554	A20	83544	A45	84476	A22	85151 - 85153	A12
79584	A31	82564	A20	83552	A44	84480	A14	85154 - 85160	A13
79591	A25	82565	A21	83553	A44	84503	A19	85163	A19
79593	A30	82572	A17	83554	A45	84506	A22	85164	A20
79630 - 79632	A26	82574	A20	83564	A45	84512	A17	85172X	A17
79654	A30	82575	A21	83565	A46	84522	A17	85180	A17
79656	A32	82576	A22	83572	A43	84532	A17	85181	A14
79664	A31	82581	A14	83574	A45	84533	A18	85193	A19
79665	A32	82582	A17	83575 - 83576	A46	84542	A17	85201 - 85202	A14
79672	A28	82584	A20	83581	A40	84543	A18	85221 - 85229	A15

METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

85233	A15	86164	A20	86554	A20	87172X	A17	88512	A17
85390	A17	86171	A68	86555	A21	87180	A17	88522	A17
85401 - 85406	A13	86172X	A17	86557 - 86559	A71	87181	A14	88532	A17
85407 - 85410	A14	86173	A19	86563	A19	87193	A19	88533	A18
85423	A19	86180	A17	86564	A20	87201 - 87202	A14	88542	A17
85432	A17	86181	A14	86565	A21	87221 - 87229	A15	88543	A18
85443	A18	86191	A68	86568 - 86569	A71	87233	A19	88544	A20
85453	A19	86193	A19	86572	A17	87390	A17	88552	A18
85454	A20	86194	A21	86574	A20	87401 - 87410	A14	88553	A19
85465	A21	86196	A22	86575	A21	87423	A19	88554	A20
85472	A17	86201 - 86202	A14	86576	A22	87432	A17	88564	A20
85503	A19	86221 - 86229	A15	86581	A14	87443	A18	88565	A21
85512	A17	86233	A19	86582	A17	87453	A19	88572	A17
85522	A17	86261 - 86262	A70	86584	A20	87454	A20	88574	A20
85532	A17	86278	A70	86588	A71	87465	A21	88575	A21
85533	A18	86297	A70	86591	A14	87472	A17	88576	A22
85542	A17	86308	A70	86593	A19	87503	A19	88581	A14
85543	A18	86320	A70	86625 - 86626	A68	87512	A17	88582	A17
85544	A20	86324	A21	86630 - 86632	A15	87522	A17	88584	A20
85552	A18	86343	A20	86651	A68	87532	A17	88591	A14
85553	A19	86360	A17	86654	A20	87533	A18	88593	A19
85554	A20	86374	A20	86655 - 86656	A22	87542	A17	88630 - 88632	A15
85564	A20	86380	A67	86661, 86661A & B	A68	87543	A18	88772 - 88775	A18
85565	A21	86381	A69	86664	A21	87544	A20	88672	A17
85572	A17	86383	A20	86665	A22	87552	A18	89011X - 89142X	A16
85574	A20	86384	A21	86674	A21	87553	A19	89071 - 89080	A11
85575	A21	86390	A17	86683	A20	87554	A20	89091 - 89093	A12
85576	A22	86401 - 86406	A13	86684	A21	87564	A20	89101 - 89102	A11
85581	A14	86407 - 86410	A14	86696	A69	87565	A21	89103 - 89106	A12
85582	A17	86411	A70	86705	A67	87572	A17	89111 - 89113	A14
85584	A20	86416	A22	86706	A68	87574	A20	89121 - 89123	A12
85591	A14	86421	A67	86707	A67	87575	A21	89133	A19
85593	A19	86422	A18	86715	A67	87576	A22	89151 - 89153	A12
85630 - 85632	A15	86423	A19	86752 - 86755	A64	87581	A14	89154 - 89169	A13
85752 - 85755	A64	86431	A69	86772 - 86778	A18	87582	A17	89163	A19
85772 - 85775	A18	86432	A17	86801 - 86802	A34	87584	A20	89164	A20
85801 - 85802	A34	86433	A19	86820 - 86831	A64	87591	A14	89172X	A17
85820 - 85831	A64	86442 - 86443	A18	86832	A35	87593	A19	89180	A17
85832	A35	86446	A70	86834 - 86838	A35	87630 - 87632	A15	89181	A14
85834 - 85835	A35	86448	A70	86842 - 86844	A36	87772 - 87777	A18	89193	A19
85842 - 85844	A36	86453	A19	86847	A35	88011X - 88142X	A16	89201 - 89202	A14
85847	A35	86454	A20	86851 - 86855	A34	88071 - 88080	A11	89221 - 89229	A15
85851 - 85855	A34	86455	A21	86861	A35	88091 - 88093	A12	89233	A19
85861	A35	86461	A67	86862	A36	88101 - 88102	A11	89390	A17
85862	A36	86465	A21	86863	A36	88103 - 88106	A12	89401 - 89406	A13
85863	A36	86466	A70	86865	A36	88111 - 88113	A14	89407 - 89410	A14
85865	A36	86467 - 86469	A68	86871 - 86875	A34	88121 - 88123	A12	89422	A18
85871 - 85875	A34	86472	A17	86881	A35	88133	A19	89423	A19
85881	A35	86475	A70	86883	A36	88151 - 88153	A12	89432	A17
85883	A36	86476	A22	86884	A36	88154 - 88169	A13	89443	A18
85884	A36	86477 - 86479	A69	86891	A34	88163	A19	89453	A19
85891	A34	86480	A14	86901	A36	88164	A20	89454	A20
85901	A36	86483	A70	86911X - 86931X	A35	88172X	A17	89465	A21
85911X - 85931X	A35	86486 - 86487	A69	86934	A36	88180	A17	89472	A17
85934	A36	86503	A19	86937	A35	88181	A14	89503	A19
85937	A35	86506	A22	86971	A36	88193	A19	89512	A17
85971	A36	86508	A69	86991	A36	88201 - 88202	A14	89513	A19
85991	A36	86510	A69	87011X - 87142X	A16	88221 - 88229	A15	89522	A17
86011X - 86142X	A16	86512	A17	87071 - 87080	A11	88233	A19	89532	A17
86071 - 86080	A11	86513	A19	87091 - 87093	A12	88390	A17	89533	A18
86091 - 86093	A12	86520	A69	87101 - 87102	A11	88401 - 88406	A13	89542	A17
86101 - 86102	A11	86522	A17	87103 - 87106	A12	88407 - 88410	A14	89543	A18
86103 - 86106	A12	86523	A18	87111	A14	88422	A18	89544	A20
86111	A14	86532	A17	87113	A14	88423	A19	89552	A18
86113	A14	86533	A18	87121 - 87123	A12	88432	A17	89553	A19
86121 - 86123	A12	86542	A17	87132X - 87142X	A16	88443	A18	89554	A20
86132X - 86142X	A16	86543	A18	87133	A19	88453	A19	89564	A20
86133	A19	86544	A20	87151 - 87153	A12	88454	A20	89565	A21
86151 - 86153	A12	86551	A70	87154 - 87160	A13	88465	A21	89572	A17
86154 - 86160	A13	86552	A18	87163	A19	88472	A17	89574	A20
86163	A19	86553	A19	87164	A20	88503	A19	89575	A21

INDEX

INDEX

METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

89576	A22
89581	A14
89582	A17
89584	A20
89591	A14
89593	A19
89630 - 89632	A15
89672	A17
89772 - 89775	A18
93011X - 93062X	A42
93057 - 93059	A65
93066 - 93069	A65
93071 - 93080	A37
93091 - 93093	A38
93101 - 93102	A37
93103 - 93106	A38
93111	A40
93113	A40
93121 - 93123	A38
93132X	A42
93133	A44
93136 - 93139	A65
93142X	A42
93146 - 93149	A65
93151 - 93153	A38
93154 - 93160	A39
93163	A45
93164	A46
93167 - 93169	A66
93171	A68
93172X	A43
93177 - 93179	A66
93180	A43
93181	A40
93191	A68
93193	A45
93197	A66
93221 - 93229	A41
93233	A45
93237	A66
93246 - 93249	A65
93256 - 93259	A65
93261 - 93262	A70
93278	A70
93297	A70
93308	A70
93320	A70
93343	A45
93347 - 93349	A66
93360	A43
93380	A67
93381	A69
93383	A45
93390	A43
93401 - 93406	A39
93407 - 93410	A40
93411	A70
93421	A67
93422	A44
93423	A45
93431	A69
93432	A43
93443	A44
93446	A70
93448	A70
93453	A44
93454	A45
93461	A67
93465	A46
93466	A70
93467 - 93469	A68
93472	A43
93475	A70
93477 - 93479	A69
93483	A70
93486 - 93487	A69
93503	A44
93508	A69
93510	A69
93512	A43
93520	A69
93522	A43
93532	A43
93533	A44
93542	A43
93543	A44
93544	A45
93551	A70
93552	A44
93553	A44
93554	A45
93557 - 93559	A71
93564	A45
93565	A46
93568 - 93569	A71
93572	A43
93574	A45
93575 - 93576	A46
93581	A40
93582	A43
93584	A46
93588	A71
93591	A40
93593	A45
93651	A68
93625 - 93626	A68
93630 - 93632	A41
93654	A45
93661, 93661A & B	A68
93672	A43
93696	A69
93705	A67
93706	A68
93707	A67
93715	A67
93772 - 93777	A44
93801 - 93802	A58
93832 - 93838	A59
93842 - 93844	A60
93847	A59
93851 - 93855	A58
93861	A58
93862	A60
93863	A60
93865	A59
93871 - 93875	A58
93881	A59
93883 - 93884	A60
93891	A58
93901	A60
93911X - 93931X	A59
93934	A60
93937	A59
93971	A60
93991	A60
94071 - 94080	A37
94091 - 94093	A38
94101 - 94102	A37
94103 - 94106	A38
94111	A40
94113	A40
94121 - 94123	A38
94132X	A42
94133	A44
94142X	A42
94151 - 94153	A38
94154 - 94160	A39
94163	A45
94164	A46
94172X	A43
94180	A43
94181	A40
94193	A45
94201 - 94202	A40
94221 - 94229	A41
94233	A45
94390	A43
94401 - 94406	A39
94407 - 94410	A40
94422	A44
94423	A45
94432	A43
94443	A44
94453	A44
94454	A45
94465	A46
94472	A43
94503	A44
94512	A43
94522	A43
94532	A43
94533	A44
94542	A43
94543	A44
94544	A45
94552	A44
94553	A44
94554	A45
94564	A45
94565	A46
94572	A43
94574	A45
94575 - 94576	A46
94581	A40
94582	A43
94584	A46
94591	A40
94593	A45
94630 - 94632	A41
94672	A43
94752 - 94755	A64
94772 - 94775	A44
94801 - 94802	A58
94820 - 94831	A64
94832 - 94835	A59
94842 - 94844	A60
94847	A59
94851 - 94853	A58
94861	A58
94863	A60
94865	A59
94871 - 94875	A58
94881	A59
94883	A60
94891	A58
94901	A60
94911X - 94931X	A59
94937	A59
94971	A60
94991	A60
95057 - 95059	A65
95066 - 95069	A65
95071 - 95080	A37
95091 - 95093	A38
95101 - 95102	A37
95103 - 95106	A38
95111	A40
95113	A40
95121 - 95123	A38
95132X	A42
95133	A44
95136 - 95139	A65
95142X	A42
95146 - 95149	A65
95151 - 95153	A38
95154 - 95160	A39
95163	A45
95164	A46
95167 - 95169	A66
95172X	A43
95177 - 95179	A66
95180	A43
95181	A40
95193	A45
95197	A66
95201 - 95202	A40
95221 - 95229	A41
95233	A45
95237	A66
95246 - 95259	A65
95256 - 95259	A65
95347 - 95349	A66
95390	A43
95401 - 95406	A39
95407 - 95410	A40
95422	A44
95423	A45
95432	A43
95443	A44
95453	A44
95454	A45
95465	A46
95472	A43
95503	A44
95512	A43
95522	A43
95532	A43
95533	A44
95542	A43
95543	A44
95544	A45
95552	A44
95553	A44
95554	A45
95564	A45
95565	A46
95572	A43
95574	A45
95575 - 95576	A46
95581	A40
95582	A43
95584	A46
95591	A40
95593	A45
95630 - 95632	A41
95672	A43
95772 - 95775	A44
95801 - 95802	A58
95832 - 95835	A59
95842 - 95844	A60
95847	A59
95861	A58
95863	A60
95865	A59
95871 - 95875	A58
95881	A59
95883	A60
95891	A58
95901	A60
95911X - 95931X	A59
95937	A59
95971	A60
95991	A60
96011X - 96062X	A42
96071 - 96076	A37
96091 - 96093	A38
96101 - 96102	A37
96103 - 96106	A38
96111	A40
96113	A40
96121 - 96123	A38
96132X	A42
96133	A44
96142X	A42
96151 - 96153	A38
96154	A39
96163	A45
96164	A46
96172X	A43
96180	A43
96181	A40
96193	A45
96201 -96202	A40
96221 - 96229	A41
96233	A45
96390	A43
96401 - 96406	A40
96422	A44
96423	A45
96432	A43
96443	A44
96453	A44
96454	A45
96465	A46
96472	A43
96503	A44
96512	A43
96522	A43
96532	A43
96533	A44
96542	A43
96543	A44
96544	A45
96552	A44
96553	A44
96554	A45
96564	A45
96565	A46
96572	A43
96574	A45
96575 - 96576	A46
96581	A40
96582	A43
96584	A46
96591	A40
96593	A45
96672	A43
97011X - 97062X	A42
97057 - 97059	A65
97066 - 97069	A65
97071 - 97080	A37
97091 - 97093	A38
97101 - 97102	A37
97103 - 97106	A38
97111	A40
97113	A40
97121 - 97123	A38
97132X	A42
97133	A44

METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

97136 - 97139	A65
97142X	A42
97146 - 97149	A65
97151 - 97153	A38
97154 - 97160	A39
97163	A45
97164	A46
97167 - 97169	A66
97171	A68
97172X	A43
97177 - 97179	A66
97180	A43
97181	A40
97191	A68
97193	A45
97197	A66
97201 - 97202	A40
97221 - 97229	A41
97233	A45
97237	A66
97246 - 97249	A65
97256 - 97259	A65
97261 - 97262	A70
97278	A70
97297	A70
97308	A70
97320	A70
97343	A45
97347 - 97249	A66
97360	A43
97380	A67
97381	A69
97383	A45
97390	A43
97401 - 97406	A39
97407 - 97410	A40
97411	A70
97421	A67
97422	A44
97423	A45
97431	A69
97432	A43
97443	A44
97446	A70
97448	A70
97453	A44
97454	A45
97461	A67
97465	A46
97466	A70
97467 - 97469	A68
97472	A43
97475	A70
97477 - 97479	A69
97483	A70
97486 - 97487	A69
97503	A44
97508	A69
97510	A69
97512	A43
97520	A69
97522	A43
97532	A43
97533	A44
97542	A43
97543	A44
97544	A45
97551	A70
97552	A44
97553	A44
97554	A45
97557 - 97559	A71
97564	A45
97565	A46
97568 - 97569	A71
97572	A43
97574	A45
97575 - 97576	A46
97581	A40
97582	A43
97584	A46
97588	A71
97591	A40
97593	A45
97625 - 97626	A68
97630 - 97632	A41
97651	A68
97654	A45
97661, 97661A & B	A68
97672	A43
97696	A69
97705	A67
97706	A68
97707	A67
97715	A67
97752 - 97755	A64
97772 - 97777	A44
97801 - 97802	A58
97820 - 97831	A64
97832 - 97838	A59
97842 - 97844	A60
97847	A59
97851 - 97855	A58
97861	A58
97862 - 97863	A60
97865	A59
97871 - 97875	A58
97881	A59
97883	A60
97891	A58
97901	A60
97911X - 97931X	A59
97934	A60
97937	A59
97971	A60
97991	A60
98011X - 98142X	A16
98071 - 98080	A11
98091 - 98093	A12
98101 - 98102	A11
98103 - 98106	A12
98111	A14
98113	A14
98121 - 98123	A12
98132X - 98142X	A16
98133	A19
98151 - 98153	A12
98154 - 98160	A13
98163	A19
98164	A20
98172X	A17
98180	A17
98181	A14
98193	A19
98201 - 98202	A14
98221 - 98229	A15
98233	A19
98390	A17
98401 - 98406	A13
98407 - 98410	A14
98423	A19
98432	A17
98443	A18
98453	A19
98454	A20
98465	A21
98472	A17
98503	A19
98512	A17
98522	A17
98532	A17
98533	A18
98542	A17
98543	A18
98544	A20
98552	A18
98553	A19
98554	A20
98564	A20
98565	A21
98572	A17
98574	A20
98575	A21
98576	A22
98581	A14
98582	A17
98584	A20
98591	A14
98593	A19
98630 - 98632	A15
98752 - 98755	A64
98772 - 98777	A18
98801 - 98802	A34
98820 - 98831	A64
98832 - 98834	A35
98842 - 98844	A36
98847	A35
98851 - 98853	A34
98861	A35
98862	A36
98863	A36
98865	A36
98871 - 98875	A34
98881	A35
98883	A36
98891	A34
98901	A36
98911X - 98931X	A35
98937	A35
98971	A36
98991	A36
99011X - 99142X	A16
99071 - 99080	A11
99091 - 99093	A12
99101 - 99102	A11
99103 - 99106	A12
99111	A14
99113	A14
99121 - 99123	A12
99133	A19
99151 - 99153	A12
99154 - 99160	A13
99163	A19
99164	A20
99171	A68
99172X	A17
99180	A17
99181	A14
99191	A68
99193	A19
99201 - 99202	A14
99221 - 99229	A15
99233	A19
99261 - 99262	A70
99278	A70
99297	A70
99308	A70
99320	A70
99380	A67
99381	A69
99390	A17
99401 - 99406	A13
99407 - 99410	A14
99411	A70
99421	A67
99423	A19
99431	A69
99432	A17
99443	A18
99446	A70
99448	A70
99453	A19
99454	A20
99461	A67
99465	A21
99466	A70
99467 - 99469	A68
99472	A17
99475	A70
99477 - 99479	A69
99483	A70
99486 - 99487	A69
99503	A19
99508	A69
99510	A69
99512	A17
99520	A69
99522	A17
99532	A17
99533	A18
99542	A17
99543	A18
99544	A20
99551	A70
99552	A18
99553	A19
99554	A20
99557 - 99559	A71
99564	A20
99565	A21
99568 - 99569	A71
99625 - 99626	A68
99630 - 99632	A15
99661, 99661A & B	A68
99752 - 99755	A64
99772 - 99777	A18
99572	A17
99574	A20
99575	A21
99576	A22
99581	A14
99582	A17
99584	A20
99588	A71
99591	A14
99593	A19
99651	A68
99696	A69
99705	A67
99706	A68
99707	A67
99715	A67
99801 - 99802	A34
99820 - 99831	A64
99832	A35
99834 - 99838	A35
99842 - 99844	A36
99847	A35
99851 - 99855	A34
99861	A35
99862	A36
99863	A36
99865	A36
99871 - 99875	A34
99881	A35
99883	A36
99884	A36
99891	A34
99901	A36
99911X - 99931X	A35
99934	A36
99937	A35
99971	A36
99991	A36



Wallplates

- Overn 7,000 different wallplates, most U.S. made
- Choose from painted metal, stainless steel, brass, bronze, aluminum or unbreakable thermoplastic
- In-house engraving and silk-screening capablility
- Factory specials in custom sizes, openings or with special markings

Conduit Bodies

- Die-cast aluminum — unassembled (body only) or pre-assembled with cover and gasket
- Threaded, set-screw or combination threaded/set-screw
- LB, LL, LR, C, T and TB configurations — from 1/2 inch to 4 inch trade sizes
- Moguls, SLBs and malleable iron conduit bodies available as well

Weatherproof

- Extensive line of weatherproof boxes, covers and accessories includes over 350 items — most U.S. made
- Featuring our 1-gang weatherproof boxes with permanently attached mounting lugs that rotate and speed installation
- Full line of plastic and die-cast aluminum in-use covers that meet the NEC 'Extra Duty' test requirments

Steel Box Covers

- Full line of steel box covers — all U.S. made
- Featuring our 4 inch raised covers with a gray powder coat finish that helps prevent oxidation and potential rust
- Superior stamping, tapping and finish.
- Nail plates, reducing washers and knockout seals are also available

Mulberry

Mulberry Metal Products, Inc.
2199 Stanley Terrace • Union, New Jersey 07083

Tel. 908.688.8850 • Fax. 908.688.7294 • www.mulberrymetal.com