

Common Cyber Attacks



Common Cyber Attacks

AIMS TO:

- Steals Information
- Damage Systems
- Disrupt online services


AFFECTS:

- Individuals
- Businesses
- Governments

Common Attacks:

- Phishing
- Malware
- Password Attacks and Denial-of-Service Attacks
- Ransomware





Phishing Attacks

Most common cyber-attack

USES:

- Fake emails
- Fake messages
- Fake websites

TRICKS USERS INTO SHARING

- Usernames
- Passwords
- Bank details
- It exploits human trust rather than system weaknesses.

MALWARE ATTACKS

Malware = malicious software



Common Types:

- Viruses
- Worms
- Trojans
- Spyware

Enters systems through:

- Infected email attachments
- Unsafe downloads
- Malicious websites

Effects:

- Delete files
- Steals sensitive data
- Allowas remote control of devices

Prevention:

- Software updates
- Antivirus protection

Password Attacks

Attempts to gain access by stealing or guessing passwords

Common method:

- Brute force attack (trying many combinations).

Highlights importance of:

- Strong passwords
- Account security



Denial-of-Service (DoS) Attacks


Floods a system or website with excessive traffic.

Causes:

- Slow performance
- System crashes

Emphasizes need for:

- Network security
- Traffic monitoring



Ransomware Attacks

Encrypts victim's files.



Affects:

- Individuals
- Businesses
- Hospitals

Common spread methods:

- Phishing emails
- Malicious downloads

Causes major disruptions.



Thynk Unlimited

Thank you

Shared Responsibility for a Secure Future

www.reallygreatsite.com

