RWorksheet_Saludo#3b.Rmd

SaludoDenniel

2025-10-20

##1.A

```
household_data <- data.frame(
  Sex = c("Male", "Female", "Male", "Female", "Female"),
  No_of_Siblings_Attending_School = c(4, 6, 5, 2, 7),
  Type_of_House = c("Wood", "Concrete", "Semi-Concrete", "Concrete", "Wood"),
  Father_Occupation = c("Farmer", "Driver", "Others", "Farmer", "Driver"),
  stringsAsFactors = FALSE
)
```

##1.b

```
# Structure
str(household_data)
```

```
## 'data.frame':    5 obs. of  4 variables:
##  $ Sex                            : chr  "Male" "Female" "Male" "Female" ...
##  $ No_of_Siblings_Attending_School: num  4 6 5 2 7
##  $ Type_of_House                  : chr  "Wood" "Concrete" "Semi-Concrete" "Concrete" ...
##  $ Father_Occupation              : chr  "Farmer" "Driver" "Others" "Farmer" ...
```

```
# Summary
summary(household_data)
```

```
##      Sex            No_of_Siblings_Attending_School Type_of_House
##  Length:5           Min.   :2.0                     Length:5
##  Class :character   1st Qu.:4.0                     Class :character
##  Mode  :character   Median :5.0                     Mode  :character
##                     Mean   :4.8
##                     3rd Qu.:6.0
##                     Max.   :7.0
##  Father_Occupation
##  Length:5
##  Class :character
##  Mode  :character
##
##
##
```

##1.c

```
mean(household_data$No_of_Siblings_Attending_School)
```

```
## [1] 4.8
```

##1.d

```r
household_data[1:2, ]
```

```
##      Sex No_of_Siblings_Attending_School Type_of_House Father_Occupation
## 1   Male                              4          Wood           Farmer
## 2 Female                              6      Concrete           Driver
```

##1.e

```r
household_data[c(3,5), c(2,4)]
```

```
##   No_of_Siblings_Attending_School Father_Occupation
## 3                               5            Others
## 5                               7            Driver
```

##1.f

```r
types_houses <- household_data$Type_of_House
types_houses
```

```
## [1] "Wood"          "Concrete"      "Semi-Concrete" "Concrete"
## [5] "Wood"
```

##1.g

```r
subset(household_data, Sex == "Male" & Father_Occupation == "Farmer")
```

```
##    Sex No_of_Siblings_Attending_School Type_of_House Father_Occupation
## 1 Male                              4          Wood           Farmer
```

##1.h

```r
subset(household_data, Sex == "Female" & No_of_Siblings_Attending_School >= 5)
```

```
##      Sex No_of_Siblings_Attending_School Type_of_House Father_Occupation
## 2 Female                              6      Concrete           Driver
## 5 Female                              7          Wood           Driver
```

##1.2

```r
df <- data.frame(
  Ints = integer(),
  Doubles = double(),
  Characters = character(),
  Logicals = logical(),
  Factors = factor(),
  stringsAsFactors = FALSE
)

print("Structure of the empty dataframe:")
```

```
## [1] "Structure of the empty dataframe:"
```

```r
print(str(df))
```

```
## 'data.frame':    0 obs. of  5 variables:
##  $ Ints      : int
##  $ Doubles   : num
##  $ Characters: chr
##  $ Logicals  : logi
##  $ Factors   : Factor w/ 0 levels:
## NULL
```

##2.a

##The data frame is initialized with 0 rows but 5 columns with specified types: integer, numeric, chara

##3.a

```r
write.csv(household_data, "HouseholdData.csv", row.names = FALSE)
```

##3.b

```r
data_imported <- read.csv("HouseholdData.csv", stringsAsFactors = FALSE)
```

##3.c

```r
data_imported$Sex <- factor(data_imported$Sex, levels = c("Male", "Female"))
data_imported$Sex <- as.integer(data_imported$Sex)
data_imported$Sex
```

```
## [1] 1 2 1 2 2
```

##3.d

```r
data_imported$Type_of_House <- factor(data_imported$Type_of_House,
                                      levels = c("Wood", "Concrete", "Semi-Concrete"))
data_imported$Type_of_House <- as.integer(data_imported$Type_of_House)
data_imported$Type_of_House
```

```
## [1] 1 2 3 2 1
```

##3.e

```r
data_imported$Father_Occupation <- factor(data_imported$Father_Occupation,
                                          levels = c("Farmer", "Driver", "Others"))
data_imported$Father_Occupation <- as.integer(data_imported$Father_Occupation)
data_imported$Father_Occupation
```

```
## [1] 1 2 3 1 2
```

##3.f

```r
subset(data_imported, Sex == 2 & Father_Occupation == 2)
```

```
##   Sex No_of_Siblings_Attending_School Type_of_House Father_Occupation
## 2   2                               6             2                 2
## 5   2                               7             1                 2
```

##3.g

```r
subset(data_imported, No_of_Siblings_Attending_School >= 5)
```

```
##   Sex No_of_Siblings_Attending_School Type_of_House Father_Occupation
## 2   2                               6             2                 2
## 3   1                               5             3                 3
## 5   2                               7             1                 2
```

##4

```r
install.packages("ggplot2")  # if not installed
```

```
## Installing package into '/cloud/lib/x86_64-pc-linux-gnu-library/4.5'
## (as 'lib' is unspecified)
```

```r
library(ggplot2)

# Create the data frame
sentiment_data <- data.frame(
  Date = rep(as.Date(c("2020-07-14", "2020-07-15", "2020-07-17",
                       "2020-07-18", "2020-07-20", "2020-07-21")), each = 3),
  Sentiment = rep(c("Negative", "Neutral", "Positive"), times = 6),
  Count = c(2500, 1500, 1800,    # July 14
            4300, 2900, 3200,    # July 15
            3100, 1800, 2500,    # July 17
            3300, 2000, 2200,    # July 18
            2400, 1500, 1700,    # July 20
            4100, 2700, 3400)    # July 21
)

ggplot(sentiment_data, aes(x = factor(Date), y = Count, fill = Sentiment)) +
  geom_bar(stat = "identity", position = position_dodge()) +
  labs(title = "Sentiments Of Tweets Per Day",
       x = "Day of Date / Sentiment",
       y = "Count of Tweets") +
  theme_minimal() +
  scale_fill_manual(values = c("Negative" = "red", "Neutral" = "orange", "Positive" = "blue"))
```