

GRUPO #5

Login form

```
?xml
version="
1.0"
encoding=
"UTF-8"
?>

<Form version="1.3" maxVersion="1.9"
type="org.netbeans.modules.form.forminfo.JPanelFormInfo">
  <Properties>
    <Property name="background" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
      <Color blue="ff" green="ff" red="ff" type="rgb"/>
    </Property>
    <Property name="preferredSize" type="java.awt.Dimension"
editor="org.netbeans.beaninfo.editors.DimensionEditor">
      <Dimension value="[570, 360]"/>
    </Property>
  </Properties>
  <AuxValues>
    <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"
value="0"/>
    <AuxValue name="FormSettings_autoSetComponentName"
type="java.lang.Boolean" value="false"/>
    <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"
value="true"/>
    <AuxValue name="FormSettings_generateMnemonicsCode"
type="java.lang.Boolean" value="false"/>
    <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"
value="false"/>
    <AuxValue name="FormSettings_layoutCodeTarget"
type="java.lang.Integer" value="1"/>
    <AuxValue name="FormSettings_listenerGenerationStyle"
type="java.lang.Integer" value="0"/>
    <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"
value="false"/>
    <AuxValue name="FormSettings_variablesModifier"
type="java.lang.Integer" value="2"/>
    <AuxValue name="designerSize" type="java.awt.Dimension" value="-84, -
19,0,5,115,114,0,18,106,97,118,97,46,97,119,116,46,68,105,109,101,110,115
,105,111,110,65,-114,-39,-41,-
84,95,68,20,2,0,2,73,0,6,104,101,105,103,104,116,73,0,5,119,105,100,116,1
04,120,112,0,0,1,104,0,0,2,58"/>
  </AuxValues>
  <Layout
```

```

class="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout">
    <Property name="useNullLayout" type="boolean" value="false"/>
</Layout>
<SubComponents>
    <Component class="javax.swing.JLabel" name="lbTwitter">
        <Properties>
            <Property name="horizontalAlignment" type="int" value="0"/>
            <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
                <Image iconType="3" name="/recursos/twitter-100.png"/>
            </Property>
            <Property name="cursor" type="java.awt.Cursor"
editor="org.netbeans.modules.form.editors2.CursorEditor">
                <Color id="Cursor de Mano"/>
            </Property>
        </Properties>
        <Events>
            <EventHandler event="mouseClicked"
listener="java.awt.event.MouseListener"
parameters="java.awt.event.MouseEvent" handler="lbTwitterMouseClicked"/>
        </Events>
        <Constraints>
            <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayo
ut"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$Abs
oluteConstraintsDescription">
                <AbsoluteConstraints x="430" y="50" width="100" height="100"/>
            </Constraint>
        </Constraints>
    </Component>
    <Component class="javax.swing.JLabel" name="lbInstagram">
        <Properties>
            <Property name="horizontalAlignment" type="int" value="0"/>
            <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
                <Image iconType="3" name="/recursos/instagram-100.png"/>
            </Property>
            <Property name="cursor" type="java.awt.Cursor"
editor="org.netbeans.modules.form.editors2.CursorEditor">
                <Color id="Cursor de Mano"/>
            </Property>
        </Properties>
        <Events>
            <EventHandler event="mouseClicked"
listener="java.awt.event.MouseListener"

```

```

parameters="java.awt.event.MouseEvent"
handler="lbInstagramMouseClicked"/>
    </Events>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstraintsDescription">
            <AbsoluteConstraints x="240" y="50" width="100" height="100"/>
        </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JLabel" name="lbFacebook">
    <Properties>
        <Property name="horizontalAlignment" type="int" value="0"/>
        <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
            <Image iconType="3" name="/recursos/facebook-100.png"/>
        </Property>
        <Property name="cursor" type="java.awt.Cursor"
editor="org.netbeans.modules.form.editors2.CursorEditor">
            <Color id="Cursor de Mano"/>
        </Property>
    </Properties>
    <Events>
        <EventHandler event="mouseClicked"
listener="java.awt.event.MouseListener"
parameters="java.awt.event.MouseEvent" handler="lbFacebookMouseClicked"/>
    </Events>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstraintsDescription">
            <AbsoluteConstraints x="50" y="50" width="100" height="100"/>
        </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JLabel" name="lbShowDataB">
    <Properties>
        <Property name="horizontalAlignment" type="int" value="0"/>
        <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
            <Image iconType="3" name="/recursos/dataBase-100.png"/>

```

```

        </Property>
        <Property name="cursor" type="java.awt.Cursor"
editor="org.netbeans.modules.form.editors2.CursorEditor">
            <Color id="Cursor de Mano"/>
        </Property>
    </Properties>
    <Events>
        <EventHandler event="mouseClicked"
listener="java.awt.event.MouseListener"
parameters="java.awt.event.MouseEvent"
handler="lbShowDataBMouseClicked"/>
    </Events>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayo
ut"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$Abs
oluteConstraintsDescription">
            <AbsoluteConstraints x="240" y="190" width="100" height="100"/>
        </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JLabel" name="jLabel7">
    <Properties>
        <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
            <Font name="Tahoma" size="12" style="1"/>
        </Property>
        <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="b4" green="b4" red="3a" type="rgb"/>
        </Property>
        <Property name="text" type="java.lang.String" value="INSTAGRAM"/>
    </Properties>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayo
ut"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$Abs
oluteConstraintsDescription">
            <AbsoluteConstraints x="255" y="152" width="-1" height="-1"/>
        </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JLabel" name="jLabel8">
    <Properties>

```

```

        <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
            <Font name="Tahoma" size="12" style="1"/>
        </Property>
        <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="b4" green="b4" red="3a" type="rgb"/>
        </Property>
        <Property name="text" type="java.lang.String" value="TWITTER"/>
    </Properties>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayo
ut"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$Abs
oluteConstraintsDescription">
            <AbsoluteConstraints x="450" y="150" width="-1" height="-1"/>
        </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JLabel" name="jLabel10">
    <Properties>
        <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
            <Font name="Tahoma" size="12" style="1"/>
        </Property>
        <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="b4" green="b4" red="3a" type="rgb"/>
        </Property>
        <Property name="text" type="java.lang.String" value="FACEBOOK"/>
    </Properties>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayo
ut"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$Abs
oluteConstraintsDescription">
            <AbsoluteConstraints x="70" y="150" width="-1" height="-1"/>
        </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JLabel" name="jLabel12">
    <Properties>
        <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">

```

```

        <Font name="Tahoma" size="12" style="1"/>
    </Property>
    <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
        <Color blue="b4" green="b4" red="3a" type="rgb"/>
    </Property>
    <Property name="text" type="java.lang.String" value="BASE DE
DATOS"/>
</Properties>
<Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayo
ut"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$Abs
oluteConstraintsDescription">
        <AbsoluteConstraints x="240" y="290" width="-1" height="-1"/>
    </Constraint>
</Constraints>
</Component>
</SubComponents>
</Form>

```

Presentation form

```

<?xml
version="1.
0"
encoding="
UTF-8" ?>

```

```

<Form version="1.3" maxVersion="1.9"
type="org.netbeans.modules.form.forminfo.JPanelFormInfo">
    <Properties>
        <Property name="background" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="ff" green="ff" red="ff" type="rgb"/>
        </Property>
        <Property name="preferredSize" type="java.awt.Dimension"
editor="org.netbeans.beaninfo.editors.DimensionEditor">
            <Dimension value="[570, 360]"/>
        </Property>
    </Properties>
    <AuxValues>
        <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"
value="0"/>
        <AuxValue name="FormSettings_autoSetComponentName"
type="java.lang.Boolean" value="false"/>
        <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"
value="true"/>
        <AuxValue name="FormSettings_generateMnemonicsCode"
type="java.lang.Boolean" value="false"/>
    </AuxValues>
</Form>

```

```

    <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"
value="false"/>
    <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"
value="1"/>
    <AuxValue name="FormSettings_listenerGenerationStyle"
type="java.lang.Integer" value="0"/>
    <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"
value="false"/>
    <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"
value="2"/>
    <AuxValue name="designerSize" type="java.awt.Dimension" value="-84,-
19,0,5,115,114,0,18,106,97,118,97,46,97,119,116,46,68,105,109,101,110,115,1
05,111,110,65,-114,-39,-41,-
84,95,68,20,2,0,2,73,0,6,104,101,105,103,104,116,73,0,5,119,105,100,116,104,
120,112,0,0,1,104,0,0,2,58"/>
</AuxValues>
<Layout
class="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout">
    <Property name="useNullLayout" type="boolean" value="false"/>
</Layout>
<SubComponents>
    <Component class="javax.swing.JLabel" name="jLabel1">
        <Properties>
            <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
                <Font name="Tahoma" size="28" style="1"/>
            </Property>
            <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
                <Color blue="66" green="66" red="66" type="rgb"/>
            </Property>
            <Property name="text" type="java.lang.String" value="MINERIA DE
DATOS"/>
        </Properties>
        <Constraints>
            <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayo
ut"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$Ab
soluteConstraintsDescription">
                <AbsoluteConstraints x="150" y="40" width="-1" height="-1"/>
            </Constraint>
        </Constraints>
    </Component>
    <Component class="javax.swing.JLabel" name="jLabel2">
        <Properties>
            <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
                <Image iconType="3" name="/recursos/lobo-200.png"/>
            </Property>
        </Properties>
        <Events>

```

```

        <EventHandler event="mouseClicked"
listener="java.awt.event.MouseListener"
parameters="java.awt.event.MouseEvent" handler="jLabel2MouseClicked"/>
    </Events>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayo
ut"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$Ab
soluteConstraintsDescription">
            <AbsoluteConstraints x="190" y="80" width="200" height="200"/>
        </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JLabel" name="jLabel3">
    <Properties>
        <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
            <Font name="Tahoma" size="18" style="1"/>
        </Property>
        <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="66" green="66" red="66" type="rgb"/>
        </Property>
        <Property name="text" type="java.lang.String" value="JAVAMANIACS"/>
    </Properties>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayo
ut"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$Ab
soluteConstraintsDescription">
            <AbsoluteConstraints x="230" y="290" width="-1" height="-1"/>
        </Constraint>
    </Constraints>
</Component>
</SubComponents>

```

Menu Java

```

import
complementos.SaveSVGformatInS
QLOfTwitter;

import java.awt.CardLayout;
/*
 * To change this license header, choose License
Headers in Project Properties.
 * To change this template file, choose Tools |
Templates
 * and open the template in the editor.

```



```

*/
public class JPMenu extends javax.swing.JPanel {
    /**
     * Creates new form JPMenu
     */
    public JPMenu(javax.swing.JPanel contenedor) {
        initComponents();
        this.contenedor=contenedor;
    }
    /**
     * This method is called from within the
    constructor to initialize the form.
     * WARNING: Do NOT modify this code. The content
    of this method is always
     * regenerated by the Form Editor.
     */
    @SuppressWarnings("unchecked")
    // <editor-fold defaultstate="collapsed"
desc="Generated Code">//GEN-BEGIN: initComponents
    private void initComponents() {
        lbTwitter = new javax.swing.JLabel();
        lbInstagram = new javax.swing.JLabel();
        lbFacebook = new javax.swing.JLabel();
        lbShowDataB = new javax.swing.JLabel();
        jLabel17 = new javax.swing.JLabel();
        jLabel18 = new javax.swing.JLabel();
        jLabel110 = new javax.swing.JLabel();
        jLabel112 = new javax.swing.JLabel();
        setBackground(new java.awt.Color(255, 255,
255));
        setPreferredSize(new java.awt.Dimension(570,
360));
        setLayout(new
org.netbeans.lib.awtextra.AbsoluteLayout());

        lbTwitter.setHorizontalAlignment(javax.swing.SwingCon
stants.CENTER);
        lbTwitter.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/recurs
os/twitter-100.png"))); // NOI18N
        lbTwitter.setCursor(new
java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
        lbTwitter.addMouseListener(new
java.awt.event.MouseAdapter() {
            public void
mouseClicked(java.awt.event.MouseEvent evt) {

```

```

        lbTwitterMouseClicked(evt);
    }
});
add(lbTwitter, new
org.netbeans.lib.awtextra.AbsoluteConstraints(430,
50, 100, 100));

lbInstagram.setHorizontalAlignment(javax.swing.SwingConstants.C
onstants.CENTER);
lbInstagram.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/recurs
os/instagram-100.png"))); // NOI18N
lbInstagram.setCursor(new
java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
lbInstagram.addMouseListener(new
java.awt.event.MouseAdapter() {
    public void
mouseClicked(java.awt.event.MouseEvent evt) {
        lbInstagramMouseClicked(evt);
    }
});
add(lbInstagram, new
org.netbeans.lib.awtextra.AbsoluteConstraints(240,
50, 100, 100));

lbFacebook.setHorizontalAlignment(javax.swing.SwingConstants.Co
nstants.CENTER);
lbFacebook.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/recurs
os/facebook-100.png"))); // NOI18N
lbFacebook.setCursor(new
java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
lbFacebook.addMouseListener(new
java.awt.event.MouseAdapter() {
    public void
mouseClicked(java.awt.event.MouseEvent evt) {
        lbFacebookMouseClicked(evt);
    }
});
add(lbFacebook, new
org.netbeans.lib.awtextra.AbsoluteConstraints(50, 50,
100, 100));

lbShowDataB.setHorizontalAlignment(javax.swing.SwingConstants.C
onstants.CENTER);
lbShowDataB.setIcon(new

```

```

javax.swing.ImageIcon(getClass().getResource("/recurs
os/dataBase-100.png"))); // NOI18N
        lbShowDataB.setCursor(new
java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
        lbShowDataB.addMouseListener(new
java.awt.event.MouseAdapter() {
            public void
mouseClicked(java.awt.event.MouseEvent evt) {
                lbShowDataBMouseClicked(evt);
            }
        });
        add(lbShowDataB, new
org.netbeans.lib.awtextra.AbsoluteConstraints(240,
190, 100, 100));
        jLabel17.setFont(new java.awt.Font("Tahoma",
1, 12)); // NOI18N
        jLabel17.setForeground(new java.awt.Color(58,
180, 180));
        jLabel17.setText("INSTAGRAM");
        add(jLabel17, new
org.netbeans.lib.awtextra.AbsoluteConstraints(255,
152, -1, -1));
        jLabel18.setFont(new java.awt.Font("Tahoma",
1, 12)); // NOI18N
        jLabel18.setForeground(new java.awt.Color(58,
180, 180));
        jLabel18.setText("TWITTER");
        add(jLabel18, new
org.netbeans.lib.awtextra.AbsoluteConstraints(450,
150, -1, -1));
        jLabel110.setFont(new java.awt.Font("Tahoma",
1, 12)); // NOI18N
        jLabel110.setForeground(new java.awt.Color(58,
180, 180));
        jLabel110.setText("FACEBOOK");
        add(jLabel110, new
org.netbeans.lib.awtextra.AbsoluteConstraints(70,
150, -1, -1));
        jLabel112.setFont(new java.awt.Font("Tahoma",
1, 12)); // NOI18N
        jLabel112.setForeground(new java.awt.Color(58,
180, 180));
        jLabel112.setText("BASE DE DATOS");
        add(jLabel112, new
org.netbeans.lib.awtextra.AbsoluteConstraints(240,
290, -1, -1));

```

```

    }// </editor-fold>//GEN-END:initComponents
    private void
    lbShowDataBMouseClicked(java.awt.event.MouseEvent
    evt) { //GEN-FIRST:event_lbShowDataBMouseClicked
        // TODO add your handling code here:
        CardLayout carta =
        (CardLayout)contenedor.getLayout();
        carta.show(contenedor, idJPJPBaseDeDatos);
    } //GEN-LAST:event_lbShowDataBMouseClicked
    private void
    lbTwitterMouseClicked(java.awt.event.MouseEvent evt)
    { //GEN-FIRST:event_lbTwitterMouseClicked
        // TODO add your handling code here:
        CardLayout carta =
        (CardLayout)contenedor.getLayout();
        carta.show(contenedor, idJPBtnTwitter);

        /*
        SaveSVGformatInSQLofTwitter OBJ = new
        SaveSVGformatInSQLofTwitter("src/scriptPython/dataTwi
        tter/FileName.csv");
        OBJ.start(UsuarioLogin);
        */
    } //GEN-LAST:event_lbTwitterMouseClicked
    private void
    lbInstagramMouseClicked(java.awt.event.MouseEvent
    evt) { //GEN-FIRST:event_lbInstagramMouseClicked
        // TODO add your handling code here:
        CardLayout carta =
        (CardLayout)contenedor.getLayout();
        carta.show(contenedor, idJPBtnInstagram);
    } //GEN-LAST:event_lbInstagramMouseClicked
    private void
    lbFacebookMouseClicked(java.awt.event.MouseEvent evt)
    { //GEN-FIRST:event_lbFacebookMouseClicked
        // TODO add your handling code here:
        CardLayout carta =
        (CardLayout)contenedor.getLayout();
        carta.show(contenedor, idJPBtnFacebook);
    } //GEN-LAST:event_lbFacebookMouseClicked
    // Variables declaration - do not modify//GEN-
    BEGIN:variables
    private javax.swing.JLabel jLabel10;
    private javax.swing.JLabel jLabel12;
    private javax.swing.JLabel jLabel17;
    private javax.swing.JLabel jLabel18;

```

```

        private javax.swing.JLabel lbFacebook;
        private javax.swing.JLabel lbInstagram;
        private javax.swing.JLabel lbShowDataB;
        private javax.swing.JLabel lbTwitter;
        // End of variables declaration//GEN-
END:variables
        private javax.swing.JPanel contenedor;
        private final static String idJPJPBaseDeDatos =
"laminaShowBaseDatos";
        private final static String idJPBtnTwitter =
"laminaBtnTwitter";
        private final static String idJPBtnFacebook =
"laminaBtnFacebook";
        private final static String idJPBtnInstagram =
"laminaBtnInstagram";
    }

```

Login Java

```

import complementos.SaveSVGformatInSQLofTwitter;
import java.awt.CardLayout;

```

```

/*
 * To change this license header, choose License Headers in Project Properties.
 * To change this template file, choose Tools | Templates
 * and open the template in the editor.
 */

```

```

public class JPMenu extends javax.swing.JPanel {

```

```

    /**
     * Creates new form JPMenu
     */
    public JPMenu(javax.swing.JPanel contenedor) {
        initComponents();
        this.contenedor=contenedor;
    }

```

```

    /**
     * This method is called from within the constructor to initialize the form.
     * WARNING: Do NOT modify this code. The content of this method is always
     * regenerated by the Form Editor.
     */

```

```

    @SuppressWarnings("unchecked")
    // <editor-fold defaultstate="collapsed" desc="Generated Code">//GEN-
BEGIN:initComponents
    private void initComponents() {

```

```

lbTwitter = new javax.swing.JLabel();
lbInstagram = new javax.swing.JLabel();
lbFacebook = new javax.swing.JLabel();
lbShowDataB = new javax.swing.JLabel();
jLabel7 = new javax.swing.JLabel();
jLabel8 = new javax.swing.JLabel();
jLabel10 = new javax.swing.JLabel();
jLabel12 = new javax.swing.JLabel();

setBackground(new java.awt.Color(255, 255, 255));
setPreferredSize(new java.awt.Dimension(570, 360));
setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());

lbTwitter.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
lbTwitter.setIcon(new javax.swing.ImageIcon(getClass().getResource("/recursos/twitter-100.png"))); // NOI18N
lbTwitter.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
lbTwitter.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        lbTwitterMouseClicked(evt);
    }
});
add(lbTwitter, new org.netbeans.lib.awtextra.AbsoluteConstraints(430, 50, 100, 100));

lbInstagram.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
lbInstagram.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/recursos/instagram-100.png"))); // NOI18N
lbInstagram.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
lbInstagram.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        lbInstagramMouseClicked(evt);
    }
});
add(lbInstagram, new org.netbeans.lib.awtextra.AbsoluteConstraints(240, 50, 100, 100));

lbFacebook.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
lbFacebook.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/recursos/facebook-100.png"))); // NOI18N
lbFacebook.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
lbFacebook.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        lbFacebookMouseClicked(evt);
    }
});
add(lbFacebook, new org.netbeans.lib.awtextra.AbsoluteConstraints(50, 50, 100, 100));

lbShowDataB.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
lbShowDataB.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/recursos/dataBase-100.png"))); // NOI18N
lbShowDataB.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
lbShowDataB.addMouseListener(new java.awt.event.MouseAdapter() {

```

```

        public void mouseClicked(java.awt.event.MouseEvent evt) {
            lbShowDataBMouseClicked(evt);
        }
    });
    add(lbShowDataB, new org.netbeans.lib.awtextra.AbsoluteConstraints(240, 190, 100,
100));

    jLabel7.setFont(new java.awt.Font("Tahoma", 1, 12)); // NOI18N
    jLabel7.setForeground(new java.awt.Color(58, 180, 180));
    jLabel7.setText("INSTAGRAM");
    add(jLabel7, new org.netbeans.lib.awtextra.AbsoluteConstraints(255, 152, -1, -1));

    jLabel8.setFont(new java.awt.Font("Tahoma", 1, 12)); // NOI18N
    jLabel8.setForeground(new java.awt.Color(58, 180, 180));
    jLabel8.setText("TWITTER");
    add(jLabel8, new org.netbeans.lib.awtextra.AbsoluteConstraints(450, 150, -1, -1));

    jLabel10.setFont(new java.awt.Font("Tahoma", 1, 12)); // NOI18N
    jLabel10.setForeground(new java.awt.Color(58, 180, 180));
    jLabel10.setText("FACEBOOK");
    add(jLabel10, new org.netbeans.lib.awtextra.AbsoluteConstraints(70, 150, -1, -1));

    jLabel12.setFont(new java.awt.Font("Tahoma", 1, 12)); // NOI18N
    jLabel12.setForeground(new java.awt.Color(58, 180, 180));
    jLabel12.setText("BASE DE DATOS");
    add(jLabel12, new org.netbeans.lib.awtextra.AbsoluteConstraints(240, 290, -1, -1));
} // </editor-fold> //GEN-END: initComponents

private void lbShowDataBMouseClicked(java.awt.event.MouseEvent evt) { //GEN-
FIRST:event_lbShowDataBMouseClicked
    // TODO add your handling code here:
    CardLayout carta = (CardLayout) contenedor.getLayout();
    carta.show(contenedor, idJPJBaseDeDatos);
} //GEN-LAST:event_lbShowDataBMouseClicked

private void lbTwitterMouseClicked(java.awt.event.MouseEvent evt) { //GEN-
FIRST:event_lbTwitterMouseClicked
    // TODO add your handling code here:
    CardLayout carta = (CardLayout) contenedor.getLayout();
    carta.show(contenedor, idJPBtnTwitter);

    /*
    SaveSVGformatInSQLofTwitter OBJ = new
    SaveSVGformatInSQLofTwitter("src/scriptPython/dataTwitter/FileName.csv");
    OBJ.start(UsuarioLogin);
    */
} //GEN-LAST:event_lbTwitterMouseClicked

private void lbInstagramMouseClicked(java.awt.event.MouseEvent evt) { //GEN-
FIRST:event_lbInstagramMouseClicked
    // TODO add your handling code here:
    CardLayout carta = (CardLayout) contenedor.getLayout();

```

```

        carta.show(contenedor, idJPBtnInstagram);
    } //GEN-LAST:event_lbInstagramMouseClicked

    private void lbFacebookMouseClicked(java.awt.event.MouseEvent evt) { //GEN-FIRST:event_lbFacebookMouseClicked
        // TODO add your handling code here:
        CardLayout carta = (CardLayout)contenedor.getLayout();
        carta.show(contenedor, idJPBtnFacebook);
    } //GEN-LAST:event_lbFacebookMouseClicked

    // Variables declaration - do not modify //GEN-BEGIN:variables
    private javax.swing.JLabel jLabel10;
    private javax.swing.JLabel jLabel12;
    private javax.swing.JLabel jLabel7;
    private javax.swing.JLabel jLabel8;
    private javax.swing.JLabel lbFacebook;
    private javax.swing.JLabel lbInstagram;
    private javax.swing.JLabel lbShowDataB;
    private javax.swing.JLabel lbTwitter;
    // End of variables declaration //GEN-END:variables
    private javax.swing.JPanel contenedor;
    private final static String idJPJPBaseDeDatos = "laminaShowBaseDatos";
    private final static String idJPBtnTwitter = "laminaBtnTwitter";
    private final static String idJPBtnFacebook = "laminaBtnFacebook";
    private final static String idJPBtnInstagram = "laminaBtnInstagram";
}

<?xml version="1.0" encoding="UTF-8" ?>

<Form version="1.3" maxVersion="1.9"
type="org.netbeans.modules.form.forminfo.JPanelFormInfo">
    <Properties>
        <Property name="background" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="ff" green="ff" red="ff" type="rgb"/>
        </Property>
        <Property name="preferredSize" type="java.awt.Dimension"
editor="org.netbeans.beaninfo.editors.DimensionEditor">
            <Dimension value="[570, 360]"/>
        </Property>
    </Properties>
    <AuxValues>
        <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer" value="0"/>
        <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"
value="false"/>
        <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean" value="true"/>
        <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"
value="false"/>
        <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean" value="false"/>
        <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer" value="1"/>
    </AuxValues>
</Form>

```



```

    <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"
value="0"/>
    <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean" value="false"/>
    <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer" value="2"/>
    <AuxValue name="designerSize" type="java.awt.Dimension" value="-84,-
19,0,5,115,114,0,18,106,97,118,97,46,97,119,116,46,68,105,109,101,110,115,105,111,110,65,
-114,-39,-41,-
84,95,68,20,2,0,2,73,0,6,104,101,105,103,104,116,73,0,5,119,105,100,116,104,120,112,0,0,1,
86,0,0,2,60"/>
</AuxValues>

<Layout class="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout">
    <Property name="useNullLayout" type="boolean" value="false"/>
</Layout>
<SubComponents>
    <Component class="javax.swing.JLabel" name="jLabel1">
        <Properties>
            <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
                <Font name="Tahoma" size="24" style="1"/>
            </Property>
            <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
                <Color blue="b4" green="b4" red="3a" type="rgb"/>
            </Property>
            <Property name="text" type="java.lang.String" value="CREACION DE USUARIO"/>
        </Properties>
        <Constraints>
            <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
                <AbsoluteConstraints x="140" y="30" width="-1" height="-1"/>
            </Constraint>
        </Constraints>
    </Component>
    <Component class="javax.swing.JLabel" name="jLabel2">
        <Properties>
            <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
                <Font name="Tahoma" size="14" style="1"/>
            </Property>
            <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
                <Color blue="b4" green="b4" red="3a" type="rgb"/>
            </Property>
            <Property name="text" type="java.lang.String" value="Correo: "/>
        </Properties>
        <Constraints>
            <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"

```

```

value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="40" y="200" width="-1" height="-1"/>
    </Constraint>
</Constraints>
</Component>
<Component class="javax.swing.JLabel" name="jLabel3">
    <Properties>
        <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
            <Font name="Tahoma" size="14" style="1"/>
        </Property>
        <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="b4" green="b4" red="3a" type="rgb"/>
        </Property>
        <Property name="text" type="java.lang.String" value="Nombre: "/>
    </Properties>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
            <AbsoluteConstraints x="40" y="100" width="-1" height="-1"/>
            </Constraint>
        </Constraints>
    </Component>
    <Component class="javax.swing.JLabel" name="jLabel4">
        <Properties>
            <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
                <Font name="Tahoma" size="14" style="1"/>
            </Property>
            <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
                <Color blue="b4" green="b4" red="3a" type="rgb"/>
            </Property>
            <Property name="text" type="java.lang.String" value="Apellido: "/>
        </Properties>
        <Constraints>
            <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
                <AbsoluteConstraints x="40" y="150" width="-1" height="-1"/>
                </Constraint>
            </Constraints>
        </Component>
        <Component class="javax.swing.JTextField" name="txtName">
            <Properties>
                <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">

```

```

        <Color blue="66" green="66" red="66" type="rgb"/>
    </Property>
    <Property name="text" type="java.lang.String" value="Ingrese Nombre"/>
    <Property name="border" type="javax.swing.border.Border"
editor="org.netbeans.modules.form.editors2.BorderEditor">
        <Border info="null"/>
    </Property>
</Properties>
<Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
        <AbsoluteConstraints x="100" y="120" width="160" height="20"/>
    </Constraint>
</Constraints>
</Component>
<Component class="javax.swing.JSeparator" name="jSeparator1">
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
            <AbsoluteConstraints x="70" y="140" width="190" height="10"/>
        </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JLabel" name="jLabel5">
    <Properties>
        <Property name="horizontalAlignment" type="int" value="0"/>
        <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
            <Image iconType="3" name="/recursos/name-20.png"/>
        </Property>
    </Properties>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
            <AbsoluteConstraints x="70" y="120" width="20" height="20"/>
        </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JLabel" name="jLabel6">
    <Properties>
        <Property name="horizontalAlignment" type="int" value="0"/>
        <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
            <Image iconType="3" name="/recursos/name-20.png"/>
        </Property>
    </Properties>

```

```

    <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="70" y="170" width="20" height="20"/>
    </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JTextField" name="txtLastName">
    <Properties>
    <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
    <Color blue="66" green="66" red="66" type="rgb"/>
    </Property>
    <Property name="text" type="java.lang.String" value="Ingrese Apellido"/>
    <Property name="border" type="javax.swing.border.Border"
editor="org.netbeans.modules.form.editors2.BorderEditor">
    <Border info="null"/>
    </Property>
    </Properties>
    <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="100" y="170" width="160" height="20"/>
    </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JSeparator" name="jSeparator2">
    <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="70" y="190" width="190" height="10"/>
    </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JLabel" name="jLabel7">
    <Properties>
    <Property name="horizontalAlignment" type="int" value="0"/>
    <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
    <Image iconType="3" name="/recursos/mail-20.png"/>
    </Property>
    </Properties>
    <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"

```

```

value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="70" y="220" width="20" height="20"/>
    </Constraint>
</Constraints>
</Component>
<Component class="javax.swing.JTextField" name="txtMail">
    <Properties>
        <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="66" green="66" red="66" type="rgb"/>
        </Property>
        <Property name="text" type="java.lang.String" value="Ingrese Correo"/>
        <Property name="border" type="javax.swing.border.Border"
editor="org.netbeans.modules.form.editors2.BorderEditor">
            <Border info="null"/>
        </Property>
    </Properties>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
            <AbsoluteConstraints x="100" y="220" width="160" height="20"/>
            </Constraint>
        </Constraints>
    </Component>
    <Component class="javax.swing.JSeparator" name="jSeparator3">
        <Constraints>
            <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
                <AbsoluteConstraints x="70" y="240" width="190" height="10"/>
                </Constraint>
            </Constraints>
        </Component>
        <Component class="javax.swing.JLabel" name="jLabel8">
            <Properties>
                <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
                    <Font name="Tahoma" size="14" style="1"/>
                </Property>
                <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
                    <Color blue="b4" green="b4" red="3a" type="rgb"/>
                </Property>
                <Property name="text" type="java.lang.String" value="Usuario: "/>
            </Properties>
            <Constraints>
                <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"

```

```

value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstraintsDescription">
    <AbsoluteConstraints x="310" y="100" width="-1" height="-1"/>
</Constraint>
</Constraints>
</Component>
<Component class="javax.swing.JLabel" name="jLabel9">
    <Properties>
        <Property name="horizontalAlignment" type="int" value="0"/>
        <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
            <Image iconType="3" name="/recursos/iconUser-25.png"/>
        </Property>
    </Properties>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstraintsDescription">
            <AbsoluteConstraints x="340" y="120" width="20" height="20"/>
        </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JTextField" name="txtUser">
    <Properties>
        <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="66" green="66" red="66" type="rgb"/>
        </Property>
        <Property name="text" type="java.lang.String" value="Ingrese Usuario"/>
        <Property name="border" type="javax.swing.border.Border"
editor="org.netbeans.modules.form.editors2.BorderEditor">
            <Border info="null"/>
        </Property>
    </Properties>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstraintsDescription">
            <AbsoluteConstraints x="370" y="120" width="160" height="20"/>
        </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JSeparator" name="jSeparator4">
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstraintsDescription">
            <AbsoluteConstraints x="340" y="140" width="190" height="10"/>
        </Constraint>
    </Constraints>

```

```

    </Constraints>
  </Component>
  <Component class="javax.swing.JLabel" name="jLabel10">
    <Properties>
      <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
        <Font name="Tahoma" size="14" style="1"/>
      </Property>
      <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
        <Color blue="b4" green="b4" red="3a" type="rgb"/>
      </Property>
      <Property name="text" type="java.lang.String" value="Contrase&#xf1;a: "/>
    </Properties>
    <Constraints>
      <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
        <AbsoluteConstraints x="310" y="150" width="-1" height="-1"/>
      </Constraint>
    </Constraints>
  </Component>
  <Component class="javax.swing.JLabel" name="jLabel11">
    <Properties>
      <Property name="horizontalAlignment" type="int" value="0"/>
      <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
        <Image iconType="3" name="/recursos/iconKey-30.png"/>
      </Property>
    </Properties>
    <Constraints>
      <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
        <AbsoluteConstraints x="340" y="170" width="20" height="20"/>
      </Constraint>
    </Constraints>
  </Component>
  <Component class="javax.swing.JSeparator" name="jSeparator5">
    <Constraints>
      <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
        <AbsoluteConstraints x="340" y="190" width="190" height="10"/>
      </Constraint>
    </Constraints>
  </Component>
  <Component class="javax.swing.JLabel" name="jLabel12">
    <Properties>

```

```

    <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
    <Font name="Tahoma" size="14" style="1"/>
    </Property>
    <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
    <Color blue="b4" green="b4" red="3a" type="rgb"/>
    </Property>
    <Property name="text" type="java.lang.String" value="Repetir Contrase&#xf1;a: "/>
    </Properties>
    <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="310" y="200" width="-1" height="-1"/>
    </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JLabel" name="jLabel13">
    <Properties>
    <Property name="horizontalAlignment" type="int" value="0"/>
    <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
    <Image iconType="3" name="/recursos/iconKey-30.png"/>
    </Property>
    </Properties>
    <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="340" y="220" width="20" height="20"/>
    </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JSeparator" name="jSeparator6">
    <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="340" y="240" width="190" height="10"/>
    </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JPasswordField" name="txtVPassword">
    <Properties>
    <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
    <Color blue="66" green="66" red="66" type="rgb"/>
    </Property>

```



```

        <Property name="text" type="java.lang.String" value="jPasswordField1"/>
        <Property name="border" type="javax.swing.border.Border"
editor="org.netbeans.modules.form.editors2.BorderEditor">
            <Border info="null"/>
        </Property>
    </Properties>
    <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
        <AbsoluteConstraints x="370" y="220" width="160" height="20"/>
    </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JPasswordField" name="txtPassword">
    <Properties>
        <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="66" green="66" red="66" type="rgb"/>
        </Property>
        <Property name="text" type="java.lang.String" value="jPasswordField1"/>
        <Property name="border" type="javax.swing.border.Border"
editor="org.netbeans.modules.form.editors2.BorderEditor">
            <Border info="null"/>
        </Property>
    </Properties>
    <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
        <AbsoluteConstraints x="370" y="170" width="160" height="20"/>
    </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JButton" name="btnCrear">
    <Properties>
        <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
            <Font name="Tahoma" size="12" style="1"/>
        </Property>
        <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="b4" green="b4" red="3a" type="rgb"/>
        </Property>
        <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
            <Image iconType="3" name="/recursos/save-60.png"/>
        </Property>
        <Property name="toolTipText" type="java.lang.String" value=""/>
        <Property name="contentAreaFilled" type="boolean" value="false"/>

```

```

    <Property name="defaultCapable" type="boolean" value="false"/>
</Properties>
<Events>
    <EventHandler event="mouseEntered" listener="java.awt.event.MouseListener"
parameters="java.awt.event.MouseEvent" handler="btnCrearMouseEntered"/>
    <EventHandler event="mouseExited" listener="java.awt.event.MouseListener"
parameters="java.awt.event.MouseEvent" handler="btnCrearMouseExited"/>
    <EventHandler event="actionPerformed" listener="java.awt.event.ActionListener"
parameters="java.awt.event.ActionEvent" handler="btnCrearActionPerformed"/>
</Events>
<Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
        <AbsoluteConstraints x="180" y="270" width="210" height="60"/>
    </Constraint>
</Constraints>
</Component>
<Component class="javax.swing.JLabel" name="lbMessageIncorecPass">
    <Properties>
        <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
            <Font name="Tahoma" size="10" style="1"/>
        </Property>
        <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="58" green="83" red="ee" type="rgb"/>
        </Property>
        <Property name="horizontalAlignment" type="int" value="0"/>
    </Properties>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
            <AbsoluteConstraints x="360" y="250" width="170" height="20"/>
        </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JButton" name="btnBack">
    <Properties>
        <Property name="background" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="ff" green="ff" red="ff" type="rgb"/>
        </Property>
        <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
            <Image iconType="3" name="/recursos/back-40.png"/>
        </Property>
        <Property name="contentAreaFilled" type="boolean" value="false"/>
        <Property name="defaultCapable" type="boolean" value="false"/>
    </Properties>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
            <AbsoluteConstraints x="360" y="250" width="170" height="20"/>
        </Constraint>
    </Constraints>
</Component>

```

```

    </Properties>
    <Events>
        <EventHandler event="actionPerformed" listener="java.awt.event.ActionListener"
parameters="java.awt.event.ActionEvent" handler="btnBackActionPerformed"/>
    </Events>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
            <AbsoluteConstraints x="10" y="10" width="40" height="40"/>
        </Constraint>
    </Constraints>
</Component>
</SubComponents>
</Form>

```

BOTONES FORMA

```

<?xml version="1.0" encoding="UTF-8" ?>

<Form version="1.5" maxVersion="1.9"
type="org.netbeans.modules.form.forminfo.JPanelFormInfo">
    <Properties>
        <Property name="background" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="ff" green="ff" red="ff" type="rgb"/>
        </Property>
    </Properties>
    <AuxValues>
        <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer" value="0"/>
        <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"
value="false"/>
        <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean" value="true"/>
        <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"
value="false"/>
        <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean" value="false"/>
        <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer" value="1"/>
        <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"
value="0"/>
        <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean" value="false"/>
        <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer" value="2"/>
        <AuxValue name="designerSize" type="java.awt.Dimension" value="-84,-
19,0,5,115,114,0,18,106,97,118,97,46,97,119,116,46,68,105,109,101,110,115,105,111,110,65,
-114,-39,-41,-
84,95,68,20,2,0,2,73,0,6,104,101,105,103,104,116,73,0,5,119,105,100,116,104,120,112,0,0,1,
104,0,0,2,58"/>
    </AuxValues>

    <Layout class="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout">
        <Property name="useNullLayout" type="boolean" value="false"/>
    </Layout>
    <SubComponents>

```

```

<Component class="javax.swing.JLabel" name="jLabel3">
  <Properties>
    <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
      <Font name="Dialog" size="14" style="1"/>
    </Property>
    <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
      <Color blue="b4" green="b4" red="3a" type="rgb"/>
    </Property>
    <Property name="text" type="java.lang.String" value="Nombre de Grupo"/>
  </Properties>
  <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
      <AbsoluteConstraints x="60" y="150" width="-1" height="30"/>
    </Constraint>
  </Constraints>
</Component>
<Component class="javax.swing.JTextField" name="txtUsuarioFacebook">
  <Properties>
    <Property name="background" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
      <Color blue="ff" green="ff" red="ff" type="rgb"/>
    </Property>
    <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
      <Font name="Dialog" size="12" style="1"/>
    </Property>
    <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
      <Color blue="66" green="66" red="66" type="rgb"/>
    </Property>
    <Property name="text" type="java.lang.String" value="Ingrese Grupo a Buscar"/>
    <Property name="border" type="javax.swing.border.Border"
editor="org.netbeans.modules.form.editors2.BorderEditor">
      <Border info="null"/>
    </Property>
  </Properties>
  <Events>
    <EventHandler event="focusGained" listener="java.awt.event.FocusListener"
parameters="java.awt.event.FocusEvent" handler="txtUsuarioFacebookFocusGained"/>
    <EventHandler event="focusLost" listener="java.awt.event.FocusListener"
parameters="java.awt.event.FocusEvent" handler="txtUsuarioFacebookFocusLost"/>
  </Events>
  <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">

```

```

        <AbsoluteConstraints x="190" y="140" width="210" height="40"/>
    </Constraint>
</Constraints>
</Component>
<Component class="javax.swing.JSeparator" name="jSeparator1">
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
            <AbsoluteConstraints x="190" y="180" width="210" height="10"/>
        </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JLabel" name="jLabel4">
    <Properties>
        <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
            <Font name="Dialog" size="14" style="1"/>
        </Property>
        <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
            <Color blue="b4" green="b4" red="3a" type="rgb"/>
        </Property>
        <Property name="text" type="java.lang.String" value="Cantidad de Paginas"/>
    </Properties>
    <Constraints>
        <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
            <AbsoluteConstraints x="40" y="200" width="-1" height="30"/>
        </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JSpinner" name="splens">
    <Properties>
        <Property name="model" type="javax.swing.SpinnerModel"
editor="org.netbeans.modules.form.editors2.SpinnerModelEditor">
            <SpinnerModel initial="2" maximum="30" minimum="2"
numberType="java.lang.Integer" stepSize="1" type="number"/>
        </Property>
        <Property name="border" type="javax.swing.border.Border"
editor="org.netbeans.modules.form.editors2.BorderEditor">
            <Border info="org.netbeans.modules.form.compat2.border.LineBorderInfo">
                <LineBorder>
                    <Color PropertyName="color" blue="66" green="66" red="66" type="rgb"/>
                </LineBorder>
            </Border>
        </Property>
    </Properties>
    <Constraints>

```

```

    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="190" y="200" width="50" height="30"/>
    </Constraint>
</Constraints>
</Component>
<Component class="javax.swing.JLabel" name="lbMessengerScrip">
    <Properties>
    <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
    <Color blue="66" green="66" red="66" type="rgb"/>
    </Property>
    <Property name="text" type="java.lang.String" value="Ejecucion de Scrip De Python"/>
    </Properties>
    <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="220" y="240" width="-1" height="20"/>
    </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JLabel" name="lbMessengerBD">
    <Properties>
    <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
    <Color blue="66" green="66" red="66" type="rgb"/>
    </Property>
    <Property name="text" type="java.lang.String" value="Guardando en Base de Datos"/>
    </Properties>
    <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="220" y="260" width="-1" height="20"/>
    </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JButton" name="btnRunFacebook">
    <Properties>
    <Property name="background" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
    <Color blue="ff" green="ff" red="ff" type="rgb"/>
    </Property>
    <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
    <Font name="Dialog" size="14" style="1"/>
    </Property>

```

```

    <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
    <Color blue="66" green="66" red="66" type="rgb"/>
    </Property>
    <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
    <Image iconType="3" name="/recursos/mine-50.png"/>
    </Property>
    <Property name="borderPainted" type="boolean" value="false"/>
    <Property name="contentAreaFilled" type="boolean" value="false"/>
</Properties>
<Events>
    <EventHandler event="mouseEntered" listener="java.awt.event.MouseListener"
parameters="java.awt.event.MouseEvent" handler="btnRunFacebookMouseEntered"/>
    <EventHandler event="mouseExited" listener="java.awt.event.MouseListener"
parameters="java.awt.event.MouseEvent" handler="btnRunFacebookMouseExited"/>
    <EventHandler event="actionPerformed" listener="java.awt.event.ActionListener"
parameters="java.awt.event.ActionEvent" handler="btnRunFacebookActionPerformed"/>
</Events>
<Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="240" y="290" width="120" height="50"/>
    </Constraint>
</Constraints>
</Component>
<Component class="javax.swing.JButton" name="btnBack">
    <Properties>
    <Property name="background" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
    <Color blue="ff" green="ff" red="ff" type="rgb"/>
    </Property>
    <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
    <Color blue="ff" green="ff" red="ff" type="rgb"/>
    </Property>
    <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
    <Image iconType="3" name="/recursos/back-40.png"/>
    </Property>
    <Property name="toolTipText" type="java.lang.String" value=""/>
    <Property name="borderPainted" type="boolean" value="false"/>
    <Property name="contentAreaFilled" type="boolean" value="false"/>
</Properties>
<Events>
    <EventHandler event="actionPerformed" listener="java.awt.event.ActionListener"
parameters="java.awt.event.ActionEvent" handler="btnBackActionPerformed"/>
</Events>
<Constraints>

```

```

    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="10" y="10" width="40" height="40"/>
    </Constraint>
</Constraints>
</Component>
<Component class="javax.swing.JLabel" name="jLabel2">
    <Properties>
    <Property name="font" type="java.awt.Font"
editor="org.netbeans.beaninfo.editors.FontEditor">
    <Font name="Tahoma" size="16" style="1"/>
    </Property>
    <Property name="foreground" type="java.awt.Color"
editor="org.netbeans.beaninfo.editors.ColorEditor">
    <Color blue="d5" green="4c" red="3a" type="rgb"/>
    </Property>
    <Property name="horizontalAlignment" type="int" value="0"/>
    <Property name="text" type="java.lang.String" value="FACEBOOK"/>
    </Properties>
    <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="240" y="20" width="100" height="-1"/>
    </Constraint>
    </Constraints>
</Component>
<Component class="javax.swing.JLabel" name="jLabel1">
    <Properties>
    <Property name="icon" type="javax.swing.Icon"
editor="org.netbeans.modules.form.editors2.IconEditor">
    <Image iconType="3" name="/recursos/facebook-100.png"/>
    </Property>
    </Properties>
    <Constraints>
    <Constraint
layoutClass="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout"
value="org.netbeans.modules.form.compat2.layouts.DesignAbsoluteLayout$AbsoluteConstrai
ntsDescription">
    <AbsoluteConstraints x="240" y="40" width="100" height="100"/>
    </Constraint>
    </Constraints>
</Component>
</SubComponents>
</Form>

```


(62) WhatsApp

dennis-rosero/Proyecto-programacion-parar-redes

+

github.com/dennis-rosero/Proyecto-programacion-parar-redes

Agencia de Regulac...

Search or jump to...

Pull requests

Issues

Marketplace

Explore

Incógnito

dennis-rosero / Proyecto-programacion-parar-redes

Unwatch 1

Star 0

Fork 0

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

main 1 branch 0 tags

Go to file

Add file

Code

dennis-rosero

Create BtnRedesSociales.form

c5f551d 6 minutes ago

9 commits

BtnRedesSociales.form	Create BtnRedesSociales.form	6 minutes ago
CrearUsuario.form	Create CrearUsuario.form	8 minutes ago
JpsBaseDatos.java	Update and rename JpsBaseDatos to JpsBaseDatos.java	7 minutes ago
Login.java	Update Login.java	11 minutes ago
Menu.java	Create Menu.java	12 minutes ago
Presentacion.form	Create Presentacion.form	9 minutes ago
login.form	Create login.form	13 minutes ago

Help people interested in this repository understand your project by adding a README.

Add a README

About

No description, website, or topics provided.

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

Languages

ES

16:08

18/03/2021