ERD-ShipSage-Ben-OMS-Return-2026-Q1-V2.0

Status	
Owner	@Cherry Feng
Contributors	
Approved By	
Approved Date	
Decision	

On this page	• PRD
	• Risk
	• UI
	• Components
	• API
	• Command
	• Flow
	• DB
	• Frontend
	• Backend
	• Milestone
	• Clarify in the Meeting
	  ◦ Company profile for set return rules
	  ◦ Gaylord
	  ▪ Type
	  ◦ Return Verify
	  ◦ Put away
	  ◦ Gaylord or SKU Transfer
	  ◦ Gaylord Inventory
	  ◦ Lost and Found
	  ◦ Billing
	• Demo
	  ◦ Setup Return Profile For Company
	  ◦ Warehouse set up Return location
	  ◦ Warehouse set up Return Gaylord
	  ◦ Return Verify
	  ▪ Unknown Return Item
	  ▪ Known Return Item
	  ◦ Put Away
	  ◦ Gaylord Transfer
	  ◦ WMS Gaylord Inventory
	  ◦ Lost fund and approval
	  ◦ PDA
	• Appendix

PRD

PRD-ShipSage-Ben-OMS-Return-2026-Q1-V2.0

Return 2.0 - Jin

Training-ShipSage-Ben-OMS-Return-2026-Q1-V2.0

Risk

APP	Module	Risk	Solution
ShipSage	WMS	This release will impact the *current return verify and put away*	Need QA fully to cover these updated functions

UI

	Menu	URL	DESC
WMS	Inventory → Return Gaylord	https://wms.shipsage.com/return_gaylord?iframe=1	Add new page at WMS to shows inventory of return Gaylord. WMS can deleted from inventory which selected. • Inventory: location_id: (return location id, each warehouse only one.) area_id: return OR picking location if Gaylord does transfer condition_id: Quarantine, Stored location_id: 79777; mu_id (Gaylord barcode): GL-QUARANTINE-1008-10002; trace_id (Return barcode): SGCompanyId-SKU-ReturnId-Q/S 
WMS	N/A	Add new Tab 'Return Gaylord'	Transfer Return Gaylord: 
WMS	N/A	Add new Sub Tabs of 'Final Scan Gayload' and 'Return Gaylord'	Add new return gaylord: 

Components

APP	Component	Path	DESC	LanHu
		N/A		

API

APP	URL	DESC	In Apifox?
	N/A		

Command

APP	CMD	DESC
	N/A	

Flow

After verify,

- For unknown item will put aside, until 3 days if no claim then throw.
- For new item, will use ‘Return→Put Away’ go to picking location
- For condition item, will use ‘Return→Put Away’ go to gaylord of return area

DB

```
APP:

CREATE TABLE IF NOT EXISTS `app_system_company_return` (
  `return_id` int unsigned NOT NULL AUTO_INCREMENT,
  `company_id` int NOT NULL,
  `return_level_id` int NOT NULL DEFAULT '1' COMMENT '1:Simple(New,Disposal) 2:Standard(New,Quarantine) 3:Regular(New,Store)',
  `allow_new` tinyint NOT NULL DEFAULT '1',
  `allow_disposal` tinyint NOT NULL DEFAULT '1',
  `allow_quarantine` tinyint NOT NULL DEFAULT '0',
  `allow_stored` tinyint NOT NULL DEFAULT '0',
  `hidden` tinyint NOT NULL DEFAULT '0',
  `disabled` tinyint NOT NULL DEFAULT '0',
  `deleted` tinyint NOT NULL DEFAULT '0',
  `deleted_at` timestamp NULL DEFAULT NULL,
  `created_at` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP,
  `created_by` int NOT NULL DEFAULT '0',
  `updated_at` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP,
  `updated_by` int NOT NULL DEFAULT '0',
  PRIMARY KEY (`return_id`),
  KEY `idx_company_id` (`company_id`),
  KEY `idx_return_level_id` (`return_level_id`),
  KEY `idx_allow_new` (`allow_new`),
  KEY `idx_allow_disposal` (`allow_disposal`),
  KEY `idx_allow_quarantine` (`allow_quarantine`),
  KEY `idx_allow_stored` (`allow_stored`),
  KEY `idx_hidden` (`hidden`) USING BTREE,
  KEY `idx_disabled` (`disabled`) USING BTREE,
  KEY `idx_deleted` (`deleted`) USING BTREE,
  KEY `idx_deleted_at` (`deleted_at`) USING BTREE,
  KEY `idx_created_at` (`created_at`) USING BTREE,
  KEY `idx_created_by` (`created_by`) USING BTREE,
  KEY `idx_updated_at` (`updated_at`) USING BTREE,
  KEY `idx_updated_by` (`updated_by`) USING BTREE
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb3 COLLATE=utf8mb3_unicode_ci;

ALTER TABLE `app_oms_return_detail`
  ADD COLUMN `return_label_url` varchar(255) CHARACTER SET utf8mb4 COLLATE utf8mb4_unicode_ci DEFAULT NULL AFTER `serial_number`;

WMS:

ALTER TABLE `app_wms_gaylord_barcode`
  MODIFY carrier VARCHAR(100) CHARACTER SET utf8mb3 COLLATE utf8mb3_unicode_ci NOT NULL DEFAULT '',
  ADD COLUMN `type` int NOT NULL DEFAULT '1' COMMENT '1:final scan 2:return' AFTER `barcode`,
  ADD COLUMN `condition_id` int NOT NULL DEFAULT '0' COMMENT 'inventory_condition_type.condition_id' AFTER `ship_date`,
  ADD COLUMN `company_id` int NOT NULL DEFAULT '0' COMMENT 'company of return gaylord' AFTER `type`,
  ADD INDEX `idx_type` (`type`),
  ADD INDEX `idx_condition_id` (`condition_id`),
  ADD INDEX `idx_company_id` (`company_id`);

CREATE TABLE IF NOT EXISTS `app_wms_return_put_away` (
```

```
  `put_away_id` int unsigned NOT NULL AUTO_INCREMENT,
  `scanned_return_barcode` varchar(255) CHARACTER SET utf8mb3 COLLATE utf8mb3_unicode_ci DEFAULT NULL,
  `qty` int unsigned NOT NULL COMMENT 'put away qty',
  `scanned_location_id` int unsigned NOT NULL DEFAULT '0',
  `scanned_gaylord_id` int unsigned NOT NULL DEFAULT '0',
  `company_id` int unsigned NOT NULL,
  `return_id` int NOT NULL DEFAULT '0',
  `product_id` int NOT NULL DEFAULT '0',
  `condition_id` int NOT NULL DEFAULT '1',
  `comment` varchar(255) CHARACTER SET utf8mb3 COLLATE utf8mb3_unicode_ci DEFAULT NULL,
  `hidden` tinyint unsigned NOT NULL DEFAULT '0' COMMENT 'Whether Hide',
  `disabled` tinyint unsigned NOT NULL DEFAULT '0' COMMENT 'Whether Disable',
  `deleted` tinyint unsigned NOT NULL DEFAULT '0' COMMENT 'Whether Delete',
  `deleted_at` timestamp NULL DEFAULT NULL COMMENT 'Deleted Time',
  `created_at` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP COMMENT 'Created Time',
  `created_by` int unsigned NOT NULL DEFAULT '0' COMMENT 'Created User ID',
  `updated_at` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP COMMENT 'Updated Time',
  `updated_by` int unsigned NOT NULL DEFAULT '0' COMMENT 'Updated User ID',
  PRIMARY KEY (`put_away_id`),
  KEY `idx_scanned_return_barcode` (`scanned_return_barcode`),
  KEY `idx_qty` (`qty`),
  KEY `idx_scanned_location_id` (`scanned_location_id`),
  KEY `idx_scanned_gaylord_id` (`scanned_gaylord_id`),
  KEY `idx_company_id` (`company_id`) USING BTREE,
  KEY `idx_return_id` (`return_id`),
  KEY `idx_product_id` (`product_id`),
  KEY `idx_condition_id` (`condition_id`),
  KEY `idx_hidden` (`hidden`) USING BTREE,
  KEY `idx_deleted` (`deleted`) USING BTREE,
  KEY `idx_disabled` (`disabled`) USING BTREE,
  KEY `idx_created_at` (`created_at`) USING BTREE,
  KEY `idx_created_by` (`created_by`) USING BTREE,
  KEY `idx_updated_at` (`updated_at`) USING BTREE,
  KEY `idx_updated_by` (`updated_by`) USING BTREE
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb3 COLLATE=utf8mb3_unicode_ci;

----------------------insert data---------------------

INSERT INTO `wms`.inventory_condition_type (`name`, `is_container`)
VALUES
('Disposal', 0),
('Quarantine', 0),
('Stored', 0),
('Unclaimed', 0);

INSERT INTO `Production`.GT_InventoryConditionType (`name`)
VALUES
('Quarantine'),
('Stored'),
('Unclaimed');

INSERT INTO  `wms`.`area` ( `name`, `description`)
VALUES
('return', NULL);

INSERT INTO `app.shipsage.com`.app_system_company_return (company_id, created_by, updated_by)
SELECT company_id, 1, 1
FROM app_system_company;

```

Frontend

APP	Module	Function	DESC
ShipSage	App	Admin→Customer→List→Company Profile	Setup Profile: Add return setting part into dialog
ShipSage	WMS	Inbound→Return→Verify	Change UI to match new return V2.0
ShipSage	WMS	Inbound→Return→Put Away	Change UI to match new return V2.0 (put away to location and gaylord)
ShipSage	WMS	Labels→Gaylord	Change to add new type of Return Gaylord
ShipSage	WMS	Return Gaylord Transfer	Add new tab/page to do gaylord transfer between two return locations
ShipSage	WMS	Two new pages	Gaylord Inventory and Disposal of return

Backend

APP	Module	Function	DESC

ShipSage	WMS	Return put away	Put away to add return inventory into location(new item) and return gaylord
ShipSage	WMS	Return gaylord transfer	Gaylord inventory transfer
ShipSage	WMS	Return verify	Verify scan and generate return label
ShipSage	Admin	Return profile	Add return profile for company

Milestone

IT-13042: ShipSage-Ben-OMS-Return-V2.0 TO DO (main ticket)

Index	Tasks	Description		Assignee
0	Provide list of customer Return config	Need setup before release		Kevin will ask Success Team/PM
1	Add Return Profile into company config	In OMS, customer can set company return when edit profile	Admin	Cherry
2	Create Return Gaylord Page(1)	In WMS create gaylord barcode	WMS	Emmanuel
3	Location add 'Return' area	WMS→Configuration→Locations: Add 'Return' area for create/edit location in WMS. Table: area	WMS	Cherry
4	Return Verify	Support new return verify processing in WMS * After scan sku, shows sku information and company below * Condition only show default(unclaimed), otherwise shows base on company find * generate return label for New, Quarantine, Store. Others no need label	WMS	Cherry
5	Return Put Away	Support return go back to Location or Gaylord in WMS * Also need update table: app_oms_return_put_away_detail	WMS	Cherry
	Return Put Away Listing page	Change Return put away listing page works for new tables	WMS	Cherry
6	Gaylord Transfer(3)	Allow Gaylord as unit to transfer between return location to other locations(picking)	WMS	Cherry
7	New page of listing Gaylord(2)	• In WMS→Inventory, create new page let DC to get data of return in Gaylord • In OMS→Inventory, change filter of drop down to add new conditioned type	WMS	Emmanuel
8	Lost and found	Because right now unclaimed item will not put away, so remove icon and menu for claim and claim approval	OMS	Cherry

Clarify in the Meeting

Company profile for set return rules

Q1: when we release, all companies automatically set default until company change it after release?
or some companies need set different rule before release. (Who will give the list? - Corinna)

Default for all company is: Standard1



Gaylord

Type

- Final scan Gaylord (GL-GOFO-2554, GL-UNIUNI-2538)

- **Return Gaylord**
  Return Gaylord Type includes:
  ~~-- **unclaimed gaylord** - cannot recognized company, after 3-7 days disposal/dump (shows OMS)~~
  -- ~~**disposal gaylord** - need to disposal by vas (x just throw)~~
  -- **quarantine gaylord** - for one company to hold return items
  -- **stored gaylord** - for mixed companies to hold return items
  -- ~~**gaylord for new** - hold items that that recognized as new temporary. Will put away to picking locations later.~~

- **Return Gaylord Barcode**
  Need Created Date at bottom, example:
  GL-QUARAMTINE-companyId-10001 (quarantine gaylord, suggest gaylord_barcode_id + 7000)
  GL-STORED-0-10002 (0 mean no specific company)

GL-QUARANTINE-1008-10000

02/11/2026

- **Return location & inventory Example (each warehouse only have one return location)**



- Inventory:
  location_id: 79777;
  mu_id (Gaylord barcode): GL-QUARANTINE-1008-10002;
  trace_id (Return barcode): SGCompanyId-SKU-ReturnId-Q/S
- SGCompanyId-123456 (New ShipSage SKU barcode)
  area_id: 66
  company_id: 1008
  condition_id: quarantine id

- **Create gaylord UI**

Separate ‘Final Scan' and ‘Return gaylord’ generate.

- Select 'Return Gaylord’ tab
- First select Return gaylord type: Quarantine, Stored[Restricted]
- Show Company Id only for Quarantine type
- quantity to generate



Return Verify



For all 'New' only stick one of multiple qty.

For other conditioned item, each return item need stick return barcode on it.

Return barcode: **SGCompanyId-SKU-ReturnId-Q/S** (new item don't have Q/S)

Condition will automatically shows :

-- if cannot find company, then shows: New, Stored

-- if can find company, then shows return profile setting of this company. (for example: Unclaimed, New, Disposal, quarantine, stored) **.**

Unclaimed item don't need Return label

Put away

When put away done all qty with this return barcode. Then close id.





Gaylord or SKU Transfer

Do we allow:

- Gaylord (whole) return location → another location (Only allow)

(After discussed: allow return gaylord transfer from one return location to picking location)

Gaylord Inventory

WMS → Add a new page at WMS → Inventory→Gaylord, can search by Gaylord barcode, companyId, return Id etc.

OMS → existing page (check need change or not)

Lost and Found

Current unclaimed item was put away to picking location with company_id 1000 and virtual sku, when customer claim it, then it will directly change to real SKU and real company.

For new unclaimed item will put on the ground or unclaimed gaylord, if customer claim then what is process of this?

Solution: **System won't take care anymore, let admin who approve claim to create a ticket to do**
(1) Customer claim
(2) Admin approval then create a ticket to warehouse

Billing

(any changes? need ask Jin)

Demo

Setup Return Profile For Company

Admin Customer→List→Action(Setup Profile), add 'Setup Return' session, save into table 'app_system_company_return'



CN Version



Warehouse set up Return location

- only one can be created one for each warehouse



Warehouse set up Return Gaylord

- **Return Gaylord Barcode**
  GL-QUARAMTINE-companyId-10001
  GL-STORED-0-10002 (0 mean no specific company)



Return Verify

Unknown Return Item

- For Unknown return item, put aside to keep 3 days to let customer claim.
- Operator need scan SKU/Code, input qty, take photo, others disable.

Known Return Item



- For known return item, system will shows product information underneath.
- Condition will shows default setting for this company in profile.
- Operator need Scan SKU/Code, input qty, select condition, take photo, print return barcode, then scan return barcode
- At least take one photo
- Return barcode base on condition selected. Format like:
  -- New: SKU-ReturnId
  -- Quarantine: SKU-ReturnId-Q
  -- Store: SKU-ReturnId-S
  Note: SKU will use new format ‘SGCompanyId-currentSKU’





Put Away

Scan Return Label (New) to put away location (picking)



Scan Return Label (Quarantine/Store) to put away matched Return Gaylord



Gaylord Transfer



WMS Gaylord Inventory

Customer can create VAS to do ship out or disposal return items via this page.



Lost fund and approval

Only shows 3 days Unclaimed items (actual_finish_time 3 days ago). Customer can create a ticket to claim it.





PDA

pda add ‘Return Put Away’

Appendix

Inbound Return ticket

☑ IT-10399: PM- Inbound Scan Return & ASN DONE