Proyecto de Investigación I

UNIDAD 1
INTRODUCCIÓN

BASE DE DATOS BIBLIOGRÁFICAS



Samuel Oporto Díaz

Tabla de Contenido

1. ARTÍCULOS CIENTÍFICO
   1. Investigación Científica – Investigación Tecnológica
   2. Artículos - papers
   3. Tipos de Articulos

2. ESTRUCTURA DEL ARTICULO
   1. Estructura

3. ARTÍCULOS DE APORTE
   1. Artículo de Aporte

4. ARTÍCULOS DE ESTADO DEL ARTE
   1. Artículo del estado del arte
   2. Finalidad
   3. Riesgos

5. INVESTIGACIÓN EN PREGRADO Y POSGRADO
   1. Comparando Investigación en Pregrado y posgrado

1. BASE DE DATOS BIBLIOGRÁFICA
   1. Base de Datos Bibliográficas
   2. Tipos de Base de Datos

2. BASE DE DATOS NACIONALES
   1. Base de Datos Nacional - Perú
   2. Recursos Abiertos
   3. Revistas Peruanas

3. BD INTERNACIONALES
   1. BD Internacionales
   2. BD para Ingeniería

4. BIBTEXT
   1. BibTeX
   2. Elementos del BibTxt
   3. Tipos de Entradas (elementos)

5. HERRAMIENTAS PARA LA GESTIÓN DE REFERENCIAS
   1. Herramientas
   2. BibTeX

1. BÚSQUEDA DE REFERENCIAS
   1. String de Búsqueda de Papers
   2. Criterio de Inclusión
   3. Ejercicio
   4. Ejercicio
   5. Artículos del Estado del Arte
   6. Ejercicio
   7. Criterio de Exclusión

2. ANÁLISIS DE LOS PAPERS DEL ESTADO DE ARTE
   1. Análisis de los papers del estado de arte

3. PREGUNTAS

ARTÍCULOS CIENTÍFICO

This article has been accepted for publication in a future issue of this journal, but has not been fully edited. Content may change prior to final publication. Citation information: DOI 10.1109/ACCESS.2019.2961964, IEEE Access

IEEE Access
Multidisciplinary | Rapid Review | Open Access Journal

Date of publication xxxx 00, 0000, date of current version xxxx 00, 0000.

Digital Object Identifier 10.1109/ACCESS.2017.DOI

Text Detection and Recognition for Images of Medical Laboratory Reports with a Deep Learning Approach

WENYUAN XUE[1], QINGYONG LI[1], AND QIYUAN XUE.[2]
[1]Beijing Key Lab of Transportation Data Analysis and Mining, Beijing Jiaotong University, Beijing, China
[2]The Department of Burn and Plastic Surgery, The Fifth People's Hospital of Datong, Datong, China

Corresponding authors: Wenyuan Xue (wyxue17@bjtu.edu.cn) and Qingyong Li (liqy@bjtu.edu.cn).

This work is partly supported by the CERNET Innovation Project (NGII20170723).

ABSTRACT The adoption of electronic health records (EHRs) is an important step in the development of modern medicine. However, complete health records are not often available during treatment because of the functional problem of the EHR system or information barriers. This paper presents a deep-learning-based approach for textual information extraction from images of medical laboratory reports, which may help physicians solve the data-sharing problem. The approach consists of two modules: text detection and

Activar Wir
Ve a Configura

Investigación Científica – Investigación Tecnológica

Investigación Científica

Proceso sistemático y metódico que busca generar nuevo conocimiento, comprender fenómenos naturales o sociales, resolver problemas específicos o validar teorías existentes.

Se basa en la observación, la experimentación, el análisis y la interpretación de datos de manera rigurosa y objetiva.

Se enfoca en la comprensión y explicación de fenómenos naturales o sociales.

Investigación Tecnológica

Proceso sistemático para la generación de conocimiento, el desarrollo de nuevos productos, procesos o servicios, así como a la mejora de los existentes en el ámbito de la tecnología.

Se basa en la creatividad, el diseño de nuevos prototipos.

Se enfoque en resolver problemas específicos o satisfacer necesidades prácticas.

Artículos - papers

Un artículo científico es un documento académico que presenta los resultados de una investigación realizada por científicos o investigadores.

Estos artículos están destinados a ser publicados en revistas científicas y son una forma comunicación entre científicos.

Son revisados por pares antes de su publicación (otros expertos), lo que garantiza su calidad, originalidad y rigor metodológico.

Además de los artículos científicos, la investigación tecnológica produce una amplia variedad de documentos técnicos:

- informes de investigación
- manuales de usuario
- especificaciones técnicas
- documentación de diseño.

Los resultados de la investigación tecnológicas:

- Se presentan en conferencias técnicas.
- Se publican en revistas especializadas del ámbito tecnológico.

Tipos de Articulos

Artículos de aporte.	Son investigaciones originales, las más comunes.
Revisiones bibliográficas.	Reviews, state of the art, survery, proporcionan un resumen exhaustivo y crítico del estado actual del conocimiento
Revisión sistemática y metaanálisis.	Similares a los review, se centran en la síntesis de evidencia de múltiples estudios, uso de métodos sistemáticos y estadísticos.
Editoriales.	Discuten ideas, tendencias, políticas, opiniones o perspectivas sobre un tema, tratan de generar debate y reflexión.
Artículos cortos.	Short communications, versiones breves de artículos originales, centrados en resultados preliminares, estudios piloto
Artículos de opinión.	Expresan la perspectiva de los autores sobre un tema particular, basándose en su experiencia y conocimientos.
Cartas al editor (erratas)	Comunicaciones breves que proporcionan comentarios, críticas o respuestas a artículos previamente publicados en la revista.
In memoriam.	Reconocimiento a una persona fallecida, científico o investigador en un campo específico.

Sometidos a revisión por pares

Solo revisión de Comité Editorial

Ejercicio

Ingresa a sciencedirect y buscar papers con alguno de los siguiente keywords:

Disease	Psychology	Education	Machine learning
Treatment	Mental health	Learning	Neural networks
Diagnosis	Psychotherapy	Teaching	Algorithms
Prevention	Behavior	Curriculum	Data mining
Patient	Cognitive psychology	Assessment	Natural language processing (NLP)
Therapy	Emotion	Student achievement	Computer vision
Epidemiology	Personality	Educational technology	Pattern recognition
Public health	Social psychology	Classroom management	Medical artificial intelligence
Biomarkers	Developmental psychology	Pedagogy	Expert systems
Genetics	Clinical psychology	Educational psychology	Medical robotics
Chronic diseases	Counseling	Student engagement	Computer-aided diagnosis
Pharmacology	Psychopathology	Educational policy	Automated medical processes
Rehabilitation	Neuropsychology	School administration	Predictive models
Healthcare	Psychometrics	Special education	Medical image analysis
Wellness	Psychological interventions	Literacy development	Augmented reality in healthcare

Ejercicio

- ¿A qué tipo de artículo corresponde estos papers?
- ¿son científicos o tecnológicos?

- https://www.mdpi.com/2076-3417/13/24/13027

- https://doi.org/10.1016/j.radphyschem.2023.111144

Ejercicio

Para la siguiente revista, por cada entrada, identificar los tipos de artículos.

IEEE Transactions on Artificial Intelligence

- https://ieeexplore.ieee.org/xpl/aboutJournal.jsp?punumber=9078688
- https://dblp.org/db/journals/tai/tai5.html

Computer Communications

- https://www.sciencedirect.com/journal/computer-communications/vol/220/suppl/C

ESTRUCTURA DEL ARTICULO

Radiation Physics and Chemistry 212 (2023) 111144

Contents lists available at ScienceDirect

Radiation Physics and Chemistry

journal homepage: www.elsevier.com/locate/radphyschem



Thermoluminescence-based simplified criteria for the detection of irradiated sesame seeds using artificial intelligence methods

J.F. Benavente *, V. Correcher

CIEMAT, Av. Complutense 40, 28040, Madrid, Spain

ARTICLE INFO

Handling Editor: Dr. Chris Chantler

Keywords:
Artificial intelligence
Thermoluminescence
Detection of irradiated food
Initial rise

ABSTRACT

The practical application of unsupervised Artificial Intelligence (AI) numerical methods for analysing unexamined data has gained popularity for solving scientific and technological problems. This paper reports on the implementation of numerical algorithms set based on unsupervised AI methods to discriminate between irradiated and non-irradiated Mexican sesame sample by searching for behaviour patterns in the thermoluminescence (TL) response of polymineral samples adhered to the seeds. Two algorithms were tested, which were able to discriminate between irradiated and non-irradiated samples regardless of whether the whole or initial rise of the TL glow curve was considered. The use of AI algorithms can greatly increase the analytical process by using appropriate models to large datasets. Moreover, free software tools are now available for developers to implement these AI methods in their data analysis code, with Python being the primary language of choice.

Estructura

- Título
- Autor y Afiliación
- Abstract (resumen)
- Key words (descriptores)
- Contenido
- Acknowldge (agradecimiento)
- References (referencias)
- About author

Estructura


Título
Autor y Afiliación
Abstract (resumen)
Key words (descriptores)
Contenido
Opcional
Acknowledge (agradecimiento)
References (referencias)
Depende de la Revista
About author

Expert Systems with Applications 38 (2011) 5005–5012

Contents lists available at ScienceDirect

Expert Systems with Applications

journal homepage: www.elsevier.com/locate/eswa

Facilitating cross-selling in a mobile telecom market to develop customer classification model based on hybrid data mining techniques

Hyunchul Ahn [a], Jae Joon Ahn [b], Kyong Joo Oh [b,*], Dong Ha Kim [b]

[a] School of Management Information Systems, Kookmin University, 861-1, Jeongneung-Dong, Seongbuk-Gu, Seoul 136-702, South Korea
[b] Department of Information and Industrial Engineering, Yonsei University, 134, Shinchon-Dong, Seodaemun-Gu, Seoul 120-749, South Korea

ARTICLE INFO

Keywords:
Customer classification
Genetic algorithms
Logistic regression
Artificial neural network
Decision tree
Mobile telecom market

ABSTRACT

As the competition between mobile telecom operators becomes severe, it becomes critical for operators to diversify their business areas. Especially, the mobile operators are turning from traditional voice communication to mobile *value-added services* (VAS), which are new services to generate more *average revenue per user* (ARPU). That is, cross-selling is critical for mobile telecom operators to expand their revenues and profits. In this study, we propose a customer classification model, which may be used for facilitating cross-selling in a mobile telecom market. Our model uses the cumulated data on the existing customers including their demographic data and the patterns for using old products or services to find new products and services with high sales potential. The various data mining techniques are applied to our proposed model in two steps. In the first step, several classification techniques such as logistic regression, artificial neural networks, and decision trees are applied independently to predict the purchase of new products, and each model produces the results of their prediction as a form of probabilities. In the second step, our model compromises all these probabilities by using genetic algorithm (GA), and makes the final decision for a target customer whether he or she would purchase a new product. To validate the usefulness of our model, we applied it to a real-world mobile telecom company's case in Korea. As a result, we found that our model produced high-quality information for cross-selling, and that GA in the second step contributed to significantly improve the performance.

© 2010 Elsevier Ltd. All rights reserved.

1. Introduction

Along with the rapid growth of mobile telecom market in recent years, the mobile telecom markets in the world are becoming saturated. As traditional voice communication services have become widespread, mobile telecom operators have experienced difficulties in attracting more customers, which has led to fierce competition amongst the mobile operators. To overcome the current crisis, the mobile operators are focusing more on the *value-added services* (VAS)[1] market such as communication, entertainment, transaction, and information services, instead of the ordinary voice communications market since the VAS market returns higher *average revenue per user* (ARPU). In other words, the mobile operators are trying to cross-sell their new mobile telecom service (Kuo & Chen, 2006).

However, it is never easy for the operators to make their subscribers to use mobile VAS. There are two types of the subscribers who do not buy or use mobile VAS. The first type of subscribers are the people who have no interests in using mobile VAS or are not able to use it. They simply think that mobile VAS do not offer any benefits. The second type is the subscribers who may have interests and may find benefits in using mobile VAS, but are not aware of the availability of the services. These second type subscribers offer great business opportunities for mobile service operators. Thus, it becomes critical for the operators to find the appropriate prospects for using mobile VAS.

Recently, most mobile telecom operators utilize CRM (customer relationship management) systems in order to cumulate various types of data from their subscribers, such as demographic information and the patterns for using voice communication, in their DB (database) or DW (data warehouse). These data can be useful to find the appropriate prospects for using mobile VAS since they may be used as the cues for understanding customers' life styles and value system. As a result, the effective application of the cumulated data on the existing customers and their usage pattern for old

* Corresponding author. Tel.: +82 2 2123 5720.
E-mail addresses: hcahn@kookmin.ac.kr (H. Ahn), redsamt...@...ac.kr (J.J. Ahn), johanoh@yonsei.ac.kr (K.J. Oh), donghakim@yonsei.ac.kr (D.H. Kim).

[1] Mobile VAS combine the characteristics of mobile telephones and the Internet (Lee, 2003). Shih (2003) defined mobile VAS as, "The addition of digital services (excluding voice services) to the basic mobile phone network, such as games, image download, ringing tones download, messages, coupons and electronic transactions". Mobile VAS can bring the five values to consumers: "time-critical needs and arrangements", "spontaneous needs and decisions", "entertainment needs", "efficiency needs and ambitions" and "mobility-related needs" (Anckar & D'Incau, 2002).

0957-4174/$ - see front matter © 2010 Elsevier Ltd. All rights reserved.
doi:10.1016/j.eswa.2010.09.150

Título

Autor y Afiliación

Abstract (resumen)

Key words (descriptores)

Contenido

About author

p_k means the classification performance of the kth comparative model. As shown in Table 5, GAOW outperformed DT and SAVG at the 1% statistical significance level, and MVOTE at the 10% level. However, it did not outperform other two models with statistical significance.

Table 6 presents the experimental results of the proposed model, which optimizes the combination weights as well as two thresholds. As explained in the previous section, our model requires a 'target coverage ratio' as a constraint. Thus, we repeated our experiments by setting the target coverage ratio to 50%, 30% and 10%. As you can see from Table 6, our proposed model improved the prediction accuracy for the hold-out data tremendously up to 73–88%. It means that our model may improve the prediction accuracy of typical single models or combination models by about 7 to more than 30%.

It is interesting that the prediction result of the proposed model becomes more accurate as the target coverage ratio becomes lower. It is reasonable because permitting the lower coverage means that the model can generate the prediction results only for the samples that show solid pattern. Thus, we may conclude that 'the coverage ratio' and 'the prediction accuracy' have trade-off relationship.

It is also interesting that the values of the optimal combination weights (W_{LR}, W_{DT}, and W_{ANN}) of GAOW and the proposed model are quite different. In the case of GAOW, W_{LR} and W_{ANN} were set at similar value, and W_{DT} was set at lower. But, as shown in Table 6, the W_{LR}, W_{DT}, and W_{ANN} of the proposed model vary according to the 'target coverage ratio'. And, we may find that W_{ANN} becomes lower and W_{DT} becomes higher as the target coverage ratio becomes lower. As a result, we may conclude that neural networks are useful for the general cases whose patterns are not clear, but decision tree method provides more useful prediction results for the cases that have a clear pattern in our experiment.

6. Conclusions

In this paper, we have suggested a novel classification model, which combines several heterogeneous classifiers in an effective way. Our model combines the prediction results of each classifier by weighted-averaging method, although conventional combination methods just combines the prediction results by applying simple techniques such as averaging and majority voting. Also, our proposed model uses two thresholds (i.e. upper and lower thresholds) in order to interpret and integrate the continuous scores into final decision more effectively. As a result, our model may not yield explicit results for cases that display vague patterns. Nevertheless, it can boost the prediction accuracy dramatically. To optimize the different factors simultaneously, we use GA as a tool to optimize the combination weights and the two thresholds. From the results of the experiment, we show that our proposed model can improve the prediction accuracy in the case of customer classification, though the coverage ratio decreases more or less.

The proposed model in this study seems to be very useful in some areas in which require high prediction accuracy for the limited cases. The cross-selling application suggested in this paper may be a good example. In reality, our model can be applied to facilitate cross-selling in a mobile telecom market, as presented in Fig. 5. By sending advertising SMS or MMS to the target customers carefully selected by our model, cross-selling can be facilitated. Meanwhile, direct and indirect costs can be saved by avoiding sending messages to inappropriate customers.

Our model can be applied in other marketing or CRM domains where finding prospects to purchase a new product or service is required. In addition, it may contribute to some medical diagnosis areas. Medical experts may use this model when accurate decision is required since their decision involves high cost or high risk.

To improve our model, we should focus on developing ways to enhance both prediction accuracy and coverage ratio. In addition, methods to generate more sophisticated results should be researched in future studies. One of them may be the appropriate selection of training samples (so-called instance selection). If training samples contain noisy cases, they may distort all the parameters of our model including combination weights and thresholds. Thus, the positive effect of 'instance selection' on our models should be validated in future studies. Finally, the general applicability of the proposed model should be tested further by applying it to other problem domains in the future.

Acknowledgment

This work was supported (in part) by the new faculty research program 2009 of Kookmin University in Korea.

References

Ahn, H., Kim, K.-j., & Han, I. (2006). Hybrid genetic algorithms and case-based reasoning systems for customer classification. *Expert Systems*, *23*(3), 127–144.
Ahn, H., Kim, K.-j., & Han, I. (2007). Case-based reasoning system with the two-dimensional reduction technique for customer classification. *Expert Systems with Applications*, *32*(4), 1011–1019.
Ancker, B., & D'Incau, D. (2002). Value creation in mobile commerce: Findings from a consumer survey. *Journal of Information Technology Theory and Application*, *4*(1), 43–64.
Chiu, C. (2002). A case-based customer classification approach for direct marketing. *Expert Systems with Applications*, *22*(2), 163–168.
Davies, P., Moutinho, L., & Curry, B. (1996). Curry, *AT&T attitudes*: A neural network analysis. *Marketing Intelligence and Planning*, *14*(2), 26–32.
Enke, D., & Thawornwong, S. (2005). The use of data mining and neural networks for forecasting stock market returns. *Expert Systems with Application*, *29*(4), 927–940.
Flagg, J. C., Giroux, G. A., & Wiggins, C. E. (1991). Predicting corporate bankruptcy using failing firms. *Review of Financial Economics*, *1*(1), 67–78.
Han, J., & Kamber, M. (2001). *Data mining: Concepts and techniques*. San Francisco, CA: Morgan Kaufmann Publishers.
Harnett, D. L., & Soni, A. K. (1991). *Statistical methods for business and economics*. Reading, MA: Addison-Wesley.
Huang, C.-j., Yang, D.-X., & Chuang, Y.-T. (2008). Application of wrapper approach and composite classifier to the stock trend prediction. *Expert Systems with Applications*, *34*(4), 2870–2878.
Ju, H. (1998). *The integrated methodology of artificial intelligence and statistical methods for bankruptcy prediction*. Ph.D. dissertation, Department of Management Engineering, KAIST Graduate School of Management, South Korea.
Kim, K. (2004). Toward global optimization of case-based reasoning systems for financial forecasting. *Applied Intelligence*, *21*(3), 239–249.
Kim, M.-J., Min, S.-H., & Han, I. (2006). An evolutionary approach to the combination of multiple classifiers to predict a stock price index. *Expert Systems with Applications*, *31*(2), 241–247.
Kotler, P., & Armstrong, G. (1988). *Principle of marketing* (4th ed.). Upper Saddle River, NJ: Prentice-Hall.
Kuo, Y. F., & Chen, P. C. (2006). Selection of mobile value-added services for system operators using fuzzy synthetic evaluation. *Expert systems with Application*, *30*(4), 612–620.
Laitinen, E. K., & Laitinen, T. (2000). Bankruptcy prediction: Application of the Taylor's expansion in logistic regression. *International Review of Financial Analysis*, *9*(4), 327–349.
Langley, P., & Simon, H. A. (1995). Applications of machine learning and rule induction. *Communication of the ACM*, *38*(11), 55–64.
Lau, A. H. L. (1987). A five-state financial distress prediction model. *Journal of Accounting Research*, *25*(1), 127–138.
Lee, L. Y. (2003). A study on mobile internet business model. Master thesis, Institute of Business and Management, National Chiao Tung University, Taiwan.
Lejeune, M. (2001). Measuring the impact of data mining on churn management. *Internet Research: Electronic Network Applications and Policy*, *11*(5), 375–387.
Liang, T.-P., Chandler, J. S., & Han, I. (1990). Integrating statistical and inductive learning methods for knowledge acquisition. *Expert Systems with Applications*, *1*(4), 391–401.
Medsker, L., & Turban, E. (1994). Integrating expert systems and neural computing for decision support. *Expert Systems with Applications*, *7*(4), 553–562.
Michalewicz, Z. (1996). *Genetic algorithms + data structures = evolution programs* (3rd ed.). Berlin, Germany: Springer-Verlag.

Acknowledge (agradecimiento)

References (referencias)

Expert Systems with Applications 38 (2011) 5005–5012

Contents lists available at ScienceDirect

Expert Systems with Applications

journal homepage: www.elsevier.com/locate/eswa

Facilitating cross-selling in a mobile telecom market to develop customer classification model based on hybrid data mining techniques

Hyunchul Ahn [a], Jae Joon Ahn [b], Kyong Joo Oh [b,*], Dong Ha Kim [b]

[a] School of Management Information Systems, Kookmin University, 861-1, Jeongneung-Dong, Seongbuk-Gu, Seoul 136-702, South Korea
[b] Department of Information and Industrial Engineering, Yonsei University, 134, Shinchon-Dong, Seodaemun-Gu, Seoul 120-749, South Korea

ARTICLE INFO

Keywords:
Customer classification
Genetic algorithms
Logistic regression
Artificial neural network
Decision tree
Mobile telecom market

ABSTRACT

As the competition between mobile telecom operators becomes severe, it becomes critical for operators to diversify their business areas. Especially, the mobile operators are turning from traditional voice communication to mobile *value-added services* (VAS), which are new services to generate more *average revenue per user* (ARPU). That is, cross-selling is critical for mobile telecom operators to expand their revenues and profits. In this study, we propose a customer classification model, which may be used for facilitating cross-selling in a mobile telecom market. Our model uses the cumulated data on the existing customers including their demographic data and the patterns for using old products or services to find new products and services with high sales potential. The various data mining techniques are applied to our proposed model in two steps. In the first step, several classification techniques such as logistic regression, artificial neural networks, and decision trees are applied independently to predict the purchase of new products, and each model produces the results of their prediction as a form of probabilities. In the second step, our model compromises all these probabilities by using genetic algorithm (GA), and makes the final decision for a target customer whether he or she would purchase a new product. To validate the usefulness of our model, we applied it to a real-world mobile telecom company's case in Korea. As a result, we found that our model produced high-quality information for cross-selling, and that GA in the second step contributed to significantly improve the performance.

© 2010 Elsevier Ltd. All rights reserved.

1. Introduction

Along with the rapid growth of mobile telecom market in recent years, the mobile telecom markets in the world are becoming saturated. As traditional voice communication services have become widespread, mobile telecom operators have experienced difficulties in attracting more customers, which has led to fierce competition amongst the mobile operators. To overcome the current crisis, the mobile operators are focusing more on the *value-added services* (VAS)[1] market such as communication, entertainment, transaction, and information services, instead of the ordinary voice communications market since the VAS market returns higher *average revenue per user* (ARPU). In other words, the mobile operators are trying to cross-sell their new mobile telecom service (Kuo & Chen, 2006).

However, it is never easy for the operators to make their subscribers to use mobile VAS. There are two types of the subscribers who do not buy or use mobile VAS. The first type of subscribers are the people who have no interests in using mobile VAS or are not able to use it. They simply think that mobile VAS do not offer any benefits. The second type is the subscribers who may have interests and may find benefits in using mobile VAS, but are not aware of the availability of the services. These second type subscribers offer great business opportunities for mobile service operators. Thus, it becomes critical for the operators to find the appropriate prospects for using mobile VAS.

Recently, most mobile telecom operators utilize CRM (customer relationship management) systems in order to cumulate various types of data from their subscribers, such as demographic information and the patterns for using voice communication, in their DB (database) or DW (data warehouse). These data can be useful to find the appropriate prospects for using mobile VAS since they may be used as the cues for understanding customers' life styles and value system. As a result, the effective application of the cumulated data on the existing customers and their usage pattern for old

* Corresponding author. Tel.: +82 2 2123 5720.
E-mail addresses: hcahn@kookmin.ac.kr (H. Ahn), redsamzang@yonsei.ac.kr (J.J. Ahn), johanoh@yonsei.ac.kr (K.J. Oh), donghakim@yonsei.ac.kr (D.H. Kim).

[1] Mobile VAS combine the characteristics of mobile telephones and the Internet (Lee, 2003). Shih (2003) defined mobile VAS as, "The addition of digital services (excluding voice services) to the basic mobile phone network, such as games, image download, ringing tones download, messages, coupons and electronic transactions". Mobile VAS can bring the five values to consumers: "time-critical needs and arrangements", "spontaneous needs and decisions", "entertainment needs", "efficiency needs and ambitions" and "mobility-related needs" (Anckar & D'Incau, 2002).

0957-4174/$ - see front matter © 2010 Elsevier Ltd. All rights reserved.
doi:10.1016/j.eswa.2010.09.150

Volumen/serie (año) pag -pag

Nombre de la revista

Editorial

ARTÍCULOS DE APORTE

Artículo de Aporte

También conocido como artículo de contribución.
Es un documento que ofrece nuevas ideas, enfoques, metodologías, teorías o descubrimientos originales que contribuyen al avance del conocimiento en un campo específico.
Se publican en revistas académicas (poco en congresos [proceedding]).

Características:

- Novedad: Presenta ideas, enfoques o descubrimientos originales, no publicados.
- Relevancia: Aborda cuestiones significativas, potencial de influir en investigaciones futuras.
- Rigor académico: Respaldado por un marco teórico sólido, utiliza metodologías rigurosas.
- Originalidad: Contribución única al conocimiento. Nuevas teorías, evidencias empíricas, métodos.
- Impacto: Amplían la comprensión de un tema, o inspiran investigaciones futuras.

no es un artículo de revisión; no es una replican estudios anteriores.

ARTÍCULOS DE ESTADO DEL ARTE

Artículo del estado del arte

También conocido como revisión del estado del arte.
Tiene por objetivo proporcionar una visión general exhaustiva y actualizada sobre un tema específico de investigación.
Examina críticamente la literatura existente, identificando las tendencias, los avances más recientes, las lagunas en el conocimiento y las áreas de controversia en el campo.

Características:

- Revisión exhaustiva: Identifica aportes nuevos, teorías y enfoques metodológicos.
- Análisis crítico: Evaluando la calidad de los estudios, la consistencia de los hallazgos y las limitaciones metodológicas.
- Síntesis y organización: Sintetiza y organiza la información revisada de manera coherente, proporcionar una visión general.
- Identificación de lagunas: Áreas no investigadas, sugiere futuras investigaciones.
- Contribución al campo: No solo es un resume de trabajos previos, puede sugerir nuevas perspectivas, enfoques conceptuales o marcos teóricos.

Finalidad

En pregrado

- Conocer las técnicas (deseable todas o las más recientes).
- Identificar la técnica más adecuada para resolver el problema.
- Conocer el proceso para resolver el problema.


En posgrado

- Identificar las técnicas más adecuada para resolver el problema de estudio.
- Conocer las técnicas (deseable todas o las más recientes) al extremo de identificar lo que se puede mejorar (aporte de maestría), mejorar sustancialmente o innovar (aporte de doctorado)
- Conocer el proceso para mejorar y/o innovar el conocimiento.

Riesgos

Para hacer un aporte se requiere conocer lo existente, por ello el estado del arte es indispensable en toda tesis.

Si no hacemos el estado del arte, hay un alto riesgo de proponer un “aporte” que ya fue desarrollado, es decir el “aporte” NO es válido.



INVESTIGACIÓN EN PREGRADO Y POSGRADO

Comparando Investigación en Pregrado y posgrado

	Pregrado	Posgrado
Profundidad y amplitud de la investigación:	Limitadas en términos de profundidad y amplitud. Se enfocan en proyectos pequeños y específicos que abordan aspectos particulares de un tema.	Más extensas y profundas. Se aborda temas complejos y realizan investigaciones más exhaustivas y detalladas.
Independencia y autonomía:	Desarrollado bajo la supervisión directa de un profesor o mentor, menos autonomía y suelen seguir instrucciones más detalladas.	Tienden a ser más autónomos. Trabajan manera más independiente, bajo la guía de un supervisor académico.
Originalidad y contribución al conocimiento:	Aplican métodos y conceptos existentes para abordar preguntas/problemas específicos. Rara vez producen contribuciones significativas.	Generación de nuevo conocimiento, teorías o enfoques. Realizan investigaciones que contribuyen significativamente en su disciplina.
Complejidad metodológica:	Utilizan métodos y técnicas de investigación más simples y directos, adecuados para el nivel de habilidades y experiencia de los estudiantes.	Implican métodos y técnicas de investigación más complejos y sofisticados. Diseñan y ejecutan investigaciones con enfoques avanzados y rigurosos.

BASE DE DATOS BIBLIOGRÁFICA





















Base de Datos Bibliográficas

- Es una colección organizada de referencias bibliográficas que incluyen información sobre documentos publicados en una determinada área temática.

- Estas recopilan detalles bibliográficos de libros, revistas, artículos de conferencias, tesis, informes técnicos y otros tipos de publicaciones académicas y científicas.

- Estas BD son utilizadas por investigadores, estudiantes, bibliotecarios y profesionales en diferentes campos para buscar y acceder a la literatura académica relevante.

Títulos del documento.

Autores

Año de publicación.


Editorial o revista.

Resumen o abstract.

Palabras clave.

Número de páginas.

Tipos de Base de Datos



BASE DE DATOS NACIONALES

ALICIA

Repositorio Institucional CONCYTEC

SciELO Perú

Perú CRIS

RENACYT Registro de investigadores

Base de Datos Nacional - Perú

- https://biblioteca.concytec.gob.pe/colecciones/



Recursos Abiertos

Recursos de acceso abierto

- DOAJ (Directorio de Revistas de Acceso Abierto)
- SciELO (Biblioteca Científica Electrónica en Línea)
- PubMed Central
- Redalyc (Red de Revistas Científicas de América Latina y el Caribe, España y Portugal)
- ALICIA (Acceso Libre a la Información Científica)
- LA Referencia (Red Federada de Repositorios Institucionales de Publicaciones Científicas)

Revistas Peruanas

- https://biblioteca.concytec.gob.pe/revistas-peruanas/

SciELO Perú es una biblioteca virtual que abarca una colección seleccionada de revistas científicas peruanas e integra fuentes relevantes para la investigación básica, aplicada e innovación tecnológica y es una herramienta para estudios bibliométricos.

Lista de titulos

ACCEDER

Latindex Sistema Regional de Información en línea para Revistas Científicas de América Latina, el Caribe, España y Portugal

Lista de titulos

ACCEDER

BD INTERNACIONALES





WEB OF SCIENCE

BD Internacionales



BD para Ingeniería




















BIBTEXT


Entry type
Citekey
BIBTEX
@BOOK{Knuth1997,
title = "The Art of Computer Programming",
author = "Knuth, Donald Ervin",
publisher = "Addison Wesley",
address = "Boston, MA",
edition = "3.",
year = "1997"
}
Fields

BibTeX

Es un sistema de preparación y referencias bibliográficas utilizado en conjunción con LaTeX.


Fue desarrollado originalmente por Oren Patashnik y Leslie Lamport en la década de 1980.

Permite mantener una BD en un archivo de texto plano con formato específico (.bib), donde cada entrada describe un documento bibliográfico [libro, artículo, conferencia] <tipo de entidad o tipo de elemento>

Incluye información sobre el documento [autor, título, año de publicación, editorial, páginas, DOI (Digital Object Identifier), el URL, ..] BibTeX.

```
@misc{vamdc_consortium_2018_1620773,
  author       = {VAMDC, Consortium},
  title        = {{VAMDC extraction with identifier = 17053a9a-e56e-
                   451b-9bd2-8e0cddda0d5d}},
  month        = may,
  year         = 2018,
  doi          = {10.5281/zenodo.1620773},
  url          = {https://doi.org/10.5281/zenodo.1620773}
}
```

Elementos del BibTxt



Tipos de Entradas (elementos)

- article: Para artículos de revistas académicas.
- book: Para libros publicados.
- inproceedings: Para artículos publicados en actas de conferencias.
- conference: Similar a inproceedings, pero a veces usado para diferenciar entre artículos de conferencias y actas de conferencias.
- techreport: Para informes técnicos.
- phdthesis: Para tesis de doctorado.
- mastersthesis: Para tesis de maestría.
- misc: Para materiales que no se ajustan a ninguna de las categorías anteriores.

HERRAMIENTAS PARA LA GESTIÓN DE REFERENCIAS









Herramientas para la Gestión de Referencias

JabRef

- Software de código. Proporciona una interfaz gráfica de usuario intuitiva para la edición, búsqueda y organización de referencias bibliográficas.

Zotero

- Es un gestor de referencias bibliográficas, puede importar, exportar y trabajar con archivos BibTeX. Es una herramienta muy popular. Se integra al Word.

Mendeley:

- Similar a Zotero. Se integra con Microsoft Word y otros programas para la escritura de documentos académicos.

EndNote

- Software comercial, puede importar y exportar archivos BibTeX, facilita su integración con otros sistemas.

BibTeX

- Es un sistema de preparación y referencias bibliográficas utilizado en conjunción con LaTeX.
- Fue desarrollado originalmente por Oren Patashnik y Leslie Lamport en la década de 1980.

- Permite mantener una BD en un archivo de texto plano con formato específico (.bib), donde cada entrada describe un documento bibliográfico [libro, artículo, conferencia]
- Incluye información sobre el documento [autor, título, año de publicación, editorial, páginas, DOI (Digital Object Identifier), el URL, ..] BibTeX.

- Los usuarios pueden citar estas referencias en sus documentos LaTeX utilizando comandos especiales de BibTeX, como \cite{clave}, donde "clave" es el identificador único de la entrada en la base de datos BibTeX. Cuando se compila el documento LaTeX con BibTeX, este sistema genera automáticamente la lista de referencias según el estilo de citación especificado y la información proporcionada en la base de datos BibTeX.

- BibTeX simplifica enormemente la gestión de referencias bibliográficas, permitiendo a los autores mantener una base de datos centralizada de sus fuentes y asegurando la coherencia en la citación de las referencias en sus documentos. Esto es especialmente útil para proyectos académicos y científicos que requieren una gran cantidad de citas bibliográficas precisas y consistentes.

BÚSQUEDA DE REFERENCIAS

String de Búsqueda de Papers


Criterio de inclusión:

- Identificar palabras clave en el dominio de conocimiento.
- Desarrollar una primera búsqueda de papers de aporte y de papers de estado del arte.

Criterios de exclusión

- Identificar palabras claves en dominio que no son de interés.

Criterio de Inclusión



Ejercicio

- Preparar el string de búsqueda de papers de estado de arte en el dominio de: “Scene Text Detection”.

- ("Scene Text Detection" OR "Detect text in images" OR "Text Localization in Images“)

- DOI ("Scene Text Detection" OR "Detect text in images" OR "Text Localization in Images")

Ejercicio

- Preparar el string de búsqueda de papers de estado de arte en el dominio de: “Scene Text Recognition”.

Artículos del Estado del Arte

- Survey
- Review
- State of the art
- Current state
- Recent developments
- Advances
- Trends
- Progress
- Emerging technologies

```
DOI
    AND
("Scene Text Detection" OR
 "Detect text in images" OR
 "Text Localization in Images")
    AND
(Survey OR
 Review OR
 "State of the art“ OR
 "Current state"
)
```

Ejercicio

- Preparar el string de búsqueda de papers de estado de arte en el dominio de: “Scene Text Detection” y “Scene Text Detection”

```
DOI
     AND
("Open Strep Map"
)
```

Criterio de Exclusión

- El año
- El tipo de revista
- Palabras clave (gran riesgo de exclusión)

ANÁLISIS DE LOS PAPERS DEL ESTADO DE ARTE

Análisis de los papers del estado de arte

Identificar:

- Taxonomía del problema.
- Técnicas y procedimientos más utilizados.
- Algoritmos utilizados.
- Dataset
- Tasas de rendimiento.
- Eventos, congresos, concursos.
- Especialistas en el dominio, empresas, tendencias.
- Equipamiento requerido.

Titulo del Tema

- [Problema]

- [Técnica] [Técnica]

- [ámbito] de donde vienen los datos.
- En chachapoyas.
- En café arábica.
- En ambientes lluvioso.

- Evitar colocar nombres empresas o de marcas registras

SABADO 19 [hasta]

- 1. registro del tema en el forms, indicando solo un tema.

MARTES 22

- 2. preparar el string de búsqueda.

- 3. buscar nuevos papers
  cargar en el zotero

4. Crear un espacio en la nube para cargar los papers descargados y sus resúmenes.

MARTES 29

Preparar un ppt exponiendo el problema que desean resolver.
Problema conceptual [causas subyacentes], de interpretación de la problematica, de dx.
Indicar la fuentes de datos, el layout de la captura de datos, el objeto de estudio, tipología..
En lo posible evitar exponer la solución.

PREGUNTAS

soportod@uni.edu.pe