Enterprise Copilot Architecture Document

Northwind Advisory Group · Integrated Copilot Studio & Microsoft 365 Copilot platform review

Prepared for the Chief Technology Officer · October 2026 · Sections 1–5 hold the analytical content; Appendices A–I hold the supporting framework components.

1. Copilot Studio Agent Architecture Summary

Learner Response

CTO criteria addressed: Platform assignment defensibility · Conversation flow quality

Decision. The financial analysis specialist is the only workflow built in Copilot Studio. It must hold a multi-turn conversation, collect four identifiers, call a proprietary API, normalize nested JSON and fail safely; Microsoft 365 Copilot offers no control over that sequence or state. Publishing it into Teams and Microsoft 365 Copilot keeps consultants in their workspace.

Topics and orchestration. Four topics: Intake, Data Retrieval, Output Formatting and Out-of-Scope Handling. Generative orchestration interprets requests and extracts identifiers (and is required for MCP tools), but execution follows a fixed retrieve–transform–analyze chain because financial analysis is a structured, repeatable workflow that must be auditable.

Conversation flow. Retrieval is a connector action to the MCP-exposed API. Only identifiers persist at session scope; financial payloads stay topic-scoped, are hidden from Power Automate run history and are cleared after each answer. A Power Automate flow flattens the JSON and normalizes units before any prompt sees it. If the API is unavailable, the agent retries once, says no figures are available and opens a pre-filled manual analyst request. It never estimates.

Prompts and fallback. Three governed prompts (model summary, sensitivity explanation, out-of-scope refusal) take figures only from the API and definitions only from the SharePoint methodology library. Unsupported requests are redirected to the right Microsoft 365 surface; general-knowledge answers are disabled.

What would change this decision: a flat, stable API serving single-turn lookups could move this to a lighter Microsoft 365 Copilot agent.

2. Extensibility Architecture Summary

Learner Response

CTO criteria addressed: Extensibility fit · Governance and maintainability

Decision. Integration method follows system capability: MCP for the proprietary financial modeling system because it exposes an API; Computer Use only for the legacy portal because it has none. Reversing this would put fragile screen automation on the firm's most-used financial data.

MCP connector. One read-only connector exposes four tools (run metadata, valuation outputs, scenario assumptions, sensitivity table) that take client_id, engagement_id, model_run_id and scenario_name and return schema-validated outputs. Consultants sign in to the connector as themselves; the connector reaches the API with OAuth 2.0 client credentials held in Key Vault. Write, run-trigger and bulk-export operations are excluded, and outages return a named failure state, never partial data.

Computer Use. Limited to reading archived outputs from the portal: a read-only task instruction, one allow-listed URL and a structured output labeled “archived, verify before client use.” Maintenance risk is material: any screen change can break it, so it has a named owner, a weekly test run, automatic switch-off below a 90% success rate (routing to analysts) and a 12-month sunset review. Migrating the archive would retire it.

A2A handoff. Microsoft 365 Copilot orchestrates. When a request needs governed model data, it hands the specialist a task object carrying task and correlation IDs, the four identifiers, a read-only authority scope and defined failure states: timeout, unavailable, schema mismatch, unauthorized.

What would change this decision: an API for the legacy portal would replace Computer Use with another MCP tool.

3. Microsoft 365 Copilot Surface Alignment Summary

Learner Response

CTO criteria addressed: Platform assignment defensibility · Governance and maintainability

Decision. The three client-facing workflows run on Microsoft 365 surfaces where professionals already work; none is rebuilt in Copilot Studio.

Proposal drafting → Copilot in Word. Partners and proposal managers already draft in Word, and Copilot can reference prior proposals and approved methodology files directly from SharePoint. Shared prompts in the Copilot Prompt Gallery standardize approved language. Extensibility model: native Microsoft 365 grounding, with nothing to build. A curated, sanitized proposal library stops one client's details resurfacing in another's proposal.

Client meeting intelligence → Teams and Outlook, extended by Copilot for Sales, because the requirement is write-back to Dynamics 365 Sales (Section 4).

Internal knowledge retrieval → Microsoft 365 Copilot Chat, Native Microsoft 365 Knowledge Source. The knowledge base already lives in SharePoint, is indexed by Microsoft 365 and honors each user's permissions; a Graph connector would only duplicate it. Configuration: designate the knowledge-base sites as the authoritative source, keep them searchable, apply sensitivity labels, assign content owners and remediate oversharing on engagement sites before rollout.

Duplication check. Copilot Studio hosts only the financial specialist, whose out-of-scope topic routes general methodology questions here.

What would change this decision: knowledge held outside Microsoft 365, such as a third-party research portal, would justify a Copilot connector, still surfaced in Microsoft 365 Copilot.

4. Copilot for Sales Configuration Summary

Learner Response

CTO criteria addressed: Platform assignment defensibility · Governance and maintainability

Decision. Client meeting intelligence runs on Copilot for Sales (now branded Sales in Microsoft 365 Copilot). The business risk is meeting insights never reaching Dynamics 365 Sales, and it is the only option that writes back to the CRM natively from Teams and Outlook.

CRM connector. Dynamics 365 Sales is connected in the Copilot for Sales admin settings. Users sign in as themselves, so Dynamics security roles govern what each person sees. Licenses go to client-facing roles only: account owners, sales leads and client team leads.

Field mapping. Three opportunity fields drive meeting briefs: Sales Stage (what the meeting must achieve), Next Steps (commitments from the last interaction, preserving continuity across partners) and Estimated Close Date (urgency). Estimated revenue is excluded to limit fee visibility.

Meeting intelligence. Automatic AI notes are on for recorded external meetings linked to a CRM record, only where the client consents to recording. CRM updates are never automatic: the account owner reviews the summary and suggested tasks, then saves to CRM. Due-diligence meetings can involve material non-public information, so this human gate keeps unvetted content out of a widely shared system.

Email assistance: enabled. CRM-aware summaries and reply drafting in Outlook save client teams time. Saving emails to CRM remains a one-click user choice, not automatic tracking, because client correspondence can be privileged.

What would change this decision: if most client meetings moved off Teams, CRM capture would need a different route.

5. Integration Consistency Summary

Learner Response

CTO criteria addressed: Cross-component consistency

Decision. All four consistency checks pass, but only after resolving one tension that would otherwise have breached client confidentiality.

✓ **Variables ↔ prompt action:** prompt inputs match the declared topic variables exactly (normalized_financial_output, scenario_name, model_run_id, warnings, request type); raw payloads never reach a prompt.

✓ **Orchestration ↔ A2A:** the task object carries exactly the Intake topic's required inputs, its authority scope matches the read-only tools, and its failure states match topic fallbacks.

✓ **No duplication:** Copilot Studio hosts only the financial specialist.

✓ **Grounding ↔ native knowledge:** prompts reference the methodology library already configured in the Native Microsoft 365 Knowledge Source, in place, with no copy and no Graph connector.

Tension: Section 2 (Extensibility) constrains Section 1 (Copilot Studio agent). The API mandates client-credential authentication, so it trusts the connector, not the person. Section 1 originally accepted client and engagement IDs from user input, so any consultant typing a valid ID could retrieve another engagement's valuation, breaching information barriers that SharePoint and Dynamics enforce automatically.

Resolution. The consultant's identity now travels through the A2A task and connector sign-in, and the MCP server confirms engagement-team membership in Dynamics 365 before calling the API. Engagement IDs are selected from the user's own CRM engagements, never typed; denials never confirm an engagement exists; every call is logged by correlation ID.

What would change this decision: if the API supported user-delegated OAuth, entitlement checks would move to the source system.

Supporting Framework Components

Appendices A–I complete the provided templates. Each is cross-referenced from the section it supports; variable names, failure states and identity rules are identical across all of them (checked in Appendix I).

Appendix A. Topic Architecture (supports Section 1)

Topic Hierarchy

Topic	Purpose	Trigger Phrase/Condition	Fallback or Escalation
Financial analysis query intake	Recognize a financial-model request, classify it (valuation, assumptions, sensitivity, run status, archived run) and collect the four identifiers. Client and engagement are offered from the user's own Dynamics 365 engagements, never typed free-form.	Orchestrator match on requests such as "Pull the base-case valuation for the Contoso diligence" or "Show sensitivity for the latest run". Also entered when Microsoft 365 Copilot hands over an A2A task object.	Identifier unresolved after two prompts → engagement picker, then manual analyst request. Missing inputs on an A2A task → return **input-required** to the orchestrator.
Financial data retrieval	Call the MCP tools (run metadata, then the requested output), run the Power Automate normalization flow and validate the result.	Condition, not a phrase: redirected from Intake once client_id, engagement_id, model_run_id and scenario_name are valid and the entitlement check has passed.	**Timeout / unavailable:** one retry, then graceful degradation: no figures, pre-filled manual analyst request, offer to notify on recovery. **Unauthorized:** generic denial. **Not found (pre-API run):** offer archived lookup via Computer Use, user-confirmed. **Schema mismatch:** analyst request.
Output formatting	Run the governed prompt action and present the analysis with a key-metrics table, a source stamp (model_run_id, scenario, generated_timestamp) and a "Draft, analyst review required" label.	Condition: normalized_financial_output is populated and validation status = pass.	Prompt error, or draft figures that do not match the normalized source → show the normalized table only, without narrative, and offer analyst review. Data older than 30 days → freshness warning.
Out-of-scope query handling	Decline requests outside the specialist's remit and route the user to the correct surface.	System fallback (no topic match) or orchestrator classification: general methodology, proposal drafting, CRM updates, model changes, investment advice, other engagements.	Out-of-scope refusal prompt → redirect to Microsoft 365 Copilot (knowledge, proposals), Copilot for Sales (CRM) or the Financial Modeling team (model changes). Two consecutive misses → escalate to a human analyst.

Orchestration and Fallback

Design Area	Learner Entry
Orchestration model selected	**Generative orchestration with a deterministic topic chain.** Financial analysis tasks follow a structured, repeatable pattern: the same four identifiers and the same retrieve → transform → analyze sequence. That sequence is fixed in topics so it is predictable, testable and auditable. The generative layer handles natural-language intake, identifier extraction and choice among read-only MCP tools; generative orchestration is also the prerequisite for MCP tools in Copilot Studio. Consistent with the A2A design: an orchestrator's task object maps directly onto the Intake topic's required inputs.
Fallback strategy	Unsupported requests route to the Out-of-scope topic, which uses the refusal prompt and redirects to the correct surface. General-knowledge and web-search answers are disabled, so the agent cannot produce figures from model training data. Repeated failure escalates to a human analyst.
Grounding source	**Figures:** financial modeling API via the MCP connector (authoritative, only source of numbers). **Definitions and conventions:** the Financial Modeling Methodology & Data Dictionary library in the SharePoint knowledge base, referenced in place with user authentication. This is the same library configured under the Native Microsoft 365 Knowledge Source (Section 3); no copy, no Graph connector.
Governance note	Read-only tools only. Every call logged with user, engagement_id, model_run_id and correlation_id. Outputs labeled "Draft, analyst review required before client delivery." Prompt-library changes approved by the Corporate Finance practice lead. Power Platform DLP keeps the MCP connector in the Business group. Dev/test/prod promotion through managed solutions.

Appendix B. Conversation Flow Architecture: Financial Data Retrieval (supports Section 1)

Conversation Flow Steps

Step	User/Agent Action	Variables Read or Written	System/Connector Action	Failure Handling
1	User asks for financial model output	**Writes:** request_type. **Pre-fills:** client_id, engagement_id from the A2A payload or conversation context.	Generative orchestration routes the request to the Financial analysis query intake topic.	Ambiguous request → one clarifying question. Out of scope → Out-of-scope topic.
2	Agent gathers required identifiers	[client_id, engagement_id, model_run_id, scenario_name] **Writes** all four after user confirmation.	Engagement picker lists only the user's Dynamics 365 engagements. MCP tool get_model_run_metadata lists completed runs and their scenarios for selection.	Invalid ID → reprompt (max two), then manual analyst request. run_status not completed → tell the user and offer a notification. Not entitled → generic denial.
3	Connector action calls the MCP-exposed API	**Reads:** the four identifiers, correlation_id. **Writes:** raw_financial_payload, api_status.	**Connector action (MCP tool):** get_valuation_outputs, get_scenario_assumptions or get_sensitivity_table. The MCP server checks entitlement, then calls the API with OAuth 2.0 client credentials.	**Graceful degradation:** 10-second timeout, one retry. If still unavailable, the agent says: "The financial modeling system is unavailable, so I can't provide figures right now." Power Automate opens a pre-filled manual analyst request (Teams channel card) and returns a reference; the user can opt in to a recovery notification. No cached or estimated figures.
4	Power Automate transforms nested JSON	**Reads:** raw_financial_payload. **Writes:** normalized_financial_output, normalization_warnings. **Clears:** raw_financial_payload.	**Agent flow:** parse JSON against a versioned schema → flatten valuation_summary and sensitivity_rows → convert numeric strings to decimals → standardize currency, units and percentages → attach source stamp. Secure inputs/outputs on, so values never appear in run history.	Schema mismatch or missing critical fields → api_status = schema_mismatch → manual analyst request. Non-critical gaps → passed forward as normalization_warnings.
5	Prompt action generates an analysis response	**Inputs:** normalized_financial_output, scenario_name, model_run_id, normalization_warnings, request_type. **Output:** analysis_summary.	Prompt action from the library: Financial model summary or Sensitivity table explanation (Appendix C).	Prompt error, or draft figures that differ from the normalized source → normalized table only, no narrative, plus analyst-review offer. Content blocked → neutral message.

Variable Scope Declaration

Variable	Type	Scope	Source	Used By
client_id	string	Conversation/session	CRM context (Dynamics 365 account), user-confirmed; or A2A payload	MCP connector; entitlement check
engagement_id	string	Conversation/session	User's own Dynamics 365 engagements (picker); or A2A payload	MCP connector; entitlement check
model_run_id	string	Topic (passed explicitly between topics)	Financial modeling API (run metadata lookup), user-selected	MCP connector; Power Automate + prompt action (source stamp)
scenario_name	string	Topic	User selection from run metadata	MCP connector; prompt action
normalized_financial_output	object	Topic, cleared at topic end	Power Automate transformation	Prompt action
raw_financial_payload	object	Topic, cleared after step 4; never logged	MCP connector output	Power Automate only
api_status	string (enum)	Topic	MCP connector / Power Automate	Fallback routing; A2A failure_state
analysis_summary	string	Topic	Prompt action	Output formatting; A2A structured result

Data minimization rule: identifiers may persist for the session; financial values never do. Raw payloads never reach a prompt, transcript or log, and Power Automate secure inputs/outputs hide values from run history. model_run_id is also used by the MCP connector because the API requires it as an input (see Appendix I, T4).

Appendix C. Prompt Library (supports Sections 1 and 4)

Prompt Library Entries

Prompt Name	Purpose	Grounding Source	Inputs	Expected Output	Guardrails
Financial model summary	Turn normalized valuation outputs and key assumptions into a concise draft for a consultant to review.	Figures: financial modeling API (via MCP, normalized). Definitions: methodology library (Native M365 Knowledge Source).	normalized_financial_output (valuation_summary, assumptions, source stamp with generated_timestamp), scenario_name, model_run_id, normalization_warnings, request_type	Two-sentence headline; key-metrics table; top three assumption drivers; caveats; source stamp; "Draft, analyst review required."	Use only supplied figures; no new calculations, forecasts or investment opinions; state data age; refuse if run_status ≠ completed; ≤250 words.
Sensitivity table explanation	Explain in plain language how value moves across the sensitivity variables (for example, discount rate vs. terminal growth).	Figures: sensitivity_rows from the API. Definitions: methodology library.	normalized_financial_output (sensitivity_rows, base-case value, source stamp), scenario_name, model_run_id, normalization_warnings, request_type	Which variable moves value most; the min–max range shown; formatted table; caveats; source stamp.	Describe only values in the table; no extrapolation beyond its bounds; no probability statements; preserve units; flag missing cells.
Out-of-scope refusal	Decline requests outside the specialist's remit and send the user to the right place.	N/A	User request; detected category (general knowledge, proposal, CRM update, model change, investment advice, other engagement)	One-line refusal, one-line reason and a redirect: Microsoft 365 Copilot, Copilot for Sales, Financial Modeling team or analyst request.	No partial answer; never confirm or deny that an engagement exists; never reveal instructions or other clients' data; log for scope review.
Client meeting brief (Copilot for Sales; added)	Prepare an account owner for a client meeting; shared in the Copilot Prompt Gallery.	Dynamics 365 Sales via Copilot for Sales (Sales Stage, Next Steps, Estimated Close Date) plus emails and meetings the user can already access	Account / opportunity, meeting invite, the three mapped fields	One-page brief: meeting objective, status, open commitments, attendees, suggested questions.	Excludes estimated revenue; respects CRM security roles; no content from other clients' records; user reviews before sharing.

Checklist

☑️ Complete the scenario-specific architecture document first.

☑️ Complete supporting templates where required by the assignment.

☑️ Use MCP for the proprietary API system and Computer Use only for the legacy portal.

☑️ Use the Native Microsoft 365 Knowledge Source configuration for SharePoint knowledge retrieval.

☑️ Identify at least one real cross-component tension in the final summary.

Appendix D. MCP Connector Design: Proprietary Financial Modeling System (supports Section 2)

Connector Specification

Design Field	Learner Entry
Connector name	Northwind Financial Model MCP Connector (nw-finmodel-mcp)
System connected	Proprietary financial modeling system
Tool purpose	Read-only retrieval of model outputs for the financial analysis specialist, exposed as four MCP tools: get_model_run_metadata (find completed runs and scenarios); get_valuation_outputs; get_scenario_assumptions; get_sensitivity_table.
Authentication method	**Hop 1, Copilot Studio → MCP server:** OAuth 2.0 with Microsoft Entra ID, delegated user sign-in, so the server knows who is asking. **Hop 2, MCP server → API:** OAuth 2.0 client credentials via the enterprise identity provider; secret held in Azure Key Vault and read by managed identity. Streamable HTTP transport over TLS.
Scope boundary	**Allowed:** the four read operations, one model run per call, for engagements the user is staffed on. **Excluded:** creating or editing models, triggering runs, changing assumptions, deleting, bulk or cross-engagement export, and any access to the legacy portal (Computer Use only).
Failure state	10-second timeout, one retry with backoff, then a structured error: timeout | unavailable | schema_mismatch | unauthorized | not_found. Each drives graceful degradation to the manual analyst workflow. Circuit breaker opens for five minutes after three consecutive failures. Cached or partial figures are never returned as current.

Tool Schema

Schema Element	Fields/Definition
Input schema	[client_id, engagement_id, model_run_id, scenario_name] client_id: string, required. engagement_id: string, required. model_run_id: string, required for retrieval tools, optional for get_model_run_metadata. scenario_name: string, required, must match run metadata. Plus correlation_id: string, from the A2A task.
Output schema	[run_status, valuation_summary, assumptions_json, sensitivity_rows, generated_timestamp] run_status: enum (completed | running | failed). valuation_summary: object. assumptions_json: object. sensitivity_rows: array. generated_timestamp: ISO 8601 UTC. Each tool returns only its own field plus run_status, generated_timestamp and the echoed identifiers.
Validation rules	All required fields present, non-empty, within length limits and matching firm ID formats. model_run_id must belong to engagement_id; scenario_name must exist in the run's metadata. Outputs released only when run_status = completed. Response validated against a versioned JSON schema: a mismatch returns schema_mismatch, never partial data. generated_timestamp is mandatory.
Security rules	**Access check:** before every API call, the user's Entra identity must be on the engagement team recorded in Dynamics 365. Denials return a generic “unauthorized” without confirming that the engagement exists. **Data minimization:** each tool returns only its own fields; no client names or personal data; capped row counts. Logs hold identifiers and correlation_id, never financial values. Connector classified Business in Power Platform DLP and rate-limited at the gateway.

Appendix E. Computer Use Specification: Legacy Financial Modeling Portal (supports Section 2)

No template was supplied for Computer Use; this follows the MCP connector format so the two extensibility patterns can be compared side by side.

Design Field	Learner Entry
System connected	Legacy financial modeling web portal: browser-only, no API, archived model outputs only.
Trigger condition	Only when get_model_run_metadata returns not_found for a run that pre-dates the API and the user confirms they want the archived output. **Never** used as a fallback when the API is down (see Appendix I, T3).
Task instruction	"Using the stored read-only portal credential, sign in to the Legacy Financial Modeling Portal. Open Archived Models and search by client_id and engagement_id. Open the archived run matching the requested model year and scenario_name. Read only the Valuation Summary and Key Assumptions panels. Do not edit, export, download or delete anything, and do not leave the portal domain. If the record is missing or the page layout does not match, stop and report not_found or layout_changed."
Output specification	JSON: source = legacy_portal; client_id; engagement_id; archive_label; scenario_name; valuation_fields [label, value, unit]; as_of_date; status (success | not_found | layout_changed | login_failed); screenshot reference for audit. Passed through the same Power Automate normalization and labeled "Archived, extracted from screen; verify before client use."
Runtime controls	Copilot Studio computer use tool on a hosted browser; allow-list limited to the portal URL; credentials in the tool's secure credential store; user confirmation before each run; every session recorded for audit.
Maintenance risk	**High.** Any change to portal screens, sign-in flow or field labels can break extraction or, worse, read the wrong field. Runs take minutes rather than seconds, consume hosted-browser capacity and depend on credential rotation.
Mitigation and fallback	Named owner (Financial Modeling team); weekly synthetic test against a known archived record; automatic switch-off if the success rate falls below 90% over seven days, with requests routed to the manual analyst workflow; portal owners notify the agent owner of UI changes.
Business value review	Approved as a 12-month bridge for low-volume archive lookups (prior-year comparisons for repeat clients). The sunset review weighs maintenance effort against a one-time export of the archive to SharePoint or the proprietary system, which would retire Computer Use.

Appendix F. Agent2Agent (A2A) Handoff (supports Section 2)

Sequence Diagram




Figure F1. Microsoft 365 Copilot (orchestrator) hands a task object to the Copilot Studio specialist, which retrieves governed data through the MCP connector and returns a structured result. Red band: failure path.

A2A Task Object

Field	Type	Required?	Description
task_id	string	Yes	**Unique task identifier.** GUID created by Microsoft 365 Copilot for each request.
correlation_id	string	Yes	**Trace across the orchestrator and the specialist.** Also passed to the MCP server, the Power Automate run and the audit log.
requesting_agent	string	Yes	**Source agent:** Microsoft 365 Copilot (Teams / Copilot Chat).
target_agent	string	Yes	**Financial analysis specialist agent** (Copilot Studio).
payload	object	Yes	**Normalized task inputs:** request_type, client_id, engagement_id, model_run_id (optional), scenario_name (optional), the user's request text and the user's Entra identity.
authority_scope	string	Yes	**Allowed actions for the target agent:** read-only. Query run metadata; retrieve valuation, assumptions and sensitivity data for engagements the user is staffed on; generate a draft analysis. **Not allowed:** writing to the financial system or CRM, sending email, or running Computer Use without user confirmation.
failure_state	string	Yes	**Timeout:** no result in 60 s → orchestrator tells the user and offers an analyst request. **Unavailable:** specialist returns the analyst-request reference. **Schema mismatch:** no figures, analyst request. **Unauthorized:** generic denial. **Input-required:** orchestrator relays the specialist's question.

Sequence Steps

Step	Source	Target	Message/Event	Failure Handling
1	Orchestrator	Specialist	Create task object	Payload validated against the Intake topic's required inputs. Missing identifier → specialist returns input-required and the orchestrator asks the user. Malformed task → rejected as schema_mismatch.
2	Specialist	MCP connector	Request financial output	Entitlement check first (unauthorized → generic denial). Timeout → one retry, then unavailable → Power Automate opens a manual analyst request. not_found for a pre-API run → offer archived lookup (Computer Use, user-confirmed).
3	Specialist	Orchestrator	Return structured result	Result carries status, analysis_summary, key-metrics table, source stamp and correlation_id. If normalization or prompt validation fails → table-only result, or failure_state with analyst-request reference; never unvalidated figures.
4	Orchestrator	User/M365 surface	Present response or escalation	Shown in Teams / Copilot Chat with the "Draft, analyst review required" label. On failure: plain-language status, analyst-request reference and expected turnaround. No response within 60 s → timeout message and the same escalation.

Appendix G. Microsoft 365 Copilot Platform Decision Matrix (supports Section 3)

Platform Decision Matrix

Workflow	Recommended Surface	Extensibility Model	Rationale	Duplication Check
Proposal drafting	Copilot in Word (Copilot Chat in Teams for research)	Native Microsoft 365 grounding (SharePoint files referenced directly) plus shared prompts in the Copilot Prompt Gallery; no custom extension	Proposal teams already draft in Word, and prior proposals and approved methodology content already sit in SharePoint. Reuse is a content-curation task (sanitized, approved proposal library), not an agent build. **Would change if** pricing data had to come from a system outside Microsoft 365 (then add an API plugin).	Yes. No Copilot Studio agent drafts proposals, and the financial specialist does not create documents.
Client meeting intelligence	Teams meeting recap and Outlook, extended by Copilot for Sales (Sales in Microsoft 365 Copilot)	Copilot for Sales with the Dynamics 365 Sales CRM connection	The only option that reads and writes Dynamics 365 opportunity and meeting records natively from Teams and Outlook, which removes the "insights fail to connect to CRM" risk. **Would change if** most client meetings moved off Teams.	Yes. No Copilot Studio meeting summarizer or CRM write-back flow is built.
Internal knowledge retrieval	Microsoft 365 Copilot Chat in Teams and the Microsoft 365 Copilot app (optionally a SharePoint-scoped agent built in Agent Builder)	Native Microsoft 365 Knowledge Source	Knowledge-base content is native SharePoint: already indexed and permission-trimmed. Configure the knowledge-base sites as the authoritative source, keep them searchable, apply sensitivity labels, assign content owners and fix oversharing on engagement sites. No Graph connector: that pattern is for content outside Microsoft 365. **Would change only if** knowledge moved outside Microsoft 365.	Yes. The specialist's out-of-scope topic routes general methodology questions here; it references only the methodology library, in place.
Financial analysis specialist (added for completeness)	Copilot Studio agent, published to Teams and Microsoft 365 Copilot	MCP connector, Power Automate flow and prompt actions; Computer Use for the legacy portal; A2A task contract	Needs multi-turn state, four required identifiers, API integration, data transformation and graceful degradation, which Microsoft 365 Copilot surfaces do not provide.	Yes. This is the only workflow built in Copilot Studio.

The fourth row is added so the duplication check runs in both directions: three workflows on Microsoft 365 surfaces, one in Copilot Studio.

Appendix H. Copilot for Sales Configuration (supports Section 4)

Design Area	Configuration	Rationale
CRM connector	Dynamics 365 Sales (production environment) connected in the Copilot for Sales admin settings; user-level sign-in; Dynamics security roles apply. Licenses for account owners, sales leads and client team leads.	Insights land in the system of record; nobody sees CRM data they could not already see; license cost limited to roles that own client relationships.
Field mapping 1: Opportunity Sales Stage	Shown in meeting briefs and Teams/Outlook record cards; read-only in Copilot for Sales.	Tells the team what the meeting must achieve (for example, proposal submitted → secure a decision).
Field mapping 2: Opportunity Next Steps	Shown and editable, with user review before save.	Carries commitments from the last interaction, so continuity survives partner and consultant hand-offs.
Field mapping 3: Opportunity Estimated Close Date	Shown and editable, with user review before save.	Signals urgency and whether the meeting needs to secure a decision.
Excluded field: Estimated revenue	Not shown in meeting briefs.	Limits fee visibility to those who need it.
Automatic note capture	On for recorded and transcribed external meetings linked to a CRM record, only where client consent to recording is documented; off otherwise.	Captures notes without extra effort while respecting client confidentiality terms.
CRM update triggers	User-initiated "Save to CRM" after reviewing the AI summary. Follow-up tasks created only on confirmation. The summary, not the transcript, is saved to the meeting record.	AI summaries can be wrong, and diligence meetings can contain material non-public information; a human gate keeps unvetted content out of a widely shared system.
Email assistance	**Enabled:** CRM-aware email summaries and reply drafting in Outlook. Saving email to CRM is a manual one-click choice; no automatic tracking.	Saves client teams time while keeping privileged correspondence out of CRM unless a person chooses to save it.

Appendix I. Integration Consistency Checklist (supports Section 5)

Four Cross-Component Consistency Checks

Consistency Check	Components Compared	Evidence	Status
1. Conversation flow variable management aligns with prompt action configuration	Conversation flow (App. B) ↔ Prompt library (App. C)	Prompt inputs are exactly normalized_financial_output, scenario_name, model_run_id, normalization_warnings and request_type, with matching names and types. raw_financial_payload is Power Automate-only and cleared after step 4.	☑️ Met
2. Orchestration model is consistent with the A2A task object design	Topic architecture (App. A) ↔ A2A (App. F)	Task payload = the Intake topic's required inputs; authority_scope = the four read-only MCP tools; failure_state values = topic fallbacks (timeout, unavailable, schema_mismatch, unauthorized, input-required).	☑️ Met (after T5)
3. Microsoft 365 surface assignments do not duplicate Copilot Studio capabilities	Decision matrix (App. G) ↔ Copilot Studio design (Section 1)	Copilot Studio hosts only the financial specialist. Proposals, meeting intelligence and knowledge retrieval use Word, Copilot for Sales and Copilot Chat; the out-of-scope topic routes users to them.	☑️ Met
4. Prompt library grounding aligns with the Native Microsoft 365 Knowledge Source configuration	Prompt library (App. C) ↔ knowledge configuration (Section 3)	Methodology definitions come from the same SharePoint library configured in the Native Microsoft 365 Knowledge Source, referenced in place with user authentication. No copy, no Graph connector; figures only from MCP.	☑️ Met (after T2)

Tension and Resolution Log

ID	Sections in Tension	Tension	Resolution Applied
T1 (primary)	Section 2 (MCP authentication) ↔ Section 1 (variable sourcing)	The API requires OAuth client credentials, so it cannot tell users apart. Section 1 let users type client and engagement IDs, so anyone could pull another engagement's valuation, breaching information barriers that SharePoint and Dynamics enforce automatically.	User identity passed through the A2A task and delegated connector sign-in. The MCP server checks engagement-team membership in Dynamics 365 before every API call. Engagements are picked from the user's own CRM list; denials do not confirm existence; calls are logged by correlation_id.
T2	Section 1 (prompt grounding) ↔ Section 3 (native knowledge, no duplication)	Prompts need firm methodology definitions that live in the SharePoint knowledge base assigned to Microsoft 365 Copilot. Indexing that knowledge base in Copilot Studio would create a second knowledge assistant.	The specialist references only the Financial Modeling Methodology library, in place, for definitions. General questions are routed to Microsoft 365 Copilot.
T3	Section 1 (graceful degradation) ↔ Section 2 (Computer Use scope)	Falling back to the legacy portal when the API is down is tempting, but it would serve archived data as current and widen Computer Use beyond the no-API portal.	API outage → manual analyst workflow only. Computer Use runs only for pre-API archived runs, on user confirmation.
T4	Conversation flow template ↔ MCP connector schema	The template listed model_run_id as sourced from the API and used only by Power Automate and the prompt, but the API requires it as an input.	The run-metadata tool returns valid runs for selection; model_run_id was added to the MCP connector's usage and is passed explicitly between topics.
T5	Section 1 (multi-turn specialist) ↔ Section 2 (A2A single task)	A2A delegates one task, but the specialist may need several turns to collect identifiers.	The specialist returns input-required; the orchestrator relays the question; state is held under correlation_id so follow-ups do not restart the task.

T1 is the primary tension documented in Section 5. T2–T5 were resolved inside the components and are logged here so the CTO can see every design change made for consistency.