Epic Hyperspace Client-Side Function Reference

Deployment-conditional Tier 1 scoping guide

Boundary: This is not a universal Epic runbook. Use it to distinguish likely client/workstation/session evidence from Epic application build or authorization evidence. Customer Epic documentation and the health system ownership matrix are authoritative.

Function and Dependency Map

Area	Tier 1 Evidence that may be Observable	Do Not Assume	Escalate When
Client launch/session	Client starts or fails to start; session/authentication outcome; single vs. multi-user scope; local workstation evidence.	A sign-in symptom proves Epic is the root cause.	Repeated failure, multi-user impact, service incident, security signal, or no authorized recovery action.
Chart access	Exact message, whether other Epic functions open, whether the issue follows the user or device, and deployment-specific prerequisite evidence.	Microsoft Entra group membership equals Epic chart authorization.	Epic-side security/access/build artifact indicates missing or incorrect application authorization.
Printing	Whether Epic generated/sent the print request; output-management/EPS evidence if supplied; downstream Windows queue/printer state where used.	A failed Epic print job is automatically a Windows spooler problem.	Epic output layer, shared queue, multi-user, or clinically blocking condition is implicated.
Scheduling/orders/In Basket	User-visible symptom and organization-provided diagnostic evidence.	These functions inherently depend on Microsoft 365 or Microsoft Entra groups.	Workflow/build/configuration or application authorization is implicated.
Teams virtual appointment integration	Only where the organization has deployed the Teams EHR connector or another documented integration.	Every Epic telehealth workflow uses Teams or the Microsoft EHR connector.	Connector/integration or scheduling evidence points beyond Tier 1.

Client-Side Classification Rules

- Use scope, recurrence, workstation behavior, client/session evidence, and service-health context together.
- Treat a single symptom as a clue, not proof of ownership.
- Do not repeatedly clear caches, reset sessions, restart services, or reinstall software unless the organization's Tier 1 runbook explicitly authorizes the action.
- Do not change Epic build, security classes, provider configuration, workflow configuration, or integration settings at Tier 1 unless the employer specifically assigns that authority.

- When evidence points to application/build/security configuration, preserve the signals and warm-transfer to the Epic application owner.

Official Reference Anchors

- **Microsoft Teams EHR connector for Epic:**
  https://learn.microsoft.com/en-us/microsoft-365/frontline/ehr-admin-epic?view=o365-worldwide

Epic-specific note: Epic customer build, security, client, and support procedures are organization-specific. The health system's approved Epic reference and Epic-provided customer documentation remain authoritative.