Clinical Priority & SLA Reference

MOCK REFERENCE - synthetic document created for this simulation

Level	Definition	Examples	SLA
P1 - Critical	Direct, immediate risk to patient safety or a care-area-wide outage.	Nurse call system down on a unit; infusion pump giving incorrect dosing alerts; EHR fully inaccessible.	30 minutes
P2 - High	Significant impact to clinical workflow without immediate safety risk.	Lab results not syncing; e-prescribing failing for a single provider; single device malfunction with backup available.	2 hours
P3 - Medium	Limited impact, workaround available, non-clinical-critical system.	Portal login issues for one user; slow report generation; non-critical application error.	8 hours
P4 - Low	Minimal or no operational impact.	Cosmetic UI issue; enhancement request; documentation question.	3 business days

SLA clock - pause and resume conditions

Clock pauses when:

- Waiting on the requester for information needed to proceed (clock pauses when the follow-up request is sent).
- Ticket handed to a third-party vendor for a fix outside Ridgeline's control.
- Scheduled maintenance window that affects the resource in question.

Clock resumes when:

- Requester replies with the requested information.
- Vendor confirms a fix or workaround is available to implement.
- Maintenance window ends and normal operations resume.

Note: P1 tickets should never be paused for requester follow-up without a documented safety check first.