- Welcome!
- About this course
- Module 1 - R basics
  - Learning Objectives
  - Math Variables and Strings (4:25)
  - Lab - Writing your first R code!
  - Vectors and Factors (4:50)
  - Vector Operations (4:42)
  - Lab - Vectors and Factors
  - **Graded Review Questions** Review Questions
- Module 2 - Data structures in R
- Module 3 - R programming fundamentals
- Module 4 - Working with data in R
- Module 5 - Strings and Dates in R
- Course Summary
- Final Exam
- Course Survey and Feedback

Graded Review Questions Instructions

1. Time allowed: **Unlimited**
   - We encourage you to go back and review the materials to find the right answe
   - Please remember that the Review Questions are worth 50% of your final marl
2. Attempts per question:
   - One attempt - For True/False questions
   - Two attempts - For any question other than True/False
3. Clicking the "**Final Check**" button when it appears, means your submission is **F** will **NOT** be able to resubmit your answer for that question ever again
4. Check your grades in the course at any time by clicking on the "Progress" tab

REVIEW QUESTION 1 (1/1 point)

Vectors in R can be which of the following types?

- ○ Logical
- ○ Numeric
- ○ Character
- ◉ All of the above ✔

You have used 2 of 2 submissions

REVIEW QUESTION 2 (1/1 point)

What would be the output in R given: `c(1,2) == 1 ?`

- `FALSE TRUE`
- `TRUE FALSE` ✔
- `FALSE FALSE`
- `TRUE TRUE`

You have used 2 of 2 submissions

REVIEW QUESTION 3 (1/1 point)

How would you retrieve the items larger than 5 (as in 15 and 10) from the vector: `costs <- c(3, 15, 3, 10)?`

- `costs[15,10]`
- `costs[c(15,10)]`
- `costs(costs > 5)`
- `costs[costs > 5]` ✔
- `costs > 5`

You have used 2 of 2 submissions