
# AMASTERING AMASTERING



# **Mastering Auto Layout**

Jerry Beers

Copyright ©2016 Razeware LLC.

# Notice of Rights

All rights reserved. No part of this book or corresponding materials (such as text, images, or source code) may be reproduced or distributed by any means without prior written permission of the copyright owner.

## Notice of Liability

This challenge and all corresponding materials (such as source code) are provided on an "as is" basis, without warranty of any kind, express of implied, including but not limited to the warranties of merchantability, fitness for a particular purpose, and noninfringement. In no event shall the authors or copyright holders be liable for any claim, damages or other liability, whether in action of contract, tort or otherwise, arising from, out of or in connection with the software or the use of other dealing in the software.

### **Trademarks**

All trademarks and registered trademarks appearing in this book are the property of their own respective owners.

# Challenge #2: Constraint Inequalities

By Jerry Beers


In this challenge, you'll look at one of the tools Xcode provides for debugging views, **Double-Length Pseudolanguage**, and use it to see how different length text impacts your layout.

# Preview


There are two places you can use the double-length pseudolanguage, the first is in the preview assistant. With the storyboard open, click the circles in the upper-right to open the assistant editor.



Then, at the top of the assistant editor, click to select the preview.



Finally, at the bottom of the preview, click the language and select **Double-Length Pseudolanguage**.




This will make all the text in the preview be doubled from what is in the storyboard.

# **Runtime**

Of course, the preview doesn't always look the same way your app will at runtime, so the second way you can use this tool is when your app is running. First, click on the project name in the upper left corner to edit the scheme.



Then, in the settings dialog, with the "Run" option selected on the left, click the "Options" tab at the top. Now you can pick the language that your app will run in and "Double Length Pseudolanguage" is one of the choices.



When you select this and run the app, all the text in the app will now be doubled. Both of these are very useful for visualizing what will happen with your layout when the text is longer than it initially was in your storyboard.