ST. MARK'S COPTIC ORTHODOX COLLEGE



END OF SEMESTER ONE EXAMINATIONS PRELIMINARY 2008

Mathematics Extension 1

EXAMINER: MR. WAGDY MICHEAL

General Instructions

- o Reading Time- 5 minutes
- o Working Time − 2 hours
- o Write using a black or blue pen
- Approved calculators may be used
- A table of standard integrals is provided at the back of this paper.
- All necessary working should be shown for every question.
- o Begin each question on a fresh sheet of paper.

Total marks (84)

- o Attempt Questions 1-7
- o All questions are of equal value

Total Marks – 84 Attempt Questions 1-7 All Questions are of equal value

Begin each question on a NEW SHEET of paper, writing your name and question number at the top of the page. Extra paper is available.

QUESTION 1 (12 MARKS) Begin a NEW sheet of writing paper. Marks a) Divide the interval A (-2, 7) B (12, 0) internally in the ratio 4:3 2 Simplify $\frac{3ab^2}{5xy} \div \frac{12ab - 6a}{x^2y + 2xy^2}$ b) 2 Factorise $27x^6 + \frac{1}{8}$ c) 2 Solve by completing the square $x^2 + 2x - 7 = 0$, leaving your answer in simplest d) 2 exact form. Find the horizontal asymptote of the function $y = \frac{2x^2 - 4x + 3}{x^2 - 5}$ e) 2 For what values of x is $|6x-3| \le 5$ f) 2

QUESTION 2 (12 MARKS) Begin a NEW sheet of writing paper. Marks

(a) Solve
$$\frac{3}{x-2} \le 1$$
.

- (b) (i) Write down, in surd form, the values of $\sin 45^{\circ}, \cos 45^{\circ}, \sin 30^{\circ}, \cos 30^{\circ}$ 2
 - (ii) Hence, show that $\cos 75 = \frac{1}{4} \left(\sqrt{6} \sqrt{2} \right)$ (FULL WORKING OUT MUST

 BE SHOWN, USE OF CALCULATOR WILL RESULT IN A ZERO MARK) 2

(c) Micheal who is W metres south of a tower sees the top of it with an angle of elevation of 20°. Gerges is T metres east of the tower. From his position the angle of elevation is 24° to the top of the tower.

The two men are 1400m apart.

(i) Show that $W = h \cot 20^{\circ}$

1

(ii) Find the height of the tower to the nearest metre.

4

QUESTION 3 (12 MARKS) Begin a NEW sheet of writing paper.

Marks

(a) Show that
$$\frac{\sec^2 x}{\tan x} = \frac{1}{\sin x \cos x}$$

2

(b) (i) Two lines with gradients m_1 and m_2 intersect on the Cartesian Plane. 1 If the acute angle between the lines is θ , write the formula for $\tan \theta$.

(ii) If $m_1 = 3$, express the exact value(s) of m_2 in the form $a \pm \frac{b\sqrt{c}}{d}$ if $\theta = 30^0$.

2

(c) (i) Express $\cos \theta - 2\sin \theta$ in the form

$$A\cos(\theta + \alpha)$$
, $A > 0$, $0 < \alpha < 90^{\circ}$

2

(ii) Hence, solve the equation $\cos \theta - 2\sin \theta = 1$, $0 \le \theta \le 360^{\circ}$

2

(d) Given that $a\sqrt{b} - c = \sqrt{24 - 16\sqrt{2}}$, find the integers a, b and c.

3

QUESTION 4


(12 MARKS)

Begin a NEW sheet of writing paper.

Marks

1

2



The diagram shows 3 parallel lines; CD || BE || AF and 2 transversals AC and DF

- (i) Copy the diagram onto your answers and include the parallel to AC through E.
- (ii) Prove $\frac{BC}{BA} = \frac{DE}{EF}$

(You may assume that the opposite sides of a parallelogram are equal)

- (b) A (1, -1) B (-3, 1) C (-3, 4) and D (3, 1) are points on the Cartesian Plane. AB||CD
 - (i) Find the distances AB and DC

2

(ii) Show that the equation of CD is x + 2y - 5 = 0

2

(iii) Find the perpendicular distance of A from CD


1

(iv) Hence or otherwise obtain the area of the trapezium ABCD

1

3

(c) From a cliff 100 metres high, the straight line distance to the horizon is 36 kilometres. Calculate the radius of the earth.



QUESTION 5 (12 MARKS) Begin a NEW sheet of writing paper.

Marks

- (a) (i) On the same diagram sketch the graphs of $y = \sin x$ and $y = 2\sin x + 1$, where, $0 \le x \le 360^{\circ}$
 - (ii) Hence, or otherwise, solve $2\sin x + 1 \ge \sin x$, where $0 \le x \le 360^{\circ}$
- (b) (i) Prove $\frac{\sin 2x}{1 + \cos 2x} = \tan x$
 - (ii) Hence, find the exact value of tan15° 2
- (c) Boat A sails 15km from port P on a bearing of 055⁰. Boat B sails from P for 25 km on a bearing of 135⁰.
 - (i) Show the angle APB = 80°
 - (ii) Calculate their distance apart to 1 decimal place. 2

QUESTION 6 (12 MARKS) Begin a NEW sheet of writing paper.

Marks

(a) Show that
$$\frac{1-\cos\theta}{\sin\theta} + \frac{\sin\theta}{1+\cos\theta} = 2\tan\frac{\theta}{2}$$

- (b) An Isosceles triangle has base angles of θ ° and a base of 12cm. If $\tan \theta = \frac{2\sqrt{3}}{3}$, find the exact area of the triangle.
- (c) If $t = \tan \frac{x}{2}$, show that $3\cos x + 4\sin x + 5 = \frac{2t^2 + 8t + 8}{1 + t^2}$.
 - (ii) Hence, solve the equation $3\cos x + 4\sin x + 5 = 0$ for $0 \le x \le 360^\circ$
- (d) Solve |x-2|+|x+2| > 6 and graph your solution on a number line. 3

Question 7

(12 marks)


Begin a NEW sheet of writing paper.

Marks

(a) Find all real solutions for the equation: $\sin 2x = 2\cos^2 x$, $0 < x < 360^\circ$.

4

(b)



In the diagram above, ABCD is a cyclic quadrilateral. M and N are points on the circle through A,B,C and D, such that CM bisects $\angle BCD$ and AN bisects $\angle DAB$.

(i)Copy the diagram.

1

(ii) Show that MN is a diameter of the circle.

3

(iii) Using the fact that MN is a diameter, prove $\angle NMB = 90^{\circ} - \angle BCM$.

- End of Paper -