### HIGHER SCHOOL CERTIFICATE EXAMINATION 1967

# MATHEMATICS - PAPER 8 (2F) - EQUIVALENT TO 3U AND 4U - 16.4 PAPER

Instructions: Time allowed 3 hours. All questions may be attempted. In every question, all necessary working should be shown. Marks will be deducted for careless or badky arranged work. Mathematical tables will be supplied.

#### QUESTION 1 (30 Marks)

The curve  $y = (x - 1)^2$  is notated around the x-axis. Find the (i) The curve  $y = (x - 1)^2$  is notated another we have y = 0 and x = 2, volume of the solid of nevolution between the planes x = 0 and x = 2.

(iii) Find the primitive function of (x + 1)/(x + 2).

(iii) Find the second derivative of  $y=\sin(x^3)$ . Give a sketch (not on graph paper) of this curve in the neighbourhood of x=0.

(iv) Two points P and Q move along the parabola  $y=x^2/4a$  in such a way that the x-coordinates of P and Q differ by the constant amount 2a. Find the equation of the locus of the midpoint of the chord PQ, and describe in words this locus.

[v] An urn contains 2 red balls and 3 blue balls. 6 drawings are made, the ball being placed back into the urn after each drawing. What is the probability, expressed as a rational number, that exactly 2 red

(vi) Transform the curve  $x^2 + y^2 - 2x - 4y + 1 = 0$  to parallel axes through the point (1, 2). Hence, on otherwise, describe the curve in

vii) white 5 cos  $\theta + \{75\}^{\frac{1}{2}}$  sin  $\theta$  in the form R sin  $\{\theta + \varepsilon\}$ , R > 0.

|viiii| State carefully the range and the domain of the function y=1 sin<sup>-1</sup>(x/1). Draw a rough sketch of this function.

Evaluate the integral  $\int_{a}^{b} (4 - x^2)^{-\frac{b}{2}} dx$ .

 $(\underline{a})$  For arbitrary positive integral n, find the sum 2" + 2"-1 + 2"-2 + ... + 2""+1 + 2"". <del>اع</del>

(b) State whether this sum has a limit as n approaches infinity. Give reasons.

#### QUESTION 2 (10 Marks)

(i) Find the quotient and the nemainder obtained by dividing  $P(x) = x^3 - bx^2 - bx + 4by A(x) = x - 1$ .

(ii) Hence, or otherwise, find a value of the constant b such that P[x] is divisible by A(x).

Find all the zeros of P(x) for this value of b. <u>3</u>

## 1967 H.S.C. PAPER B (3U AND 4U - 16t PAPER)

4

#### QUESTION 3 (10 Maraba)

Factorize the polynomial 2n2 + 1n + 6.

(ii) By use of the principle of mathematical induction, prove the relation  $6\{1^2+2^2+3^2+\ldots+n^2\}=n(n+1)\{2n+1\}.$ 

+ m<sup>2</sup>]. (i.i.i) Hence find the value of the limit  $\lim_{n\to\infty} \left[\frac{1^2+2^2+n^2}{n^3}\right]$ 

#### QUESTION 4 (10 Marks)

(i) Starting from the definition of the derivative as a limit, prove the product rule  $\{uv\}^* = uv^* + vu^*$ .

Find the derivatives of:  $(\underline{a})(x^2 + 1) \log_o(x^2 + 1)$ ; 3

 $\{\underline{b}\}\ (x^2+1)(x^{2+1})$ 

#### QUESTION 5 (10 Marks)

Let  $J = f'(9x^2 + 8x)dx$ .

Find approximate values of I by:

<u>ا</u>ک

the midordinate rule, using two intervals; (pnit)  $\sqrt{a}$  the midordinate rule, using one interval; this the midordinate rule, using two interval

Simpson's rule, using two intervals. <u></u> (i.i.) Compare your results with the exact value of J, and comment on the magnitudes of the errors.

#### (omir) QUESTION 6 (10 Manks)

A plane S<sub>1</sub> contains the three points (1, 0, 0), (0, 1, 0) and  $\{i, \}$  A plane  $S_1$  contains the three  $\{\overline{0}, 0, 1\}$ . Find an equation for  $S_1$ . (i.i.) The perpendicular from the origin 0 to another plane,  $S_2$  meets it at (1, 1, 0). Find an equation for  $S_2$ .

(i.i.i.) Find the points at which the line of intersection of  $S_1$  and  $S_2$  meets:

the plane containing the y-axis and the z-axis; <u>a</u>l <u>o</u>l

the plane containing the x-axis and the z-axis.

#### QUESTION 7 (10 Marks)

A particle of mass m is free to move along the x-axis. At time t = 0, the particle is at rest at the origin. A force  $F\{t\}$  = A cos (mt) acts on the particle.

(ii) Assuming Newton's Law of motion F = ma, find the acceleration a at any time t.

Find the velocity v at any time t.

(iii) Find the position x at any time t.

(iv) Thaw a rough sketch of x as a function of t, and give in words a detailed description of the motion.

#### QUESTION 8 (10 Marks)

A small deck of cards contains four aces (namely the ace of hearts, the ace of spades, the ace of diamonds, and the ace of clubs) and four kings, eight cards in all.

 $\{\lambda_i\}$  A man draws two cards and announces: "I hold the ace of hearts." Find the probability that he has:

(a) Aw aces; (b) one ace and one king.

(ii) The two cards are replaced, the deck is reshuffed (mixed), the min again draws two cards, and announces: "I hold at least one ace." Find the probability that he holds two aces in his hand.